

Yang-Min Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4525285/publications.pdf>

Version: 2024-02-01

368
papers

7,984
citations

57758

44
h-index

71685

76
g-index

376
all docs

376
docs citations

376
times ranked

3698
citing authors

#	ARTICLE	IF	CITATIONS
1	Development and Testing of a Large-Stroke Nanopositioning Stage With Linear Active Disturbance Rejection Controller. IEEE Transactions on Automation Science and Engineering, 2022, 19, 2461-2470.	5.2	11
2	An obstacle avoidance algorithm for space hyper-redundant manipulators using combination of RRT and shape control method. Robotica, 2022, 40, 1036-1069.	1.9	4
3	Design and analysis of new ultra compact decoupled XYZ $\hat{\lambda}$ stage to achieve large-scale high precision motion. Mechanism and Machine Theory, 2022, 167, 104527.	4.5	12
4	DCPR-GAN: Dental Crown Prosthesis Restoration Using Two-Stage Generative Adversarial Networks. IEEE Journal of Biomedical and Health Informatics, 2022, 26, 151-160.	6.3	25
5	Predefined-Time Barrier Function Adaptive Sliding-Mode Control and Its Application to Piezoelectric Actuators. IEEE Transactions on Industrial Informatics, 2022, 18, 8682-8691.	11.3	13
6	Design, modeling and testing of a vibration absorption device with energy harvesting based on force amplifier and piezoelectric stack. Energy Conversion and Management, 2022, 255, 115305.	9.2	13
7	Identification of Preisach Model Parameters Based on an Improved Particle Swarm Optimization Method for Piezoelectric Actuators in Micro-Manufacturing Stages. Micromachines, 2022, 13, 698.	2.9	14
8	Design and Modeling of a Novel Tripterion-Inspired Triaxial Parallel Compliant Manipulator with Compact Structure. Micromachines, 2022, 13, 678.	2.9	2
9	Configuration design and experimental verification of a variable constant-force compliant mechanism. Robotica, 2022, 40, 3463-3475.	1.9	13
10	A Suspended Cable-Driven Parallel Robot With Articulated Reconfigurable Moving Platform for Sch $\hat{\lambda}$ flies Motions. IEEE/ASME Transactions on Mechatronics, 2022, 27, 5173-5184.	5.8	9
11	Design, Assembly, and Simulation of Flexure-Based Modular Micro-Positioning Stages. Machines, 2022, 10, 421.	2.2	9
12	Kinematic and Dynamic Modeling and Workspace Analysis of a Suspended Cable-Driven Parallel Robot for Sch $\hat{\lambda}$ flies Motions. Machines, 2022, 10, 451.	2.2	5
13	The Navigation of Mobile Robot in the Indoor Dynamic Unknown Environment Based on Decision Tree Algorithm. Computational Intelligence and Neuroscience, 2022, 2022, 1-12.	1.7	2
14	A survey on synthesis of compliant constant force/torque mechanisms. Mechanism and Machine Theory, 2022, 176, 104970.	4.5	23
15	Novel Double Compensation for Impedance "Frequency Characteristics of Rotary Ultrasonic Machining via Multiobjective Genetic Algorithm. IEEE Transactions on Automation Science and Engineering, 2021, 18, 1928-1938.	5.2	8
16	Design of Discrete-Time Sliding Mode Control With Disturbance Compensator-Based Switching Function. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 1268-1272.	3.0	7
17	Sliding Mode Control for Uncertain Discrete-Time Systems Using an Adaptive Reaching Law. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 722-726.	3.0	10
18	Finite-time bounded control design for one-sided Lipschitz differential inclusions. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2021, 235, 943-951.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Design and analysis of a novel compact XYZ parallel precision positioning stage. <i>Microsystem Technologies</i> , 2021, 27, 1925-1932.	2.0	20
20	A new structure to achieve large-scale damage-avoiding capture based on compliant mechanism. <i>Microsystem Technologies</i> , 2021, 27, 937-944.	2.0	4
21	Design and control of a novel electromagnetic actuated 3-DoFs micropositioner. <i>Microsystem Technologies</i> , 2021, 27, 3763-3772.	2.0	6
22	Design and control of a novel micro-gripper using adaptive backstepping slide mode control method. <i>Microsystem Technologies</i> , 2021, 27, 4227-4239.	2.0	6
23	Disturbance estimator-based switching function for discrete-time sliding mode control systems with control saturation. <i>Transactions of the Institute of Measurement and Control</i> , 2021, 43, 2715-2723.	1.7	1
24	A Hybrid Active and Passive Cable-Driven Segmented Redundant Manipulator: Design, Kinematics, and Planning. <i>IEEE/ASME Transactions on Mechatronics</i> , 2021, 26, 930-942.	5.8	47
25	Analysis and multi-objective optimal design of a planar differentially driven cable parallel robot. <i>Robotica</i> , 2021, 39, 2193-2209.	1.9	6
26	Saturated adaptive barrier sliding mode control with state-dependent uncertainty limit. <i>IET Control Theory and Applications</i> , 2021, 15, 1762-1768.	2.1	5
27	Development of a 3-DOF Flexible Micro-Motion Platform Based on a New Compound Lever Amplification Mechanism. <i>Micromachines</i> , 2021, 12, 686.	2.9	7
28	A spring-damping contact force model considering normal friction for impact analysis. <i>Nonlinear Dynamics</i> , 2021, 105, 1437-1457.	5.2	12
29	A Novel Variable Exponential Discrete Time Sliding Mode Reaching Law. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021, 68, 2518-2522.	3.0	14
30	Design of a spatial constant-force end-effector for polishing/deburring operations. <i>International Journal of Advanced Manufacturing Technology</i> , 2021, 116, 3507-3515.	3.0	33
31	Adaptive Barrier Sliding-Mode Control Considering State-Dependent Uncertainty. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021, 68, 3301-3305.	3.0	7
32	FEA-based optimization and experimental verification of a typical flexure-based constant force module. <i>Sensors and Actuators A: Physical</i> , 2021, 332, 113083.	4.1	19
33	Disturbance Compensation Based Discrete-time Sliding Mode Control with a Reference Trajectory Generator. <i>International Journal of Control, Automation and Systems</i> , 2021, 19, 3862-3868.	2.7	4
34	Kinematic analysis of deployable parallel mechanisms. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2020, 234, 263-272.	2.1	5
35	A Novel Dead Zone Reaching Law of Discrete-Time Sliding Mode Control With Disturbance Compensation. <i>IEEE Transactions on Industrial Electronics</i> , 2020, 67, 4815-4825.	7.9	38
36	Classification and analysis of constraint singularities for parallel mechanisms using differential manifolds. <i>Applied Mathematical Modelling</i> , 2020, 77, 469-477.	4.2	9

#	ARTICLE	IF	CITATIONS
37	A point cloud registration algorithm based on normal vector and particle swarm optimization. <i>Measurement and Control</i> , 2020, 53, 265-275.	1.8	21
38	Different Kinds of 3T2R Serial Kinematic Chains and Their Applications in Synthesis of Parallel Mechanisms. <i>Mechanism and Machine Theory</i> , 2020, 144, 103637.	4.5	10
39	An Incremental Feedback Control for Uncertain Mechanical System. <i>IEEE Access</i> , 2020, 8, 20725-20734.	4.2	2
40	Tracking Control of PZT-Driven Compliant Precision Positioning Micromanipulator. <i>IEEE Access</i> , 2020, 8, 126477-126487.	4.2	10
41	Novel Surface Design of Deployable Reflector Antenna Based on Polar Scissor Structures. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2020, 33, .	3.7	10
42	Notice of Retraction: Perspective and Prediction of the Rule of High Temperature Melting of SiO ₂ , via Visual Analysis. <i>IEEE Access</i> , 2020, 8, 171334-171349.	4.2	1
43	Optimal attitude tracking control for an unmanned aerial quadrotor under lumped disturbances. <i>International Journal of Micro Air Vehicles</i> , 2020, 12, 175682932092356.	1.3	4
44	Control of Networked Control System With Data Packet Dropout via Observer-Based Controller. <i>IEEE Access</i> , 2020, 8, 58300-58309.	4.2	5
45	Minimum-jerk trajectory planning pertaining to a translational 3-degree-of-freedom parallel manipulator through piecewise quintic polynomials interpolation. <i>Advances in Mechanical Engineering</i> , 2020, 12, 168781402091366.	1.6	27
46	Noise-tolerance consensus formation control for multi-robotic networks. <i>Transactions of the Institute of Measurement and Control</i> , 2020, 42, 1569-1581.	1.7	10
47	Kinematics and dynamics analysis of the 3PUS-PRU parallel mechanism module designed for a novel 6-DOF gantry hybrid machine tool. <i>Journal of Mechanical Science and Technology</i> , 2020, 34, 345-357.	1.5	21
48	Fractional Order Exponential Type Discrete-time Sliding Mode Control. <i>International Journal of Control, Automation and Systems</i> , 2020, 18, 374-383.	2.7	8
49	Stabilization for Networked Control System With Time-Delay and Packet Loss in Both S-C Side and C-A Side. <i>IEEE Access</i> , 2020, 8, 2513-2523.	4.2	13
50	Sliding Mode Control: An Incremental Perspective. <i>IEEE Access</i> , 2020, 8, 20108-20117.	4.2	9
51	Two-Mode-Dependent Controller Design for Networked Markov System With Time-Delay in Both S/C Link and C/A Link. <i>IEEE Access</i> , 2020, 8, 56181-56190.	4.2	2
52	An Investigation on a Novel 3-RCU Flexible Micromanipulator. <i>Micromachines</i> , 2020, 11, 423.	2.9	6
53	Design of flexure-based modular architecture micro-positioning stage. <i>Microsystem Technologies</i> , 2020, 26, 2893-2901.	2.0	11
54	Motion Control of Magnetic Microrobot Using Uniform Magnetic Field. <i>IEEE Access</i> , 2020, 8, 71083-71092.	4.2	18

#	ARTICLE	IF	CITATIONS
55	Design of funnel function-based discrete-time sliding mode control. IET Control Theory and Applications, 2020, 14, 2413-2418.	2.1	2
56	A Novel Approach to Control of Piezo-Transducer in Microelectronics Packaging: PSO-PID and Editing Trajectory Optimization. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2020, 10, 795-805.	2.5	15
57	Compensation Modeling and Optimization on Contactless Rotary Transformer in Rotary Ultrasonic Machining. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2020, 142, .	2.2	8
58	Discrete-Time Sliding-Mode Control With Enhanced Power Reaching Law. IEEE Transactions on Industrial Electronics, 2019, 66, 4629-4638.	7.9	48
59	Multi-objective Dimensional Optimization of a 3-DOF Translational PKM Considering Transmission Properties. International Journal of Automation and Computing, 2019, 16, 748-760.	4.5	11
60	Optimization of Thermal Efficiency and Unburned Carbon in Fly Ash of Coal-Fired Utility Boiler via Grey Wolf Optimizer Algorithm. IEEE Access, 2019, 7, 114414-114425.	4.2	14
61	Motion generators of quadric surfaces. Mechanism and Machine Theory, 2019, 140, 446-456.	4.5	4
62	Multi-Power Reaching Law Based Discrete-Time Sliding-Mode Control. IEEE Access, 2019, 7, 49822-49829.	4.2	19
63	Electromechanical Dynamics Model of Ultrasonic Transducer in Ultrasonic Machining Based on Equivalent Circuit Approach. Sensors, 2019, 19, 1405.	3.8	16
64	Novel Optimization Approach in Ultrasonic Machining: Unilateral Compensation for Resonant Vibration in Primary Side. IEEE Access, 2019, 7, 34131-34140.	4.2	12
65	A Generalized Input-output-based Digital Sliding-mode Control for Piezoelectric Actuators with Non-minimum Phase Property. International Journal of Control, Automation and Systems, 2019, 17, 773-782.	2.7	7
66	Improved Mechanical Design and Simplified Motion Planning of Hybrid Active and Passive Cable-Driven Segmented Manipulator with Coupled Motion. , 2019, , .		15
67	Observer-based control for active suspension system with time-varying delay and uncertainty. Advances in Mechanical Engineering, 2019, 11, 168781401988950.	1.6	4
68	Optimum Design of a Piezo-Actuated Triaxial Compliant Mechanism for Nanocutting. IEEE Transactions on Industrial Electronics, 2018, 65, 6362-6371.	7.9	64
69	External force estimation of a piezo-actuated compliant mechanism based on a fractional order hysteresis model. Mechanical Systems and Signal Processing, 2018, 110, 296-306.	8.0	27
70	Development and Repetitive-Compensated PID Control of a Nanopositioning Stage With Large-Stroke and Decoupling Property. IEEE Transactions on Industrial Electronics, 2018, 65, 3995-4005.	7.9	81
71	Design and analysis of a flexure-based modular precision positioning stage with two different materials. Multidiscipline Modeling in Materials and Structures, 2018, 14, 516-529.	1.3	4
72	Fast dynamic hysteresis modeling using a regularized online sequential extreme learning machine with forgetting property. International Journal of Advanced Manufacturing Technology, 2018, 94, 3473-3484.	3.0	5

#	ARTICLE	IF	CITATIONS
73	Distributed learning particle swarm optimizer for global optimization of multimodal problems. <i>Frontiers of Computer Science</i> , 2018, 12, 122-134.	2.4	10
74	Analysis of soil-structure interface behavior using three-dimensional DEM simulations. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2018, 42, 339-357.	3.3	66
75	Design and implementation of a variable stiffness actuator based on flexible gear rack mechanism. <i>Robotica</i> , 2018, 36, 448-462.	1.9	15
76	Design and Analysis of a New Type of Spatial Flexible Micromanipulation Platform. , 2018, , .		0
77	Kinematics Performance Analysis of 2-RPU & 2-SPS Spatial Parallel Manipulator. , 2018, , .		0
78	A Cable-Driven Redundant Spatial Manipulator with Improved Stiffness and Load Capacity. , 2018, , .		27
79	An investigation on kinematics and dynamics performance of a novel 3-PRC-compliant parallel micromanipulator. <i>Advances in Mechanical Engineering</i> , 2018, 10, 168781401878980.	1.6	5
80	High Dynamic Control of a Flexure Fast Tool Servo Using On-line Sequential Extreme Learning Machine. , 2018, , .		2
81	Design and Dynamic Modeling of Variable Stiffness Joint Actuator Based on Archimedes Spiral. <i>IEEE Access</i> , 2018, 6, 43798-43807.	4.2	15
82	Hysteresis Compensation and Sliding Mode Control with Perturbation Estimation for Piezoelectric Actuators. <i>Micromachines</i> , 2018, 9, 241.	2.9	29
83	Configuration Analysis and Design of a Multidimensional Tele-operator Based on a 3-P(4S) Parallel Mechanism. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2018, 90, 339-348.	3.4	4
84	Design and Implementation of a Two-Wheel and Hopping Robot With a Linkage Mechanism. <i>IEEE Access</i> , 2018, 6, 42422-42430.	4.2	28
85	Kinematics, Dynamics, and Control of a Cable-Driven Hyper-Redundant Manipulator. <i>IEEE/ASME Transactions on Mechatronics</i> , 2018, 23, 1693-1704.	5.8	130
86	Design and optimization of full decoupled micro/nano-positioning stage based on mathematical calculation. <i>Mechanical Sciences</i> , 2018, 9, 417-429.	1.0	10
87	Hand Detection and Location Based on Improved SSD for Space Human-Robot Interaction. <i>Lecture Notes in Computer Science</i> , 2018, , 164-175.	1.3	3
88	On the Interface Shearing Behavior Between Granular Soil and Artificial Rough Surfaces. <i>Springer Series in Geomechanics and Geoengineering</i> , 2017, , 437-444.	0.1	2
89	Development of a novel large stroke 2-DOF micromanipulator for micro/nano manipulation. <i>Microsystem Technologies</i> , 2017, 23, 2993-3003.	2.0	29
90	Analytical solution of a hyperbolic partial differential equation and its application. <i>International Journal of Intelligent Computing and Cybernetics</i> , 2017, 10, 183-199.	2.7	3

#	ARTICLE	IF	CITATIONS
91	Nonlinear dynamic modeling and hybrid control design with dynamic compensator for a small-scale UAV quadrotor. Measurement: Journal of the International Measurement Confederation, 2017, 109, 51-64.	5.0	31
92	Free-flying dynamics and control of an astronaut assistant robot based on fuzzy sliding mode algorithm. Acta Astronautica, 2017, 138, 462-474.	3.2	25
93	Interface Direct Shearing Behavior Between Soil and Saw-tooth Surfaces by DEM Simulation. Procedia Engineering, 2017, 175, 36-42.	1.2	25
94	Static Hand Gesture Recognition with Parallel CNNs for Space Human-Robot Interaction. Lecture Notes in Computer Science, 2017, , 462-473.	1.3	37
95	Development and visual servo control of an electromagnetic actuated micromanipulation system. , 2017, , .		1
96	Kinematics analysis of a four degree-of-freedom parallel manipulator. , 2017, , .		1
97	A large-stroke flexure fast tool servo with new displacement amplifier. , 2017, , .		7
98	Kinematic and workspace analyses of a 2-RRU&RSR parallel manipulator. , 2017, , .		0
99	A regularized on-line sequential extreme learning machine with forgetting property for fast dynamic hysteresis modeling. , 2017, , .		2
100	Design and Analysis of a New High Precision Decoupled XY Compact Parallel Micromanipulator. Micromachines, 2017, 8, 82.	2.9	29
101	Design and analysis of a 3-DOF planar micromanipulation stage with large rotational displacement for micromanipulation system. Mechanical Sciences, 2017, 8, 117-126.	1.0	37
102	Univariate Gaussian Model for Multimodal Inseparable Problems. Lecture Notes in Computer Science, 2017, , 612-623.	1.3	4
103	Kinematics Comparative Study of Two Overconstrained Parallel Manipulators. Mathematical Problems in Engineering, 2016, 2016, 1-12.	1.1	7
104	Attitude control for astronaut assisted robot in the space station. International Journal of Control, Automation and Systems, 2016, 14, 1082-1095.	2.7	22
105	Guaranteed cost synchronization of complex networks with uncertainties and time-varying delays. Complexity, 2016, 21, 381-395.	1.6	14
106	Optimal guaranteed cost synchronization of coupled neural networks with Markovian jump and mode-dependent mixed time-delay. Optimal Control Applications and Methods, 2016, 37, 922-947.	2.1	10
107	Optimized PID tracking control for piezoelectric actuators based on the Bouc-Wen model. , 2016, , .		13
108	Kinematic analysis and gait planning for a DARwIn-OP Humanoid Robot. , 2016, , .		3

#	ARTICLE	IF	CITATIONS
109	Design of Variable Stiffness Actuator Based on Modified Gear-Rack Mechanism. Journal of Mechanisms and Robotics, 2016, 8, .	2.2	25
110	Smooth trajectory planning for a parallel manipulator with joint friction and jerk constraints. International Journal of Control, Automation and Systems, 2016, 14, 1022-1036.	2.7	29
111	Mobile robot autonomous path planning based on fuzzy logic and filter smoothing in dynamic environment. , 2016, , .		13
112	Comparative study of two 2-RPU+SPR parallel manipulators. , 2016, , .		1
113	Comparative stiffness analysis of two over-constrained manipulators. , 2016, , .		2
114	Kinematics analysis of a novel over-constrained three degree-of-freedom spatial parallel manipulator. Mechanism and Machine Theory, 2016, 104, 222-233.	4.5	36
115	synchronization of coupled reaction-diffusion neural networks with mixed delays. Complexity, 2016, 21, 42-53.	1.6	17
116	Noise tolerance leader-following of high-order nonlinear dynamical multi-agent systems with switching topology and communication delay. Journal of the Franklin Institute, 2016, 353, 108-143.	3.4	38
117	Development of an Electromagnetic Actuated Microdisplacement Module. IEEE/ASME Transactions on Mechatronics, 2016, 21, 1252-1261.	5.8	22
118	Design, analysis and simulation of a novel 3-DOF translational micromanipulator based on the PRB model. Mechanism and Machine Theory, 2016, 100, 235-258.	4.5	38
119	A Memetic Algorithm for Global Optimization of Multimodal Nonseparable Problems. IEEE Transactions on Cybernetics, 2016, 46, 1375-1387.	9.5	23
120	Control and synchronization of a hyperchaotic finance system via single controller scheme. International Journal of Intelligent Computing and Cybernetics, 2015, 8, 330-344.	2.7	8
121	Design of Control Strategy for a Novel Compliant Flexure-Based Microgripper With Two Jaws. , 2015, , .		3
122	Parallel and Cooperative Particle Swarm Optimizer for Multimodal Problems. Mathematical Problems in Engineering, 2015, 2015, 1-10.	1.1	4
123	A New Flexure-Based Θ Nanomanipulator With Nanometer-Scale Resolution and Millimeter-Scale Workspace. IEEE/ASME Transactions on Mechatronics, 2015, 20, 1320-1330.	5.8	59
124	A novel kinematics analysis for a 5-DOF manipulator based on KUKA youBot. , 2015, , .		3
125	Dynamic analysis of a 3-DOF 3-PUU parallel manipulator based on the principle of virtual work. , 2015, , .		6
126	Workspace analysis for a 3-DOF compliant parallel mechanism based on SimMechanics. , 2015, , .		5

#	ARTICLE	IF	CITATIONS
127	Dynamic modeling for high-performance controller design of a UAV quadrotor. , 2015, , .		11
128	Design and analysis of a novel 3-D micromanipulator with large range of motion. , 2015, , .		0
129	Dynamic dexterity evaluation of a 3-DOF 3-PUU parallel manipulator based on generalized inertia matrix. , 2015, , .		3
130	Passivity-based synchronization of a new hyperchaotic Lorenz System. , 2015, , .		0
131	Minimum-Jerk Trajectory Planning of a 3-DOF Translational Parallel Manipulator. , 2015, , .		2
132	Feedforward nonlinear PID control of a novel micromanipulator using Preisach hysteresis compensator. Robotics and Computer-Integrated Manufacturing, 2015, 34, 124-132.	9.9	67
133	Dual-layer fuzzy control architecture for the CAS rover arm. International Journal of Control, Automation and Systems, 2015, 13, 1262-1271.	2.7	5
134	Controller design and experimental investigation of a 3-universal-prismatic-universal compliant manipulator for active vibration isolation. JVC/Journal of Vibration and Control, 2015, 21, 3218-3238.	2.6	8
135	Cooperative particle swarm optimizer with improved elimination mechanism for global optimization. , 2015, , .		1
136	Control system design and study for an automatic mobile robot. , 2015, , .		2
137	Kinematic analysis of a novel 3-CRU translational parallel mechanism. Mechanical Sciences, 2015, 6, 57-64.	1.0	23
138	Single state feedback stabilization of unified chaotic systems and circuit implementation. Open Physics, 2014, 13, .	1.7	2
139	Design and analysis of a two layered 3-RRR micro/nano manipulating stage. , 2014, , .		2
140	Computer control for IGBT based heat load system with rapid response and large heat flux. , 2014, , .		0
141	Model based sliding mode control for a 3-DOF translational micro parallel positioning stage. , 2014, , .		3
142	Trajectory tracking control for a nonholonomic mobile robot using an improved ILC. , 2014, , .		13
143	Cooperative particle swarm optimizer with elimination mechanism for global optimization of multimodal problems. , 2014, , .		6
144	Comparative study of two 3-CRU translational parallel manipulators. , 2014, , .		6

#	ARTICLE	IF	CITATIONS
145	Design and analysis of a spatial 2-RPU & SPR parallel manipulator with 1T2R-Type. , 2014, , .		6
146	Design, comparison and analysis of a novel 3-D decoupling micromanipulator with different numbers of S-joints. , 2014, , .		0
147	Dynamic simulation of the vibration isolation system for astronaut treadmill. , 2014, , .		0
148	Design and analysis of a decoupled XY micro compliant parallel manipulator. , 2014, , .		8
149	Visual Servo Feedback Control of a Novel Large Working Range Micro Manipulation System for Microassembly. <i>Journal of Microelectromechanical Systems</i> , 2014, 23, 181-190.	2.5	44
150	Optimal design and comparative analysis of a novel microgripper based on matrix method. , 2014, , .		4
151	Design, implementation and control of a small-scale UAV quadrotor. , 2014, , .		5
152	Kinematic analysis and performance evaluation of the 3-PUU parallel module of a 3D printing manipulator. , 2014, , .		2
153	A novel analytical model for flexure-based proportion compliant mechanisms. <i>Precision Engineering</i> , 2014, 38, 449-457.	3.4	39
154	Dynamics and control of a parallel mechanism for active vibration isolation in space station. <i>Nonlinear Dynamics</i> , 2014, 76, 1737-1751.	5.2	55
155	Development of a 2-DOF micro-motion stage based on lever amplifying mechanism. , 2014, , .		1
156	Development and control of a compact 3-DOF micromanipulator for high-precise positioning. , 2014, , .		9
157	Dimensional synthesis of a 3-DOF translational parallel manipulator considering kinematic dexterity property. , 2014, , .		3
158	Dynamics analysis of a novel over-constrained three-DOF parallel manipulator. , 2014, , .		9
159	Development and Active Disturbance Rejection Control of a Compliant Micro-/Nanopositioning Piezostage With Dual Mode. <i>IEEE Transactions on Industrial Electronics</i> , 2014, 61, 1475-1492.	7.9	138
160	Design, modeling, control and experiment for a 2-DOF compliant micro-motion stage. <i>International Journal of Precision Engineering and Manufacturing</i> , 2014, 15, 735-744.	2.2	67
161	Dynamic compensation and control for piezoelectric actuators based on the inverse Bouc-Wen model. <i>Robotics and Computer-Integrated Manufacturing</i> , 2014, 30, 47-54.	9.9	54
162	Design, Modeling, and Analysis of a Novel Microgripper Based on Flexure Hinges. <i>Advances in Mechanical Engineering</i> , 2014, 6, 947584.	1.6	9

#	ARTICLE	IF	CITATIONS
163	Distance measurement of zooming image for a mobile robot. International Journal of Control, Automation and Systems, 2013, 11, 782-789.	2.7	11
164	Modeling and High Dynamic Compensating the Rate-Dependent Hysteresis of Piezoelectric Actuators via a Novel Modified Inverse Preisach Model. IEEE Transactions on Control Systems Technology, 2013, 21, 1549-1557.	5.2	161
165	Design of a new R-P compliant joint. , 2013, , .		0
166	Optimal Design, Fabrication, and Control of an \$XY\$ Micropositioning Stage Driven by Electromagnetic Actuators. IEEE Transactions on Industrial Electronics, 2013, 60, 4613-4626.	7.9	99
167	Design and analysis of a 2-DOF micro-motion stage based on differential amplifier. , 2013, , .		3
168	Development and assessment of a novel hydraulic displacement amplifier for piezo-actuated large stroke precision positioning. , 2013, , .		9
169	Analysis of a compliant mechanism with leverage and closed-loop structure based on matrix dimension-reduce method. , 2013, , .		1
170	Orthogonal Experimental Design method used in Particle Swarm Optimization for multimodal problems. , 2013, , .		13
171	Adaptive nonlinear output-feedback dynamic surface control with unknown high-frequency gain sign. International Journal of Control, 2013, 86, 2203-2214.	1.9	13
172	Design, Analysis, and Test of a Novel 2-DOF Nanopositioning System Driven by Dual Mode. IEEE Transactions on Robotics, 2013, 29, 650-662.	10.3	117
173	Simulation and control of a two-wheeled self-balancing robot. , 2013, , .		31
174	Mobility analysis of a 3-PUU flexure-based manipulator based on screw theory and compliance matrix method. International Journal of Precision Engineering and Manufacturing, 2013, 14, 1345-1353.	2.2	13
175	Optimal design of proportion compliant mechanisms with corner-filletted flexure hinges. , 2013, , .		0
176	Design of Large-Range XY Compliant Parallel Manipulators Based on Parasitic Motion Compensation. , 2013, , .		11
177	Realization of the flight control for an indoor UAV quadrotor. , 2013, , .		7
178	A novel flexure-based dual-arm robotic system for high-throughput biomanipulations on micro-fluidic chip. , 2013, , .		7
179	Sensor fault diagnosis method based on fractal dimension. , 2013, , .		0
180	Kinematics and workspace analysis for a novel 6-PSS parallel manipulator. , 2013, , .		5

#	ARTICLE	IF	CITATIONS
181	Development and implementation of a biomanipulation system with magnetic-driven microrobots. , 2013, , .		0
182	Development of a large working range flexure-based 3-DOF micro-parallel manipulator driven by electromagnetic actuators. , 2013, , .		18
183	Kinematics and interactive simulation system modeling for robot manipulators. , 2013, , .		6
184	A Novel Analytical Model for Flexure-based Proportion Compliant Mechanisms. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 612-619.	0.4	1
185	A novel flexure-based 3-DOF micro-parallel manipulator with a gripper for micro/nano manipulation. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2013, 46, 606-611.	0.4	10
186	New Yθ compliant micromanipulator with ultra-large workspace for biomanipulations. , 2013, , .		0
187	Optimal Design and Control Strategy of a Novel 2-DOF Micromanipulator. International Journal of Advanced Robotic Systems, 2013, 10, 162.	2.1	14
188	Design and Analysis of a Novel 3-DOF Large Stroke Micro-positioning Platform. Jixie Gongcheng Xuebao/Chinese Journal of Mechanical Engineering, 2013, 49, 48.	0.5	11
189	New empirical stiffness equations for corner- filleted flexure hinges. Mechanical Sciences, 2013, 4, 345-356.	1.0	32
190	DYNAMICS MODELING AND SIMULATION OF A KIND OF WHEELED HUMANOID ROBOT BASED ON SCREW THEORY. International Journal of Humanoid Robotics, 2012, 09, 1250029.	1.1	7
191	Optimal design, modeling and analysis of a 2-DOF nanopositioning stage with dual-mode: Towards High-Rate AFM scanning. , 2012, , .		8
192	Design and analysis of a 2-DOF micro-motion stage based on flexural hinges. , 2012, , .		5
193	Design of an optimal flight control system with integral augmented compensator for a nonlinear UAV helicopter. , 2012, , .		12
194	Low-complexity, full-resolution, mirror- switching digital predistortion scheme for polar-modulated power amplifiers. Electronics Letters, 2012, 48, 1551-1553.	1.0	1
195	Modeling and Control Analysis of a 3-PUPU Dual Compliant Parallel Manipulator for Micro Positioning and Active Vibration Isolation. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2012, 134, .	1.6	45
196	Model Predictive Discrete-Time Sliding Mode Control of a Nanopositioning Piezostage Without Modeling Hysteresis. IEEE Transactions on Control Systems Technology, 2012, 20, 983-994.	5.2	95
197	Micro-/Nanopositioning Using Model Predictive Output Integral Discrete Sliding Mode Control. IEEE Transactions on Industrial Electronics, 2012, 59, 1161-1170.	7.9	102
198	A model reference adaptive PID control for electromagnetic actuated micro-positioning stage. , 2012, , .		19

#	ARTICLE	IF	CITATIONS
199	A Compliant Parallel XY Micromotion Stage With Complete Kinematic Decoupling. IEEE Transactions on Automation Science and Engineering, 2012, 9, 538-553.	5.2	149
200	Mobility and kinematic analysis of a novel dexterous micro gripper. , 2012, , .		9
201	Tracking control of a compliant XY nano-positioner under plant uncertainty using a transfigured loop-shaping H _∞ controller. , 2012, , .		1
202	A novel threshold key management scheme based on bilinear pairing without a trusted party in Mobile Ad Hoc Network. , 2012, , .		2
203	A verifiable dynamic threshold key management scheme based on bilinear pairing without a trusted party in mobile ad hoc network. , 2012, , .		10
204	Comparative analysis of a 2-dof micro-stage with two different types of hinges based on level amplified principle. , 2012, , .		7
205	Optimal design of the lever displacement amplifiers for a flexure-based dual-mode motion stage. , 2012, , .		9
206	Design and analysis of a dual-mode driven parallel <i>XY</i> micromanipulator for micro/nanomanipulations. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2012, 226, 3043-3057.	2.1	32
207	Design and Robust Repetitive Control of a New Parallel-Kinematic XY Piezostage for Micro/Nanomanipulation. IEEE/ASME Transactions on Mechatronics, 2012, 17, 1120-1132.	5.8	114
208	A novel verifiable threshold signature scheme based on bilinear pairing in mobile Ad Hoc Network. , 2012, , .		6
209	Inverse dynamics of a 3-PRC parallel kinematic machine. Nonlinear Dynamics, 2012, 67, 1031-1041.	5.2	57
210	Hysteresis modeling and inverse feedforward control of an AFM piezoelectric scanner based on nano images. , 2011, , .		12
211	Precise positioning control of a micropositioning system with nonminimum-phase plant. , 2011, , .		1
212	Optimization of a completely decoupled flexure-based parallel XY micro-motion stage. , 2011, , .		6
213	The software architecture of a reconfigurable real-time onboard control system for a small UAV helicopter. , 2011, , .		7
214	Traching Control Of A Redundant Manipulator With The Assistance Of Tactile Sensing. Intelligent Automation and Soft Computing, 2011, 17, 833-845.	2.1	10
215	A Totally Decoupled Piezo-Driven XYZ Flexure Parallel Micropositioning Stage for Micro/Nanomanipulation. IEEE Transactions on Automation Science and Engineering, 2011, 8, 265-279.	5.2	194
216	Design and analysis of a novel micro-gripper with completely parallel movement of gripping arms. , 2011, , .		13

#	ARTICLE	IF	CITATIONS
217	Optimal design of a novel micro-gripper with completely parallel movement of gripping arms. , 2011, , .		20
218	A Novel Piezoactuated XY Stage With Parallel, Decoupled, and Stacked Flexure Structure for Micro-/Nanopositioning. IEEE Transactions on Industrial Electronics, 2011, 58, 3601-3615.	7.9	139
219	Analytical modeling, optimization and testing of a compound bridge-type compliant displacement amplifier. Mechanism and Machine Theory, 2011, 46, 183-200.	4.5	216
220	A general dynamics and control model of a class of multi-DOF manipulators for active vibration control. Mechanism and Machine Theory, 2011, 46, 1549-1574.	4.5	68
221	Optimal design of a 3-PUPU parallel robot with compliant hinges for micromanipulation in a cubic workspace. Robotics and Computer-Integrated Manufacturing, 2011, 27, 977-985.	9.9	76
222	Modeling and control of rate-dependent hysteresis for a piezo-driven micropositioning stage. , 2011, , .		8
223	Design and analysis of a novel flexure-based XY micro-positioning stage driven by electromagnetic actuators. , 2011, , .		21
224	Cell immobilization and contour detection for high-throughput robotic micro-injection. , 2011, , .		6
225	MANIPULATION OF A MOBILE MODULAR MANIPULATOR INTERACTING WITH THE ENVIRONMENT WITH THE ASSISTANCE OF TACTILE SENSING FEEDBACK. International Journal of Humanoid Robotics, 2011, 08, 777-793.	1.1	6
226	Development Status of Micromanipulator Technology for Biomedical Applications. Jixie Gongcheng Xuebao/Chinese Journal of Mechanical Engineering, 2011, 47, 1.	0.5	23
227	Rate-Dependent Hysteresis Modeling and Compensation Using Least Squares Support Vector Machines. Lecture Notes in Computer Science, 2011, , 85-93.	1.3	1
228	Development of a Laboratory HILs Testbed System for Small UAV Helicopters. , 2011, , .		4
229	Inverse Kinematics and Control of a 7-DOF Redundant Manipulator Based on the Closed-Loop Algorithm. International Journal of Advanced Robotic Systems, 2010, 7, 37.	2.1	81
230	Design and analysis of a novel 6-DOF redundant actuated parallel robot with compliant hinges for high precision positioning. Nonlinear Dynamics, 2010, 61, 829-845.	5.2	108
231	Tracking performance characterization and improvement of a piezoactuated micropositioning system based on an empirical index. Robotics and Computer-Integrated Manufacturing, 2010, 26, 744-752.	9.9	9
232	Enumeration of the Non-Isomorphic Configurations for a Reconfigurable Modular Robot with Square-Cubic-Cell Modules. International Journal of Advanced Robotic Systems, 2010, 7, 31.	2.1	10
233	Hysteresis compensation of a piezoactuated XY micropositioning system based on disturbance observer. , 2010, , .		0
234	Dahl Model-Based Hysteresis Compensation and Precise Positioning Control of an XY Parallel Micromanipulator With Piezoelectric Actuation. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2010, 132, .	1.6	119

#	ARTICLE	IF	CITATIONS
235	A study on a robotic arm contacting with human skin using tactile sensing feedback strategies. , 2010, , .		0
236	Surface-tracking of a 5-DOF manipulator equipped with tactile sensors. , 2010, , .		2
237	Analysis of a novel 2-DOF flexure hinge-based parallel micromanipulator in a polar coordinate system. , 2010, , .		1
238	Optimal design and fabrication of a piezoactuated flexure XYZ parallel micropositioning stage. , 2010, , .		4
239	Massaging human feet by a redundant manipulator equipped with a tactile sensor. , 2010, , .		10
240	Adaptive Sliding Mode Control With Perturbation Estimation and PID Sliding Surface for Motion Tracking of a Piezo-Driven Micromanipulator. IEEE Transactions on Control Systems Technology, 2010, 18, 798-810.	5.2	297
241	Development and Assessment of a Novel Decoupled XY Parallel Micropositioning Platform. IEEE/ASME Transactions on Mechatronics, 2010, 15, 125-135.	5.8	105
242	Hybrid impedance control of a 3-DOF robotic arm used for rehabilitation treatment. , 2010, , .		7
243	Precise tracking control of a piezoactuated micropositioning stage based on modified Prandtl-Ishlinskii hysteresis model. , 2010, , .		3
244	Hysteresis modeling and tracking control of a piezostage for biological cell manipulation. , 2010, , .		0
245	Sliding mode control of a piezo-driven micropositioning system using extended Kalman filter. , 2010, , .		7
246	Novel design of a totally decoupled flexure-based XYZ parallel micropositioning stage. , 2010, , .		4
247	Design and analysis of a completely decoupled compliant parallel XY micro-motion stage. , 2010, , .		11
248	Manipulation of a Mobile Modular Manipulator Interacting with the Environment with the Assistance of Tactile Sensing Feedback. Lecture Notes in Computer Science, 2010, , 214-225.	1.3	2
249	System Identification and Vibration Control of a Piezo-Driven Flexure-Based XYZ Parallel Micropositioning Stage. , 2010, , .		0
250	Active vibration control based on a 3-DOF dual compliant parallel robot using LQR algorithm. , 2009, , .		8
251	Performance analysis and optimization of a novel large displacement 3-DOF parallel manipulator. , 2009, , .		3
252	Hysteresis modeling and compensation for an XY micropositioning stage with model reference adaptive control. , 2009, , .		4

#	ARTICLE	IF	CITATIONS
253	Inverse kinematics analysis for the arm of a mobile humanoid robot based on the closed-loop algorithm. , 2009, , .		16
254	Impedance control of a spatial redundant manipulator used for relaxing muscle fatigue. , 2009, , .		1
255	Global sliding mode-based tracking control of a piezo-driven XY micropositioning stage with unmodeled hysteresis. , 2009, , .		11
256	Multi-degree of freedom vibration model for a 3-DOF hybrid robot. , 2009, , .		5
257	Dynamics modeling for a novel 3-DOF dual parallel manipulator considering the flexibility of compliant components. , 2009, , .		1
258	Error analysis and optimal design of a class of translational parallel kinematic machine using particle swarm optimization. Robotica, 2009, 27, 67-78.	1.9	51
259	Dynamic modeling and robust control of a 3-PRC translational parallel kinematic machine. Robotics and Computer-Integrated Manufacturing, 2009, 25, 630-640.	9.9	73
260	Modeling and performance evaluation of a flexure-based XY parallel micromanipulator. Mechanism and Machine Theory, 2009, 44, 2127-2152.	4.5	97
261	Design and Optimization of an XYZ Parallel Micromanipulator with Flexure Hinges. Journal of Intelligent and Robotic Systems: Theory and Applications, 2009, 55, 377-402.	3.4	50
262	Design, Fabrication, and Visual Servo Control of an XY Parallel Micromanipulator With Piezo-Actuation. IEEE Transactions on Automation Science and Engineering, 2009, 6, 710-719.	5.2	54
263	Dynamics and kinematics of novel underwater vehicle-manipulator for cleaning water pool. , 2009, , .		2
264	Analysis on the interaction between the nonholonomic mobile modular robot and the environment. , 2009, , .		5
265	Radial basis function neural network control of an XY micropositioning stage without exact dynamic model. , 2009, , .		12
266	Dynamic modeling of a mobile humanoid robot. , 2009, , .		3
267	Comparative analysis for the inverse kinematics of redundant manipulators based on repetitive tracking tasks. , 2009, , .		3
268	Static force analysis for a mobile humanoid robot moving on a slope. , 2009, , .		4
269	Design of a new decoupled XYZ compliant parallel micropositioning stage with compact structure. , 2009, , .		3
270	Design and Analysis of a Totally Decoupled Flexure-Based XY Parallel Micromanipulator. IEEE Transactions on Robotics, 2009, 25, 645-657.	10.3	343

#	ARTICLE	IF	CITATIONS
271	Analysis of dynamic stability constraints for a mobile humanoid robot. , 2009, , .		3
272	Dynamic Control and Analysis of a Nonholonomic Mobile Modular Robot. Lecture Notes in Computer Science, 2009, , 776-791.	1.3	3
273	CMAC-Based PID Control of an XY Parallel Micropositioning Stage. Lecture Notes in Computer Science, 2009, , 1040-1049.	1.3	3
274	Stiffness analysis for a 3-PUU parallel kinematic machine. Mechanism and Machine Theory, 2008, 43, 186-200.	4.5	178
275	An investigation on mobility and stiffness of a 3-DOF translational parallel manipulator via screw theory. Robotics and Computer-Integrated Manufacturing, 2008, 24, 402-414.	9.9	68
276	A general model of a kind of parallel manipulator for active control based on KANE’s dynamics. , 2008, , .		3
277	Comparison of Two Kinds of Large Displacement Precision Parallel Mechanisms for Micro/nano Positioning Applications. , 2008, , .		1
278	Design of a new decoupled XY flexure parallel kinematic manipulator with actuator isolation. , 2008, , .		2
279	A novel design and analysis of a 3-DOF parallel manipulator for micro/nano manipulation. , 2008, , .		2
280	Formation control based on adaptive NN with time-varying interaction among robots. , 2008, , .		5
281	Kinematics and tip-over stability analysis for a mobile humanoid robot moving on a slope. , 2008, , .		11
282	Kinematic analysis of a mobile robot with two-body frames. , 2008, , .		1
283	Experimental studies on a micromanipulator for micro/nano manipulation. , 2008, , .		0
284	Design of a partially decoupled high precision XYZ compliant parallel micromanipulator. , 2008, , .		3
285	Optimum design and development of an XY flexure micromanipulator for micro scale positioning. , 2008, , .		1
286	Active vibration control on A3-DOF parallel platform based on Kane’s dynamic method. , 2008, , .		4
287	A survey on the structures of current mobile humanoid robots. , 2008, , .		8
288	Stability on Adaptive NN Formation Control with Variant Formation Patterns and Interaction Topologies. International Journal of Advanced Robotic Systems, 2008, 5, 8.	2.1	16

#	ARTICLE	IF	CITATIONS
289	Survey on parallel manipulators with micro/nano manipulation technology and applications. Jixie Gongcheng Xuebao/Chinese Journal of Mechanical Engineering, 2008, 44, 12.	0.5	12
290	Statics and dynamics performance evaluation for a high precision XYZ compliant parallel micromanipulator. , 2007, , .		3
291	Design and application of a new 3-DOF translational parallel manipulator. , 2007, , .		2
292	Design modification of a 3-PRC compliant parallel micromanipulator for micro/nano scale manipulation. , 2007, , .		3
293	Design and analysis of a new singularity-free three-prismatic-revolute-cylindrical translational parallel manipulator. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2007, 221, 565-576.	2.1	25
294	A Modified PSO Structure Resulting in High Exploration Ability With Convergence Guaranteed. IEEE Transactions on Systems, Man, and Cybernetics, 2007, 37, 1271-1289.	5.0	132
295	Design and Development of a Medical Parallel Robot for Cardiopulmonary Resuscitation. IEEE/ASME Transactions on Mechatronics, 2007, 12, 265-273.	5.8	93
296	Micromanipulation based on AFM: Probe tip selection. , 2007, , .		3
297	Dynamics analysis of a modified 3-PRC compliant parallel micromanipulator. , 2007, , .		2
298	Stiffness and statics analysis of a compact 3-PRC parallel micromanipulator for micro/nano scale manipulation. , 2007, , .		0
299	Kinematic analysis of a 3-PRS parallel manipulator. Robotics and Computer-Integrated Manufacturing, 2007, 23, 395-408.	9.9	203
300	Enhance Computational Efficiency of Neural Network Predictive Control Using PSO with Controllable Random Exploration Velocity. Lecture Notes in Computer Science, 2007, , 813-823.	1.3	2
301	GA-Based Multi-Objective Optimal Design of a Planar 3-DOF Cable-Driven Parallel Manipulator. , 2006, , .		12
302	A novel design and analysis of a 2-DOF compliant parallel micromanipulator for nanomanipulation. IEEE Transactions on Automation Science and Engineering, 2006, 3, 247-254.	5.2	77
303	Stiffness Modeling for an Orthogonal 3-PUU Compliant Parallel Micromanipulator. , 2006, , .		11
304	Stiffness Optimization of a 3-DOF Parallel Kinematic Machine Using Particle Swarm Optimization. , 2006, , .		5
305	Smooth Path Planning of a Mobile Robot Using Stochastic Particle Swarm Optimization. , 2006, , .		48
306	A New Method of Executing Multiple Auxiliary Tasks by Redundant Nonholonomic Mobile Manipulators. , 2006, , .		4

#	ARTICLE	IF	CITATIONS
307	Optimal Design of a New Nanopositioner using Genetic Algorithm. , 2006, , .		1
308	Neural Network Training Using Stochastic PSO. Lecture Notes in Computer Science, 2006, , 1051-1060.	1.3	2
309	Kinematic Analysis and Design of a New 3-DOF Translational Parallel Manipulator. Journal of Mechanical Design, Transactions of the ASME, 2006, 128, 729-737.	2.9	123
310	Online fuzzy logic control for tipover avoidance of autonomous redundant mobile manipulators. International Journal of Vehicle Autonomous Systems, 2006, 4, 24.	0.2	15
311	Robust adaptive neural fuzzy control for autonomous redundant non-holonomic mobile modular manipulators. International Journal of Vehicle Autonomous Systems, 2006, 4, 268.	0.2	4
312	Kinematic Analysis and Optimization of a New Compliant Parallel Micromanipulator. International Journal of Advanced Robotic Systems, 2006, 3, 47.	2.1	22
313	Modeling and simulation of swarms for collecting objects. Robotica, 2006, 24, 315-324.	1.9	24
314	A novel design of a 3-PRC translational compliant parallel micromanipulator for nanomanipulation. Robotica, 2006, 24, 527-528.	1.9	33
315	A New Approach to the Architecture Optimization of a General 3-PUU Translational Parallel Manipulator. Journal of Intelligent and Robotic Systems: Theory and Applications, 2006, 46, 59-72.	3.4	36
316	Real-Time Tip-Over Prevention and Path Following Control for Redundant Nonholonomic Mobile Modular Manipulators via Fuzzy and Neural-Fuzzy Approaches. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2006, 128, 753-764.	1.6	51
317	A New Stochastic PSO Technique for Neural Network Training. Lecture Notes in Computer Science, 2006, , 564-569.	1.3	8
318	GA-Based Architecture Optimization of a 3-PUU Parallel Manipulator for Stiffness Performance. , 2006, , .		2
319	Cooperative Transportation by Multiple Mobile Manipulators using Adaptive NN Control. , 2006, , .		6
320	Mechanical Design of Compliant Parallel Micromanipulators for Nano Scale Manipulation. , 2006, , .		6
321	Accuracy-Based Architecture Optimization of a 3-DOF Parallel Kinematic Machine. , 2006, , .		2
322	Stiffness Modeling of a Spatial 3-DOF Compliant Parallel Micromanipulator. , 2006, , .		6
323	Leader-Formation Control With Dynamic Interaction Topologies. , 2005, , .		0
324	Trajectory Tracking Control Considering Simultaneous Motions of a Modular Manipulator and a Mobile Platform. , 2005, , 159.		2

#	ARTICLE	IF	CITATIONS
325	Kinematic Analysis of a New 3-DOF Translational Parallel Manipulator. , 2005, , 1015.		3
326	Dynamics and model-based control for mobile modular manipulators. Robotica, 2005, 23, 795-797.	1.9	8
327	Active Vibration Control of a Modular Robot Combining a Back-Propagation Neural Network with a Genetic Algorithm. JVC/Journal of Vibration and Control, 2005, 11, 3-17.	2.6	23
328	Sliding Mode Adaptive Neural-Network Control for Nonholonomic Mobile Modular Manipulators. Journal of Intelligent and Robotic Systems: Theory and Applications, 2005, 44, 203-224.	3.4	47
329	Kinematics and tip-over stability analysis for the mobile modular manipulator. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2005, 219, 331-342.	2.1	30
330	Active Vibration Control of a Modular Robot Combining a Back-Propagation Neural Network with a Genetic Algorithm. JVC/Journal of Vibration and Control, 2005, 11, 3-17.	2.6	18
331	A new task-consistent overturn prevention algorithm for redundant mobile modular manipulators. , 2005, , .		2
332	Stability on multi-robot formation with dynamic interaction topologies. , 2005, , .		9
333	Kinematic design and dynamic analysis of a medical parallel manipulator for chest compression task. , 2005, , .		2
334	Kinematics and inverse dynamics analysis for a general 3-PRS spatial parallel mechanism. Robotica, 2005, 23, 219-229.	1.9	101
335	Leader-formation navigation using dynamic formation pattern. , 2005, , .		4
336	Odor localization using swarm intelligence. , 2005, , .		0
337	Dynamic analysis of a modified DELTA parallel robot for cardiopulmonary resuscitation. , 2005, , .		14
338	Robust adaptive neuro-fuzzy control for nonholonomic mobile modular manipulators in task space. , 2005, , .		0
339	Formation Control for a Multiple Robotic System Using Adaptive Neural Network. Lecture Notes in Computer Science, 2005, , 228-233.	1.3	2
340	Mobile Robot Navigation Using Particle Swarm Optimization and Adaptive NN. Lecture Notes in Computer Science, 2005, , 628-631.	1.3	31
341	Obstacle Avoidance for Redundant Nonholonomic Mobile Modular Manipulators via Neural Fuzzy Approaches. Lecture Notes in Computer Science, 2005, , 1109-1118.	1.3	4
342	Parameter Identification and Vibration Control in Modular Manipulators. IEEE/ASME Transactions on Mechatronics, 2004, 9, 700-705.	5.8	27

#	ARTICLE	IF	CITATIONS
343	Kinematics control of redundant manipulators using a CMAC neural network combined with a genetic algorithm. <i>Robotica</i> , 2004, 22, 611-621.	1.9	17
344	DYNAMICS AND MODEL-BASED CONTROL FOR THE MOBILE MODULAR MANIPULATOR. , 2004, , .		0
345	The identification of joint parameters for modular robots using fuzzy theory and a genetic algorithm. <i>Robotica</i> , 2002, 20, 509-517.	1.9	12
346	Hybrid control approach to the peg-in hole problem. <i>IEEE Robotics and Automation Magazine</i> , 1997, 4, 52-60.	2.0	26
347	Novel design of a 3-PUU spatial compliant parallel micromanipulator for nanomanipulation. , 0, , .		5
348	Dynamic stability analysis and control for the mobile manipulator. , 0, , .		2
349	Joint parameters identification for redundant manipulators based on fuzzy theory and genetic algorithm. , 0, , .		0
350	Coordinated control of an autonomous mobile robot with automatic feeding devices. , 0, , .		0
351	Hybrid kinematics and dynamics analysis for a mobile modular manipulator. , 0, , .		5
352	Parameters identification and vibration control for modular manipulators. , 0, , .		9
353	Control of a mobile modular manipulator moving on a slope. , 0, , .		8
354	Optimal design and analysis of a 3-RRPaR parallel manipulator for chest compressions. , 0, , .		0
355	Concept design and dynamic modeling of a medical parallel manipulator to assist in cardiopulmonary resuscitation. , 0, , .		0
356	Kinematics and Dexterity Analysis for a Novel 3-DOF Translational Parallel Manipulator. , 0, , .		21
357	Kinematic Design of a Novel 3-DOF Compliant Parallel Manipulator for Nanomanipulation. , 0, , .		3
358	Adaptive neural-fuzzy control for a nonholonomic mobile modular manipulator moving on a slope. , 0, , .		3
359	Kinematic analysis and dynamic control of a 3-PUU parallel manipulator for cardiopulmonary resuscitation. , 0, , .		13
360	Dynamic control of multi-robot formation. , 0, , .		9

#	ARTICLE	IF	CITATIONS
361	Leader-formation navigation with sensor constraints. , 0, , .		0
362	Optimal design of a novel 2-DOF compliant parallel micromanipulator for nanomanipulation.. , 0, , .		1
363	Design and analysis of a new 3-DOF compliant parallel positioning platform for nanomanipulation. , 0, , .		6
364	Fuzzy logic self-motion planning and robust adaptive control for tip-over avoidance of redundant mobile modular manipulators. , 0, , .		1
365	Cooperative Transportation by Multiple Mobile Manipulators using Adaptive NN Control. , 0, , .		0
366	Novel design and modeling of a mobile parallel manipulator. , 0, , .		4
367	Design and Assessment of a Flexure-Based 2-DOF Micromanipulator for Automatic Cell Micro-Injection. Advanced Materials Research, 0, 457-458, 445-448.	0.3	12
368	Kinematic analysis and dynamic control of a 3-PUU parallel manipulator for cardiopulmonary resuscitation. , 0, , .		0