

# Harald Aschauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4525794/publications.pdf>

Version: 2024-02-01

161  
papers

12,428  
citations

50566

48  
h-index

32181

105  
g-index

174  
all docs

174  
docs citations

174  
times ranked

15805  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. <i>Nature Genetics</i> , 2003, 34, 27-29.  | 9.4  | 1,612     |
| 2  | Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .   | 6.0  | 1,085     |
| 3  | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.   | 13.5 | 935       |
| 4  | Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 755-761.   | 1.0  | 494       |
| 5  | Genome-Wide Scan for Autism Susceptibility Genes. <i>Human Molecular Genetics</i> , 1999, 8, 805-812.   | 1.4  | 453       |
| 6  | Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.   | 4.0  | 410       |
| 7  | An international two-stage genome-wide search for schizophrenia susceptibility genes. <i>Nature Genetics</i> , 1995, 11, 321-324.   | 9.4  | 368       |
| 8  | Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation.. <i>Journal of Cell Biology</i> , 1993, 123, 1309-1320.   | 2.3  | 282       |
| 9  | A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014, 19, 1085-1094.   | 4.1  | 282       |
| 10 | Interrogating the Genetic Determinants of Tourette's Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , 2019, 176, 217-227.  | 4.0  | 242       |
| 11 | Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. <i>Lancet, The</i> , 1996, 347, 1294-1296.   | 6.3  | 240       |
| 12 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.  | 2.3  | 229       |
| 13 | Synthesis and expression in <i>Escherichia coli</i> of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988, 85, 9199-9203. | 3.3  | 228       |
| 14 | Pharmacogenetics of Tardive Dyskinesia Combined Analysis of 780 Patients Supports Association with Dopamine D3 Receptor Gene Ser9Gly Polymorphism. <i>Neuropsychopharmacology</i> , 2002, 27, 105-119.  | 2.8  | 217       |
| 15 | Methadone versus buprenorphine in pregnant addicts: a double-blind, double-dummy comparison study. <i>Addiction</i> , 2006, 101, 275-281.   | 1.7  | 212       |
| 16 | Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.  |      | 166       |
| 17 | A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , 1998, 3, 141-149.   | 4.1  | 163       |
| 18 | Multipartite Entanglement Purification for Graph States. <i>Physical Review Letters</i> , 2003, 91, 107903.   | 2.9  | 161       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Presence of Cyclophilin A in Synovial Fluids of Patients with Rheumatoid Arthritis. <i>Journal of Experimental Medicine</i> , 1997, 185, 975-980.  | 4.2 | 146       |
| 20 | Buprenorphine versus methadone maintenance for the treatment of opioid dependence. <i>Addiction</i> , 1999, 94, 1337-1347.   | 1.7 | 144       |
| 21 | Treatment of opioid-dependent pregnant women with buprenorphine. <i>Addiction</i> , 2000, 95, 239-244.   | 1.7 | 141       |
| 22 | Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. <i>Neuron</i> , 2017, 94, 1101-1111.e7.  | 3.8 | 137       |
| 23 | ANXIETY AS A PREDICTOR OF RELAPSE IN DETOXIFIED ALCOHOL-DEPENDENT PATIENTS. <i>Alcohol and Alcoholism</i> , 2002, 37, 609-612.   | 0.9 | 129       |
| 24 | A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. <i>Psychological Medicine</i> , 1996, 26, 775-783.  | 2.7 | 127       |
| 25 | Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 1996, 26, 1145-1153.   | 2.7 | 126       |
| 26 | Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. <i>European Neuropsychopharmacology</i> , 1999, 10, 17-20.   | 0.3 | 120       |
| 27 | Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , 1998, 32, 101-106.   | 1.1 | 117       |
| 28 | No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , 2001, 50, 8-12.  | 0.7 | 117       |
| 29 | Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 411-425. | 1.0 | 109       |
| 30 | A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003, 8, 942-946.   | 4.1 | 103       |
| 31 | Multiparticle entanglement purification for two-colorable graph states. <i>Physical Review A</i> , 2005, 71, .   | 1.0 | 98        |
| 32 | Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , 2021, 54, 5-17.   | 1.7 | 96        |
| 33 | Genome scan for susceptibility loci for schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2002, 52, 40-52.  | 0.7 | 95        |
| 34 | Comparison of methadone and slow-release morphine maintenance in pregnant addicts. <i>Addiction</i> , 1999, 94, 231-239.   | 1.7 | 89        |
| 35 | Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of <i>Xenopus laevis</i> . <i>FEBS Journal</i> , 1985, 149, 531-535.  | 0.2 | 83        |
| 36 | European multicentre association study of schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. , 1998, 81, 24-28.  |     | 75        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Brain-derived neurotrophic factor (BDNF)â€™Epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 399-406.   | 2.0 | 74        |
| 38 | The Analysis of a Protein-Polymorphism. Evolution of Monomeric and Homodimeric Haemoglobins (Erythrocrorins) of <i>Chironomus thummi thummi</i> (Insecta, Diptera). <i>Hoppe-Seyler's Zeitschrift FÃ¼r Physiologische Chemie</i> , 1983, 364, 205-218. | 1.7 | 70        |
| 39 | Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. <i>Science</i> , 1986, 233, 351-354.  | 6.0 | 68        |
| 40 | Genome Scan for Susceptibility Loci for Schizophrenia. <i>Neuropsychobiology</i> , 2000, 42, 175-182.  | 0.9 | 68        |
| 41 | Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. <i>Drug and Alcohol Dependence</i> , 2004, 74, 61-70.                                   | 1.6 | 67        |
| 42 | Effective open-label treatment of Tourette's disorder with olanzapine. <i>International Clinical Psychopharmacology</i> , 2000, 15, 23-28.   | 0.9 | 61        |
| 43 | Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette's disorder. <i>Psychiatric Genetics</i> , 2008, 18, 308-309.   | 0.6 | 58        |
| 44 | Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , 1999, 46, 997-1002.   | 0.7 | 57        |
| 45 | Marked depression and anxiety in patients with functional dysphonia. <i>Psychiatry Research</i> , 2005, 134, 85-91.  | 1.7 | 57        |
| 46 | Biosynthesis of peptides in the skin of <i>Xenopus laevis</i> : Isolation of novel peptides predicted from the sequence of cloned cDNAs. <i>Peptides</i> , 1985, 6, 17-21.   | 1.2 | 56        |
| 47 | Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , 2000, 10, 131-137.   | 0.6 | 54        |
| 48 | No Evidence for Linkage between Chromosome 5 Markers and Schizophrenia. <i>Human Heredity</i> , 1990, 40, 109-115.   | 0.4 | 53        |
| 49 | Genetic association signal near <i>NTN4</i> in Tourette syndrome. <i>Annals of Neurology</i> , 2014, 76, 310-315.  | 2.8 | 53        |
| 50 | Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. <i>Molecular Genetics and Genomics</i> , 2007, 277, 71-81.   | 1.0 | 51        |
| 51 | Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 177-185.                 | 2.4 | 50        |
| 52 | Inhibition of lipid biosynthesis induces the expression of the <i>pspA</i> gene. <i>Microbiology (United Kingdom)</i> , 2007, 151, 1429-1436.  | 0.7 | 49        |
| 53 | No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette's disorder patients: a [ <sup>123</sup> I]-β-CIT SPECT-study. <i>European Neuropsychopharmacology</i> , 2001, 11, 69-74.            | 0.3 | 48        |
| 54 | The Primary Structure of the Hemoglobin of the Dogfish Shark ( <i>Squalus acanthias</i> ). Antagonistic Effects of ATP and Urea on Oxygen Affinity of an Elasmobranch Hemoglobin. <i>Biological Chemistry Hoppe-Seyler</i> , 1985, 366, 589-600.       | 1.4 | 47        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. <i>FEBS Letters</i> , 1997, 413, 385-388.   | 1.3 | 47        |
| 56 | Comprehension of metaphors in patients with schizophrenia-spectrum disorders. <i>Comprehensive Psychiatry</i> , 2014, 55, 928-937.   | 1.5 | 47        |
| 57 | Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. <i>Epilepsy Research</i> , 2007, 75, 145-153.  | 0.8 | 46        |
| 58 | Risperidone for Tourette's syndrome. <i>Lancet, The</i> , 1994, 344, 1577-1578.  | 6.3 | 43        |
| 59 | No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 51-55.   | 0.3 | 43        |
| 60 | Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586. | 0.7 | 43        |
| 61 | Maternal Bonding Behaviour in Schizophrenia and Schizoaffective Disorder, Considering Premorbid Personality Traits. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 663-668.                                       | 1.3 | 42        |
| 62 | Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. <i>Journal of Neuroimmunology</i> , 1995, 59, 83-89.   | 1.1 | 41        |
| 63 | European Collaborative Project on Affective Disorders. <i>Psychiatric Genetics</i> , 1998, 8, 197-205.   | 0.6 | 41        |
| 64 | Linkage and association analysis of CACNG3 in childhood absence epilepsy. <i>European Journal of Human Genetics</i> , 2007, 15, 463-472.   | 1.4 | 39        |
| 65 | Lytic effector cell function in schizophrenia and depression. <i>Journal of Neuroimmunology</i> , 1988, 18, 291-301.   | 1.1 | 37        |
| 66 | SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. <i>Antimicrobial Agents and Chemotherapy</i> , 1991, 35, 500-505.                                    | 1.4 | 34        |
| 67 | Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , 1999, 85, 241-246.   | 1.7 | 34        |
| 68 | Premorbid performance IQ deficit in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 414-422.   | 2.2 | 32        |
| 69 | Evaluation of CACNA1H in European patients with childhood absence epilepsy. <i>Epilepsy Research</i> , 2006, 69, 177-181.  | 0.8 | 32        |
| 70 | Anticipation in schizophrenia. <i>Schizophrenia Research</i> , 1999, 35, 25-32.  | 1.1 | 31        |
| 71 | Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , 2021, 11, 56.  | 2.4 | 31        |
| 72 | Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. <i>Epilepsy Research</i> , 2009, 87, 247-255.  | 0.8 | 29        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | IL-8 DERIVATIVES WITH A REDUCED POTENTIAL TO FORM HOMODIMERS ARE FULLY ACTIVE IN VITRO AND IN VIVO. <i>Cytokine</i> , 1998, 10, 1-12.   | 1.4 | 28        |
| 74 | Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. <i>Journal of Affective Disorders</i> , 2000, 58, 51-61.   | 2.0 | 28        |
| 75 | TSH-Response Patterns to TRH Stimulation May Indicate Therapeutic Mechanisms of Antidepressant and Neuroleptic Drugs. <i>Neuropsychobiology</i> , 1984, 11, 213-218.  | 0.9 | 27        |
| 76 | Schizophrenia and the dopamine- $\beta$ -hydroxylase gene. <i>Psychiatric Genetics</i> , 1996, 6, 17-22.  | 0.6 | 27        |
| 77 | The TSH-response to trh: a possible predictor of outcome to antidepressant and neuroleptic treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1983, 7, 335-342.                           | 2.5 | 26        |
| 78 | Private Entanglement over Arbitrary Distances, Even Using Noisy Apparatus. <i>Physical Review Letters</i> , 2002, 88, 047902.   | 2.9 | 26        |
| 79 | Temperature dependence of the de Gennes narrowing in liquid rubidium. <i>Physical Review B</i> , 2006, 73, .  | 1.1 | 26        |
| 80 | The tridimensional personality model: Influencing variables in a sample of detoxified alcohol dependents. <i>Comprehensive Psychiatry</i> , 1996, 37, 109-114.  | 1.5 | 25        |
| 81 | Absence of string order in the anisotropic S=2 Heisenberg antiferromagnet. <i>Physical Review B</i> , 1998, 58, 359-365.  | 1.1 | 25        |
| 82 | A Longitudinal View of Triggers and Thresholds of Suicidal Behavior in Depression. <i>Journal of Clinical Psychiatry</i> , 2002, 63, 866-873.   | 1.1 | 25        |
| 83 | Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. <i>Immunopharmacology</i> , 1990, 19, 139-143.                              | 2.0 | 24        |
| 84 | Association Studies of Candidate Genes in Bipolar Disorders. <i>Neuropsychobiology</i> , 2000, 42, 18-21.   | 0.9 | 24        |
| 85 | Concordance of genetic variation that increases risk for Tourette Syndrome and that influences its underlying neurocircuitry. <i>Translational Psychiatry</i> , 2019, 9, 120.   | 2.4 | 24        |
| 86 | No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 243, 193-198.                    | 1.8 | 23        |
| 87 | Mirtazapine in recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 1998, 13, 39-40.  | 0.9 | 21        |
| 88 | Fluoxetine treatment in patients with recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 2001, 16, 221-226.   | 0.9 | 21        |
| 89 | Die Primärstruktur des $\hat{\pm}$ -Amylaseinhibitors Hoe 467A aus <i>Streptomyces tendae</i> 4158. Eine neue Klasse von Inhibitoren. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1983, 364, 1347-1356. | 1.7 | 20        |
| 90 | Neurodevelopmental Schizophrenia: Obstetric Complications, Birth Weight, Premorbid Social Withdrawal and Learning Disabilities. <i>Neuropsychobiology</i> , 2001, 43, 163-169.  | 0.9 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.   | 2.4 | 20        |
| 92  | Characterization of the Apolipoprotein AI and CIII Genes in the Domestic Pig. Genomics, 1993, 15, 643-652.   | 1.3 | 19        |
| 93  | No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. Nordic Journal of Psychiatry, 2011, 65, 203-207.                               | 0.7 | 18        |
| 94  | The Unified Biosocial Model of Personality in Schizophrenia Families and Controls. Psychopathology, 1998, 31, 45-51.   | 1.1 | 17        |
| 95  | Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: A multicenter association study. , 1999, 88, 527-532.  |     | 17        |
| 96  | Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29. Journal of Psychiatric Research, 2004, 38, 357-364.   | 1.5 | 17        |
| 97  | Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. European Neuropsychopharmacology, 2004, 14, 53-58.                    | 0.3 | 17        |
| 98  | Trazodone-induced cardiac arrhythmias: a report of two cases. Human Psychopharmacology, 2006, 21, 61-62.   | 0.7 | 17        |
| 99  | Security proof of quantum cryptography based entirely on entanglement purification. Physical Review A, 2002, 66, .   | 1.0 | 16        |
| 100 | The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2018, 9, 9.   | 1.3 | 16        |
| 101 | Quetiapine in combination with citalopram in patients with unipolar psychotic depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 242-247.   | 2.5 | 15        |
| 102 | Plasma Concentrations of Haloperidol and Prolactin and Clinical Outcome in Acutely Psychotic Patients. Pharmacopsychiatry, 1988, 21, 246-251.  | 1.7 | 14        |
| 103 | No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22. , 1997, 74, 361-364.  |     | 14        |
| 104 | Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. Psychiatry Research, 2000, 96, 179-183.   | 1.7 | 14        |
| 105 | Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 347-350.  | 1.1 | 14        |
| 106 | Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. World Journal of Biological Psychiatry, 2010, 11, 417-424. | 1.3 | 14        |
| 107 | Neutron guides at the FRM-II. Physica B: Condensed Matter, 2000, 283, 323-329.   | 1.3 | 12        |
| 108 | Hemoglobin D "Los Angeles" in an Austrian Family: Biochemical Identification, Clinical Aspects, and Kindred Study. Hemoglobin, 1984, 8, 353-361.   | 0.4 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | The Season of Birth of Schizophrenics and Schizoaffectives. <i>Psychopathology</i> , 1994, 27, 298-302.   | 1.1 | 10        |
| 110 | Personality, anxiety and functional dysphonia. <i>Personality and Individual Differences</i> , 2005, 39, 1441-1449.   | 1.6 | 10        |
| 111 | The temperature dependent collective dynamics of liquid Rubidium. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 3164-3168.  | 1.5 | 8         |
| 112 | Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. <i>European Neuropsychopharmacology</i> , 2007, 17, 501-505.   | 0.3 | 8         |
| 113 | Tourette's syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. <i>Psychiatry Research</i> , 2008, 157, 235-239.   | 1.7 | 8         |
| 114 | Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , 2021, 26, 7522-7529.   | 4.1 | 8         |
| 115 | Effects of Antidepressant Treatment with Clomipramine on Hormonal Responses to Thyrotropin-Releasing Hormone and Insulin-induced Hypoglycemia: Implications for the "Monoamine-Hypothesis"*. <i>Pharmacopsychiatry</i> , 1981, 14, 100-106.   | 1.7 | 6         |
| 116 | Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. <i>Agents and Actions</i> , 1989, 26, 148-150.  | 0.7 | 5         |
| 117 | Psychosis as a possible side-effect of treatment with glatiramer acetate. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 487-488.   | 1.0 | 5         |
| 118 | Duration of untreated psychosis in a high-income versus a low- and middle-income region. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 1176-1182.   | 1.3 | 5         |
| 119 | Zur intrinsischen Sauerstoffaffinität: Die Primärstruktur eines weiteren Ruminantia-Hämoglobins: Methionin in Î²NA2 eines Stirnwaffenträgers, des Nordland-Elches ( <i>Alces alces alces</i> ). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1984, 365, 1323-1330. | 1.7 | 4         |
| 120 | Heterogeneity of schizophrenia: preliminary evidence for multiple genetic loci. <i>Schizophrenia Research</i> , 1989, 2, 39.  | 1.1 | 4         |
| 121 | A Sac I RFLP is detected with the 5-HT 1a serotonin receptor probe G21. <i>Nucleic Acids Research</i> , 1990, 18, 691-691.  | 6.5 | 4         |
| 122 | Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). <i>FEBS Letters</i> , 1994, 347, 300-303.  | 1.3 | 4         |
| 123 | Study of Family History in Seasonal Affective Disorder. <i>Neuropsychobiology</i> , 2001, 44, 65-69.  | 0.9 | 4         |
| 124 | Obstetric complications, premorbid and current cognitive functioning in schizophrenics and their same-sex healthy siblings. <i>Schizophrenia Research</i> , 1996, 18, 100.  | 1.1 | 3         |
| 125 | Natural Immunity in Schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 1987, 496, 743-744.  | 1.8 | 2         |
| 126 | The influence of phenotype on the outcome of linkage analysis of schizophrenia. <i>Schizophrenia Research</i> , 1996, 22, 89-90.  | 1.1 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a caseâ€“control association study. World Journal of Biological Psychiatry, 2011, 12, 309-315.  | 1.3 | 2         |
| 128 | Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€“help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 178-190. | 1.3 | 2         |
| 129 | Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.   | 2.4 | 2         |
| 130 | Quantum Communication and Decoherence. Lecture Notes in Physics, 2002, , 235-261.  | 0.3 | 2         |
| 131 | RFLP linkage study in schizophrenia on chromosome 2. Schizophrenia Research, 1992, 6, 89.  | 1.1 | 1         |
| 132 | Natural killer cell function in adolescent and adult schizophrenic patients. European Child and Adolescent Psychiatry, 1993, 2, 155-160.   | 2.8 | 1         |
| 133 | Non-concordance by gender for schizophrenia and related disorders in sibships. European Archives of Psychiatry and Clinical Neuroscience, 1994, 244, 12-16.  | 1.8 | 1         |
| 134 | Biperiden and Haloperidol Plasma Levels and Extrapyrarnidal Side Effects in Schizophrenic Patients. Neuropsychobiology, 1997, 36, 69-72.   | 0.9 | 1         |
| 135 | Premorbid performance IQ deficits in schizophrenia. Schizophrenia Research, 2000, 41, 276-277.   | 1.1 | 1         |
| 136 | Dopamine transporter gene polymorphism in Tourette's disorder. European Neuropsychopharmacology, 2002, 12, 437-438.  | 0.3 | 1         |
| 137 | Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1458-1458.            | 0.1 | 1         |
| 138 | Novel Neutrophil-Activating Peptides and Their Role in Inflammation. , 1989, , 765-771.  |     | 1         |
| 139 | Obstetric complications, premorbid cognitive and social adjustment and familial relationships in schizophrenics and their same-sex unaffected siblings. Schizophrenia Research, 1995, 15, 203.   | 1.1 | 0         |
| 140 | Progress in the search for schizophrenia susceptibility genes. Biological Psychiatry, 1996, 39, 615.   | 0.7 | 0         |
| 141 | Thermal insulation with paper honeycombs with solar gain. , 0, , .   |     | 0         |
| 142 | Normal CAG repeats in the Huntington gene in a family with benign familial chorea. Psychiatric Genetics, 1996, 6, 91-94.   | 0.6 | 0         |
| 143 | Personality and family relationships in schizophrenia in the context of the neurodevelopmental hypothesis. Schizophrenia Research, 1997, 24, 8.  | 1.1 | 0         |
| 144 | Anticipation and cohort-effect in schizophrenia. Schizophrenia Research, 1997, 24, 54-55.  | 1.1 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Meta-analysis of association studies between schizophrenia and polymorphisms of the 5-hydroxytryptamine type 2A receptor gene. <i>Schizophrenia Research</i> , 1997, 24, 91.                        | 1.1 | 0         |
| 146 | 347. The role of the serotonin transporter gene on the behavioral effects of tryptophan depletion in patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 1998, 43, S104-S105. | 0.7 | 0         |
| 147 | P01.43 Dopamine transporter genotypes and imaging in tourette disorder. <i>European Psychiatry</i> , 2000, 15, 332s-332s.   | 0.1 | 0         |
| 148 | P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. <i>European Psychiatry</i> , 2000, 15, 347s-348s.                                      | 0.1 | 0         |
| 149 | P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. <i>European Psychiatry</i> , 2000, 15, 390s-390s.   | 0.1 | 0         |
| 150 | P02.254 TPQ in functional dysphonia. <i>European Psychiatry</i> , 2000, 15, 390s-390s.  | 0.1 | 0         |
| 151 | P02.364 Efficacy of antidepressants in the treatment of severe depression. <i>European Psychiatry</i> , 2000, 15, 420s-421s.  | 0.1 | 0         |
| 152 | 308. Fluoxetine treatment in patients with recurrent brief depression (RBD). <i>Biological Psychiatry</i> , 2000, 47, S93.  | 0.7 | 0         |
| 153 | 361. 5-HTTLPR and central 5-HTT availability measured with [123I]- $\beta^2$ -CIT SPECT. <i>Biological Psychiatry</i> , 2000, 47, S109.   | 0.7 | 0         |
| 154 | 369. Psychotropic drug naive and currently treated patients with Tourette syndrome: a [123I]- $\beta^2$ -CIT SPECT-study. <i>Biological Psychiatry</i> , 2000, 47, S111-S112.                       | 0.7 | 0         |
| 155 | 370. Dopamine transporter (DAT 1) genotypes and [123I]- $\beta^2$ -CIT SPECT imaging of DAT in Tourette Disorder (TD). <i>Biological Psychiatry</i> , 2000, 47, S112.                               | 0.7 | 0         |
| 156 | Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. <i>European Physical Journal D</i> , 2002, 18, 171-177.   | 0.6 | 0         |
| 157 | P.6.089 Chromosome 3q29: Follow-up linkage analysis in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003, 13, S463-S464.   | 0.3 | 0         |
| 158 | Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1 <sup>st</sup> Degree Relatives and Healthy Controls. <i>European Psychiatry</i> , 2011, 26, 1501-1501.                | 0.1 | 0         |
| 159 | Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. <i>European Psychiatry</i> , 2011, 26, 1416-1416.        | 0.1 | 0         |
| 160 | P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. <i>European Psychiatry</i> , 2011, 26, 247-247.  | 0.1 | 0         |
| 161 | P.1.a.010 DNA methylation of the BDNF gene in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013, 23, S165.  | 0.3 | 0         |