

Harald Aschauer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4525794/publications.pdf>

Version: 2024-02-01

161
papers

12,428
citations

41344
49
h-index

27406
106
g-index

174
all docs

174
docs citations

174
times ranked

14320
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. Nature Genetics, 2003, 34, 27-29.	21.4	1,612
2	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
3	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	28.9	935
4	Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. Biochemical and Biophysical Research Communications, 1987, 149, 755-761.	2.1	494
5	Genome-Wide Scan for Autism Susceptibility Genes. Human Molecular Genetics, 1999, 8, 805-812.	2.9	453
6	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.	7.2	410
7	An international two-“stage genome”-wide search for schizophrenia susceptibility genes. Nature Genetics, 1995, 11, 321-324.	21.4	368
8	Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation.. Journal of Cell Biology, 1993, 123, 1309-1320.	5.2	282
9	A genome-wide association study of anorexia nervosa. Molecular Psychiatry, 2014, 19, 1085-1094.	7.9	282
10	Interrogating the Genetic Determinants of Tourette’s Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. American Journal of Psychiatry, 2019, 176, 217-227.	7.2	242
11	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. Lancet, The, 1996, 347, 1294-1296.	13.7	240
12	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
13	Synthesis and expression in Escherichia coli of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor.. Proceedings of the National Academy of Sciences of the United States of America, 1988, 85, 9199-9203.	7.1	228
14	Pharmacogenetics of Tardive Dyskinesia Combined Analysis of 780 Patients Supports Association with Dopamine D3 Receptor Gene Ser9Gly Polymorphism. Neuropsychopharmacology, 2002, 27, 105-119.	5.4	217
15	Methadone versus buprenorphine in pregnant addicts: a double-blind, double-dummy comparison study. Addiction, 2006, 101, 275-281.	3.3	212
16	Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.		166
17	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. Molecular Psychiatry, 1998, 3, 141-149.	7.9	163
18	Multiparticle Entanglement Purification for Graph States. Physical Review Letters, 2003, 91, 107903.	7.8	161

#	ARTICLE	IF	CITATIONS
19	Presence of Cyclophilin A in Synovial Fluids of Patients with Rheumatoid Arthritis. Journal of Experimental Medicine, 1997, 185, 975-980.	8.5	146
20	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. Addiction, 1999, 94, 1337-1347.	3.3	144
21	Treatment of opioid-dependent pregnant women with buprenorphine. Addiction, 2000, 95, 239-244.	3.3	141
22	Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.	8.1	137
23	ANXIETY AS A PREDICTOR OF RELAPSE IN DETOXIFIED ALCOHOL-DEPENDENT PATIENTS. Alcohol and Alcoholism, 2002, 37, 609-612.	1.6	129
24	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. Psychological Medicine, 1996, 26, 775-783.	4.5	127
25	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. Psychological Medicine, 1996, 26, 1145-1153.	4.5	126
26	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. European Neuropsychopharmacology, 1999, 10, 17-20.	0.7	120
27	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. Schizophrenia Research, 1998, 32, 101-106.	2.0	117
28	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. Biological Psychiatry, 2001, 50, 8-12.	1.3	117
29	Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. International Journal of Neuropsychopharmacology, 2005, 8, 411-425.	2.1	109
30	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. Molecular Psychiatry, 2003, 8, 942-946.	7.9	103
31	Multiparticle entanglement purification for two-colorable graph states. Physical Review A, 2005, 71, .	2.5	98
32	Review and Consensus on Pharmacogenomic Testing in Psychiatry. Pharmacopsychiatry, 2021, 54, 5-17.	3.3	96
33	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. Biological Psychiatry, 2002, 52, 40-52.	1.3	95
34	Comparison of methadone and slow-release morphine maintenance in pregnant addicts. Addiction, 1999, 94, 231-239.	3.3	89
35	Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of <i>Xenopus laevis</i> . FEBS Journal, 1985, 149, 531-535.	0.2	83
36	European multicentre association study of schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. American Journal of Medical Genetics Part A, 1998, 81, 24-28.	2.4	75

#	ARTICLE	IF	CITATIONS
37	Brain-derived neurotrophic factor (BDNF)â€™Epigenetic regulation in unipolar and bipolar affective disorder. Journal of Affective Disorders, 2014, 168, 399-406.	4.1	74
38	The Analysis of a Protein-Polymorphism. Evolution of Monomeric and Homodimeric Haemoglobins (Erythrocruorins) of<i>Chironomus thummi thummi</i> (Insecta, Diptera). Hoppe-Seyler's Zeitschrift F��r Physiologische Chemie, 1983, 364, 205-218.	1.6	70
39	Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. Science, 1986, 233, 351-354.	12.6	68
40	Genome Scan for Susceptibility Loci for Schizophrenia. Neuropsychobiology, 2000, 42, 175-182.	1.9	68
41	Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. Drug and Alcohol Dependence, 2004, 74, 61-70.	3.2	67
42	Effective open-label treatment of Tourette��s disorder with olanzapine. International Clinical Psychopharmacology, 2000, 15, 23-28.	1.7	61
43	Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette's disorder. Psychiatric Genetics, 2008, 18, 308-309.	1.1	58
44	Possible association between childhood absence epilepsy and the gene encoding GABRB3. Biological Psychiatry, 1999, 46, 997-1002.	1.3	57
45	Marked depression and anxiety in patients with functional dysphonia. Psychiatry Research, 2005, 134, 85-91.	3.3	57
46	Biosynthesis of peptides in the skin of Xenopus laevis: Isolation of novel peptides predicted from the sequence of cloned cDNAs. Peptides, 1985, 6, 17-21.	2.4	56
47	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. Psychiatric Genetics, 2000, 10, 131-137.	1.1	54
48	No Evidence for Linkage between Chromosome 5 Markers and Schizophrenia. Human Heredity, 1990, 40, 109-115.	0.8	53
49	Genetic association signal near <scp><i>NTN</i></scp><i>4</i></scp> in <scp>T</scp>ourette syndrome. Annals of Neurology, 2014, 76, 310-315.	5.3	53
50	Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. Molecular Genetics and Genomics, 2007, 277, 71-81.	2.1	51
51	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. American Journal of Medical Genetics Part A, 2002, 114, 177-185.	2.4	50
52	Inhibition of lipid biosynthesis induces the expression of the pspA gene. Microbiology (United) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 142	1.8	49
53	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette��s disorder patients: a [123I]-��-CIT SPECT-study. European Neuropsychopharmacology, 2001, 11, 69-74.	0.7	48
54	The Primary Structure of the Hemoglobin of the Dogfish Shark(Squalus acanthias).Antagonistic Effects of ATP and Urea on Oxygen Affinity of an Elasmobranch Hemoglobin. Biological Chemistry Hoppe-Seyler, 1985, 366, 589-600.	1.4	47

#	ARTICLE	IF	CITATIONS
55	The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. FEBS Letters, 1997, 413, 385-388.	2.8	47
56	Comprehension of metaphors in patients with schizophrenia-spectrum disorders. Comprehensive Psychiatry, 2014, 55, 928-937.	3.1	47
57	Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. Epilepsy Research, 2007, 75, 145-153.	1.6	46
58	Risperidone for Tourette's syndrome. Lancet, The, 1994, 344, 1577-1578.	13.7	43
59	No association of clock gene T3111C polymorphism and affective disorders. European Neuropsychopharmacology, 2005, 15, 51-55.	0.7	43
60	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. Biological Psychiatry, 2019, 86, 577-586.	1.3	43
61	Maternal Bonding Behaviour in Schizophrenia and Schizoaffective Disorder, Considering Premorbid Personality Traits. Australian and New Zealand Journal of Psychiatry, 2002, 36, 663-668.	2.3	42
62	Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. Journal of Neuroimmunology, 1995, 59, 83-89.	2.3	41
63	European Collaborative Project on Affective Disorders. Psychiatric Genetics, 1998, 8, 197-205.	1.1	41
64	Linkage and association analysis of CACNG3 in childhood absence epilepsy. European Journal of Human Genetics, 2007, 15, 463-472.	2.8	39
65	Lytic effector cell function in schizophrenia and depression. Journal of Neuroimmunology, 1988, 18, 291-301.	2.3	37
66	SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. Antimicrobial Agents and Chemotherapy, 1991, 35, 500-505.	3.2	34
67	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. Psychiatry Research, 1999, 85, 241-246.	3.3	34
68	Premorbid performance IQ deficit in schizophrenia. Acta Psychiatrica Scandinavica, 2000, 102, 414-422.	4.5	32
69	Evaluation of CACNA1H in European patients with childhood absence epilepsy. Epilepsy Research, 2006, 69, 177-181.	1.6	32
70	Anticipation in schizophrenia. Schizophrenia Research, 1999, 35, 25-32.	2.0	31
71	Synaptic processes and immune-related pathways implicated in Tourette syndrome. Translational Psychiatry, 2021, 11, 56.	4.8	31
72	Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. Epilepsy Research, 2009, 87, 247-255.	1.6	29

#	ARTICLE	IF	CITATIONS
73	IL-8 DERIVATIVES WITH A REDUCED POTENTIAL TO FORM HOMODIMERS ARE FULLY ACTIVE IN VITRO AND IN VIVO. Cytokine, 1998, 10, 1-12.	3.2	28
74	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. Journal of Affective Disorders, 2000, 58, 51-61.	4.1	28
75	TSH-Response Patterns to TRH Stimulation May Indicate Therapeutic Mechanisms of Antidepressant and Neuroleptic Drugs. Neuropsychobiology, 1984, 11, 213-218.	1.9	27
76	Schizophrenia and the dopamine- β -hydroxylase gene. Psychiatric Genetics, 1996, 6, 17-22.	1.1	27
77	The TSH-response to trh: a possible predictor of outcome to antidepressant and neuroleptic treatment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1983, 7, 335-342.	4.8	26
78	Private Entanglement over Arbitrary Distances, Even Using Noisy Apparatus. Physical Review Letters, 2002, 88, 047902.	7.8	26
79	Temperature dependence of the de Gennes narrowing in liquid rubidium. Physical Review B, 2006, 73, .	3.2	26
80	The tridimensional personality model: Influencing variables in a sample of detoxified alcohol dependents. Comprehensive Psychiatry, 1996, 37, 109-114.	3.1	25
81	Absence of string order in the anisotropic S=2 Heisenberg antiferromagnet. Physical Review B, 1998, 58, 359-365.	3.2	25
82	A Longitudinal View of Triggers and Thresholds of Suicidal Behavior in Depression. Journal of Clinical Psychiatry, 2002, 63, 866-873.	2.2	25
83	Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. Immunopharmacology, 1990, 19, 139-143.	2.0	24
84	Association Studies of Candidate Genes in Bipolar Disorders. Neuropsychobiology, 2000, 42, 18-21.	1.9	24
85	Concordance of genetic variation that increases risk for Tourette Syndrome and that influences its underlying neurocircuitry. Translational Psychiatry, 2019, 9, 120.	4.8	24
86	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. European Archives of Psychiatry and Clinical Neuroscience, 1993, 243, 193-198.	3.2	23
87	Mirtazapine in recurrent brief depression. International Clinical Psychopharmacology, 1998, 13, 39-40.	1.7	21
88	Fluoxetine treatment in patients with recurrent brief depression. International Clinical Psychopharmacology, 2001, 16, 221-226.	1.7	21
89	Die Primärstruktur des α -Amylaseinhibitors Hoe 467A aus <i>Streptomyces tendae</i> 4158. Eine neue Klasse von Inhibitoren. Hoppe-Seyler's Zeitschrift für Physiologische Chemie, 1983, 364, 1347-1356.	1.6	20
90	Neurodevelopmental Schizophrenia: Obstetric Complications, Birth Weight, Premorbid Social Withdrawal and Learning Disabilities. Neuropsychobiology, 2001, 43, 163-169.	1.9	20

#	ARTICLE	IF	CITATIONS
91	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	20
92	Characterization of the Apolipoprotein AI and CIII Genes in the Domestic Pig. Genomics, 1993, 15, 643-652.	2.9	19
93	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. Nordic Journal of Psychiatry, 2011, 65, 203-207.	1.3	18
94	The Unified Biosocial Model of Personality in Schizophrenia Families and Controls. Psychopathology, 1998, 31, 45-51.	1.5	17
95	Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: A multicenter association study. , 1999, 88, 527-532.		17
96	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29. Journal of Psychiatric Research, 2004, 38, 357-364.	3.1	17
97	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. European Neuropsychopharmacology, 2004, 14, 53-58.	0.7	17
98	Trazodone-induced cardiac arrhythmias: a report of two cases. Human Psychopharmacology, 2006, 21, 61-62.	1.5	17
99	Security proof of quantum cryptography based entirely on entanglement purification. Physical Review A, 2002, 66, .	2.5	16
100	The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2018, 9, 9.	2.6	16
101	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 242-247.	4.8	15
102	Plasma Concentrations of Haloperidol and Prolactin and Clinical Outcome in Acutely Psychotic Patients. Pharmacopsychiatry, 1988, 21, 246-251.	3.3	14
103	No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22. , 1997, 74, 361-364.		14
104	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. Psychiatry Research, 2000, 96, 179-183.	3.3	14
105	Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 347-350.	1.7	14
106	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. World Journal of Biological Psychiatry, 2010, 11, 417-424.	2.6	14
107	Neutron guides at the FRM-II. Physica B: Condensed Matter, 2000, 283, 323-329.	2.7	12
108	Hemoglobin D "Los Angeles" in an Austrian Family: Biochemical Identification, Clinical Aspects, and Kindred Study. Hemoglobin, 1984, 8, 353-361.	0.8	10

#	ARTICLE	IF	CITATIONS
109	The Season of Birth of Schizophrenics and Schizoaffectives. Psychopathology, 1994, 27, 298-302.	1.5	10
110	Personality, anxiety and functional dysphonia. Personality and Individual Differences, 2005, 39, 1441-1449.	2.9	10
111	The temperature dependent collective dynamics of liquid Rubidium. Journal of Non-Crystalline Solids, 2007, 353, 3164-3168.	3.1	8
112	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. European Neuropsychopharmacology, 2007, 17, 501-505.	0.7	8
113	Tourette's syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. Psychiatry Research, 2008, 157, 235-239.	3.3	8
114	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. Molecular Psychiatry, 2021, 26, 7522-7529.	7.9	8
115	Effects of Antidepressant Treatment with Clomipramine on Hormonal Responses to Thyrotropin-Releasing Hormone and Insulin-induced Hypoglycemia: Implications for the "Monoamine-Hypothesis"*. Pharmacopsychiatry, 1981, 14, 100-106.	3.3	6
116	Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. Agents and Actions, 1989, 26, 148-150.	0.7	5
117	Psychosis as a possible side-effect of treatment with glatiramer acetate. International Journal of Neuropsychopharmacology, 2005, 8, 487-488.	2.1	5
118	Duration of untreated psychosis in a high-income versus a low- and middle-income region. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1176-1182.	2.3	5
119	Zur intrinsischen Sauerstoffaffinität: Die Primärstruktur eines weiteren Ruminantia-Hämoglobins: Methionin in Î²NA2 eines Stirnwaffenträgers, des Nordland-Elches (Alces alces alces). Hoppe-Seyler's Zeitschrift für Physiologische Chemie, 1984, 365, 1323-1330.	1.6	4
120	Heterogeneity of schizophrenia: preliminary evidence for multiple genetic loci. Schizophrenia Research, 1989, 2, 39.	2.0	4
121	A Sac I RFLP is detected with the 5-HT 1a serotonin receptor probe G21. Nucleic Acids Research, 1990, 18, 691-691.	14.5	4
122	Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). FEBS Letters, 1994, 347, 300-303.	2.8	4
123	Study of Family History in Seasonal Affective Disorder. Neuropsychobiology, 2001, 44, 65-69.	1.9	4
124	Obstetric complications, premorbid and current cognitive functioning in schizophrenics and their same-sex healthy siblings. Schizophrenia Research, 1996, 18, 100.	2.0	3
125	Natural Immunity in Schizophrenia. Annals of the New York Academy of Sciences, 1987, 496, 743-744.	3.8	2
126	The influence of phenotype on the outcome of linkage analysis of schizophrenia. Schizophrenia Research, 1996, 22, 89-90.	2.0	2

#	ARTICLE	IF	CITATIONS
127	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a caseâ€“control association study. World Journal of Biological Psychiatry, 2011, 12, 309-315.	2.6	2
128	Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€“help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 178-190.	2.5	2
129	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	2
130	Quantum Communication and Decoherence. Lecture Notes in Physics, 2002, , 235-261.	0.7	2
131	RFLP linkage study in schizophrenia on chromosome 2. Schizophrenia Research, 1992, 6, 89.	2.0	1
132	Natural killer cell function in adolescent and adult schizophrenic patients. European Child and Adolescent Psychiatry, 1993, 2, 155-160.	4.7	1
133	Non-concordance by gender for schizophrenia and related disorders in sibships. European Archives of Psychiatry and Clinical Neuroscience, 1994, 244, 12-16.	3.2	1
134	Biperiden and Haloperidol Plasma Levels and Extrapyrimal Side Effects in Schizophrenic Patients. Neuropsychobiology, 1997, 36, 69-72.	1.9	1
135	Premorbid performance IQ deficits in schizophrenia. Schizophrenia Research, 2000, 41, 276-277.	2.0	1
136	Dopamine transporter gene polymorphism in Tourette's disorder. European Neuropsychopharmacology, 2002, 12, 437-438.	0.7	1
137	Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1458-1458.	0.2	1
138	Novel Neutrophil-Activating Peptides and Their Role in Inflammation. , 1989, , 765-771.		1
139	Obstetric complications, premorbid cognitive and social adjustment and familial relationships in schizophrenics and their same-sex unaffected siblings. Schizophrenia Research, 1995, 15, 203.	2.0	0
140	Progress in the search for schizophrenia susceptibility genes. Biological Psychiatry, 1996, 39, 615.	1.3	0
141	Thermal insulation with paper honeycombs with solar gain. , 0, , .		0
142	Normal CAG repeats in the Huntington gene in a family with benign familial chorea. Psychiatric Genetics, 1996, 6, 91-94.	1.1	0
143	Personality and family relationships in schizophrenia in the context of the neurodevelopmental hypothesis. Schizophrenia Research, 1997, 24, 8.	2.0	0
144	Anticipation and cohort-effect in schizophrenia. Schizophrenia Research, 1997, 24, 54-55.	2.0	0

#	ARTICLE	IF	CITATIONS
145	Meta-analysis of association studies between schizophrenia and polymorphisms of the 5-hydroxytryptamine type 2A receptor gene. Schizophrenia Research, 1997, 24, 91.	2.0	0
146	347. The role of the serotonin transporter gene on the behavioral effects of tryptophan depletion in patients with seasonal affective disorder. Biological Psychiatry, 1998, 43, S104-S105.	1.3	0
147	P01.43 Dopamine transporter genotypes and imaging in tourette disorder. European Psychiatry, 2000, 15, 332s-332s.	0.2	0
148	P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. European Psychiatry, 2000, 15, 347s-348s.	0.2	0
149	P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. European Psychiatry, 2000, 15, 390s-390s.	0.2	0
150	P02.254 TPQ in functional dysphonia. European Psychiatry, 2000, 15, 390s-390s.	0.2	0
151	P02.364 Efficacy of antidepressants in the treatment of severe depression. European Psychiatry, 2000, 15, 420s-421s.	0.2	0
152	308. Fluoxetine treatment in patients with recurrent brief depression (RBD). Biological Psychiatry, 2000, 47, S93.	1.3	0
153	361. 5-HTTLPR and central 5-HTT availability measured with [123I]- β^2 -CIT SPECT. Biological Psychiatry, 2000, 47, S109.	1.3	0
154	369. Psychotropic drug naive and currently treated patients with Tourette syndrome: a [123I]- β^2 -CIT SPECT-study. Biological Psychiatry, 2000, 47, S111-S112.	1.3	0
155	370. Dopamine transporter (DAT 1) genotypes and [123I]- β^2 -CIT SPECT imaging of DAT in Tourette Disorder (TD). Biological Psychiatry, 2000, 47, S112.	1.3	0
156	Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. European Physical Journal D, 2002, 18, 171-177.	1.3	0
157	P.6.089 Chromosome 3q29: Follow-up linkage analysis in schizophrenia and bipolar disorder. European Neuropsychopharmacology, 2003, 13, S463-S464.	0.7	0
158	Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1 st Degree Relatives and Healthy Controls. European Psychiatry, 2011, 26, 1501-1501.	0.2	0
159	Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1416-1416.	0.2	0
160	P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. European Psychiatry, 2011, 26, 247-247.	0.2	0
161	P.1.a.010 DNA methylation of the BDNF gene in schizophrenia. European Neuropsychopharmacology, 2013, 23, S165.	0.7	0