## **Harald Aschauer**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4525794/publications.pdf

Version: 2024-02-01

161 12,428 49 106
papers citations h-index g-index

174 174 174 14320 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Synaptic processes and immune-related pathways implicated in Tourette syndrome. Translational Psychiatry, 2021, 11, 56.	4.8	31
2	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. Molecular Psychiatry, 2021, 26, 7522-7529.	7.9	8
3	Review and Consensus on Pharmacogenomic Testing in Psychiatry. Pharmacopsychiatry, 2021, 54, 5-17.	3.3	96
4	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. Biological Psychiatry, 2019, 86, 577-586.	1.3	43
5	Interrogating the Genetic Determinants of Tourette's Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. American Journal of Psychiatry, 2019, 176, 217-227.	7.2	242
6	Concordance of genetic variation that increases risk for Tourette Syndrome and that influences its underlying neurocircuitry. Translational Psychiatry, 2019, 9, 120.	4.8	24
7	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	28.9	935
8	The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2018, 9, 9.	2.6	16
9	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
10	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.	7.2	410
10		7.2 8.1	137
	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94,		
11	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.  Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated,	8.1	137
11 12	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.  Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.  Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research	8.1 4.3	137 229
11 12 13	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.  Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.  Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 178-190.  Comprehension of metaphors in patients with schizophrenia-spectrum disorders. Comprehensive	8.1 4.3 2.5	137 229 2
11 12 13	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.  Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.  Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 178-190.  Comprehension of metaphors in patients with schizophrenia-spectrum disorders. Comprehensive Psychiatry, 2014, 55, 928-937.  Brain-derived neurotrophic factor (BDNF)â€"Epigenetic regulation in unipolar and bipolar affective	8.1 4.3 2.5 3.1	137 229 2 47
11 12 13 14	Anorexia Nervosa. American Journal of Psychiatry, 2017, 174, 850-858.  Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. Neuron, 2017, 94, 1101-1111.e7.  Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.  Clinical study results from a randomized controlled trial of cognitive behavioural guided selfâ€help in patients with partially remitted depressive disorder. Psychology and Psychotherapy: Theory, Research and Practice, 2014, 87, 178-190.  Comprehension of metaphors in patients with schizophrenia-spectrum disorders. Comprehensive Psychiatry, 2014, 55, 928-937.  Brain-derived neurotrophic factor (BDNF)â€"Epigenetic regulation in unipolar and bipolar affective disorder. Journal of Affective Disorders, 2014, 168, 399-406.  Genetic association signal near <scp><i>NTN</i>&gt; NTN</scp>	8.1 4.3 2.5 3.1 4.1	137 229 2 47 74

#	Article	IF	CITATIONS
19	Duration of untreated psychosis in a high-income versus a low- and middle-income region. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1176-1182.	2.3	5
20	Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1 <sup>st</sup> Degree Relatives and Healthy Controls. European Psychiatry, 2011, 26, 1501-1501.	0.2	0
21	Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1416-1416.	0.2	0
22	P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. European Psychiatry, 2011, 26, 247-247.	0.2	0
23	Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1458-1458.	0.2	1
24	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a case–control association study. World Journal of Biological Psychiatry, 2011, 12, 309-315.	2.6	2
25	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. Nordic Journal of Psychiatry, 2011, 65, 203-207.	1.3	18
26	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. World Journal of Biological Psychiatry, 2010, 11, 417-424.	2.6	14
27	Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. Epilepsy Research, 2009, 87, 247-255.	1.6	29
28	Tourette's syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. Psychiatry Research, 2008, 157, 235-239.	3.3	8
29	Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette's disorder. Psychiatric Genetics, 2008, 18, 308-309.	1.1	58
30	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 242-247.	4.8	15
31	The temperature dependent collective dynamics of liquid Rubidium. Journal of Non-Crystalline Solids, 2007, 353, 3164-3168.	3.1	8
32	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. European Neuropsychopharmacology, 2007, 17, 501-505.	0.7	8
33	Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 347-350.	1.7	14
34	Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. Epilepsy Research, 2007, 75, 145-153.	1.6	46
35	Linkage and association analysis of CACNG3 in childhood absence epilepsy. European Journal of Human Genetics, 2007, 15, 463-472.	2.8	39
36	Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. Molecular Genetics and Genomics, 2007, 277, 71-81.	2.1	51

#	Article	IF	Citations
37	Temperature dependence of the de Gennes narrowing in liquid rubidium. Physical Review B, 2006, 73, .	3.2	26
38	Methadone versus buprenorphine in pregnant addicts: a doubleâ€blind, doubleâ€dummy comparison study. Addiction, 2006, 101, 275-281.	3.3	212
39	Evaluation of CACNA1H in European patients with childhood absence epilepsy. Epilepsy Research, 2006, 69, 177-181.	1.6	32
40	Trazodone-induced cardiac arrhythmias: a report of two cases. Human Psychopharmacology, 2006, 21, 61-62.	1.5	17
41	Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. International Journal of Neuropsychopharmacology, 2005, 8, 411-425.	2.1	109
42	Personality, anxiety and functional dysphonia. Personality and Individual Differences, 2005, 39, 1441-1449.	2.9	10
43	No association of clock gene T3111C polymorphism and affective disorders. European Neuropsychopharmacology, 2005, 15, 51-55.	0.7	43
44	Psychosis as a possible side-effect of treatment with glatiramer acetate. International Journal of Neuropsychopharmacology, 2005, 8, 487-488.	2.1	5
45	Marked depression and anxiety in patients with functional dysphonia. Psychiatry Research, 2005, 134, 85-91.	3.3	57
46	Multiparticle entanglement purification for two-colorable graph states. Physical Review A, 2005, 71, .	2.5	98
47	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29. Journal of Psychiatric Research, 2004, 38, 357-364.	3.1	17
48	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. European Neuropsychopharmacology, 2004, 14, 53-58.	0.7	17
49	Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. Drug and Alcohol Dependence, 2004, 74, 61-70.	3.2	67
50	Multiparticle Entanglement Purification for Graph States. Physical Review Letters, 2003, 91, 107903.	7.8	161
51	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. Molecular Psychiatry, 2003, 8, 942-946.	7.9	103
52	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. Nature Genetics, 2003, 34, 27-29.	21.4	1,612
53	P.6.089 Chromosome 3q29: Follow-up linkage analysis in schizophrenia and bipolar disorder. European Neuropsychopharmacology, 2003, 13, S463-S464.	0.7	0
54	Private Entanglement over Arbitrary Distances, Even Using Noisy Apparatus. Physical Review Letters, 2002, 88, 047902.	7.8	26

#	Article	IF	CITATIONS
55	ANXIETY AS A PREDICTOR OF RELAPSE IN DETOXIFIED ALCOHOL-DEPENDENT PATIENTS. Alcohol and Alcoholism, 2002, 37, 609-612.	1.6	129
56	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. Biological Psychiatry, 2002, 52, 40-52.	1.3	95
57	Dopamine transporter gene polymorphism in Tourette's disorder. European Neuropsychopharmacology, 2002, 12, 437-438.	0.7	1
58	Security proof of quantum cryptography based entirely on entanglement purification. Physical Review A, 2002, 66, .	2.5	16
59	Pharmacogenetics of Tardive Dyskinesia Combined Analysis of 780 Patients Supports Association with Dopamine D3 Receptor Gene Ser9Gly Polymorphism. Neuropsychopharmacology, 2002, 27, 105-119.	5.4	217
60	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	20
61	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. American Journal of Medical Genetics Part A, 2002, 114, 177-185.	2.4	50
62	Maternal Bonding Behaviour in Schizophrenia and Schizoaffective Disorder, Considering Premorbid Personality Traits. Australian and New Zealand Journal of Psychiatry, 2002, 36, 663-668.	2.3	42
63	Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. European Physical Journal D, 2002, 18, 171-177.	1.3	0
64	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	2
65	Quantum Communication and Decoherence. Lecture Notes in Physics, 2002, , 235-261.	0.7	2
66	A Longitudinal View of Triggers and Thresholds of Suicidal Behavior in Depression. Journal of Clinical Psychiatry, 2002, 63, 866-873.	2.2	25
67	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette's disorder patients: a [123I]-β-CIT SPECT-study. European Neuropsychopharmacology, 2001, 11, 69-74.	0.7	48
68	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. Biological Psychiatry, 2001, 50, 8-12.	1.3	117
69	Study of Family History in Seasonal Affective Disorder. Neuropsychobiology, 2001, 44, 65-69.	1.9	4
70	Fluoxetine treatment in patients with recurrent brief depression. International Clinical Psychopharmacology, 2001, 16, 221-226.	1.7	21
71	Neurodevelopmental Schizophrenia: Obstetric Complications, Birth Weight, Premorbid Social Withdrawal and Learning Disabilities. Neuropsychobiology, 2001, 43, 163-169.	1.9	20
72	Effective open-label treatment of Tourette $\hat{E}\frac{1}{4}$ s disorder with olanzapine. International Clinical Psychopharmacology, 2000, 15, 23-28.	1.7	61

#	Article	IF	CITATIONS
73	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. Psychiatric Genetics, 2000, 10, 131-137.	1.1	54
74	Treatment of opioidâ€dependent pregnant women with buprenorphine. Addiction, 2000, 95, 239-244.	3.3	141
75	Neutron guides at the FRM-II. Physica B: Condensed Matter, 2000, 283, 323-329.	2.7	12
76	Premorbid performance IQ deficit in schizophrenia. Acta Psychiatrica Scandinavica, 2000, 102, 414-422.	4.5	32
77	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. Journal of Affective Disorders, 2000, 58, 51-61.	4.1	28
78	Genome Scan for Susceptibility Loci for Schizophrenia. Neuropsychobiology, 2000, 42, 175-182.	1.9	68
79	Association Studies of Candidate Genes in Bipolar Disorders. Neuropsychobiology, 2000, 42, 18-21.	1.9	24
80	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special? Psychiatry Research, 2000, 96, 179-183.	3.3	14
81	Premorbid performance IQ deficits in schizophrenia. Schizophrenia Research, 2000, 41, 276-277.	2.0	1
82	P01.43 Dopamine transporter genotypes and imaging in tourette disorder. European Psychiatry, 2000, 15, 332s-332s.	0.2	0
83	P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. European Psychiatry, 2000, 15, 347s-348s.	0.2	0
84	P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. European Psychiatry, 2000, 15, 390s-390s.	0.2	0
85	P02.254 TPQ in functional dysphonia. European Psychiatry, 2000, 15, 390s-390s.	0.2	0
86	P02.364 Efficacy of antidepressants in the treatment of severe depression. European Psychiatry, 2000, 15, 420s-421s.	0.2	0
87	308. Fluoxetine treatment in patients with recurrent brief depression (RBD). Biological Psychiatry, 2000, 47, S93.	1.3	0
88	361. 5-HTTLPR and central 5-HTT availability measured with [123I]-Î <sup>2</sup> -CIT SPECT. Biological Psychiatry, 2000, 47, S109.	1.3	0
89	369. Psychotropic drug naive and currently treated patients with Tourette syndrome: a $[1231]$ - $\hat{l}^2$ -CIT SPECT-study. Biological Psychiatry, 2000, 47, S111-S112.	1.3	0
90	370. Dopamine transporter (DAT 1) genotypes and [123I]-Î <sup>2</sup> -CIT SPECT imaging of DAT in Tourette Disorder (TD). Biological Psychiatry, 2000, 47, S112.	1.3	0

#	Article	IF	Citations
91	Comparison of methadone and slowâ€release morphine maintenance in pregnant addicts. Addiction, 1999, 94, 231-239.	3.3	89
92	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. Addiction, 1999, 94, 1337-1347.	3.3	144
93	Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: A multicenter association study., 1999, 88, 527-532.		17
94	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. Psychiatry Research, 1999, 85, 241-246.	3.3	34
95	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. European Neuropsychopharmacology, 1999, 10, 17-20.	0.7	120
96	Possible association between childhood absence epilepsy and the gene encoding GABRB3. Biological Psychiatry, 1999, 46, 997-1002.	1.3	57
97	Genome-Wide Scan for Autism Susceptibility Genes. Human Molecular Genetics, 1999, 8, 805-812.	2.9	453
98	Anticipation in schizophrenia. Schizophrenia Research, 1999, 35, 25-32.	2.0	31
99	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. Molecular Psychiatry, 1998, 3, 141-149.	7.9	163
100	European multicentre association study of schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. American Journal of Medical Genetics Part A, 1998, 81, 24-28.	2.4	75
101	347. The role of the serotinin transporter gene on the behavioral effects of tryptophan depletion in patients with seasonal affective disorder. Biological Psychiatry, 1998, 43, S104-S105.	1.3	0
102	IL-8 DERIVATIVES WITH A REDUCED POTENTIAL TO FORM HOMODIMERS ARE FULLY ACTIVE IN VITRO AND IN VIVO. Cytokine, 1998, 10, 1-12.	3.2	28
103	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. Schizophrenia Research, 1998, 32, 101-106.	2.0	117
104	Absence of string order in the anisotropicS=2Heisenberg antiferromagnet. Physical Review B, 1998, 58, 359-365.	3.2	25
105	Mirtazapine in recurrent brief depression. International Clinical Psychopharmacology, 1998, 13, 39-40.	1.7	21
106	European Collaborative Project on Affective Disorders. Psychiatric Genetics, 1998, 8, 197-205.	1.1	41
107	The Unified Biosocial Model of Personality in Schizophrenia Families and Controls. Psychopathology, 1998, 31, 45-51.	1.5	17
108	Presence of Cyclophilin A in Synovial Fluids of Patients with Rheumatoid Arthritis. Journal of Experimental Medicine, 1997, 185, 975-980.	8.5	146

#	Article	IF	CITATIONS
109	Personality and family relationships in schizophrenia in the context of the neurodevelopental hypothesis. Schizophrenia Research, 1997, 24, 8.	2.0	0
110	Anticipation and cohort-effect in schizophrenia. Schizophrenia Research, 1997, 24, 54-55.	2.0	0
111	Meta-analysis of association studies between schizophrenia and polymorphisms of the 5-hydroxytryptamine type 2A receptor gene. Schizophrenia Research, 1997, 24, 91.	2.0	0
112	Biperiden and Haloperidol Plasma Levels and Extrapyramidal Side Effects in Schizophrenic Patients. Neuropsychobiology, 1997, 36, 69-72.	1.9	1
113	The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. FEBS Letters, 1997, 413, 385-388.	2.8	47
114	No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22., 1997, 74, 361-364.		14
115	Obstetric complications, premorbid and current cognitive functioning in schizophrenics and their same-sex healthy siblings. Schizophrenia Research, 1996, 18, 100.	2.0	3
116	The influence of phenotype on the outcome of linkage analysis of schizophrenia. Schizophrenia Research, 1996, 22, 89-90.	2.0	2
117	Progress in the search for schizophrenia susceptibility genes. Biological Psychiatry, 1996, 39, 615.	1.3	0
118	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. Lancet, The, 1996, 347, 1294-1296.	13.7	240
119	The tridimensional personality model: Influencing variables in a sample of detoxified alcohol dependents. Comprehensive Psychiatry, 1996, 37, 109-114.	3.1	25
120	Schizophrenia and the dopamine- $\hat{l}^2$ -hydroxylase gene. Psychiatric Genetics, 1996, 6, 17-22.	1.1	27
121	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. Psychological Medicine, 1996, 26, 1145-1153.	4.5	126
122	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. Psychological Medicine, 1996, 26, 775-783.	4.5	127
123	Normal CAG repeats in the Huntington gene in a family with benign familial chorea. Psychiatric Genetics, 1996, 6, 91-94.	1.1	0
124	Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.		166
125	An international two–stage genome–wide search for schizophrenia susceptibility genes. Nature Genetics, 1995, 11, 321-324.	21.4	368
126	Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. Journal of Neuroimmunology, 1995, 59, 83-89.	2.3	41

#	Article	IF	CITATIONS
127	Obstetric complications, premorbid cognitive and social adjustment and familial relationships in schizophrenics and their same-sex unaffected siblings. Schizophrenia Research, 1995, 15, 203.	2.0	0
128	Non-concordance by gender for schizophrenia and related disorders in sibships. European Archives of Psychiatry and Clinical Neuroscience, 1994, 244, 12-16.	3.2	1
129	Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). FEBS Letters, 1994, 347, 300-303.	2.8	4
130	Risperidone for Tourette's syndrome. Lancet, The, 1994, 344, 1577-1578.	13.7	43
131	The Season of Birth of Schizophrenics and Schizoaffectives. Psychopathology, 1994, 27, 298-302.	1.5	10
132	Inhibition of lipid biosynthesis induces the expression of the pspA gene. Microbiology (United) Tj ETQqO O O rgBT	/Qverlock	10 <sub>9</sub> Tf 50 54
133	Natural killer cell function in adolescent and adult schizophrenic patients. European Child and Adolescent Psychiatry, 1993, 2, 155-160.	4.7	1
134	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. European Archives of Psychiatry and Clinical Neuroscience, 1993, 243, 193-198.	3.2	23
135	Characterization of the Apolipoprotein Al and CIII Genes in the Domestic Pig. Genomics, 1993, 15, 643-652.	2.9	19
136	Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation Journal of Cell Biology, 1993, 123, 1309-1320.	5.2	282
137	RFLP linkage study in schizophrenia on chromosome 2. Schizophrenia Research, 1992, 6, 89.	2.0	1
138	SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. Antimicrobial Agents and Chemotherapy, 1991, 35, 500-505.	3.2	34
139	Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. Immunopharmacology, 1990, 19, 139-143.	2.0	24
140	No Evidence for Linkage between Chromosome 5 Markers and Schizophrenia. Human Heredity, 1990, 40, 109-115.	0.8	53
141	A Sac I RFLP is detected with the 5-HT 1a serotonin receptor probe G21. Nucleic Acids Research, 1990, 18, 691-691.	14.5	4
142	Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. Agents and Actions, 1989, 26, 148-150.	0.7	5
143	Heterogeneity of schizophrenia: prelininary evidence for multiple genetic loci. Schizophrenia Research, 1989, 2, 39.	2.0	4
144	Novel Neutrophil-Activating Peptides and Their Role in Inflammation. , 1989, , 765-771.		1

#	Article	IF	Citations
145	Lytic effector cell function in schizophrenia and depression. Journal of Neuroimmunology, 1988, 18, 291-301.	2.3	37
146	Plasma Concentrations of Haloperidol and Prolactin and Clinical Outcome in Acutely Psychotic Patients. Pharmacopsychiatry, 1988, 21, 246-251.	3.3	14
147	Synthesis and expression in Escherichia coli of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor Proceedings of the National Academy of Sciences of the United States of America. 1988, 85, 9199-9203.	7.1	228
148	Natural Immunity in Schizophrenia. Annals of the New York Academy of Sciences, 1987, 496, 743-744.	3.8	2
149	Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. Biochemical and Biophysical Research Communications, 1987, 149, 755-761.	2.1	494
150	Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. Science, 1986, 233, 351-354.	12.6	68
151	Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of Xenopus laevis. FEBS Journal, 1985, 149, 531-535.	0.2	83
152	The Primary Structure of the Hemoglobin of the Dogfish Shark(Squalus acanthias). Antagonistic Effects of ATP and Urea on Oxygen Affinity of an Elasmobranch Hemoglobin. Biological Chemistry Hoppe-Seyler, 1985, 366, 589-600.	1.4	47
153	Biosynthesis of peptides in the skin of Xenopus laevis: Isolation of novel peptides predicted from the sequence of cloned cDNAs. Peptides, 1985, 6, 17-21.	2.4	56
154	TSH-Response Patterns to TRH Stimulation May Indicate Therapeutic Mechanisms of Antidepressant and Neuroleptic Drugs. Neuropsychobiology, 1984, 11, 213-218.	1.9	27
155	Zur intrinsischen SauerstoffaffinitĤ Die PrimĤstruktur eines weiteren Ruminantia-HĤnoglobins: Methionin in βNA2 eines StirnwaffentrĤers, des Nordland-Elches <i>(Alces alces alces)</i> . Hoppe-Seyler's Zeitschrift Fù⁄4r Physiologische Chemie, 1984, 365, 1323-1330.	1.6	4
156	Hemoglobin D "Los Angeles―in an Austrian Family: Biochemical Identification, Clinical Aspects, and Kindred Study. Hemoglobin, 1984, 8, 353-361.	0.8	10
157	The TSH-response to trh: a possible predictor of outcome to antidepressant and neuroleptic treatment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1983, 7, 335-342.	4.8	26
158	The Analysis of a Protein-Polymorphism. Evolution of Monomeric and Homodimeric Haemoglobins (Erythrocruorins) of <i>i</i> >Chironomus thummi thummi ( <i>i</i> >(Insecta, Diptera). Hoppe-Seyler's Zeitschrift FÃ $\frac{1}{4}$ r Physiologische Chemie, 1983, 364, 205-218.	1.6	70
159	Die PrimÃrstruktur des α-Amylaseinhibitors Hoe 467A ausStreptomyces tendae4158. Eine neue Klasse von Inhibitoren. Hoppe-Seyler's Zeitschrift Für Physiologische Chemie, 1983, 364, 1347-1356.	1.6	20
160	Effects of Antidepressant Treatment with Clomipramine on Hormonal Responses to Thyrotropin-Releasing Hormone and Insulin-induced Hypoglycemia: Implications for the "Monoamine-Hypothesis"*. Pharmacopsychiatry, 1981, 14, 100-106.	3.3	6
161	Thermal insulation with paper honeycombs with solar gain. , 0, , .		0