

# Harald Aschauer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4525794/publications.pdf>

Version: 2024-02-01

161  
papers

12,428  
citations

50566

48  
h-index

32181

105  
g-index

174  
all docs

174  
docs citations

174  
times ranked

15805  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synaptic processes and immune-related pathways implicated in Tourette syndrome. <i>Translational Psychiatry</i> , 2021, 11, 56.	2.4	31
2	Elevated common variant genetic risk for tourette syndrome in a densely-affected pedigree. <i>Molecular Psychiatry</i> , 2021, 26, 7522-7529.	4.1	8
3	Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , 2021, 54, 5-17.	1.7	96
4	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	0.7	43
5	Interrogating the Genetic Determinants of Tourette's Syndrome and Other Tic Disorders Through Genome-Wide Association Studies. <i>American Journal of Psychiatry</i> , 2019, 176, 217-227.	4.0	242
6	Concordance of genetic variation that increases risk for Tourette Syndrome and that influences its underlying neurocircuitry. <i>Translational Psychiatry</i> , 2019, 9, 120.	2.4	24
7	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.	13.5	935
8	The Impact of Sex Differences on Odor Identification and Facial Affect Recognition in Patients with Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 9.	1.3	16
9	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
10	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	4.0	410
11	Rare Copy Number Variants in NRXN1 and CNTN6 Increase Risk for Tourette Syndrome. <i>Neuron</i> , 2017, 94, 1101-1111.e7.	3.8	137
12	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
13	Clinical study results from a randomized controlled trial of cognitive behavioural guided self-help in patients with partially remitted depressive disorder. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2014, 87, 178-190.	1.3	2
14	Comprehension of metaphors in patients with schizophrenia-spectrum disorders. <i>Comprehensive Psychiatry</i> , 2014, 55, 928-937.	1.5	47
15	Brain-derived neurotrophic factor (BDNF) Epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 399-406.	2.0	74
16	Genetic association signal near <i>NTN4</i> in Tourette syndrome. <i>Annals of Neurology</i> , 2014, 76, 310-315.	2.8	53
17	A genome-wide association study of anorexia nervosa. <i>Molecular Psychiatry</i> , 2014, 19, 1085-1094.	4.1	282
18	P.1.a.010 DNA methylation of the BDNF gene in schizophrenia. <i>European Neuropsychopharmacology</i> , 2013, 23, S165.	0.3	0

#	ARTICLE	IF	CITATIONS
19	Duration of untreated psychosis in a high-income versus a low- and middle-income region. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1176-1182.	1.3	5
20	Niacin sensitivity in patients with schizophrenia-spectrum disorders, their 1 <sup>st</sup> Degree Relatives and Healthy Controls. European Psychiatry, 2011, 26, 1501-1501.	0.1	0
21	Sex-related differences in smell identification in patients with schizophrenia, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1416-1416.	0.1	0
22	P01-246-3Q29 case-control association study of co-morbid migraine in bipolar affective disorder. European Psychiatry, 2011, 26, 247-247.	0.1	0
23	Association of deficits in smell identification, social and basic cognition in patients with schizophrenia-spectrum disorders, their first-degree relatives and matched healthy controls. European Psychiatry, 2011, 26, 1458-1458.	0.1	1
24	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a case-control association study. World Journal of Biological Psychiatry, 2011, 12, 309-315.	1.3	2
25	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. Nordic Journal of Psychiatry, 2011, 65, 203-207.	0.7	18
26	Interaction between serotonin 5-HT2A receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. World Journal of Biological Psychiatry, 2010, 11, 417-424.	1.3	14
27	Genome wide high density SNP-based linkage analysis of childhood absence epilepsy identifies a susceptibility locus on chromosome 3p23-p14. Epilepsy Research, 2009, 87, 247-255.	0.8	29
28	Tourette's syndrome is not associated with interleukin-10 receptor 1 variants on chromosome 11q23.3. Psychiatry Research, 2008, 157, 235-239.	1.7	8
29	Sequence analysis of the complete SLITRK1 gene in Austrian patients with Tourette's disorder. Psychiatric Genetics, 2008, 18, 308-309.	0.6	58
30	Quetiapine in combination with citalopram in patients with unipolar psychotic depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 242-247.	2.5	15
31	The temperature dependent collective dynamics of liquid Rubidium. Journal of Non-Crystalline Solids, 2007, 353, 3164-3168.	1.5	8
32	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. European Neuropsychopharmacology, 2007, 17, 501-505.	0.3	8
33	Homozygosity of the interleukin-10 receptor 1 G330R allele is associated with schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 347-350.	1.1	14
34	Linkage and mutational analysis of CLCN2 in childhood absence epilepsy. Epilepsy Research, 2007, 75, 145-153.	0.8	46
35	Linkage and association analysis of CACNG3 in childhood absence epilepsy. European Journal of Human Genetics, 2007, 15, 463-472.	1.4	39
36	Molecular and genomic studies of IMMP2L and mutation screening in autism and Tourette syndrome. Molecular Genetics and Genomics, 2007, 277, 71-81.	1.0	51

#	ARTICLE	IF	CITATIONS
37	Temperature dependence of the de Gennes narrowing in liquid rubidium. <i>Physical Review B</i> , 2006, 73, .	1.1	26
38	Methadone versus buprenorphine in pregnant addicts: a double-blind, double-dummy comparison study. <i>Addiction</i> , 2006, 101, 275-281.	1.7	212
39	Evaluation of CACNA1H in European patients with childhood absence epilepsy. <i>Epilepsy Research</i> , 2006, 69, 177-181.	0.8	32
40	Trazodone-induced cardiac arrhythmias: a report of two cases. <i>Human Psychopharmacology</i> , 2006, 21, 61-62.	0.7	17
41	Combined analysis of 635 patients confirms an age-related association of the serotonin 2A receptor gene with tardive dyskinesia and specificity for the non-orofacial subtype. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 411-425.	1.0	109
42	Personality, anxiety and functional dysphonia. <i>Personality and Individual Differences</i> , 2005, 39, 1441-1449.	1.6	10
43	No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 51-55.	0.3	43
44	Psychosis as a possible side-effect of treatment with glatiramer acetate. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 487-488.	1.0	5
45	Marked depression and anxiety in patients with functional dysphonia. <i>Psychiatry Research</i> , 2005, 134, 85-91.	1.7	57
46	Multiparticle entanglement purification for two-colorable graph states. <i>Physical Review A</i> , 2005, 71, .	1.0	98
47	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29. <i>Journal of Psychiatric Research</i> , 2004, 38, 357-364.	1.5	17
48	Serotonin transporter promoter gene polymorphic region (5-HTTLPR) and personality in female patients with seasonal affective disorder and in healthy controls. <i>European Neuropsychopharmacology</i> , 2004, 14, 53-58.	0.3	17
49	Efficacy of fluvoxamine in preventing relapse in alcohol dependence: a one-year, double-blind, placebo-controlled multicentre study with analysis by typology. <i>Drug and Alcohol Dependence</i> , 2004, 74, 61-70.	1.6	67
50	Multiparticle Entanglement Purification for Graph States. <i>Physical Review Letters</i> , 2003, 91, 107903.	2.9	161
51	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003, 8, 942-946.	4.1	103
52	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. <i>Nature Genetics</i> , 2003, 34, 27-29.	9.4	1,612
53	P.6.089 Chromosome 3q29: Follow-up linkage analysis in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , 2003, 13, S463-S464.	0.3	0
54	Private Entanglement over Arbitrary Distances, Even Using Noisy Apparatus. <i>Physical Review Letters</i> , 2002, 88, 047902.	2.9	26

#	ARTICLE	IF	CITATIONS
55	ANXIETY AS A PREDICTOR OF RELAPSE IN DETOXIFIED ALCOHOL-DEPENDENT PATIENTS. Alcohol and Alcoholism, 2002, 37, 609-612.	0.9	129
56	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. Biological Psychiatry, 2002, 52, 40-52.	0.7	95
57	Dopamine transporter gene polymorphism in Tourette's disorder. European Neuropsychopharmacology, 2002, 12, 437-438.	0.3	1
58	Security proof of quantum cryptography based entirely on entanglement purification. Physical Review A, 2002, 66, .	1.0	16
59	Pharmacogenetics of Tardive Dyskinesia Combined Analysis of 780 Patients Supports Association with Dopamine D3 Receptor Gene Ser9Gly Polymorphism. Neuropsychopharmacology, 2002, 27, 105-119.	2.8	217
60	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	20
61	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. American Journal of Medical Genetics Part A, 2002, 114, 177-185.	2.4	50
62	Maternal Bonding Behaviour in Schizophrenia and Schizoaffective Disorder, Considering Premorbid Personality Traits. Australian and New Zealand Journal of Psychiatry, 2002, 36, 663-668.	1.3	42
63	Entanglement purification with noisy apparatus can be used to factor out an eavesdropper. European Physical Journal D, 2002, 18, 171-177.	0.6	0
64	Analysis of ten candidate genes in autism by association and linkage. American Journal of Medical Genetics Part A, 2002, 114, 125-128.	2.4	2
65	Quantum Communication and Decoherence. Lecture Notes in Physics, 2002, , 235-261.	0.3	2
66	A Longitudinal View of Triggers and Thresholds of Suicidal Behavior in Depression. Journal of Clinical Psychiatry, 2002, 63, 866-873.	1.1	25
67	No change in striatal dopamine re-uptake site density in psychotropic drug naive and in currently treated Tourette's disorder patients: a [123I]- $\beta$ -CIT SPECT-study. European Neuropsychopharmacology, 2001, 11, 69-74.	0.3	48
68	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. Biological Psychiatry, 2001, 50, 8-12.	0.7	117
69	Study of Family History in Seasonal Affective Disorder. Neuropsychobiology, 2001, 44, 65-69.	0.9	4
70	Fluoxetine treatment in patients with recurrent brief depression. International Clinical Psychopharmacology, 2001, 16, 221-226.	0.9	21
71	Neurodevelopmental Schizophrenia: Obstetric Complications, Birth Weight, Premorbid Social Withdrawal and Learning Disabilities. Neuropsychobiology, 2001, 43, 163-169.	0.9	20
72	Effective open-label treatment of Tourette's disorder with olanzapine. International Clinical Psychopharmacology, 2000, 15, 23-28.	0.9	61

#	ARTICLE	IF	CITATIONS
73	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , 2000, 10, 131-137.	0.6	54
74	Treatment of opioid-dependent pregnant women with buprenorphine. <i>Addiction</i> , 2000, 95, 239-244.	1.7	141
75	Neutron guides at the FRM-II. <i>Physica B: Condensed Matter</i> , 2000, 283, 323-329.	1.3	12
76	Premorbid performance IQ deficit in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 414-422.	2.2	32
77	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. <i>Journal of Affective Disorders</i> , 2000, 58, 51-61.	2.0	28
78	Genome Scan for Susceptibility Loci for Schizophrenia. <i>Neuropsychobiology</i> , 2000, 42, 175-182.	0.9	68
79	Association Studies of Candidate Genes in Bipolar Disorders. <i>Neuropsychobiology</i> , 2000, 42, 18-21.	0.9	24
80	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. <i>Psychiatry Research</i> , 2000, 96, 179-183.	1.7	14
81	Premorbid performance IQ deficits in schizophrenia. <i>Schizophrenia Research</i> , 2000, 41, 276-277.	1.1	1
82	P01.43 Dopamine transporter genotypes and imaging in tourette disorder. <i>European Psychiatry</i> , 2000, 15, 332s-332s.	0.1	0
83	P01.104 Relation of suicidal behaviour, central serotonergic system and temperament and character inventory. <i>European Psychiatry</i> , 2000, 15, 347s-348s.	0.1	0
84	P02.253 Personality in patients with chronic fatigue syndrome compared to depressed patients. <i>European Psychiatry</i> , 2000, 15, 390s-390s.	0.1	0
85	P02.254 TPQ in functional dysphonia. <i>European Psychiatry</i> , 2000, 15, 390s-390s.	0.1	0
86	P02.364 Efficacy of antidepressants in the treatment of severe depression. <i>European Psychiatry</i> , 2000, 15, 420s-421s.	0.1	0
87	308. Fluoxetine treatment in patients with recurrent brief depression (RBD). <i>Biological Psychiatry</i> , 2000, 47, S93.	0.7	0
88	361. 5-HTTLPR and central 5-HTT availability measured with [123I]- $\beta^2$ -CIT SPECT. <i>Biological Psychiatry</i> , 2000, 47, S109.	0.7	0
89	369. Psychotropic drug naive and currently treated patients with Tourette syndrome: a [123I]- $\beta^2$ -CIT SPECT-study. <i>Biological Psychiatry</i> , 2000, 47, S111-S112.	0.7	0
90	370. Dopamine transporter (DAT 1) genotypes and [123I]- $\beta^2$ -CIT SPECT imaging of DAT in Tourette Disorder (TD). <i>Biological Psychiatry</i> , 2000, 47, S112.	0.7	0

#	ARTICLE	IF	CITATIONS
91	Comparison of methadone and slow-release morphine maintenance in pregnant addicts. <i>Addiction</i> , 1999, 94, 231-239.	1.7	89
92	Buprenorphine versus methadone maintenance for the treatment of opioid dependence. <i>Addiction</i> , 1999, 94, 1337-1347.	1.7	144
93	Tyrosine hydroxylase polymorphism and phenotypic heterogeneity in bipolar affective disorder: A multicenter association study. , 1999, 88, 527-532.		17
94	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , 1999, 85, 241-246.	1.7	34
95	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. <i>European Neuropsychopharmacology</i> , 1999, 10, 17-20.	0.3	120
96	Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , 1999, 46, 997-1002.	0.7	57
97	Genome-Wide Scan for Autism Susceptibility Genes. <i>Human Molecular Genetics</i> , 1999, 8, 805-812.	1.4	453
98	Anticipation in schizophrenia. <i>Schizophrenia Research</i> , 1999, 35, 25-32.	1.1	31
99	A meta-analysis and transmission disequilibrium study of association between the dopamine D3 receptor gene and schizophrenia. <i>Molecular Psychiatry</i> , 1998, 3, 141-149.	4.1	163
100	European multicentre association study of schizophrenia: a study of the DRD2 Ser311Cys and DRD3 Ser9Gly polymorphisms. , 1998, 81, 24-28.		75
101	347. The role of the serotonin transporter gene on the behavioral effects of tryptophan depletion in patients with seasonal affective disorder. <i>Biological Psychiatry</i> , 1998, 43, S104-S105.	0.7	0
102	IL-8 DERIVATIVES WITH A REDUCED POTENTIAL TO FORM HOMODIMERS ARE FULLY ACTIVE IN VITRO AND IN VIVO. <i>Cytokine</i> , 1998, 10, 1-12.	1.4	28
103	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , 1998, 32, 101-106.	1.1	117
104	Absence of string order in the anisotropic S=2 Heisenberg antiferromagnet. <i>Physical Review B</i> , 1998, 58, 359-365.	1.1	25
105	Mirtazapine in recurrent brief depression. <i>International Clinical Psychopharmacology</i> , 1998, 13, 39-40.	0.9	21
106	European Collaborative Project on Affective Disorders. <i>Psychiatric Genetics</i> , 1998, 8, 197-205.	0.6	41
107	The Unified Biosocial Model of Personality in Schizophrenia Families and Controls. <i>Psychopathology</i> , 1998, 31, 45-51.	1.1	17
108	Presence of Cyclophilin A in Synovial Fluids of Patients with Rheumatoid Arthritis. <i>Journal of Experimental Medicine</i> , 1997, 185, 975-980.	4.2	146

#	ARTICLE	IF	CITATIONS
109	Personality and family relationships in schizophrenia in the context of the neurodevelopmental hypothesis. <i>Schizophrenia Research</i> , 1997, 24, 8.	1.1	0
110	Anticipation and cohort-effect in schizophrenia. <i>Schizophrenia Research</i> , 1997, 24, 54-55.	1.1	0
111	Meta-analysis of association studies between schizophrenia and polymorphisms of the 5-hydroxytryptamine type 2A receptor gene. <i>Schizophrenia Research</i> , 1997, 24, 91.	1.1	0
112	Biperiden and Haloperidol Plasma Levels and Extrapyramidal Side Effects in Schizophrenic Patients. <i>Neuropsychobiology</i> , 1997, 36, 69-72.	0.9	1
113	The soluble hyaluronidase from bull testes is a fragment of the membrane-bound PH-20 enzyme. <i>FEBS Letters</i> , 1997, 413, 385-388.	1.3	47
114	No evidence for a schizophrenia susceptibility gene in the vicinity of IL2RB on chromosome 22. , 1997, 74, 361-364.		14
115	Obstetric complications, premorbid and current cognitive functioning in schizophrenics and their same-sex healthy siblings. <i>Schizophrenia Research</i> , 1996, 18, 100.	1.1	3
116	The influence of phenotype on the outcome of linkage analysis of schizophrenia. <i>Schizophrenia Research</i> , 1996, 22, 89-90.	1.1	2
117	Progress in the search for schizophrenia susceptibility genes. <i>Biological Psychiatry</i> , 1996, 39, 615.	0.7	0
118	Association between schizophrenia and T102C polymorphism of the 5-hydroxytryptamine type 2a-receptor gene. <i>Lancet, The</i> , 1996, 347, 1294-1296.	6.3	240
119	The tridimensional personality model: Influencing variables in a sample of detoxified alcohol dependents. <i>Comprehensive Psychiatry</i> , 1996, 37, 109-114.	1.5	25
120	Schizophrenia and the dopamine- $\beta$ -hydroxylase gene. <i>Psychiatric Genetics</i> , 1996, 6, 17-22.	0.6	27
121	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 1996, 26, 1145-1153.	2.7	126
122	A multicentre inter-rater reliability study using the OPCRIT computerized diagnostic system. <i>Psychological Medicine</i> , 1996, 26, 775-783.	2.7	127
123	Normal CAG repeats in the Huntington gene in a family with benign familial chorea. <i>Psychiatric Genetics</i> , 1996, 6, 91-94.	0.6	0
124	Additional support for schizophrenia linkage on chromosomes 6 and 8: A multicenter study. , 1996, 67, 580-594.		166
125	An international two-â€‘stage genome-â€‘wide search for schizophrenia susceptibility genes. <i>Nature Genetics</i> , 1995, 11, 321-324.	9.4	368
126	Lytic effector cell activity and major depressive disorder in patients with breast cancer: a prospective study. <i>Journal of Neuroimmunology</i> , 1995, 59, 83-89.	1.1	41

#	ARTICLE	IF	CITATIONS
127	Obstetric complications, premorbid cognitive and social adjustment and familial relationships in schizophrenics and their same-sex unaffected siblings. <i>Schizophrenia Research</i> , 1995, 15, 203.	1.1	0
128	Non-concordance by gender for schizophrenia and related disorders in sibships. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1994, 244, 12-16.	1.8	1
129	Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2). <i>FEBS Letters</i> , 1994, 347, 300-303.	1.3	4
130	Risperidone for Tourette's syndrome. <i>Lancet</i> , The, 1994, 344, 1577-1578.	6.3	43
131	The Season of Birth of Schizophrenics and Schizoaffectives. <i>Psychopathology</i> , 1994, 27, 298-302.	1.1	10
132	Inhibition of lipid biosynthesis induces the expression of the <i>pspA</i> gene. <i>Microbiology (United Kingdom)</i> , 1994, 138, 107-114.	0.7	49
133	Natural killer cell function in adolescent and adult schizophrenic patients. <i>European Child and Adolescent Psychiatry</i> , 1993, 2, 155-160.	2.8	1
134	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 243, 193-198.	1.8	23
135	Characterization of the Apolipoprotein AI and CIII Genes in the Domestic Pig. <i>Genomics</i> , 1993, 15, 643-652.	1.3	19
136	Eukaryotic initiation factor 5A is a cellular target of the human immunodeficiency virus type 1 Rev activation domain mediating trans-activation.. <i>Journal of Cell Biology</i> , 1993, 123, 1309-1320.	2.3	282
137	RFLP linkage study in schizophrenia on chromosome 2. <i>Schizophrenia Research</i> , 1992, 6, 89.	1.1	1
138	SDZ MRL 953, a novel immunostimulatory monosaccharidic lipid A analog with an improved therapeutic window in experimental sepsis. <i>Antimicrobial Agents and Chemotherapy</i> , 1991, 35, 500-505.	1.4	34
139	Inhibition of chemotactic migration of human neutrophilic granulocytes by recombinant human granulocyte-macrophage colony-stimulating factor. <i>Immunopharmacology</i> , 1990, 19, 139-143.	2.0	24
140	No Evidence for Linkage between Chromosome 5 Markers and Schizophrenia. <i>Human Heredity</i> , 1990, 40, 109-115.	0.4	53
141	A Sac I RFLP is detected with the 5-HT 1a serotonin receptor probe G21. <i>Nucleic Acids Research</i> , 1990, 18, 691-691.	6.5	4
142	Structure and properties of a novel neutrophil-activating factor (NAF) produced by human monocytes. <i>Agents and Actions</i> , 1989, 26, 148-150.	0.7	5
143	Heterogeneity of schizophrenia: preliminary evidence for multiple genetic loci. <i>Schizophrenia Research</i> , 1989, 2, 39.	1.1	4
144	Novel Neutrophil-Activating Peptides and Their Role in Inflammation. , 1989, , 765-771.		1

#	ARTICLE	IF	CITATIONS
145	Lytic effector cell function in schizophrenia and depression. <i>Journal of Neuroimmunology</i> , 1988, 18, 291-301.	1.1	37
146	Plasma Concentrations of Haloperidol and Prolactin and Clinical Outcome in Acutely Psychotic Patients. <i>Pharmacopsychiatry</i> , 1988, 21, 246-251.	1.7	14
147	Synthesis and expression in <i>Escherichia coli</i> of the gene encoding monocyte-derived neutrophil-activating factor: biological equivalence between natural and recombinant neutrophil-activating factor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> . 1988. 85. 9199-9203.	3.3	228
148	Natural Immunity in Schizophrenia. <i>Annals of the New York Academy of Sciences</i> , 1987, 496, 743-744.	1.8	2
149	Purification and amino acid sequencing of NAF, a novel neutrophil-activating factor produced by monocytes. <i>Biochemical and Biophysical Research Communications</i> , 1987, 149, 755-761.	1.0	494
150	Structure, antigenic determinants of some clinically important insect allergens: chironomid hemoglobins. <i>Science</i> , 1986, 233, 351-354.	6.0	68
151	Solid-phase synthesis of PYLa and isolation of its natural counterpart, PGLa [PYLa-(4-24)] from skin secretion of <i>Xenopus laevis</i> . <i>FEBS Journal</i> , 1985, 149, 531-535.	0.2	83
152	The Primary Structure of the Hemoglobin of the Dogfish Shark ( <i>Squalus acanthias</i> ). Antagonistic Effects of ATP and Urea on Oxygen Affinity of an Elasmobranch Hemoglobin. <i>Biological Chemistry Hoppe-Seyler</i> , 1985, 366, 589-600.	1.4	47
153	Biosynthesis of peptides in the skin of <i>Xenopus laevis</i> : Isolation of novel peptides predicted from the sequence of cloned cDNAs. <i>Peptides</i> , 1985, 6, 17-21.	1.2	56
154	TSH-Response Patterns to TRH Stimulation May Indicate Therapeutic Mechanisms of Antidepressant and Neuroleptic Drugs. <i>Neuropsychobiology</i> , 1984, 11, 213-218.	0.9	27
155	Zur intrinsischen Sauerstoffaffinität: Die Primärstruktur eines weiteren Ruminantia-Hämoglobins: Methionin in Î²NA2 eines Stirnwaffenträgers, des Nordland-Elches ( <i>Alces alces alces</i> ). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1984, 365, 1323-1330.	1.7	4
156	Hemoglobin D <sup>Los Angeles</sup> in an Austrian Family: Biochemical Identification, Clinical Aspects, and Kindred Study. <i>Hemoglobin</i> , 1984, 8, 353-361.	0.4	10
157	The TSH-response to trh: a possible predictor of outcome to antidepressant and neuroleptic treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1983, 7, 335-342.	2.5	26
158	The Analysis of a Protein-Polymorphism. Evolution of Monomeric and Homodimeric Haemoglobins (Erythrocrucorins) of <i>Chironomus thummi thummi</i> (Insecta, Diptera). <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1983, 364, 205-218.	1.7	70
159	Die Primärstruktur des Î±-Amylaseinhibitors Hoe 467A aus <i>Streptomyces tendae</i> 4158. Eine neue Klasse von Inhibitoren. <i>Hoppe-Seyler's Zeitschrift für Physiologische Chemie</i> , 1983, 364, 1347-1356.	1.7	20
160	Effects of Antidepressant Treatment with Clomipramine on Hormonal Responses to Thyrotropin-Releasing Hormone and Insulin-induced Hypoglycemia: Implications for the "Monoamine-Hypothesis". <i>Pharmacopsychiatry</i> , 1981, 14, 100-106.	1.7	6
161	Thermal insulation with paper honeycombs with solar gain. , 0, , .		0