

Julia M Lappin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/452733/publications.pdf>

Version: 2024-02-01

121
papers

4,992
citations

87888

38
h-index

106344

65
g-index

125
all docs

125
docs citations

125
times ranked

6584
citing authors

#	ARTICLE	IF	CITATIONS
1	Rethinking the course of psychotic disorders: modelling long-term symptom trajectories. <i>Psychological Medicine</i> , 2022, 52, 2641-2650.	4.5	11
2	The health service contact patterns of people with psychotic and non-psychotic forms of severe mental illness in New South Wales, Australia: A record-linkage study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 675-685.	2.3	3
3	Characteristics of fatal gabapentinoid-related poisoning in Australia, 2000–2020. <i>Clinical Toxicology</i> , 2022, 60, 304-310.	1.9	5
4	Characteristics of fatal “novel” benzodiazepine toxicity in Australia. <i>Forensic Science International</i> , 2022, 331, 111140.	2.2	14
5	A pilot study of a mindfulness informed yoga intervention in young people with psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 1036-1042.	1.7	4
6	Characteristics of fatal “novel” synthetic opioid toxicity in Australia. <i>Drug and Alcohol Dependence</i> , 2022, 232, 109292.	3.2	8
7	Characteristics of fatal tapentadol-related toxicity in Australia. <i>Drug and Alcohol Review</i> , 2022, , .	2.1	2
8	Comorbid substance use in psychosis: Someone else’s problem?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 5-7.	2.3	1
9	Detection and intervention in emerging youth mental health issues: Outcomes from the first year of the CASPAR service. <i>Microbial Biotechnology</i> , 2021, 15, 167-173.	1.7	3
10	Characteristics and circumstances of death related to the self-administration of ketamine. <i>Addiction</i> , 2021, 116, 339-345.	3.3	9
11	Neurological Signs at the First Psychotic Episode as Correlates of Long-Term Outcome: Results From the AESOP-10 Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 118-127.	4.3	20
12	Trends and characteristics in barbiturate deaths Australia 2000–2019: a national retrospective study. <i>Clinical Toxicology</i> , 2021, 59, 224-230.	1.9	6
13	Diagnostic stability and outcome after first episode psychosis. <i>Journal of Mental Health</i> , 2021, 30, 104-112.	1.9	9
14	Scoping Review of Family Interventions That Support the Physical Health of Caregivers. <i>Research on Social Work Practice</i> , 2021, 31, 234-243.	1.9	1
15	Characteristics and circumstances of death related to buprenorphine toxicity in Australia. <i>Drug and Alcohol Dependence</i> , 2021, 218, 108360.	3.2	7
16	Cognitive improvement among abstinent methamphetamine users: A 2-year prospective longitudinal study. <i>American Journal on Addictions</i> , 2021, 30, 543-551.	1.4	1
17	Increased barbiturate deaths: an unintended consequence of increased publicity for methods of do-it-yourself euthanasia?. <i>Addiction</i> , 2021, 116, 3273-3275.	3.3	0
18	Methamphetamine and heightened risk for early-onset stroke and Parkinson's disease: A review. <i>Experimental Neurology</i> , 2021, 343, 113793.	4.1	13

#	ARTICLE	IF	CITATIONS
19	“Synthetic cannabis”™: A dangerous misnomer. <i>International Journal of Drug Policy</i> , 2021, 98, 103396.	3.3	13
20	“To the Arabic Community Disability Is Not Normal”™: Multiple Stakeholder Perceptions of the Understandings of Disability among Iraqi and Syrian People from Refugee Backgrounds. <i>Journal of Refugee Studies</i> , 2021, 34, 2849-2870.	1.7	7
21	Barbiturate-related hospitalisations, drug treatment episodes, and deaths in Australia, 2000-2018. <i>Medical Journal of Australia</i> , 2021, , .	1.7	1
22	Clinical Management of Withdrawal Series. <i>Addiction</i> , 2021, , .	3.3	0
23	Transition of Substance-Induced, Brief, and Atypical Psychoses to Schizophrenia: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2020, 46, 505-516.	4.3	79
24	Characteristics and circumstances of synthetic cannabinoid-related death. <i>Clinical Toxicology</i> , 2020, 58, 368-374.	1.9	50
25	Symptom remission at 12-weeks strongly predicts long-term recovery from the first episode of psychosis. <i>Psychological Medicine</i> , 2020, 50, 1452-1462.	4.5	16
26	MDMA-related deaths in Australia 2000 to 2018. <i>International Journal of Drug Policy</i> , 2020, 76, 102630.	3.3	24
27	Depression and anxiety in relation to cancer incidence and mortality: a systematic review and meta-analysis of cohort studies. <i>Molecular Psychiatry</i> , 2020, 25, 1487-1499.	7.9	339
28	Women and Stigma: A Protocol for Understanding Intersections of Experience through Body Mapping. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5432.	2.6	17
29	Global prevalence and burden of HIV-associated neurocognitive disorder. <i>Neurology</i> , 2020, 95, e2610-e2621.	1.1	172
30	Prevalence and correlates of food insecurity in community-based individuals with severe mental illness receiving long-acting injectable antipsychotic treatment. <i>British Journal of Nutrition</i> , 2020, 124, 470-477.	2.3	10
31	Prevalence and Characteristics Associated with Chronic Noncancer Pain in Suicide Decedents: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2020, 50, 778-791.	1.9	11
32	Characteristics and circumstances of death related to gamma hydroxybutyrate (GHB). <i>Clinical Toxicology</i> , 2020, 58, 1028-1033.	1.9	17
33	Targeted Intervention to Reduce Smoking among People with Severe Mental Illness: Implementation of a Smoking Cessation Intervention in an Inpatient Mental Health Setting. <i>Medicina (Lithuania)</i> , 2020, 56, 204.	2.0	4
34	Exploring the intersection of human rights, health, disability and refugee status: an arts-based approach. <i>Australian Journal of Human Rights</i> , 2020, 26, 387-404.	0.6	8
35	Ambient fine particulate matter is associated with increased emergency ambulance dispatches for psychiatric emergencies. <i>Environmental Research</i> , 2019, 177, 108611.	7.5	14
36	Psychostimulant use and the brain. <i>Addiction</i> , 2019, 114, 2065-2077.	3.3	59

#	ARTICLE	IF	CITATIONS
37	Circumstances of death of opioid users being treated with naltrexone. <i>Addiction</i> , 2019, 114, 2000-2007.	3.3	6
38	Cardio-metabolic risk in individuals prescribed long-acting injectable antipsychotic medication. <i>Psychiatry Research</i> , 2019, 281, 112606.	3.3	16
39	First diagnosis of psychosis in the prison: results from a data-linkage study. <i>BJPsych Open</i> , 2019, 5, e89.	0.7	3
40	Mental health outcomes associated with the use of amphetamines: A systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2019, 16, 81-97.	7.1	91
41	Commentary on Petersen et al . (2019): Development of problematic substance use in the years that follow diagnosis of schizophrenia. <i>Addiction</i> , 2019, 114, 2227-2228.	3.3	0
42	Characteristics and circumstances of death related to new psychoactive stimulants and hallucinogens in Australia. <i>Drug and Alcohol Dependence</i> , 2019, 204, 107556.	3.2	19
43	Methamphetamine. <i>Neurology</i> , 2019, 93, 13-14.	1.1	5
44	Health of Carers of Young People with Early Psychosis: A Biopsychosocial Approach. <i>Australian Social Work</i> , 2019, 72, 260-273.	1.0	6
45	The effectiveness of the Keeping the Body in Mind Xtend pilot lifestyle program on dietary intake in first-episode psychosis: Two-year outcomes. <i>Obesity Research and Clinical Practice</i> , 2019, 13, 214-216.	1.8	17
46	Psychostimulant Use and Fatal Stroke in Young Adults. <i>Journal of Forensic Sciences</i> , 2019, 64, 1421-1426.	1.6	22
47	Body mass index and fatal stroke in young adults: A national study. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2019, 63, 1-6.	1.0	7
48	Neuropsychological function at first episode in treatment-resistant psychosis: findings from the A†SOP-10 study. <i>Psychological Medicine</i> , 2019, 49, 2100-2110.	4.5	22
49	Completed Suicide Among Methamphetamine Users: A National Study. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 328-337.	1.9	37
50	Cardio-metabolic risk and its management in a cohort of clozapine-treated outpatients. <i>Schizophrenia Research</i> , 2018, 199, 367-373.	2.0	34
51	Relationship between the duration of methamphetamine use and psychotic symptoms: A two-year prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2018, 187, 363-369.	3.2	33
52	Clinical and Autopsy Characteristics of Fatal Methamphetamine Toxicity in Australia. <i>Journal of Forensic Sciences</i> , 2018, 63, 1466-1471.	1.6	21
53	Routine screening and related interventions significantly improve the effectiveness of emergency department detection and management of alcohol withdrawal syndrome. <i>EMA - Emergency Medicine Australasia</i> , 2018, 30, 648-653.	1.1	4
54	Methamphetamine use and future risk for Parkinsonâ€™s disease: Evidence and clinical implications. <i>Drug and Alcohol Dependence</i> , 2018, 187, 134-140.	3.2	51

#	ARTICLE	IF	CITATIONS
55	Physical and psychological health of carers of young people with first episode psychosis. <i>Australasian Psychiatry</i> , 2018, 26, 184-188.	0.7	17
56	2-year follow-up: Still keeping the body in mind. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 602-603.	2.3	11
57	Amphetamine availability predicts amphetamine-related mental health admissions: A time series analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1050-1056.	2.3	6
58	Early sustained recovery following first episode psychosis: Evidence from the AESOP10 follow-up study. <i>Schizophrenia Research</i> , 2018, 199, 341-345.	2.0	12
59	Co-morbid personality disorder in early intervention psychosis clients is associated with greater key worker emotional involvement. <i>Microbial Biotechnology</i> , 2018, 12, 143-152.	1.7	4
60	Clinical Characteristics of Fatal Methamphetamine-related Stroke: A National Study. <i>Journal of Forensic Sciences</i> , 2018, 63, 735-739.	1.6	25
61	Is Obesity in Young People With Psychosis a Foregone Conclusion? Markedly Excessive Energy Intake Is Evident Soon After Antipsychotic Initiation. <i>Frontiers in Psychiatry</i> , 2018, 9, 725.	2.6	13
62	A Novel Landscape for Understanding Physical and Mental Health: Body Mapping Research with Youth Experiencing Psychosis. <i>Art/Research International</i> , 2018, 3, 236-261.	0.1	14
63	Fatal Stroke in Pregnancy and the Puerperium. <i>Stroke</i> , 2018, 49, 3050-3053.	2.0	17
64	y-QUIT: Smoking Prevalence, Engagement, and Effectiveness of an Individualized Smoking Cessation Intervention in Youth With Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2018, 9, 683.	2.6	8
65	Epidemiological Characteristics and Risk Factors of Methamphetamine-associated Psychotic Symptoms. <i>Frontiers in Psychiatry</i> , 2018, 9, 489.	2.6	15
66	Duration of untreated psychosis and pathway to care in <sc>R</sc>iyadh, <sc>S</sc>audi <sc>A</sc>rabia. <i>Microbial Biotechnology</i> , 2017, 11, 47-56.	1.7	18
67	Antipsychotic treatment resistance in first-episode psychosis: prevalence, subtypes and predictors. <i>Psychological Medicine</i> , 2017, 47, 1981-1989.	4.5	200
68	Childhood trauma: psychiatry's greatest public health challenge?. <i>Lancet Public Health</i> , The, 2017, 2, e300-e301.	10.0	46
69	Methamphetamine-related psychosis: an opportunity for assertive intervention and prevention. <i>Addiction</i> , 2017, 112, 927-928.	3.3	16
70	Stroke and methamphetamine use in young adults: a review. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 1079-1091.	1.9	103
71	Escalating patterns of emergency health care prior to first admission with amphetamine psychosis: A window of opportunity?. <i>Drug and Alcohol Dependence</i> , 2017, 180, 171-177.	3.2	11
72	Ethnicity and long-term course and outcome of psychotic disorders in a UK sample: The A†SOP-10 study. <i>British Journal of Psychiatry</i> , 2017, 211, 88-94.	2.8	71

#	ARTICLE	IF	CITATIONS
73	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	4.2	43
74	Study protocol for a systematic review of evidence for lifestyle interventions targeting smoking, sleep, alcohol/other drug use, physical activity, and healthy diet in people with bipolar disorder. <i>Systematic Reviews</i> , 2016, 5, 106.	5.3	9
75	Adversity in childhood linked to elevated striatal dopamine function in adulthood. <i>Schizophrenia Research</i> , 2016, 176, 171-176.	2.0	77
76	Increased prevalence of self-reported psychotic illness predicted by crystal methamphetamine use: Evidence from a high-risk population. <i>International Journal of Drug Policy</i> , 2016, 38, 16-20.	3.3	27
77	Ten-year outcomes in first episode psychotic major depression patients compared with schizophrenia and bipolar patients. <i>Schizophrenia Research</i> , 2016, 176, 417-422.	2.0	23
78	Acute tranquilisation in young people with first-episode psychosis: Let's start low, go slow. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1204-1205.	2.3	1
79	Outcomes following first-episode psychosis – Why we should intervene early in all ages, not only in youth. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1055-1063.	2.3	25
80	Biological and psychosocial risk factors for psychotic major depression. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 233-245.	3.1	19
81	Diagnostic change 10 years after a first episode of psychosis. <i>Psychological Medicine</i> , 2015, 45, 2757-2769.	4.5	74
82	Ten-Year Outcomes of First-Episode Psychoses in the MRC A&SOP-10 Study. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 379-386.	1.0	90
83	Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015, 161, 277-282.	2.0	11
84	Mortality in Schizophrenia and Other Psychoses: A 10-Year Follow-up of the A&SOP First-Episode Cohort. <i>Schizophrenia Bulletin</i> , 2015, 41, 664-673.	4.3	128
85	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study – CORRIGENDUM. <i>Psychological Medicine</i> , 2014, 44, 2727-2727.	4.5	2
86	Reappraising the long-term course and outcome of psychotic disorders: the AESOP-10 study. <i>Psychological Medicine</i> , 2014, 44, 2713-2726.	4.5	192
87	Bilateral hippocampal increase following first-episode psychosis is associated with good clinical, functional and cognitive outcomes. <i>Psychological Medicine</i> , 2014, 44, 1279-1291.	4.5	40
88	History of cannabis use is not associated with alterations in striatal dopamine D ₂ /D ₃ receptor availability. <i>Journal of Psychopharmacology</i> , 2012, 26, 144-149.	4.0	57
89	Individualized prediction of illness course at the first psychotic episode: a support vector machine MRI study. <i>Psychological Medicine</i> , 2012, 42, 1037-1047.	4.5	116
90	Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012, 134, 42-48.	2.0	119

#	ARTICLE	IF	CITATIONS
91	Linear and non-linear associations of symptom dimensions and cognitive function in first-onset psychosis. <i>Schizophrenia Research</i> , 2012, 140, 221-231.	2.0	24
92	Limbic striatal dopamine D2/3 receptor availability is associated with non-planning impulsivity in healthy adults after exclusion of potential dissimulators. <i>Psychiatry Research - Neuroimaging</i> , 2012, 202, 60-64.	1.8	38
93	Criminal offending and distinguishing features of offenders among persons experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 15-23.	1.7	49
94	Lack of progression of brain abnormalities in first-episode psychosis: a longitudinal magnetic resonance imaging study. <i>Psychological Medicine</i> , 2011, 41, 1677-1689.	4.5	53
95	Reliability and Comparability of Psychosis Patients' Retrospective Reports of Childhood Abuse. <i>Schizophrenia Bulletin</i> , 2011, 37, 546-553.	4.3	361
96	Insight, grey matter and cognitive function in first-onset psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 141-148.	2.8	87
97	Examining evidence for neighbourhood variation in the duration of untreated psychosis. <i>Health and Place</i> , 2010, 16, 219-225.	3.3	25
98	Differing patterns of brain structural abnormalities between black and white patients with their first episode of psychosis. <i>Psychological Medicine</i> , 2010, 40, 1137-1147.	4.5	13
99	Lateral ventricle differences between first-episode schizophrenia and first-episode psychotic bipolar disorder: A population-based morphometric MRI study. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 873-887.	2.6	23
100	LONGITUDINAL CHANGES OF STRUCTURAL BRAIN ASYMMETRY IN PSYCHOSIS AND HEALTHY CONTROLS. <i>Schizophrenia Research</i> , 2010, 117, 341-342.	2.0	0
101	Truth, lies or self-deception? Striatal D2/3 receptor availability predicts individual differences in social conformity. <i>NeuroImage</i> , 2010, 53, 777-781.	4.2	26
102	Acute effect of the anti-addiction drug bupropion on extracellular dopamine concentrations in the human striatum: An [¹¹ C]raclopride PET study. <i>NeuroImage</i> , 2010, 50, 260-266.	4.2	29
103	Neuropsychological functioning in first-episode schizophrenia. <i>British Journal of Psychiatry</i> , 2009, 195, 336-345.	2.8	38
104	Economic impact of early intervention in people at high risk of psychosis. <i>Psychological Medicine</i> , 2009, 39, 1617.	4.5	104
105	Dopamine Release in the Human Striatum: Motor and Cognitive Tasks Revisited. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009, 29, 554-564.	4.3	42
106	Selective deficits in semantic verbal fluency in patients with a first affective episode with psychotic symptoms and a positive history of mania. <i>Bipolar Disorders</i> , 2009, 11, 323-329.	1.9	14
107	The dopaminergic basis of human behaviors: A review of molecular imaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 1109-1132.	6.1	150
108	Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008, 41, 553-560.	4.2	87

#	ARTICLE	IF	CITATIONS
109	Schizophrenia: From developmental deviance to dopamine dysregulation. <i>European Neuropsychopharmacology</i> , 2008, 18, S129-S134.	0.7	119
110	Duration of prodromal phase and severity of volumetric abnormalities in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s123-s127.	2.8	30
111	Grey matter abnormalities in Brazilians with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s117-s122.	2.8	55
112	Foreword: Improved understanding and treatment of schizophrenia. <i>European Neuropsychopharmacology</i> , 2007, 17, v-vi.	0.7	0
113	Risk factors for schizophrenia – All roads lead to dopamine. <i>European Neuropsychopharmacology</i> , 2007, 17, S101-S107.	0.7	100
114	Insight in individuals with an At Risk Mental State†. <i>Schizophrenia Research</i> , 2007, 90, 238-244.	2.0	42
115	Duration of untreated psychosis and neuropsychological function in first episode psychosis. <i>Schizophrenia Research</i> , 2007, 95, 103-110.	2.0	58
116	Gray matter abnormalities associated with duration of untreated psychosis. <i>Schizophrenia Research</i> , 2006, 83, 145-153.	2.0	89
117	Duration of untreated psychosis and ethnicity in the Å†SOP first-onset psychosis study. <i>Psychological Medicine</i> , 2006, 36, 239-247.	4.5	64
118	Clinical and social determinants of duration of untreated psychosis in the Å†SOP first-episode psychosis study. <i>British Journal of Psychiatry</i> , 2006, 189, 446-452.	2.8	168
119	Right and left prefrontal transcranial magnetic stimulation at 1 Hz does not affect mood in healthy volunteers. <i>BMC Psychiatry</i> , 2002, 2, 1.	2.6	80
120	Depressed mood during pregnancy and after childbirth. <i>BMJ: British Medical Journal</i> , 2001, 323, 1367-1367.	2.3	5
121	Electromagnetic stimulation in psychiatry. <i>Advances in Psychiatric Treatment</i> , 2001, 7, 181-188.	0.5	6