

# Mutasem O. Taha

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4527578/publications.pdf>

Version: 2024-02-01

149  
papers

3,519  
citations

156536

32  
h-index

214428

50  
g-index

151  
all docs

151  
docs citations

151  
times ranked

4142  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Vitamin B12 binding to mutated human transcobalamin, in-silico study of TCN2 alanine scanning and ClinVar missense mutations/SNPs. <i>Journal of Biomolecular Structure and Dynamics</i> , 2023, 41, 3222-3233.  | 2.0 | 1         |
| 2  | Discovery of new PKN2 inhibitory chemotypes via QSAR-guided selection of docking-based pharmacophores. <i>Molecular Diversity</i> , 2023, 27, 443-462.   | 2.1 | 21        |
| 3  | Ligand-based Modeling of CXC Chemokine Receptor 4 and Identification of Inhibitors of Novel Chemotypes as Potential Leads towards New Anti- COVID-19 Treatments. <i>Medicinal Chemistry</i> , 2022, 18, 871-883.   | 0.7 | 11        |
| 4  | Exploiting activity cliffs for building pharmacophore models and comparison with other pharmacophore generation methods: sphingosine kinase 1 as case study. <i>Journal of Computer-Aided Molecular Design</i> , 2022, 36, 39-62.  | 1.3 | 4         |
| 5  | Discovery of new Cdc2-like kinase 4 (CLK4) inhibitors via pharmacophore exploration combined with flexible docking-based ligand/receptor contact fingerprints and machine learning. <i>RSC Advances</i> , 2022, 12, 10686-10700.   | 1.7 | 8         |
| 6  | Reported Adverse Effects and Attitudes among Arab Populations Following COVID-19 Vaccination: A Large-Scale Multinational Study Implementing Machine Learning Tools in Predicting Post-Vaccination Adverse Effects Based on Predisposing Factors. <i>Vaccines</i> , 2022, 10, 366. | 2.1 | 39        |
| 7  | Novel Ellipsoid Chitosan-Phthalate Lecithin Nanoparticles for siRNA Delivery. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021, 9, 695371.  | 2.0 | 6         |
| 8  | Inhibition of aggregation of amyloid- $\beta^2$ through covalent modification with benzylpenicillin; potential relevance to Alzheimer's disease. <i>Biochemistry and Biophysics Reports</i> , 2021, 26, 100943.  | 0.7 | 3         |
| 9  | Structure-based discovery of new polo-like kinase 1 (PLK1) inhibitors as potential anticancer agents via docking-based comparative intermolecular contacts analysis (dbCICA). <i>Medicinal Chemistry Research</i> , 2021, 30, 1747-1766.   | 1.1 | 3         |
| 10 | Elaboration of Novel TTK1 Inhibitory Leads via QSAR-Guided Selection of Crystallographic Pharmacophores Followed By In Vitro Assay. <i>Current Computer-Aided Drug Design</i> , 2021, 17, 511-522.   | 0.8 | 9         |
| 11 | Docking-generated multiple ligand poses for bootstrapping bioactivity classifying Machine Learning: Repurposing covalent inhibitors for COVID-19-related TMPRSS2 as case study. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 4790-4824.                   | 1.9 | 14        |
| 12 | Inhibition of protein kinases by proton pump inhibitors: computational screening and in vitro evaluation. <i>Medicinal Chemistry Research</i> , 2021, 30, 2266-2276.   | 1.1 | 3         |
| 13 | Design and Synthesis of New JAK1 Inhibitors based on Sulfonamide- Triazine Conjugates. <i>Current Computer-Aided Drug Design</i> , 2021, 17, 916-926.  | 0.8 | 3         |
| 14 | Structure-Based Discovery and Bioactivity Evaluation of Novel Aurora-A Kinase Inhibitors as Anticancer Agents via Docking-Based Comparative Intermolecular Contacts Analysis (dbCICA). <i>Molecules</i> , 2020, 25, 6003.  | 1.7 | 12        |
| 15 | Comprehensive Structural and Molecular Comparison of Spike Proteins of SARS-CoV-2, SARS-CoV and MERS-CoV, and Their Interactions with ACE2. <i>Cells</i> , 2020, 9, 2638.  | 1.8 | 138       |
| 16 | Inhibition of monoglyceride lipase by proton pump inhibitors: investigation using docking and in vitro experiments. <i>Pharmacological Reports</i> , 2020, 72, 435-442.  | 1.5 | 4         |
| 17 | Stable Chitosan-Based Nanoparticles Using Polyphosphoric Acid or Hexametaphosphate for Tandem Ionotropic/Covalent Crosslinking and Subsequent Investigation as Novel Vehicles for Drug Delivery. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 4.                | 2.0 | 87        |
| 18 | Pharmacophore modeling of JAK1: A target infested with activity-cliffs. <i>Journal of Molecular Graphics and Modelling</i> , 2020, 99, 107615.   | 1.3 | 10        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Design and Synthesis of New Sulfonamides-Based Flt3 Inhibitors. <i>Medicinal Chemistry</i> , 2020, 16, 403-412.   | 0.7 | 2         |
| 20 | Ligand Based Pharmacophore Modeling Followed by Biological Screening Lead to Discovery of Novel PDK1 Inhibitors as Anticancer Agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2020, 20, 476-485.   | 0.9 | 3         |
| 21 | Investigation of Binding Characteristics of Phosphoinositide-dependent Kinase-1 (PDK1) Co-crystallized Ligands Through Virtual Pharmacophore Modeling Leading to Novel Anti-PDK1 Hits. <i>Medicinal Chemistry</i> , 2020, 16, 860-880.                | 0.7 | 6         |
| 22 | Discovery of novel Flt3 inhibitory chemotypes through extensive ligand-based and new structure-based pharmacophore modelling methods. <i>Journal of Molecular Graphics and Modelling</i> , 2019, 88, 128-151.   | 1.3 | 13        |
| 23 | Discovery of new JNK3 inhibitory chemotypes via QSAR-Guided selection of docking-based pharmacophores and comparison with other structure-based pharmacophore modeling methods. <i>Journal of Molecular Graphics and Modelling</i> , 2019, 91, 30-51. | 1.3 | 15        |
| 24 | QSAR-guided pharmacophore modeling and subsequent virtual screening identify novel TYK2 inhibitor. <i>Medicinal Chemistry Research</i> , 2019, 28, 1368-1387.   | 1.1 | 6         |
| 25 | Degradability of chitosan micro/nanoparticles for pulmonary drug delivery. <i>Heliyon</i> , 2019, 5, e01684.  | 1.4 | 163       |
| 26 | The herbicide quinclorac as potent lipase inhibitor: Discovery via virtual screening and in vitro/in vivo validation. <i>Chemical Biology and Drug Design</i> , 2019, 93, 787-797.  | 1.5 | 10        |
| 27 | Alginate Nanoparticles. , 2019, , 389-418.  |     | 1         |
| 28 | Discovery of New Phosphoinositide 3-kinase Delta (PI3K $\delta$ ) Inhibitors via Virtual Screening using Crystallography-derived Pharmacophore Modelling and QSAR Analysis. <i>Medicinal Chemistry</i> , 2019, 15, 588-601.                           | 0.7 | 11        |
| 29 | Inhibition of dipeptidyl peptidase IV by fexofenadine: Virtual screening study. <i>Journal of Applied Pharmaceutical Science</i> , 2019, 9, 28-32.  | 0.7 | 2         |
| 30 | Ligand-based modeling of Akt3 lead to potent dual Akt1/Akt3 inhibitor. <i>Journal of Molecular Graphics and Modelling</i> , 2018, 83, 153-166.  | 1.3 | 10        |
| 31 | Discovery of new Gyrase $\beta$ inhibitors via structure based modeling. <i>Computational Biology and Chemistry</i> , 2018, 74, 263-272.  | 1.1 | 12        |
| 32 | Exploring the influence of culture conditions on kefir's anticancer properties. <i>Journal of Dairy Science</i> , 2018, 101, 3771-3777.   | 1.4 | 24        |
| 33 | Combining Stochastic Deformation/Relaxation and Intermolecular Contacts Analysis for Extracting Pharmacophores from Ligand-Receptor Complexes. <i>Journal of Chemical Information and Modeling</i> , 2018, 58, 879-893.                               | 2.5 | 11        |
| 34 | Natural and semisynthetic polymers in pharmaceutical nanotechnology. , 2018, , 35-100.  |     | 22        |
| 35 | Synthesis and Structure-Activity Relationship; Exploration of some Potent Anti-Cancer Phenyl Amidrazone Derivatives. <i>Medicinal Chemistry</i> , 2018, 14, 468-477.  | 0.7 | 3         |
| 36 | Synthesis and Anticancer Properties of Methyl N1-(thien-4-yl)amidrazone- 3-carboxylates. <i>Letters in Drug Design and Discovery</i> , 2018, 15, 1268-1275.   | 0.4 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Inhibitory Effects of New Mercapto Xanthine Derivatives in Human mcf7 and k562 Cancer Cell Lines. <i>Journal of Heterocyclic Chemistry</i> , 2017, 54, 450-456.   | 1.4 | 7         |
| 38 | Rosmarinic acid reverses the effects of metronidazole-induced infertility in male albino rats. <i>Reproduction, Fertility and Development</i> , 2017, 29, 1910.   | 0.1 | 4         |
| 39 | Novel nanoparticles based on chitosan-dicarboxylate conjugates via tandem ionotropic/covalent crosslinking with tripolyphosphate and subsequent evaluation as drug delivery vehicles. <i>International Journal of Pharmaceutics</i> , 2017, 529, 15-31.                                       | 2.6 | 27        |
| 40 | Unsupervised pharmacophore modeling combined with <sc>QSAR</sc> analyses revealed novel low micromolar <sc>SIRT2</sc> inhibitors. <i>Journal of Molecular Recognition</i> , 2017, 30, e2623.  | 1.1 | 4         |
| 41 | Discovery of novel potent nuclear factor kappa $\epsilon$ B inhibitors (IKK $\epsilon$ ) via extensive ligand-based modeling and virtual screening. <i>Journal of Molecular Recognition</i> , 2017, 30, e2604.  | 1.1 | 3         |
| 42 | Ligand-based computational modelling of platelet-derived growth factor beta receptor leading to new angiogenesis inhibitory leads. <i>Computational Biology and Chemistry</i> , 2017, 71, 170-179.  | 1.1 | 10        |
| 43 | Simulated annealing molecular dynamics and ligand-receptor contacts analysis for pharmacophore modeling. <i>Future Medicinal Chemistry</i> , 2017, 9, 1141-1159.  | 1.1 | 15        |
| 44 | Computational modeling of the bat <sc>HKU4</sc> coronavirus <sc>3CL <sup>pro</sup> </sc> inhibitors as a tool for the development of antivirals against the emerging <sc>Middle East respiratory syndrome (MERS) coronavirus</sc>. <i>Journal of Molecular Recognition</i> , 2017, 30, e2644. | 1.1 | 21        |
| 45 | Docking-based comparative intermolecular contacts analysis and in silico screening reveal new potent acetylcholinesterase inhibitors. <i>Medicinal Chemistry Research</i> , 2017, 26, 2768-2784.  | 1.1 | 15        |
| 46 | Discovery of Potent Bruton's Tyrosine Kinase Inhibitors Using Ligand Based Modeling. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2017, 17, 265-275.  | 0.9 | 4         |
| 47 | Discovery of potent adenosine A2a antagonists as potential anti-Parkinson disease agents. Non-linear QSAR analyses integrated with pharmacophore modeling. <i>Chemico-Biological Interactions</i> , 2016, 254, 93-101.  | 1.7 | 17        |
| 48 | Innovative computer-aided methods for the discovery of new kinase ligands. <i>Future Medicinal Chemistry</i> , 2016, 8, 509-526.  | 1.1 | 16        |
| 49 | Cytotoxic activity of the novel heterocyclic compound G-11 is primarily mediated through intrinsic apoptotic pathway. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016, 21, 873-886.  | 2.2 | 4         |
| 50 | Combining molecular dynamics simulation and ligand-receptor contacts analysis as a new approach for pharmacophore modeling: beta-secretase 1 and check point kinase 1 as case studies. <i>Journal of Computer-Aided Molecular Design</i> , 2016, 30, 1149-1163.                               | 1.3 | 22        |
| 51 | Computer-aided discovery of new FGFR-1 inhibitors followed by <i>in vitro</i> validation. <i>Future Medicinal Chemistry</i> , 2016, 8, 1841-1869.   | 1.1 | 17        |
| 52 | Ligand-based modeling of diverse aralkylamines yields new potent P-glycoprotein inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2016, 110, 204-223.  | 2.6 | 18        |
| 53 | QSAR studies in the discovery of novel type-II diabetic therapies. <i>Expert Opinion on Drug Discovery</i> , 2016, 11, 197-214.   | 2.5 | 25        |
| 54 | Novel anticancer compound [trifluoromethyl-substituted pyrazole N-nucleoside] inhibits FLT3 activity to induce differentiation in acute myeloid leukemia cells. <i>Cancer Letters</i> , 2016, 375, 199-208.   | 3.2 | 19        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Discovery of new selective cytotoxic agents against Bcl-2 expressing cancer cells using ligand-based modeling. <i>Chemico-Biological Interactions</i> , 2016, 250, 12-26.   | 1.7 | 13        |
| 56 | Pharmacophore and QSAR Modeling of Neuronal Nitric Oxide Synthase Ligands and Subsequent Validation and In Silico Search for New Scaffolds. <i>Medicinal Chemistry</i> , 2016, 12, 371-393.   | 0.7 | 2         |
| 57 | Enhanced drug encapsulation and extended release profiles of calcium alginate nanoparticles by using tannic acid as a bridging cross-linking agent. <i>Journal of Microencapsulation</i> , 2015, 32, 96-105.  | 1.2 | 57        |
| 58 | Ligand-based modeling followed by in vitro bioassay yielded new potent glucokinase activators. <i>Journal of Molecular Graphics and Modelling</i> , 2015, 56, 91-102.   | 1.3 | 19        |
| 59 | Oleuropein potently inhibits mammalian target of rapamycin: possible involvement of tandem anomeric hyperconjugation-Michael reaction. <i>Medicinal Chemistry Research</i> , 2015, 24, 616-623.   | 1.1 | 2         |
| 60 | Synthesis and evaluation of novel diphenylthiazole derivatives as potential anti-inflammatory agents. <i>Medicinal Chemistry Research</i> , 2015, 24, 3681-3695.  | 1.1 | 7         |
| 61 | Antiproliferative activity of the isoindigo 5-Br in HL-60 cells is mediated by apoptosis, dysregulation of mitochondrial functions and arresting cell cycle at G0/G1 phase. <i>Cancer Letters</i> , 2015, 361, 251-261.                                     | 3.2 | 20        |
| 62 | Combining docking-based comparative intermolecular contacts analysis and k-nearest neighbor correlation for the discovery of new check point kinase 1 inhibitors. <i>Journal of Computer-Aided Molecular Design</i> , 2015, 29, 561-581.                    | 1.3 | 23        |
| 63 | The Anticancer Activity of the Substituted Pyridone-Annulated Isoindigo (5'-Cl) Involves G0/G1 Cell Cycle Arrest and Inactivation of CDKs in the Promyelocytic Leukemia Cell Line HL-60. <i>Cellular Physiology and Biochemistry</i> , 2015, 35, 1943-1957. | 1.1 | 15        |
| 64 | Î²-Caryophyllene as putative male contraceptive: enhances spermatogenesis but not spermiogenesis in albino rats. <i>Medicinal Chemistry Research</i> , 2015, 24, 3876-3884.   | 1.1 | 10        |
| 65 | Synthesis and characterization of chitosan-lactate-phthalate and evaluation of the corresponding zinc- and aluminum-crosslinked beads as potential controlled release matrices. <i>European Polymer Journal</i> , 2015, 73, 402-412.                        | 2.6 | 11        |
| 66 | Tryptophan and thiosemicarbazide derivatives: design, synthesis, and biological evaluation as potential Î²-d-galactosidase and Î²-d-glucosidase inhibitors. <i>Medicinal Chemistry Research</i> , 2015, 24, 2529-2550.                                      | 1.1 | 6         |
| 67 | Identification of Small Molecule Memapsin Inhibitors via Computation-based Virtual Screening. <i>Advances in Pharmacology and Pharmacy</i> , 2015, 3, 53-63.  | 0.1 | 5         |
| 68 | Synthesis and Antibacterial Activity of Some Novel N,N-Di-Oxalamide Derivatives. <i>International Journal of Chemistry and Materials Research</i> , 2015, 3, 165-175.   | 1.1 | 0         |
| 69 | Haloperidol inhibits Memapsin 2: innovation by docking simulation and in vitro assay. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015, 28, 139-46.  | 0.2 | 0         |
| 70 | Ritodrine inhibits neuronal nitric oxide synthase, a potential link between tocolysis and autism. <i>Medicinal Chemistry Research</i> , 2014, 23, 5102-5109.  | 1.1 | 1         |
| 71 | Synthesis and characterization of new derivatives of alginic acid and evaluation of their iron(III)-crosslinked beads as potential controlled release matrices. <i>Pharmaceutical Development and Technology</i> , 2014, 19, 856-867.                       | 1.1 | 10        |
| 72 | Evaluation of naproxen and cromolyn activities against cancer cells viability, proliferation, apoptosis, p53 and gene expression of survivin and caspase-3. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2014, 29, 153-161.                | 2.5 | 31        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Design, synthesis and structure-activity relationship of new HSL inhibitors guided by pharmacophore models. <i>Medicinal Chemistry Research</i> , 2014, 23, 127-145.  | 1.1 | 8         |
| 74 | Discovery of novel urokinase plasminogen activator (uPA) inhibitors using ligand-based modeling and virtual screening followed by in vitro analysis. <i>Journal of Molecular Modeling</i> , 2014, 20, 2080.   | 0.8 | 19        |
| 75 | Synthesis and Antitumor Activities of Some New (Flavonol)amidrazone Derivatives. <i>Archiv Der Pharmazie</i> , 2014, 347, 415-422.  | 2.1 | 15        |
| 76 | Preparation and in vitro characterization of glibenclamide-loaded alginate hexyl-amide beads: a novel drug delivery system to improve the dissolution rate. <i>Pharmaceutical Development and Technology</i> , 2014, 19, 881-890.   | 1.1 | 8         |
| 77 | Discovery of nanomolar phosphoinositide 3-kinase gamma (PI3K $\gamma$ ) inhibitors using ligand-based modeling and virtual screening followed by in vitro analysis. <i>European Journal of Medicinal Chemistry</i> , 2014, 84, 454-465.   | 2.6 | 27        |
| 78 | The use of docking-based comparative intermolecular contacts analysis to identify optimal docking conditions within glucokinase and to discover of new GK activators. <i>Journal of Computer-Aided Molecular Design</i> , 2014, 28, 509-547.  | 1.3 | 33        |
| 79 | Elaborate ligand-based modeling reveals new human neutrophil elastase inhibitors. <i>Medicinal Chemistry Research</i> , 2014, 23, 3876-3896.  | 1.1 | 13        |
| 80 | Regression of endometrial implants treated with vitamin D3 in a rat model of endometriosis. <i>European Journal of Pharmacology</i> , 2013, 715, 72-75.   | 1.7 | 59        |
| 81 | Famotidine inhibits glycogen synthase kinase-3 $\beta$ : An investigation by docking simulation and experimental validation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013, 28, 690-694.   | 2.5 | 6         |
| 82 | Ligand-based pharmacophore exploration and QSAR analysis of transition state analogues followed by in silico screening guide the discovery of new sub-micromolar $\beta$ -secretase inhibitors. <i>Medicinal Chemistry Research</i> , 2013, 22, 1979-1997.                                      | 1.1 | 12        |
| 83 | New leads for DPP IV inhibition: structure-based pharmacophore mapping and virtual screening study. <i>Archives of Pharmacal Research</i> , 2013, 36, 1326-1337.  | 2.7 | 8         |
| 84 | Pharmacophore modeling, homology modeling, and in silico screening reveal mammalian target of rapamycin inhibitory activities for sotalolol, glyburide, metipranolol, sulfamethizole, glipizide, and pioglitazone. <i>Journal of Molecular Graphics and Modelling</i> , 2013, 42, 39-49.        | 1.3 | 38        |
| 85 | Elaborate ligand-based modeling reveal new migration inhibitory factor inhibitors. <i>Journal of Molecular Graphics and Modelling</i> , 2013, 42, 104-114.  | 1.3 | 18        |
| 86 | Elaborate ligand-based modeling coupled with QSAR analysis and in silico screening reveal new potent acetylcholinesterase inhibitors. <i>Journal of Computer-Aided Molecular Design</i> , 2013, 27, 1075-1092.  | 1.3 | 31        |
| 87 | Naproxen and Cromolyn as New Glycogen Synthase Kinase 3 $\beta$ Inhibitors for Amelioration of Diabetes and Obesity: An Investigation by Docking Simulation and Subsequent In Vitro/In Vivo Biochemical Evaluation. <i>Journal of Biochemical and Molecular Toxicology</i> , 2013, 27, 425-436. | 1.4 | 23        |
| 88 | $\beta$ -Caryophyllene causes regression of endometrial implants in a rat model of endometriosis without affecting fertility. <i>European Journal of Pharmacology</i> , 2013, 702, 12-19.   | 1.7 | 42        |
| 89 | Sunitinib as an anti-endometriotic agent. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 49, 732-736.   | 1.9 | 19        |
| 90 | Elaborate Ligand-Based Modeling Coupled with Multiple Linear Regression and k Nearest Neighbor QSAR Analyses Unveiled New Nanomolar mTOR Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 2587-2612.   | 2.5 | 50        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Design, Synthesis and Biological Evaluation of N4-Sulfonamido-Succinamic, Phthalamic, Acrylic and Benzoyl Acetic Acid Derivatives as Potential DPP IV Inhibitors. <i>Open Medicinal Chemistry Journal</i> , 2013, 7, 39-48.                                | 0.9 | 9         |
| 92  | Synthesis of a Novel Chitosan-Based Polymer and Application as a Matrix for Controlled Drug Delivery. <i>Jordan Journal of Pharmaceutical Sciences</i> , 2013, 6, 233-241.   | 0.2 | 0         |
| 93  | Synthesis and biological activity assays of some new N1-(flavon-7-yl)amidrazone derivatives and related congeners. <i>European Journal of Medicinal Chemistry</i> , 2012, 54, 65-74.   | 2.6 | 20        |
| 94  | Design, synthesis, and biological evaluation of sulfonic acid ester and benzenesulfonamide derivatives as potential CETP inhibitors. <i>Medicinal Chemistry Research</i> , 2012, 21, 3669-3680.  | 1.1 | 9         |
| 95  | Application of docking-based comparative intermolecular contacts analysis to validate Hsp90 $\pm$ docking studies and subsequent in silico screening for inhibitors. <i>Journal of Molecular Modeling</i> , 2012, 18, 4843-4863.                           | 0.8 | 30        |
| 96  | Effect of particle morphology and pore size on the release kinetics of ephedrine from mesoporous MCM-41 materials. <i>Journal of Porous Materials</i> , 2012, 19, 825-833.   | 1.3 | 19        |
| 97  | Rational exploration of new pyridinium-based HSP90 $\pm$ inhibitors tailored to thiamine structure. <i>Medicinal Chemistry Research</i> , 2012, 21, 487-510.   | 1.1 | 10        |
| 98  | Ethosuximide and Phenobarbital Promote Wound Healing via Enhancing Collagenization. <i>Chemical Biology and Drug Design</i> , 2012, 79, 137-142.   | 1.5 | 7         |
| 99  | Elaborate ligand-based modeling and subsequent synthetic exploration unveil new nanomolar Ca <sup>2+</sup> /calmodulin-dependent protein kinase II inhibitory leads. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 377-400.                        | 1.4 | 23        |
| 100 | Extensive ligand-based modeling and in silico screening reveal nanomolar inducible nitric oxide synthase (iNOS) inhibitors. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 37, 1-26.   | 1.3 | 11        |
| 101 | Elaborate ligand-based modeling reveal new submicromolar Rho kinase inhibitors. <i>Journal of Computer-Aided Molecular Design</i> , 2012, 26, 249-266.   | 1.3 | 33        |
| 102 | Thujone corrects cholesterol and triglyceride profiles in diabetic rat model. <i>Natural Product Research</i> , 2011, 25, 1180-1184.   | 1.0 | 32        |
| 103 | Preparation of Polyester-Based Metal-Cross Linked Polymeric Composites as Novel Materials Resistant to Bacterial Adhesion and Biofilm Formation. <i>Molecules</i> , 2011, 16, 933-950.   | 1.7 | 7         |
| 104 | Preparation of Silver- and Zinc-Doped Mullite-Based Ceramics Showing Anti-Bacterial Biofilm Properties. <i>Molecules</i> , 2011, 16, 2862-2870.  | 1.7 | 14        |
| 105 | Discovery of New Antifungal Leads via Pharmacophore Modeling and QSAR Analysis of Fungal Myristoyl Transferase Inhibitors Followed by In Silico Screening. <i>Chemical Biology and Drug Design</i> , 2011, 78, 391-407.                                    | 1.5 | 23        |
| 106 | Metal ion / Pyridinedicarboxylate Polymer composites as inhibitors of bacterial biofilm formation. <i>Journal of Infection</i> , 2011, 63, e8-e9.  | 1.7 | 0         |
| 107 | Docking-Based Comparative Intermolecular Contacts Analysis as New 3-D QSAR Concept for Validating Docking Studies and in Silico Screening: NMT and GP Inhibitors as Case Studies. <i>Journal of Chemical Information and Modeling</i> , 2011, 51, 647-669. | 2.5 | 65        |
| 108 | Discovery of new $\beta$ -d-glucosidase inhibitors via pharmacophore modeling and QSAR analysis followed by in silico screening. <i>Journal of Molecular Modeling</i> , 2011, 17, 443-464.   | 0.8 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Discovery of new $\beta$ -D-galactosidase inhibitors via pharmacophore modeling and QSAR analysis followed by <i>in silico</i> screening. <i>Journal of Computational Chemistry</i> , 2011, 32, 463-482.  | 1.5 | 12        |
| 110 | Ligand-based modelling followed by synthetic exploration unveil novel glycogen phosphorylase inhibitory leads. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 4746-4771.   | 1.4 | 15        |
| 111 | Discovery of new nanomolar peroxisome proliferator-activated receptor $\beta$ activators via elaborate ligand-based modeling. <i>European Journal of Medicinal Chemistry</i> , 2011, 46, 2513-2529.   | 2.6 | 30        |
| 112 | Discovery of new renin inhibitory leads via sequential pharmacophore modeling, QSAR analysis, <i>in silico</i> screening and <i>in vitro</i> evaluation. <i>Journal of Molecular Graphics and Modelling</i> , 2011, 29, 843-864.                                    | 1.3 | 15        |
| 113 | Some sulfonamide drugs inhibit ATPase activity of heat shock protein 90: investigation by docking simulation and experimental validation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2011, 26, 603-609.  | 2.5 | 9         |
| 114 | Discovery of new cholesteryl ester transfer protein inhibitors via ligand-based pharmacophore modeling and QSAR analysis followed by synthetic exploration. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1598-1617.                                   | 2.6 | 51        |
| 115 | Discovery of novel CDK1 inhibitors by combining pharmacophore modeling, QSAR analysis and <i>in silico</i> screening followed by <i>in vitro</i> bioassay. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 4316-4330.                                    | 2.6 | 40        |
| 116 | Pharmacophore and QSAR modeling of estrogen receptor $\beta$ ligands and subsequent validation and <i>in silico</i> search for new hits. <i>Journal of Molecular Graphics and Modelling</i> , 2010, 28, 383-400.  | 1.3 | 37        |
| 117 | Elaborate ligand-based pharmacophore exploration and QSAR analysis guide the synthesis of novel pyridinium-based potent $\beta$ -secretase inhibitory leads. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 3088-3115.                                       | 1.4 | 66        |
| 118 | Elaborate Ligand-Based Modeling Reveals New Nanomolar Heat Shock Protein 90 $\alpha$ Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2010, 50, 1706-1723.   | 2.5 | 42        |
| 119 | <i>In Silico</i> Screening for Non-nucleoside HIV-1 Reverse Transcriptase Inhibitors Using Physicochemical Filters and High-Throughput Docking Followed by <i>In Vitro</i> Evaluation. <i>Chemical Biology and Drug Design</i> , 2009, 74, 258-265.                 | 1.5 | 25        |
| 120 | Homology modeling of MCH1 receptor and validation by docking/scoring and protein-aligned CoMFA. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 2583-2596.   | 2.6 | 13        |
| 121 | Inhibition of dipeptidyl peptidase IV (DPP IV) is one of the mechanisms explaining the hypoglycemic effect of berberine. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 1061-1066.   | 2.5 | 117       |
| 122 | Pharmacophore Modeling, Quantitative Structure-Activity Relationship Analysis, and Shape-Complemented <i>In Silico</i> Screening Allow Access to Novel Influenza Neuraminidase Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 978-996. | 2.5 | 58        |
| 123 | Inhibition of glycogen synthase kinase by curcumin: Investigation by simulated molecular docking and subsequent <i>in vitro</i> / <i>in vivo</i> evaluation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 771-778.                       | 2.5 | 82        |
| 124 | Docking Simulations and <i>In Vitro</i> Assay Unveil Potent Inhibitory Action of Papaverine against Protein Tyrosine Phosphatase 1B. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 640-645.   | 0.6 | 18        |
| 125 | Discovery of DPP IV Inhibitors by Pharmacophore Modeling and QSAR Analysis followed by <i>in silico</i> Screening. <i>ChemMedChem</i> , 2008, 3, 1763-1779.   | 1.6 | 60        |
| 126 | Development of predictive <i>in silico</i> model for cyclosporine- and aureobasidin-based P-glycoprotein inhibitors employing receptor surface analysis. <i>Journal of Molecular Graphics and Modelling</i> , 2008, 27, 439-451.                                    | 1.3 | 9         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Discovery of new MurF inhibitors via pharmacophore modeling and QSAR analysis followed by in-silico screening. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 1218-1235.  | 1.4 | 66        |
| 128 | Sodium lauryl sulfate impedes drug release from zinc-crosslinked alginate beads: Switching from enteric coating release into biphasic profiles. <i>International Journal of Pharmaceutics</i> , 2008, 350, 291-300.  | 2.6 | 52        |
| 129 | Olanzapine inhibits glycogen synthase kinase-3 $\beta$ : An investigation by docking simulation and experimental validation. <i>European Journal of Pharmacology</i> , 2008, 584, 185-191.   | 1.7 | 33        |
| 130 | Pharmacophore Modeling, Quantitative Structure-Activity Relationship Analysis, and in Silico Screening Reveal Potent Glycogen Synthase Kinase-3 $\beta$ Inhibitory Activities for Cimetidine, Hydroxychloroquine, and Gemifloxacin. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 2062-2077. | 2.9 | 90        |
| 131 | Combining Ligand-Based Pharmacophore Modeling, Quantitative Structure-Activity Relationship Analysis and in Silico Screening for the Discovery of New Potent Hormone Sensitive Lipase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 6478-6494.                                   | 2.9 | 78        |
| 132 | Effect of Ionic Crosslinking on the Drug Release Properties of Chitosan Diacetate Matrices. <i>Journal of Pharmaceutical Sciences</i> , 2007, 96, 38-43.   | 1.6 | 23        |
| 133 | Discovery of new potent human protein tyrosine phosphatase inhibitors via pharmacophore and QSAR analysis followed by in silico screening. <i>Journal of Molecular Graphics and Modelling</i> , 2007, 25, 870-884.   | 1.3 | 77        |
| 134 | Combining docking, scoring and molecular field analyses to probe influenza neuraminidase-ligand interactions. <i>Journal of Molecular Graphics and Modelling</i> , 2007, 26, 443-456.  | 1.3 | 23        |
| 135 | Berberine potently inhibits protein tyrosine phosphatase 1B: Investigation by docking simulation and experimental validation. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2006, 21, 163-171.   | 2.5 | 34        |
| 136 | Discovery of potent inhibitors of pseudomonas quorum sensing via pharmacophore modeling and in silico screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5902-5906.  | 1.0 | 51        |
| 137 | Synthesis and in vitro behavior of iron-crosslinked N-methyl and N-benzyl hydroxamated derivatives of alginate as controlled release carriers. <i>European Polymer Journal</i> , 2006, 42, 2464-2474.  | 2.6 | 31        |
| 138 | QSPR modeling of pseudoternary microemulsions formulated employing lecithin surfactants: Application of data mining, molecular and statistical modeling. <i>International Journal of Pharmaceutics</i> , 2005, 295, 135-155.   | 2.6 | 7         |
| 139 | Ligand-based assessment of factor Xa binding site flexibility via elaborate pharmacophore exploration and genetic algorithm-based QSAR modeling. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 701-727.   | 2.6 | 52        |
| 140 | Effects of Variable Docking Conditions and Scoring Functions on Corresponding Protein-Aligned Comparative Molecular Field Analysis Models Constructed from Diverse Human Protein Tyrosine Phosphatase 1B Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 8016-8034.                | 2.9 | 26        |
| 141 | Investigation of the active constituents of <i>Portulaca oleraceae</i> L. (Portulacaceae) growing in Jordan. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2004, 17, 37-45.   | 0.2 | 14        |
| 142 | Development of quantitative structure-property relationship models for pseudoternary microemulsions formulated with nonionic surfactants and cosurfactants: application of data mining and molecular modeling. <i>European Journal of Pharmaceutical Sciences</i> , 2002, 15, 461-478.           | 1.9 | 9         |
| 143 | Synthesis of iron-crosslinked chitosan succinate and iron-crosslinked hydroxamated chitosan succinate and their in vitro evaluation as potential matrix materials for oral theophylline sustained-release beads. <i>European Journal of Pharmaceutical Sciences</i> , 2001, 13, 159-168.         | 1.9 | 80        |
| 144 | N-Acyliminium ion cyclisation versus rearrangement. The synthesis of 13,13-dimethylberberines and 3,4-dimethylisoquinolin-1-ones. <i>Tetrahedron Letters</i> , 2000, 41, 1993-1996.  | 0.7 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Spectrophotometric and Conductometric Study of the Complexation of Ranitidine to Fe <sup>2+</sup> , Fe <sup>3+</sup> , Al <sup>3+</sup> , Mg <sup>2+</sup> , Cu <sup>2+</sup> , Ni <sup>2+</sup> and Pt <sup>2+</sup> Metal Ions: Pharmaceutical Implications. <i>Scientia Pharmaceutica</i> , 2000, 68, 357-367. | 0.7 | 0         |
| 146 | Synthesis of Chitosan Succinate and Chitosan Phthalate and Their Evaluation as Suggested Matrices in Orally Administered, Colon-Specific Drug Delivery Systems. <i>Archiv Der Pharmazie</i> , 1999, 332, 103-107.   | 2.1 | 92        |
| 147 | The bis(homoallylic) stabilisation of an acyliminium ion and reactions with nucleophiles. <i>Tetrahedron Letters</i> , 1998, 39, 3341-3344.   | 0.7 | 12        |
| 148 | The Oxidation of Homophthalimide Derivatives by Dioxygen in Alkaline Media and Cleavage-Cyclisation Reactions. <i>Tetrahedron Letters</i> , 1997, 38, 3051-3054.  | 0.7 | 10        |
| 149 | A Concise Route to Tetrahydrophenanthridinones and Functionalised Isoquinolones. <i>Synlett</i> , 1996, 1996, 820-822.  | 1.0 | 11        |