

Kimberly Yolton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4529935/publications.pdf>

Version: 2024-02-01

147
papers

7,882
citations

61984

43
h-index

53230

85
g-index

149
all docs

149
docs citations

149
times ranked

7595
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Level Environmental Lead Exposure and Children's Intellectual Function: An International Pooled Analysis. <i>Environmental Health Perspectives</i> , 2005, 113, 894-899.	6.0	1,750
2	Impact of Early-Life Bisphenol A Exposure on Behavior and Executive Function in Children. <i>Pediatrics</i> , 2011, 128, 873-882.	2.1	481
3	Prenatal Bisphenol A Exposure and Early Childhood Behavior. <i>Environmental Health Perspectives</i> , 2009, 117, 1945-1952.	6.0	394
4	Exposure to Environmental Tobacco Smoke and Cognitive Abilities among U.S. Children and Adolescents. <i>Environmental Health Perspectives</i> , 2005, 113, 98-103.	6.0	273
5	Prenatal perfluoroalkyl substance exposure and child adiposity at 8 years of age: The HOME study. <i>Obesity</i> , 2016, 24, 231-237.	3.0	176
6	Prenatal Polybrominated Diphenyl Ether Exposures and Neurodevelopment in U.S. Children through 5 Years of Age: The HOME Study. <i>Environmental Health Perspectives</i> , 2014, 122, 856-862.	6.0	167
7	Prenatal exposure to bisphenol A and phthalates and infant neurobehavior. <i>Neurotoxicology and Teratology</i> , 2011, 33, 558-566.	2.4	166
8	Prenatal bisphenol A exposure and maternally reported behavior in boys and girls. <i>NeuroToxicology</i> , 2014, 45, 91-99.	3.0	134
9	Cognitive Outcomes After Neonatal Encephalopathy. <i>Pediatrics</i> , 2015, 135, e624-e634.	2.1	121
10	Association of pyrethroid pesticide exposure with attention-deficit/hyperactivity disorder in a nationally representative sample of U.S. children. <i>Environmental Health</i> , 2015, 14, 44.	4.0	114
11	Cohort Profile: The Health Outcomes and Measures of the Environment (HOME) study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw006.	1.9	111
12	Gestational urinary bisphenol A and maternal and newborn thyroid hormone concentrations: The HOME Study. <i>Environmental Research</i> , 2015, 138, 453-460.	7.5	101
13	Variability and Predictors of Urinary Concentrations of Phthalate Metabolites during Early Childhood. <i>Environmental Science & Technology</i> , 2014, 48, 8881-8890.	10.0	100
14	Exposure to polybrominated diphenyl ethers (PBDEs) and child behavior: Current findings and future directions. <i>Hormones and Behavior</i> , 2018, 101, 94-104.	2.1	95
15	Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Thyroid Hormones in Maternal and Cord Sera: The HOME Study, Cincinnati, USA. <i>Environmental Health Perspectives</i> , 2015, 123, 1079-1085.	6.0	93
16	The association between maternal urinary phthalate concentrations and blood pressure in pregnancy: The HOME Study. <i>Environmental Health</i> , 2015, 14, 75.	4.0	92
17	Prenatal environmental chemical exposures and longitudinal patterns of child neurobehavior. <i>NeuroToxicology</i> , 2017, 62, 192-199.	3.0	88
18	Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. <i>Environmental Research</i> , 2016, 147, 556-564.	7.5	80

#	ARTICLE	IF	CITATIONS
19	Maternal urinary phthalate metabolites during pregnancy and thyroid hormone concentrations in maternal and cord sera: The HOME Study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 623-631.	4.3	74
20	Associations Between Secondhand Smoke Exposure and Sleep Patterns in Children. <i>Pediatrics</i> , 2010, 125, e261-e268.	2.1	73
21	Prenatal PBDE and PCB Exposures and Reading, Cognition, and Externalizing Behavior in Children. <i>Environmental Health Perspectives</i> , 2017, 125, 746-752.	6.0	73
22	Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. <i>Environmental Health Perspectives</i> , 2016, 124, 822-830.	6.0	71
23	Urinary triclosan concentrations during pregnancy and birth outcomes. <i>Environmental Research</i> , 2017, 156, 505-511.	7.5	70
24	Association of Bisphenol A exposure and Attention-Deficit/Hyperactivity Disorder in a national sample of U.S. children. <i>Environmental Research</i> , 2016, 150, 112-118.	7.5	67
25	Early life bisphenol A exposure and neurobehavior at 8 years of age: Identifying windows of heightened vulnerability. <i>Environment International</i> , 2017, 107, 258-265.	10.0	67
26	Maternal serum perfluoroalkyl substances during pregnancy and duration of breastfeeding. <i>Environmental Research</i> , 2016, 149, 239-246.	7.5	62
27	Initial Laparotomy Versus Peritoneal Drainage in Extremely Low Birthweight Infants With Surgical Necrotizing Enterocolitis or Isolated Intestinal Perforation. <i>Annals of Surgery</i> , 2021, 274, e370-e380.	4.2	62
28	Exposures to chemical mixtures during pregnancy and neonatal outcomes: The HOME study. <i>Environment International</i> , 2020, 134, 105219.	10.0	61
29	Prenatal phthalate, triclosan, and bisphenol A exposures and child visual-spatial abilities. <i>NeuroToxicology</i> , 2017, 58, 75-83.	3.0	58
30	lifetime exposure to traffic-related air pollution and symptoms of depression and anxiety at age 12 years. <i>Environmental Research</i> , 2019, 173, 199-206.	7.5	58
31	Profiles and Predictors of Environmental Chemical Mixture Exposure among Pregnant Women: The Health Outcomes and Measures of the Environment Study. <i>Environmental Science & Technology</i> , 2018, 52, 10104-10113.	10.0	56
32	Prenatal phthalate exposure and infant size at birth and gestational duration. <i>Environmental Research</i> , 2016, 150, 52-58.	7.5	54
33	Early-Life Phthalate Exposure and Adiposity at 8 Years of Age. <i>Environmental Health Perspectives</i> , 2017, 125, 097008.	6.0	54
34	Persistent Snoring in Preschool Children: Predictors and Behavioral and Developmental Correlates. <i>Pediatrics</i> , 2012, 130, 382-389.	2.1	52
35	Preterm Neuroimaging and School-Age Cognitive Outcomes. <i>Pediatrics</i> , 2018, 142, .	2.1	52
36	Identifying Vulnerable Periods of Neurotoxicity to Triclosan Exposure in Children. <i>Environmental Health Perspectives</i> , 2018, 126, 057001.	6.0	50

#	ARTICLE	IF	CITATIONS
37	Residential Greenspace Association with Childhood Behavioral Outcomes. <i>Journal of Pediatrics</i> , 2019, 207, 233-240.	1.8	50
38	NICU Network Neurobehavioral Scale Profiles Predict Developmental Outcomes in a Low-Risk Sample. <i>Paediatric and Perinatal Epidemiology</i> , 2012, 26, 344-352.	1.7	48
39	Effect of Residential Lead-Hazard Interventions on Childhood Blood Lead Concentrations and Neurobehavioral Outcomes. <i>JAMA Pediatrics</i> , 2018, 172, 934.	6.2	48
40	Polybrominated diphenyl ether (PBDE) exposures and thyroid hormones in children at age 3 years. <i>Environment International</i> , 2018, 117, 339-347.	10.0	48
41	Low-level prenatal exposure to nicotine and infant neurobehavior. <i>Neurotoxicology and Teratology</i> , 2009, 31, 356-363.	2.4	47
42	Prenatal and childhood exposure to poly- and perfluoroalkyl substances (PFAS) and cognitive development in children at age 8 years. <i>Environmental Research</i> , 2019, 172, 242-248.	7.5	46
43	Concentrations and loadings of organophosphate and replacement brominated flame retardants in house dust from the home study during the PBDE phase-out. <i>Chemosphere</i> , 2020, 239, 124701.	8.2	46
44	Maternal serum perfluoroalkyl substance mixtures and thyroid hormone concentrations in maternal and cord sera: The HOME Study. <i>Environmental Research</i> , 2020, 185, 109395.	7.5	46
45	Impact of low-level gestational exposure to organophosphate pesticides on neurobehavior in early infancy: a prospective study. <i>Environmental Health</i> , 2013, 12, 79.	4.0	44
46	Exposure to neurotoxicants and the development of attention deficit hyperactivity disorder and its related behaviors in childhood. <i>Neurotoxicology and Teratology</i> , 2014, 44, 30-45.	2.4	44
47	Identifying periods of susceptibility to the impact of phthalates on children's cognitive abilities. <i>Environmental Research</i> , 2019, 172, 604-614.	7.5	44
48	Urinary organophosphate insecticide metabolite concentrations during pregnancy and children's interpersonal, communication, repetitive, and stereotypic behaviors at 8 years of age: The home study. <i>Environmental Research</i> , 2017, 157, 9-16.	7.5	43
49	Patterns, Variability, and Predictors of Urinary Triclosan Concentrations during Pregnancy and Childhood. <i>Environmental Science & Technology</i> , 2017, 51, 6404-6413.	10.0	43
50	Brief Report: Are Autistic-Behaviors in Children Related to Prenatal Vitamin Use and Maternal Whole Blood Folate Concentrations?. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 2602-2607.	2.7	42
51	Patterns, Variability, and Predictors of Urinary Bisphenol A Concentrations during Childhood. <i>Environmental Science & Technology</i> , 2016, 50, 5981-5990.	10.0	42
52	Maternal distress and hair cortisol in pregnancy among women with elevated adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2018, 95, 145-148.	2.7	42
53	Organophosphate esters in a cohort of pregnant women: Variability and predictors of exposure. <i>Environmental Research</i> , 2020, 184, 109255.	7.5	42
54	Prenatal exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavior in US children through 8 years of age: The HOME study. <i>Environmental Research</i> , 2021, 195, 110825.	7.5	40

#	ARTICLE	IF	CITATIONS
55	Childhood polybrominated diphenyl ether (PBDE) exposure and neurobehavior in children at 8 years. <i>Environmental Research</i> , 2017, 158, 677-684.	7.5	38
56	An Observational Study to Evaluate Associations Between Low-Level Gestational Exposure to Organophosphate Pesticides and Cognition During Early Childhood. <i>American Journal of Epidemiology</i> , 2016, 184, 410-418.	3.4	37
57	Adolescent follow-up in the Health Outcomes and Measures of the Environment (HOME) Study: cohort profile. <i>BMJ Open</i> , 2020, 10, e034838.	1.9	37
58	Residential surrounding greenness and self-reported symptoms of anxiety and depression in adolescents. <i>Environmental Research</i> , 2021, 194, 110628.	7.5	37
59	Associations of early life urinary triclosan concentrations with maternal, neonatal, and child thyroid hormone levels. <i>Hormones and Behavior</i> , 2018, 101, 77-84.	2.1	36
60	Gestational perfluoroalkyl substance exposure and body mass index trajectories over the first 12 years of life. <i>International Journal of Obesity</i> , 2021, 45, 25-35.	3.4	36
61	Prenatal and childhood perfluoroalkyl substances exposures and children's reading skills at ages 5 and 8 years. <i>Environment International</i> , 2018, 111, 224-231.	10.0	35
62	Early-life triclosan exposure and parent-reported behavior problems in 8-year-old children. <i>Environment International</i> , 2019, 128, 446-456.	10.0	34
63	Environmental Tobacco Smoke Exposure and Child Behaviors. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2008, 29, 450-457.	1.1	33
64	Exposure to Per- and Polyfluoroalkyl Substances and Adiposity at Age 12 Years: Evaluating Periods of Susceptibility. <i>Environmental Science & Technology</i> , 2020, 54, 16039-16049.	10.0	33
65	Gestational and childhood exposure to phthalates and child behavior. <i>Environment International</i> , 2020, 144, 106036.	10.0	33
66	Prenatal and postnatal polybrominated diphenyl ether (PBDE) exposure and measures of inattention and impulsivity in children. <i>Neurotoxicology and Teratology</i> , 2017, 64, 20-28.	2.4	31
67	Associations Between Prenatal Urinary Biomarkers of Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2022, 176, 895.	6.2	31
68	Childhood perfluoroalkyl substance exposure and executive function in children at 8 years. <i>Environment International</i> , 2018, 119, 212-219.	10.0	30
69	Prenatal Exposure to Polybrominated Diphenyl Ethers and Polyfluoroalkyl Chemicals and Infant Neurobehavior. <i>Journal of Pediatrics</i> , 2015, 166, 736-742.	1.8	29
70	Prenatal Polybrominated Diphenyl Ether Exposure and Body Mass Index in Children Up To 8 Years of Age. <i>Environmental Health Perspectives</i> , 2016, 124, 1891-1897.	6.0	29
71	Prenatal and postnatal polybrominated diphenyl ether exposure and visual spatial abilities in children. <i>Environmental Research</i> , 2017, 153, 83-92.	7.5	29
72	Very low-level prenatal mercury exposure and behaviors in children: the HOME Study. <i>Environmental Health</i> , 2019, 18, 4.	4.0	29

#	ARTICLE	IF	CITATIONS
73	Gestational and childhood exposure to per- and polyfluoroalkyl substances and cardiometabolic risk at age 12 years. <i>Environment International</i> , 2021, 147, 106344.	10.0	29
74	Maternal serum PFOA concentration and DNA methylation in cord blood: A pilot study. <i>Environmental Research</i> , 2017, 158, 174-178.	7.5	28
75	Prenatal and childhood exposure to perfluoroalkyl substances (PFAS) and measures of attention, impulse control, and visual spatial abilities. <i>Environment International</i> , 2018, 119, 413-420.	10.0	27
76	Polybrominated diphenyl ether (PBDE) and poly- and perfluoroalkyl substance (PFAS) exposures during pregnancy and maternal depression. <i>Environment International</i> , 2020, 139, 105694.	10.0	26
77	Maternal Urinary Organophosphate Esters and Alterations in Maternal and Neonatal Thyroid Hormones. <i>American Journal of Epidemiology</i> , 2021, 190, 1793-1802.	3.4	25
78	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: The HOME Study. <i>Environment International</i> , 2021, 156, 106747.	10.0	25
79	Exposure to polybrominated diphenyl ethers (PBDEs) during childhood and adiposity measures at age 8 years. <i>Environment International</i> , 2019, 123, 148-155.	10.0	24
80	Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8 years: The HOME Study. <i>Environment International</i> , 2019, 122, 330-339.	10.0	24
81	Flame Retardants and Neurodevelopment: an Updated Review of Epidemiological Literature. <i>Current Epidemiology Reports</i> , 2020, 7, 220-236.	2.4	24
82	Gestational Perfluoroalkyl Substance Exposure and DNA Methylation at Birth and 12 Years of Age: A Longitudinal Epigenome-Wide Association Study. <i>Environmental Health Perspectives</i> , 2022, 130, 37005.	6.0	24
83	Impact of Early Life Weight Status on Cognitive Abilities in Children. <i>Obesity</i> , 2018, 26, 1088-1095.	3.0	23
84	Prenatal exposure to a mixture of persistent organic pollutants (POPs) and child reading skills at school age. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 228, 113527.	4.3	23
85	Low-level gestational exposure to mercury and maternal fish consumption: Associations with neurobehavior in early infancy. <i>Neurotoxicology and Teratology</i> , 2016, 54, 61-67.	2.4	21
86	Parental Concern about Environmental Chemical Exposures and Children's Urinary Concentrations of Phthalates and Phenols. <i>Journal of Pediatrics</i> , 2017, 186, 138-144.e3.	1.8	21
87	Early life Triclosan exposure and child adiposity at 8 years of age: a prospective cohort study. <i>Environmental Health</i> , 2018, 17, 24.	4.0	21
88	Associations of Maternal Serum Perfluoroalkyl Substances Concentrations with Early Adolescent Bone Mineral Content and Density: The Health Outcomes and Measures of the Environment (HOME) Study. <i>Environmental Health Perspectives</i> , 2021, 129, 97011.	6.0	21
89	Neonatal NR3C1 Methylation and Social-Emotional Development at 6 and 18 Months of Age. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 14.	2.0	19
90	Chemical mixture exposures during pregnancy and cognitive abilities in school-aged children. <i>Environmental Research</i> , 2021, 197, 111027.	7.5	18

#	ARTICLE	IF	CITATIONS
91	Per- and polyfluoroalkyl substance mixtures and gestational weight gain among mothers in the Health Outcomes and Measures of the Environment study. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113660.	4.3	17
92	Secondhand Tobacco Smoke Exposure and Neuromotor Function in Rural Children. <i>Journal of Pediatrics</i> , 2015, 167, 253-259.e1.	1.8	16
93	Gestational exposure to phthalates and gender-related play behaviors in 8-year-old children: an observational study. <i>Environmental Health</i> , 2016, 15, 87.	4.0	16
94	Association of the Conners™ Kiddie Continuous Performance Test (K-CPT) Performance and Parent-Report Measures of Behavior and Executive Functioning. <i>Journal of Attention Disorders</i> , 2018, 22, 1056-1065.	2.6	16
95	Childhood polybrominated diphenyl ether (PBDE) exposure and executive function in children in the HOME Study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 87-94.	4.3	16
96	A comparison of blood and toenails as biomarkers of children's exposure to lead and their correlation with cognitive function. <i>Science of the Total Environment</i> , 2020, 700, 134519.	8.0	15
97	Maternal cadmium exposure and neurobehavior in children: The HOME study. <i>Environmental Research</i> , 2020, 186, 109583.	7.5	14
98	Lowering Urinary Phthalate Metabolite Concentrations among Children by Reducing Contaminated Dust in Housing Units: A Randomized Controlled Trial and Observational Study. <i>Environmental Science & Technology</i> , 2020, 54, 4327-4335.	10.0	14
99	Associations Between Early Low-Level Tobacco Smoke Exposure and Executive Function at Age 8 Years. <i>Journal of Pediatrics</i> , 2020, 221, 174-180.e1.	1.8	14
100	Gestational Exposure to Phthalates and Social Responsiveness Scores in Children Using Quantile Regression: The EARLI and HOME Studies. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1254.	2.6	13
101	Associations of mid-childhood bisphenol A and bisphenol S exposure with mid-childhood and adolescent obesity. <i>Environmental Epidemiology</i> , 2022, 6, e187.	3.0	13
102	Earliest Appropriate Time for Administering Neurobehavioral Assessment in Newborn Infants. <i>Pediatrics</i> , 2011, 127, e69-e75.	2.1	12
103	Early infant attention as a predictor of social and communicative behavior in childhood. <i>International Journal of Behavioral Development</i> , 2019, 43, 204-211.	2.4	12
104	Effects of gestational exposures to chemical mixtures on birth weight using Bayesian factor analysis in the Health Outcome and Measures of Environment (HOME) Study. <i>Environmental Epidemiology</i> , 2021, 5, e159.	3.0	12
105	Prenatal exposure to a mixture of organophosphate esters and intelligence among 8-year-old children of the HOME Study. <i>NeuroToxicology</i> , 2021, 87, 149-155.	3.0	12
106	Chemical mixtures and neurobehavior: a review of epidemiologic findings and future directions. <i>Reviews on Environmental Health</i> , 2020, 35, 245-256.	2.4	12
107	Gestational and childhood urinary triclosan concentrations and academic achievement among 8-year-old children. <i>NeuroToxicology</i> , 2020, 78, 170-176.	3.0	11
108	Childhood exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavioral domains in children at age 8 years. <i>Neurotoxicology and Teratology</i> , 2021, 88, 107022.	2.4	11

#	ARTICLE	IF	CITATIONS
109	Association Between Maternal Adverse Childhood Experiences and Neonatal SCG5 DNA Methylation—Effect Modification by Prenatal Home Visiting. <i>American Journal of Epidemiology</i> , 2022, 191, 636-645.	3.4	11
110	Associations of cord blood leptin and adiponectin with children's cognitive abilities. <i>Psychoneuroendocrinology</i> , 2019, 99, 257-264.	2.7	10
111	Associations Between Maternal Community Deprivation and Infant DNA Methylation of the SLC6A4 Gene. <i>Frontiers in Public Health</i> , 2020, 8, 557195.	2.7	10
112	Gestational Pesticide Exposure and Child Respiratory Health. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7165.	2.6	10
113	Identifying sensitive windows of airborne lead exposure associated with behavioral outcomes at age 12. <i>Environmental Epidemiology</i> , 2021, 5, e144.	3.0	10
114	Comparing adolescent self staging of pubertal development with hormone biomarkers. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2021, 34, 1531-1541.	0.9	10
115	Longer sleep duration during infancy and toddlerhood predicts weight normalization among high birth weight infants. <i>Sleep</i> , 2019, 42, .	1.1	9
116	The Association Between Maternal Prenatal Fish Intake and Child Autism-Related Traits in the EARLI and HOME Studies. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 487-500.	2.7	8
117	Secondhand tobacco smoke exposure among children under 5 years old: questionnaires versus cotinine biomarkers: a cohort study. <i>BMJ Open</i> , 2021, 11, e044829.	1.9	8
118	Gestational exposure to polybrominated diphenyl ethers and social skills and problem behaviors in adolescents: The HOME study. <i>Environment International</i> , 2022, 159, 107036.	10.0	8
119	Serum cotinine and whole blood folate concentrations in pregnancy. <i>Annals of Epidemiology</i> , 2014, 24, 498-503.e1.	1.9	7
120	Prevalence of Mental Health and Neurodevelopmental Conditions in U.S. Children with Tobacco Smoke Exposure. <i>Journal of Pediatric Health Care</i> , 2021, 35, 32-41.	1.2	7
121	Associations of pregnancy phthalate concentrations and their mixture with early adolescent bone mineral content and density: The Health Outcomes and Measures of the Environment (HOME) study. <i>Bone</i> , 2022, 154, 116251.	2.9	7
122	Associations of Breast Milk Consumption with Urinary Phthalate and Phenol Exposure Biomarkers in Infants. <i>Environmental Science and Technology Letters</i> , 2020, 7, 733-739.	8.7	6
123	Maternal urinary OPE metabolite concentrations and blood pressure during pregnancy: The HOME study. <i>Environmental Research</i> , 2022, 207, 112220.	7.5	6
124	Residential dust lead levels and the risk of childhood lead poisoning in United States children. <i>Pediatric Research</i> , 2021, 90, 896-902.	2.3	5
125	Pregnancy and Infant Development (PRIDE)—a preliminary observational study of maternal adversity and infant development. <i>BMC Pediatrics</i> , 2021, 21, 452.	1.7	5
126	Reference Ranges for Bone Mineral Content and Density by Dual Energy X-Ray Absorptiometry for Young Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3887-e3900.	3.6	4

#	ARTICLE	IF	CITATIONS
127	Cognitive and motor abilities of young children and risk of injuries in the home. <i>Injury Prevention</i> , 2017, 23, 16-21.	2.4	3
128	The role of fluid reasoning in word recognition. <i>Journal of Research in Reading</i> , 2020, 43, 19-40.	2.0	3
129	Association between self-reported caffeine intake during pregnancy and social responsiveness scores in childhood: The EARLI and HOME studies. <i>PLoS ONE</i> , 2021, 16, e0245079.	2.5	3
130	Serum Cotinine versus Parent Reported Measures of Secondhand Smoke Exposure in Rural Appalachian Children. <i>Journal of Appalachian Health</i> , 2019, 1, 15-26.	0.2	3
131	Identifying periods of heightened susceptibility to lead exposure in relation to behavioral problems. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, 32, 1-9.	3.9	3
132	Neonatal and Adolescent Adipocytokines as Predictors of Adiposity and Cardiometabolic Risk in Adolescence. <i>Obesity</i> , 2021, 29, 1036-1045.	3.0	2
133	Gestational and childhood phthalate exposures and adolescent body composition: The HOME study. <i>Environmental Research</i> , 2022, 212, 113320.	7.5	2
134	Bisphenol A and Infant Neonatal Neurobehavior: Sathyanarayana et al. <i>Respond. Environmental Health Perspectives</i> , 2012, 120, .	6.0	0
135	Maternal, cord, and three-year-old child serum thyroid hormone concentrations in the Health Outcomes and Measures of the Environment study. <i>Clinical Endocrinology</i> , 2020, 92, 366-372.	2.4	0
136	Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: the HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
137	Associations of prenatal exposure to a mixture of EDCs with child social responsiveness in a pooled cohort study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
138	Maternal urinary organophosphate ester concentrations and blood pressure during pregnancy: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
139	Per-and Polyfluoroalkyl Substances (PFAS) Concentrations in Serum and Drinking Water in Pregnant Women from the Greater Cincinnati Area HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
140	Gestational Perfluorooctanoate Exposure and Childhood Metabolome at Age 8 Years. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
141	Identifying periods of susceptibility to perfluoroalkyl substances and bone mineral density in early adolescence: the HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
142	Gestational organophosphate ester exposures and bone mineral density in early adolescence: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
143	Variability of urinary organophosphate esters (OPEs) during childhood: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
144	Gestational and early childhood phthalate exposures and adolescent body composition: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0

#	ARTICLE	IF	CITATIONS
145	The association of gestational and childhood phthalate exposure with adolescent hair cortisol: The HOME Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
146	Does early life phthalate exposure mediate racial disparities in children's cognitive abilities?. Environmental Epidemiology, 2022, 6, e205.	3.0	0
147	0189 High Levels of Sleep Disturbance across Early Childhood Increases Cardiometabolic Disease Risk Index in Early Adolescence: Longitudinal Sleep Analysis Using the HOME Study. Sleep, 2022, 45, A87-A87.	1.1	0