

Kimberly Yolton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4529935/publications.pdf>

Version: 2024-02-01

147
papers

7,882
citations

61984

43
h-index

53230

85
g-index

149
all docs

149
docs citations

149
times ranked

7595
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Maternal urinary OPE metabolite concentrations and blood pressure during pregnancy: The HOME study. <i>Environmental Research</i> , 2022, 207, 112220. | 7.5 | 6 |
| 2 | Associations of pregnancy phthalate concentrations and their mixture with early adolescent bone mineral content and density: The Health Outcomes and Measures of the Environment (HOME) study. <i>Bone</i> , 2022, 154, 116251. | 2.9 | 7 |
| 3 | Identifying periods of heightened susceptibility to lead exposure in relation to behavioral problems. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2022, 32, 1-9. | 3.9 | 3 |
| 4 | Association Between Maternal Adverse Childhood Experiences and Neonatal SCG5 DNA Methylation—Effect Modification by Prenatal Home Visiting. <i>American Journal of Epidemiology</i> , 2022, 191, 636-645. | 3.4 | 11 |
| 5 | Gestational exposure to polybrominated diphenyl ethers and social skills and problem behaviors in adolescents: The HOME study. <i>Environment International</i> , 2022, 159, 107036. | 10.0 | 8 |
| 6 | Does early life phthalate exposure mediate racial disparities in children's cognitive abilities?. <i>Environmental Epidemiology</i> , 2022, 6, e205. | 3.0 | 0 |
| 7 | Gestational Perfluoroalkyl Substance Exposure and DNA Methylation at Birth and 12 Years of Age: A Longitudinal Epigenome-Wide Association Study. <i>Environmental Health Perspectives</i> , 2022, 130, 37005. | 6.0 | 24 |
| 8 | Associations of mid-childhood bisphenol A and bisphenol S exposure with mid-childhood and adolescent obesity. <i>Environmental Epidemiology</i> , 2022, 6, e187. | 3.0 | 13 |
| 9 | Gestational and childhood phthalate exposures and adolescent body composition: The HOME study. <i>Environmental Research</i> , 2022, 212, 113320. | 7.5 | 2 |
| 10 | Reference Ranges for Bone Mineral Content and Density by Dual Energy X-Ray Absorptiometry for Young Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3887-e3900. | 3.6 | 4 |
| 11 | 0189 High Levels of Sleep Disturbance across Early Childhood Increases Cardiometabolic Disease Risk Index in Early Adolescence: Longitudinal Sleep Analysis Using the HOME Study. <i>Sleep</i> , 2022, 45, A87-A87. | 1.1 | 0 |
| 12 | Associations Between Prenatal Urinary Biomarkers of Phthalate Exposure and Preterm Birth. <i>JAMA Pediatrics</i> , 2022, 176, 895. | 6.2 | 31 |
| 13 | Residential dust lead levels and the risk of childhood lead poisoning in United States children. <i>Pediatric Research</i> , 2021, 90, 896-902. | 2.3 | 5 |
| 14 | The Association Between Maternal Prenatal Fish Intake and Child Autism-Related Traits in the EARLI and HOME Studies. <i>Journal of Autism and Developmental Disorders</i> , 2021, 51, 487-500. | 2.7 | 8 |
| 15 | Per- and polyfluoroalkyl substance mixtures and gestational weight gain among mothers in the Health Outcomes and Measures of the Environment study. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113660. | 4.3 | 17 |
| 16 | Gestational perfluoroalkyl substance exposure and body mass index trajectories over the first 12 years of life. <i>International Journal of Obesity</i> , 2021, 45, 25-35. | 3.4 | 36 |
| 17 | Prevalence of Mental Health and Neurodevelopmental Conditions in U.S. Children with Tobacco Smoke Exposure. <i>Journal of Pediatric Health Care</i> , 2021, 35, 32-41. | 1.2 | 7 |
| 18 | Association between self-reported caffeine intake during pregnancy and social responsiveness scores in childhood: The EARLI and HOME studies. <i>PLoS ONE</i> , 2021, 16, e0245079. | 2.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Gestational and childhood exposure to per- and polyfluoroalkyl substances and cardiometabolic risk at age 12 years. <i>Environment International</i> , 2021, 147, 106344. | 10.0 | 29 |
| 20 | Identifying sensitive windows of airborne lead exposure associated with behavioral outcomes at age 12. <i>Environmental Epidemiology</i> , 2021, 5, e144. | 3.0 | 10 |
| 21 | Residential surrounding greenness and self-reported symptoms of anxiety and depression in adolescents. <i>Environmental Research</i> , 2021, 194, 110628. | 7.5 | 37 |
| 22 | Maternal Urinary Organophosphate Esters and Alterations in Maternal and Neonatal Thyroid Hormones. <i>American Journal of Epidemiology</i> , 2021, 190, 1793-1802. | 3.4 | 25 |
| 23 | Prenatal exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavior in US children through 8 years of age: The HOME study. <i>Environmental Research</i> , 2021, 195, 110825. | 7.5 | 40 |
| 24 | Neonatal and Adolescent Adipocytokines as Predictors of Adiposity and Cardiometabolic Risk in Adolescence. <i>Obesity</i> , 2021, 29, 1036-1045. | 3.0 | 2 |
| 25 | Effects of gestational exposures to chemical mixtures on birth weight using Bayesian factor analysis in the Health Outcome and Measures of Environment (HOME) Study. <i>Environmental Epidemiology</i> , 2021, 5, e159. | 3.0 | 12 |
| 26 | Secondhand tobacco smoke exposure among children under 5 years old: questionnaires versus cotinine biomarkers: a cohort study. <i>BMJ Open</i> , 2021, 11, e044829. | 1.9 | 8 |
| 27 | Chemical mixture exposures during pregnancy and cognitive abilities in school-aged children. <i>Environmental Research</i> , 2021, 197, 111027. | 7.5 | 18 |
| 28 | Initial Laparotomy Versus Peritoneal Drainage in Extremely Low Birthweight Infants With Surgical Necrotizing Enterocolitis or Isolated Intestinal Perforation. <i>Annals of Surgery</i> , 2021, 274, e370-e380. | 4.2 | 62 |
| 29 | Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: the HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 30 | Associations of prenatal exposure to a mixture of EDCs with child social responsiveness in a pooled cohort study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 31 | Maternal urinary organophosphate ester concentrations and blood pressure during pregnancy: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 32 | Per-and Polyfluoroalkyl Substances (PFAS) Concentrations in Serum and Drinking Water in Pregnant Women from the Greater Cincinnati Area HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 33 | Comparing adolescent self staging of pubertal development with hormone biomarkers. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2021, 34, 1531-1541. | 0.9 | 10 |
| 34 | Gestational Perfluorooctanoate Exposure and Childhood Metabolome at Age 8 Years. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 35 | Identifying periods of susceptibility to perfluoroalkyl substances and bone mineral density in early adolescence: the HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |
| 36 | Gestational organophosphate ester exposures and bone mineral density in early adolescence: The HOME Study. <i>ISEE Conference Abstracts</i> , 2021, 2021, . | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Variability of urinary organophosphate esters (OPEs) during childhood: The HOME Study. ISEE Conference Abstracts, 2021, 2021, . | 0.0 | 0 |
| 38 | Gestational and early childhood phthalate exposures and adolescent body composition: The HOME Study. ISEE Conference Abstracts, 2021, 2021, . | 0.0 | 0 |
| 39 | The association of gestational and childhood phthalate exposure with adolescent hair cortisol: The HOME Study. ISEE Conference Abstracts, 2021, 2021, . | 0.0 | 0 |
| 40 | Associations of Maternal Serum Perfluoroalkyl Substances Concentrations with Early Adolescent Bone Mineral Content and Density: The Health Outcomes and Measures of the Environment (HOME) Study. Environmental Health Perspectives, 2021, 129, 97011. | 6.0 | 21 |
| 41 | Exposure to endocrine disrupting chemicals (EDCs) and cardiometabolic indices during pregnancy: The HOME Study. Environment International, 2021, 156, 106747. | 10.0 | 25 |
| 42 | Childhood exposure to per- and polyfluoroalkyl substances (PFAS) and neurobehavioral domains in children at age 8 years. Neurotoxicology and Teratology, 2021, 88, 107022. | 2.4 | 11 |
| 43 | Prenatal exposure to a mixture of organophosphate esters and intelligence among 8-year-old children of the HOME Study. NeuroToxicology, 2021, 87, 149-155. | 3.0 | 12 |
| 44 | Gestational Exposure to Phthalates and Social Responsiveness Scores in Children Using Quantile Regression: The EARLI and HOME Studies. International Journal of Environmental Research and Public Health, 2021, 18, 1254. | 2.6 | 13 |
| 45 | Pregnancy and Infant Development (PRIDE)â€”a preliminary observational study of maternal adversity and infant development. BMC Pediatrics, 2021, 21, 452. | 1.7 | 5 |
| 46 | A comparison of blood and toenails as biomarkers of childrenâ€™s exposure to lead and their correlation with cognitive function. Science of the Total Environment, 2020, 700, 134519. | 8.0 | 15 |
| 47 | Exposures to chemical mixtures during pregnancy and neonatal outcomes: The HOME study. Environment International, 2020, 134, 105219. | 10.0 | 61 |
| 48 | Concentrations and loadings of organophosphate and replacement brominated flame retardants in house dust from the home study during the PBDE phase-out. Chemosphere, 2020, 239, 124701. | 8.2 | 46 |
| 49 | Maternal, cord, and three-year-old child serum thyroid hormone concentrations in the Health Outcomes and Measures of the Environment study. Clinical Endocrinology, 2020, 92, 366-372. | 2.4 | 0 |
| 50 | The role of fluid reasoning in word recognition. Journal of Research in Reading, 2020, 43, 19-40. | 2.0 | 3 |
| 51 | Flame Retardants and Neurodevelopment: an Updated Review of Epidemiological Literature. Current Epidemiology Reports, 2020, 7, 220-236. | 2.4 | 24 |
| 52 | Associations Between Maternal Community Deprivation and Infant DNA Methylation of the SLC6A4 Gene. Frontiers in Public Health, 2020, 8, 557195. | 2.7 | 10 |
| 53 | Exposure to Per- and Polyfluoroalkyl Substances and Adiposity at Age 12 Years: Evaluating Periods of Susceptibility. Environmental Science & Technology, 2020, 54, 16039-16049. | 10.0 | 33 |
| 54 | Gestational and childhood exposure to phthalates and child behavior. Environment International, 2020, 144, 106036. | 10.0 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Associations of Breast Milk Consumption with Urinary Phthalate and Phenol Exposure Biomarkers in Infants. <i>Environmental Science and Technology Letters</i> , 2020, 7, 733-739. | 8.7 | 6 |
| 56 | Gestational Pesticide Exposure and Child Respiratory Health. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7165. | 2.6 | 10 |
| 57 | Maternal cadmium exposure and neurobehavior in children: The HOME study. <i>Environmental Research</i> , 2020, 186, 109583. | 7.5 | 14 |
| 58 | Adolescent follow-up in the Health Outcomes and Measures of the Environment (HOME) Study: cohort profile. <i>BMJ Open</i> , 2020, 10, e034838. | 1.9 | 37 |
| 59 | Prenatal exposure to a mixture of persistent organic pollutants (POPs) and child reading skills at school age. <i>International Journal of Hygiene and Environmental Health</i> , 2020, 228, 113527. | 4.3 | 23 |
| 60 | Maternal serum perfluoroalkyl substance mixtures and thyroid hormone concentrations in maternal and cord sera: The HOME Study. <i>Environmental Research</i> , 2020, 185, 109395. | 7.5 | 46 |
| 61 | Gestational and childhood urinary triclosan concentrations and academic achievement among 8-year-old children. <i>NeuroToxicology</i> , 2020, 78, 170-176. | 3.0 | 11 |
| 62 | Organophosphate esters in a cohort of pregnant women: Variability and predictors of exposure. <i>Environmental Research</i> , 2020, 184, 109255. | 7.5 | 42 |
| 63 | Lowering Urinary Phthalate Metabolite Concentrations among Children by Reducing Contaminated Dust in Housing Units: A Randomized Controlled Trial and Observational Study. <i>Environmental Science & Technology</i> , 2020, 54, 4327-4335. | 10.0 | 14 |
| 64 | Associations Between Early Low-Level Tobacco Smoke Exposure and Executive Function at Age 8 Years. <i>Journal of Pediatrics</i> , 2020, 221, 174-180.e1. | 1.8 | 14 |
| 65 | Polybrominated diphenyl ether (PBDE) and poly- and perfluoroalkyl substance (PFAS) exposures during pregnancy and maternal depression. <i>Environment International</i> , 2020, 139, 105694. | 10.0 | 26 |
| 66 | Chemical mixtures and neurobehavior: a review of epidemiologic findings and future directions. <i>Reviews on Environmental Health</i> , 2020, 35, 245-256. | 2.4 | 12 |
| 67 | Identifying periods of susceptibility to the impact of phthalates on children's cognitive abilities. <i>Environmental Research</i> , 2019, 172, 604-614. | 7.5 | 44 |
| 68 | Neonatal NR3C1 Methylation and Social-Emotional Development at 6 and 18 Months of Age. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 14. | 2.0 | 19 |
| 69 | lifetime exposure to traffic-related air pollution and symptoms of depression and anxiety at age 12 years. <i>Environmental Research</i> , 2019, 173, 199-206. | 7.5 | 58 |
| 70 | Prenatal and childhood exposure to poly- and perfluoroalkyl substances (PFAS) and cognitive development in children at age 8 years. <i>Environmental Research</i> , 2019, 172, 242-248. | 7.5 | 46 |
| 71 | Early-life triclosan exposure and parent-reported behavior problems in 8-year-old children. <i>Environment International</i> , 2019, 128, 446-456. | 10.0 | 34 |
| 72 | Exposure to polybrominated diphenyl ethers (PBDEs) during childhood and adiposity measures at age 8 years. <i>Environment International</i> , 2019, 123, 148-155. | 10.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Residential Greenspace Association with Childhood Behavioral Outcomes. <i>Journal of Pediatrics</i> , 2019, 207, 233-240. | 1.8 | 50 |
| 74 | Longer sleep duration during infancy and toddlerhood predicts weight normalization among high birth weight infants. <i>Sleep</i> , 2019, 42, . | 1.1 | 9 |
| 75 | Very low-level prenatal mercury exposure and behaviors in children: the HOME Study. <i>Environmental Health</i> , 2019, 18, 4. | 4.0 | 29 |
| 76 | Associations of cord blood leptin and adiponectin with children's cognitive abilities. <i>Psychoneuroendocrinology</i> , 2019, 99, 257-264. | 2.7 | 10 |
| 77 | Childhood polybrominated diphenyl ether (PBDE) serum concentration and reading ability at ages 5 and 8 years: The HOME Study. <i>Environment International</i> , 2019, 122, 330-339. | 10.0 | 24 |
| 78 | Early infant attention as a predictor of social and communicative behavior in childhood. <i>International Journal of Behavioral Development</i> , 2019, 43, 204-211. | 2.4 | 12 |
| 79 | Serum Cotinine versus Parent Reported Measures of Secondhand Smoke Exposure in Rural Appalachian Children. <i>Journal of Appalachian Health</i> , 2019, 1, 15-26. | 0.2 | 3 |
| 80 | Association of the Conners' Kiddie Continuous Performance Test (K-CPT) Performance and Parent-Report Measures of Behavior and Executive Functioning. <i>Journal of Attention Disorders</i> , 2018, 22, 1056-1065. | 2.6 | 16 |
| 81 | Exposure to polybrominated diphenyl ethers (PBDEs) and child behavior: Current findings and future directions. <i>Hormones and Behavior</i> , 2018, 101, 94-104. | 2.1 | 95 |
| 82 | Prenatal and childhood perfluoroalkyl substances exposures and children's reading skills at ages 5 and 8 years. <i>Environment International</i> , 2018, 111, 224-231. | 10.0 | 35 |
| 83 | Early life Triclosan exposure and child adiposity at 8 years of age: a prospective cohort study. <i>Environmental Health</i> , 2018, 17, 24. | 4.0 | 21 |
| 84 | Maternal urinary phthalate metabolites during pregnancy and thyroid hormone concentrations in maternal and cord sera: The HOME Study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 623-631. | 4.3 | 74 |
| 85 | Childhood polybrominated diphenyl ether (PBDE) exposure and executive function in children in the HOME Study. <i>International Journal of Hygiene and Environmental Health</i> , 2018, 221, 87-94. | 4.3 | 16 |
| 86 | Associations of early life urinary triclosan concentrations with maternal, neonatal, and child thyroid hormone levels. <i>Hormones and Behavior</i> , 2018, 101, 77-84. | 2.1 | 36 |
| 87 | Identifying Vulnerable Periods of Neurotoxicity to Triclosan Exposure in Children. <i>Environmental Health Perspectives</i> , 2018, 126, 057001. | 6.0 | 50 |
| 88 | Effect of Residential Lead-Hazard Interventions on Childhood Blood Lead Concentrations and Neurobehavioral Outcomes. <i>JAMA Pediatrics</i> , 2018, 172, 934. | 6.2 | 48 |
| 89 | Polybrominated diphenyl ether (PBDE) exposures and thyroid hormones in children at age 3 years. <i>Environment International</i> , 2018, 117, 339-347. | 10.0 | 48 |
| 90 | Impact of Early-Life Weight Status on Cognitive Abilities in Children. <i>Obesity</i> , 2018, 26, 1088-1095. | 3.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Preterm Neuroimaging and School-Age Cognitive Outcomes. <i>Pediatrics</i> , 2018, 142, . | 2.1 | 52 |
| 92 | Childhood perfluoroalkyl substance exposure and executive function in children at 8 years. <i>Environment International</i> , 2018, 119, 212-219. | 10.0 | 30 |
| 93 | Prenatal and childhood exposure to perfluoroalkyl substances (PFAS) and measures of attention, impulse control, and visual spatial abilities. <i>Environment International</i> , 2018, 119, 413-420. | 10.0 | 27 |
| 94 | Profiles and Predictors of Environmental Chemical Mixture Exposure among Pregnant Women: The Health Outcomes and Measures of the Environment Study. <i>Environmental Science & Technology</i> , 2018, 52, 10104-10113. | 10.0 | 56 |
| 95 | Maternal distress and hair cortisol in pregnancy among women with elevated adverse childhood experiences. <i>Psychoneuroendocrinology</i> , 2018, 95, 145-148. | 2.7 | 42 |
| 96 | Cohort Profile: The Health Outcomes and Measures of the Environment (HOME) study. <i>International Journal of Epidemiology</i> , 2017, 46, dyw006. | 1.9 | 111 |
| 97 | Cognitive and motor abilities of young children and risk of injuries in the home. <i>Injury Prevention</i> , 2017, 23, 16-21. | 2.4 | 3 |
| 98 | Urinary organophosphate insecticide metabolite concentrations during pregnancy and children's interpersonal, communication, repetitive, and stereotypic behaviors at 8 years of age: The home study. <i>Environmental Research</i> , 2017, 157, 9-16. | 7.5 | 43 |
| 99 | Urinary triclosan concentrations during pregnancy and birth outcomes. <i>Environmental Research</i> , 2017, 156, 505-511. | 7.5 | 70 |
| 100 | Parental Concern about Environmental Chemical Exposures and Children's Urinary Concentrations of Phthalates and Phenols. <i>Journal of Pediatrics</i> , 2017, 186, 138-144.e3. | 1.8 | 21 |
| 101 | Patterns, Variability, and Predictors of Urinary Triclosan Concentrations during Pregnancy and Childhood. <i>Environmental Science & Technology</i> , 2017, 51, 6404-6413. | 10.0 | 43 |
| 102 | Prenatal and postnatal polybrominated diphenyl ether exposure and visual spatial abilities in children. <i>Environmental Research</i> , 2017, 153, 83-92. | 7.5 | 29 |
| 103 | Prenatal and postnatal polybrominated diphenyl ether (PBDE) exposure and measures of inattention and impulsivity in children. <i>Neurotoxicology and Teratology</i> , 2017, 64, 20-28. | 2.4 | 31 |
| 104 | Childhood polybrominated diphenyl ether (PBDE) exposure and neurobehavior in children at 8 years. <i>Environmental Research</i> , 2017, 158, 677-684. | 7.5 | 38 |
| 105 | Prenatal environmental chemical exposures and longitudinal patterns of child neurobehavior. <i>NeuroToxicology</i> , 2017, 62, 192-199. | 3.0 | 88 |
| 106 | Early life bisphenol A exposure and neurobehavior at 8 years of age: Identifying windows of heightened vulnerability. <i>Environment International</i> , 2017, 107, 258-265. | 10.0 | 67 |
| 107 | Maternal serum PFOA concentration and DNA methylation in cord blood: A pilot study. <i>Environmental Research</i> , 2017, 158, 174-178. | 7.5 | 28 |
| 108 | Prenatal phthalate, triclosan, and bisphenol A exposures and child visual-spatial abilities. <i>NeuroToxicology</i> , 2017, 58, 75-83. | 3.0 | 58 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Early-Life Phthalate Exposure and Adiposity at 8 Years of Age. <i>Environmental Health Perspectives</i> , 2017, 125, 097008. | 6.0 | 54 |
| 110 | Prenatal PBDE and PCB Exposures and Reading, Cognition, and Externalizing Behavior in Children. <i>Environmental Health Perspectives</i> , 2017, 125, 746-752. | 6.0 | 73 |
| 111 | Prenatal Organophosphorus Pesticide Exposure and Child Neurodevelopment at 24 Months: An Analysis of Four Birth Cohorts. <i>Environmental Health Perspectives</i> , 2016, 124, 822-830. | 6.0 | 71 |
| 112 | Prenatal Polybrominated Diphenyl Ether Exposure and Body Mass Index in Children Up To 8 Years of Age. <i>Environmental Health Perspectives</i> , 2016, 124, 1891-1897. | 6.0 | 29 |
| 113 | Patterns, Variability, and Predictors of Urinary Bisphenol A Concentrations during Childhood. <i>Environmental Science & Technology</i> , 2016, 50, 5981-5990. | 10.0 | 42 |
| 114 | Maternal serum perfluoroalkyl substances during pregnancy and duration of breastfeeding. <i>Environmental Research</i> , 2016, 149, 239-246. | 7.5 | 62 |
| 115 | Prenatal perfluoroalkyl substance exposure and child adiposity at 8 years of age: The <sc>HOME</sc> study. <i>Obesity</i> , 2016, 24, 231-237. | 3.0 | 176 |
| 116 | An Observational Study to Evaluate Associations Between Low-Level Gestational Exposure to Organophosphate Pesticides and Cognition During Early Childhood. <i>American Journal of Epidemiology</i> , 2016, 184, 410-418. | 3.4 | 37 |
| 117 | Gestational exposure to phthalates and gender-related play behaviors in 8-year-old children: an observational study. <i>Environmental Health</i> , 2016, 15, 87. | 4.0 | 16 |
| 118 | Prenatal phthalate exposure and infant size at birth and gestational duration. <i>Environmental Research</i> , 2016, 150, 52-58. | 7.5 | 54 |
| 119 | Association of Bisphenol A exposure and Attention-Deficit/Hyperactivity Disorder in a national sample of U.S. children. <i>Environmental Research</i> , 2016, 150, 112-118. | 7.5 | 67 |
| 120 | Low-level gestational exposure to mercury and maternal fish consumption: Associations with neurobehavior in early infancy. <i>Neurotoxicology and Teratology</i> , 2016, 54, 61-67. | 2.4 | 21 |
| 121 | Prenatal polybrominated diphenyl ether and perfluoroalkyl substance exposures and executive function in school-age children. <i>Environmental Research</i> , 2016, 147, 556-564. | 7.5 | 80 |
| 122 | Maternal Polybrominated Diphenyl Ether (PBDE) Exposure and Thyroid Hormones in Maternal and Cord Sera: The HOME Study, Cincinnati, USA. <i>Environmental Health Perspectives</i> , 2015, 123, 1079-1085. | 6.0 | 93 |
| 123 | Association of pyrethroid pesticide exposure with attention-deficit/hyperactivity disorder in a nationally representative sample of U.S. children. <i>Environmental Health</i> , 2015, 14, 44. | 4.0 | 114 |
| 124 | Cognitive Outcomes After Neonatal Encephalopathy. <i>Pediatrics</i> , 2015, 135, e624-e634. | 2.1 | 121 |
| 125 | Prenatal Exposure to Polybrominated Diphenyl Ethers and Polyfluoroalkyl Chemicals and Infant Neurobehavior. <i>Journal of Pediatrics</i> , 2015, 166, 736-742. | 1.8 | 29 |
| 126 | Gestational urinary bisphenol A and maternal and newborn thyroid hormone concentrations: The HOME Study. <i>Environmental Research</i> , 2015, 138, 453-460. | 7.5 | 101 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | The association between maternal urinary phthalate concentrations and blood pressure in pregnancy: The HOME Study. <i>Environmental Health</i> , 2015, 14, 75. | 4.0 | 92 |
| 128 | Secondhand Tobacco Smoke Exposure and Neuromotor Function in Rural Children. <i>Journal of Pediatrics</i> , 2015, 167, 253-259.e1. | 1.8 | 16 |
| 129 | Prenatal Polybrominated Diphenyl Ether Exposures and Neurodevelopment in U.S. Children through 5 Years of Age: The HOME Study. <i>Environmental Health Perspectives</i> , 2014, 122, 856-862. | 6.0 | 167 |
| 130 | Prenatal bisphenol A exposure and maternally reported behavior in boys and girls. <i>NeuroToxicology</i> , 2014, 45, 91-99. | 3.0 | 134 |
| 131 | Variability and Predictors of Urinary Concentrations of Phthalate Metabolites during Early Childhood. <i>Environmental Science & Technology</i> , 2014, 48, 8881-8890. | 10.0 | 100 |
| 132 | Brief Report: Are Autistic-Behaviors in Children Related to Prenatal Vitamin Use and Maternal Whole Blood Folate Concentrations?. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 2602-2607. | 2.7 | 42 |
| 133 | Serum cotinine and whole blood folate concentrations in pregnancy. <i>Annals of Epidemiology</i> , 2014, 24, 498-503.e1. | 1.9 | 7 |
| 134 | Exposure to neurotoxicants and the development of attention deficit hyperactivity disorder and its related behaviors in childhood. <i>Neurotoxicology and Teratology</i> , 2014, 44, 30-45. | 2.4 | 44 |
| 135 | Impact of low-level gestational exposure to organophosphate pesticides on neurobehavior in early infancy: a prospective study. <i>Environmental Health</i> , 2013, 12, 79. | 4.0 | 44 |
| 136 | Persistent Snoring in Preschool Children: Predictors and Behavioral and Developmental Correlates. <i>Pediatrics</i> , 2012, 130, 382-389. | 2.1 | 52 |
| 137 | Bisphenol A and Infant Neonatal Neurobehavior: Sathyanarayana et al. Respond. <i>Environmental Health Perspectives</i> , 2012, 120, . | 6.0 | 0 |
| 138 | NICU Network Neurobehavioral Scale Profiles Predict Developmental Outcomes in a Low-Risk Sample. <i>Paediatric and Perinatal Epidemiology</i> , 2012, 26, 344-352. | 1.7 | 48 |
| 139 | Prenatal exposure to bisphenol A and phthalates and infant neurobehavior. <i>Neurotoxicology and Teratology</i> , 2011, 33, 558-566. | 2.4 | 166 |
| 140 | Impact of Early-Life Bisphenol A Exposure on Behavior and Executive Function in Children. <i>Pediatrics</i> , 2011, 128, 873-882. | 2.1 | 481 |
| 141 | Earliest Appropriate Time for Administering Neurobehavioral Assessment in Newborn Infants. <i>Pediatrics</i> , 2011, 127, e69-e75. | 2.1 | 12 |
| 142 | Associations Between Secondhand Smoke Exposure and Sleep Patterns in Children. <i>Pediatrics</i> , 2010, 125, e261-e268. | 2.1 | 73 |
| 143 | Prenatal Bisphenol A Exposure and Early Childhood Behavior. <i>Environmental Health Perspectives</i> , 2009, 117, 1945-1952. | 6.0 | 394 |
| 144 | Low-level prenatal exposure to nicotine and infant neurobehavior. <i>Neurotoxicology and Teratology</i> , 2009, 31, 356-363. | 2.4 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Environmental Tobacco Smoke Exposure and Child Behaviors. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2008, 29, 450-457. | 1.1 | 33 |
| 146 | Exposure to Environmental Tobacco Smoke and Cognitive Abilities among U.S. Children and Adolescents. <i>Environmental Health Perspectives</i> , 2005, 113, 98-103. | 6.0 | 273 |
| 147 | Low-Level Environmental Lead Exposure and Children's Intellectual Function: An International Pooled Analysis. <i>Environmental Health Perspectives</i> , 2005, 113, 894-899. | 6.0 | 1,750 |