

# Ole Andreas Andreassen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4531441/publications.pdf>

Version: 2024-02-01

723  
papers

63,304  
citations

2098

100  
h-index

1856

209  
g-index

895  
all docs

895  
docs citations

895  
times ranked

52587  
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	2.7	6
2	Developmental milestones in early childhood and genetic liability to neurodevelopmental disorders. <i>Psychological Medicine</i> , 2023, 53, 1750-1758.	2.7	10
3	Structural and Pragmatic Language Impairments in Children Evaluated for Autism Spectrum Disorder (ASD). <i>Journal of Autism and Developmental Disorders</i> , 2023, 53, 701-719.	1.7	27
4	Mapping Normative Trajectories of Cognitive Function and Its Relation to Psychopathology Symptoms and Genetic Risk in Youth. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 255-263.	1.0	8
5	Computational Modeling of the n-Back Task in the ABCD Study: Associations of Drift Diffusion Model Parameters to Polygenic Scores of Mental Disorders and Cardiometabolic Diseases. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 290-299.	1.1	1
6	In vivo hippocampal subfield volumes in bipolar disorderâ€”A megaâ€”analysis from The Enhancing Neuro Imaging Genetics through <sc>Metaâ€”Analysis</sc> Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 385-398.	1.9	41
7	Intelligence, educational attainment, and brain structure in those at familial highâ€”risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	1.9	14
8	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2022, 43, 470-499.	1.9	76
9	Intracranial and subcortical volumes in adolescents with <sc>earlyâ€”onset</sc> psychosis: A multisite <sc>megaâ€”analysis</sc> from the <sc>ENIGMA</sc> consortium. <i>Human Brain Mapping</i> , 2022, 43, 373-384.	1.9	27
10	What we learn about bipolar disorder from largeâ€”scale neuroimaging: Findings and future directions from the <sc>ENIGMA</sc> Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2022, 43, 56-82.	1.9	67
11	Asphyxia at birth affects brain structure in patients on the schizophrenia-bipolar disorder spectrum and healthy participants. <i>Psychological Medicine</i> , 2022, 52, 1050-1059.	2.7	11
12	Reproducibility in the absence of selective reporting: Anâ€”illustration from largeâ€”scale brain asymmetry research. <i>Human Brain Mapping</i> , 2022, 43, 244-254.	1.9	16
13	Childhood trauma is associated with poorer social functioning in severe mental disorders both during an active illness phase and in remission. <i>Schizophrenia Research</i> , 2022, 243, 241-246.	1.1	15
14	ENIGMAâ€”DTI: Translating reproducible white matter deficits into personalized vulnerability metrics in crossâ€”diagnostic psychiatric research. <i>Human Brain Mapping</i> , 2022, 43, 194-206.	1.9	52
15	Associations between depression and cardiometabolic health: A 27-year longitudinal study. <i>Psychological Medicine</i> , 2022, 52, 3007-3017.	2.7	16
16	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3â€”90â€”years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	1.9	143
17	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3â€”90â€”years. <i>Human Brain Mapping</i> , 2022, 43, 452-469.	1.9	72
18	Effects of copy number variations on brain structure and risk for psychiatric illness: Largeâ€”scale studies from the <sc>ENIGMA</sc> working groups on <sc>CNVs</sc>. <i>Human Brain Mapping</i> , 2022, 43, 300-328.	1.9	30

#	ARTICLE	IF	CITATIONS
19	Association between complement component 4A expression, cognitive performance and brain imaging measures in UK Biobank. <i>Psychological Medicine</i> , 2022, 52, 3497-3507.	2.7	13
20	Significant association between intracranial volume and verbal intellectual abilities in patients with schizophrenia and a history of birth asphyxia. <i>Psychological Medicine</i> , 2022, 52, 3698-3707.	2.7	4
21	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
22	Performance of African-ancestry-specific polygenic hazard score varies according to local ancestry in 8q24. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 229-237.	2.0	9
23	Dissecting the shared genetic basis of migraine and mental disorders using novel statistical tools. <i>Brain</i> , 2022, 145, 142-153.	3.7	27
24	Common Genetic Variation and Age of Onset of Anorexia Nervosa. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 368-378.	1.0	10
25	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , 2022, 54, 90-99.	0.3	5
26	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	2.3	10
27	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2022, 91, 582-592.	0.7	29
28	Genome-wide analysis reveals genetic overlap between alcohol use behaviours, schizophrenia and bipolar disorder and identifies novel shared risk loci. <i>Addiction</i> , 2022, 117, 600-610.	1.7	16
29	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2022, 43, 352-372.	1.9	39
30	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
31	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2022, 91, 626-636.	0.7	21
32	Dose-dependent transcriptional effects of lithium and adverse effect burden in a psychiatric cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 112, 110408.	2.5	6
33	Cohort Profile: COVIDMENT: COVID-19 cohorts on mental health across six nations. <i>International Journal of Epidemiology</i> , 2022, 51, e108-e122.	0.9	16
34	Early manifestations of genetic risk for neurodevelopmental disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 810-819.	3.1	11
35	Cardiometabolic risk factors associated with brain age and accelerated brain ageing. <i>Human Brain Mapping</i> , 2022, 43, 700-720.	1.9	42
36	Genetic Stratification of Age-Dependent Parkinson's Disease Risk by Polygenic Hazard Score. <i>Movement Disorders</i> , 2022, 37, 62-69.	2.2	13

#	ARTICLE	IF	CITATIONS
37	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	2.0	33
38	Associations between amygdala nuclei volumes, psychosis, psychopathy, and violent offending. <i>Psychiatry Research - Neuroimaging</i> , 2022, 319, 111416.	0.9	7
39	Big data and the goal of personalized health interventions. , 2022, , 41-61.		1
40	Prenatal smoking, alcohol and caffeine exposure and maternal-reported attention deficit hyperactivity disorder symptoms in childhood: triangulation of evidence using negative control and polygenic risk score analyses. <i>Addiction</i> , 2022, 117, 1458-1471.	1.7	9
41	Attitudes among parents of persons with autism spectrum disorder towards information about genetic risk and future health. <i>European Journal of Human Genetics</i> , 2022, 30, 1138-1146.	1.4	7
42	Schizophrenia: genetic insights with clinical potential. <i>Nature Reviews Neurology</i> , 2022, 18, 129-130.	4.9	2
43	Brain age prediction using fMRI network coupling in youths and associations with psychiatric symptoms. <i>NeuroImage: Clinical</i> , 2022, 33, 102921.	1.4	14
44	Interaction Testing and Polygenic Risk Scoring to Estimate the Association of Common Genetic Variants With Treatment Resistance in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 260.	6.0	44
45	Adipose tissue distribution from body MRI is associated with cross-sectional and longitudinal brain age in adults. <i>NeuroImage: Clinical</i> , 2022, 33, 102949.	1.4	22
46	Immune marker levels in severe mental disorders: associations with polygenic risk scores of related mental phenotypes and psoriasis. <i>Translational Psychiatry</i> , 2022, 12, 38.	2.4	13
47	Challenges at the APOE locus: a robust quality control approach for accurate APOE genotyping. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 22.	3.0	5
48	Limited association between infections, autoimmune disease and genetic risk and immune activation in severe mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 116, 110511.	2.5	4
49	Boosting Schizophrenia Genetics by Utilizing Genetic Overlap With Brain Morphology. <i>Biological Psychiatry</i> , 2022, 92, 291-298.	0.7	20
50	Editorial: Cross-disorder Genetics in Neuropsychiatry. <i>Frontiers in Neuroscience</i> , 2022, 16, 826300.	1.4	0
51	Discovery of genomic loci of the human cerebral cortex using genetically informed brain atlases. <i>Science</i> , 2022, 375, 522-528.	6.0	31
52	Cross disorder comparisons of brain structure in schizophrenia, bipolar disorder, major depressive disorder, and 22q11.2 deletion syndrome: A review of ENIGMA findings. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 140-161.	1.0	27
53	Prostate cancer risk stratification improvement across multiple ancestries with new polygenic hazard score. <i>Prostate Cancer and Prostatic Diseases</i> , 2022, 25, 755-761.	2.0	14
54	Shared heritability among psychiatric disorders and traits. , 2022, , 341-360.		1

#	ARTICLE	IF	CITATIONS
55	Genetics of bipolar disorder. , 2022, , 43-61.		0
56	Quality of clinical management of cardiometabolic risk factors in patients with severe mental illness in a specialist mental health care setting. Nordic Journal of Psychiatry, 2022, 76, 602-609.	0.7	5
57	Lifetime Cannabis Use Is Not Associated With Negative Beliefs About Medication in Patients With First Treatment Psychosis. Frontiers in Psychiatry, 2022, 13, 824051.	1.3	0
58	Limited evidence for a moderating effect of HIV status on brain age in heavy episodic drinkers. Journal of NeuroVirology, 2022, , 1.	1.0	0
59	Virtual Ontogeny of Cortical Growth Preceding Mental Illness. Biological Psychiatry, 2022, 92, 299-313.	0.7	11
60	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. Bipolar Disorders, 2022, 24, 709-719.	1.1	16
61	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. Bipolar Disorders, 2022, 24, 499-508.	1.1	15
62	Oxytocin receptor expression patterns in the human brain across development. Neuropsychopharmacology, 2022, 47, 1550-1560.	2.8	23
63	Characterization of the genetic architecture of infant and early childhood body mass index. Nature Metabolism, 2022, 4, 344-358.	5.1	26
64	Modeling assortative mating and genetic similarities between partners, siblings, and in-laws. Nature Communications, 2022, 13, 1108.	5.8	23
65	Acute COVID-19 severity and mental health morbidity trajectories in patient populations of six nations: an observational study. Lancet Public Health, The, 2022, 7, e406-e416.	4.7	99
66	Genetic variants associated with longitudinal changes in brain structure across the lifespan. Nature Neuroscience, 2022, 25, 421-432.	7.1	75
67	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. Nature, 2022, 604, 502-508.	13.7	929
68	Genome-wide Association Meta-analysis of Childhood and Adolescent Internalizing Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 934-945.	0.3	26
69	Cytomegalovirus Infection Associated with Smaller Total Cortical Surface Area in Schizophrenia Spectrum Disorders. Schizophrenia Bulletin, 2022, 48, 1164-1173.	2.3	6
70	New insights into the genetic etiology of Alzheimer's disease and related dementias. Nature Genetics, 2022, 54, 412-436.	9.4	700
71	Alcohol use and alcohol use disorder differ in their genetic relationships with PTSD: A genomic structural equation modelling approach. Drug and Alcohol Dependence, 2022, 234, 109430.	1.6	7
72	Interleukin-18 signaling system links to agitation in severe mental disorders. Psychoneuroendocrinology, 2022, 140, 105721.	1.3	6

#	ARTICLE	IF	CITATIONS
73	Diagnosis of bipolar disorders and body mass index predict clustering based on similarities in cortical thickness—ENIGMA study in 2436 individuals. <i>Bipolar Disorders</i> , 2022, 24, 509-520.	1.1	5
74	Borderline personality disorder and the big five: molecular genetic analyses indicate shared genetic architecture with neuroticism and openness. <i>Translational Psychiatry</i> , 2022, 12, 153.	2.4	7
75	Sex- and age-specific associations between cardiometabolic risk and white matter brain age in the UK Biobank cohort. <i>Human Brain Mapping</i> , 2022, 43, 3759-3774.	1.9	16
76	Deep neural networks learn general and clinically relevant representations of the ageing brain. <i>NeuroImage</i> , 2022, 256, 119210.	2.1	46
77	Sex differences in antipsychotic-related triglyceride levels are associated with metabolic hormone differences in patients with severe mental disorders. <i>Schizophrenia Research</i> , 2022, 243, 55-63.	1.1	2
78	Multomics analysis of rheumatoid arthritis yields sequence variants that have large effects on risk of the seropositive subset. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1085-1095.	0.5	26
79	An epigenetic association analysis of childhood trauma in psychosis reveals possible overlap with methylation changes associated with PTSD. <i>Translational Psychiatry</i> , 2022, 12, 177.	2.4	7
80	Smoking and infertility: multivariable regression and Mendelian randomization analyses in the Norwegian Mother, Father and Child Cohort Study. <i>Fertility and Sterility</i> , 2022, 118, 180-190.	0.5	11
81	Multivariate genome-wide association study on tissue-sensitive diffusion metrics highlights pathways that shape the human brain. <i>Nature Communications</i> , 2022, 13, 2423.	5.8	12
82	Shared genetic loci between depression and cardiometabolic traits. <i>PLoS Genetics</i> , 2022, 18, e1010161.	1.5	18
83	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	1.3	4
84	Within-sibship genome-wide association analyses decrease bias in estimates of direct genetic effects. <i>Nature Genetics</i> , 2022, 54, 581-592.	9.4	142
85	The co-occurrence of motor and language impairments in children evaluated for autism spectrum disorder. An explorative study from Norway. <i>Research in Developmental Disabilities</i> , 2022, 127, 104256.	1.2	4
86	Association of Rare APOE Missense Variants V236E and R251G With Risk of Alzheimer Disease. <i>JAMA Neurology</i> , 2022, 79, 652.	4.5	31
87	Birth order differences in education originate in postnatal environments. , 2022, 1, .		2
88	A comparison of intracranial volume estimation methods and their cross-sectional and longitudinal associations with age. <i>Human Brain Mapping</i> , 2022, 43, 4620-4639.	1.9	9
89	Distributed genetic architecture across the hippocampal formation implies common neuropathology across brain disorders. <i>Nature Communications</i> , 2022, 13, .	5.8	12
90	Cardiovascular disease risk in people with severe mental disorders: an update and call for action. <i>Current Opinion in Psychiatry</i> , 2022, 35, 277-284.	3.1	3

#	ARTICLE	IF	CITATIONS
91	How interactions between <scp>ADHD</scp> and schools affect educational achievement: a familyâ€based genetically sensitive study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 1174-1185.	3.1	11
92	Using Polygenic Hazard Scores to Predict Age at Onset of Alzheimerâ€™s Disease in Nordic Populations. <i>Journal of Alzheimer's Disease</i> , 2022, 88, 1533-1544.	1.2	3
93	Herpes simplex virus 1 infection on grey matter and general intelligence in severe mental illness. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	5
94	The shared genetic basis of mood instability and psychiatric disorders: A crossâ€trait genomeâ€wide association analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2022, 189, 207-218.	1.1	10
95	Associations Between Pregnancy-Related Predisposing Factors for Offspring Neurodevelopmental Conditions and Parental Genetic Liability to Attention-Deficit/Hyperactivity Disorder, Autism, and Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 799.	6.0	15
96	Composite immune marker scores associated with severe mental disorders and illness course. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2022, 24, 100483.	1.3	6
97	Identification of genetic overlap and novel risk loci for attention-deficit/hyperactivity disorder and bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 4055-4065.	4.1	31
98	Heart rate variability is associated with disease severity in psychosis spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110108.	2.5	18
99	Cortical thickness and restingâ€state cardiac function across the lifespan: A crossâ€sectional pooled megaâ€analysis. <i>Psychophysiology</i> , 2021, 58, e13688.	1.2	33
100	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	4.1	136
101	Genetic control of variability in subcortical and intracranial volumes. <i>Molecular Psychiatry</i> , 2021, 26, 3876-3883.	4.1	6
102	Genome-wide Association Analysis of Parkinsonâ€™s Disease and Schizophrenia Reveals Shared Genetic Architecture and Identifies Novel Risk Loci. <i>Biological Psychiatry</i> , 2021, 89, 227-235.	0.7	53
103	Shared genetic risk between eating disorderâ€and substanceâ€useâ€related phenotypes: Evidence from genomeâ€wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.	1.4	28
104	White matter microstructure in schizophrenia patients with a history of violence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 623-634.	1.8	15
105	Differences in the Presentation and Progression of Parkinson's Disease by Sex. <i>Movement Disorders</i> , 2021, 36, 106-117.	2.2	54
106	White matter microstructure across the adult lifespan: A mixed longitudinal and cross-sectional study using advanced diffusion models and brain-age prediction. <i>NeuroImage</i> , 2021, 224, 117441.	2.1	122
107	Genome-wide association study identifies 48 common genetic variants associated with handedness. <i>Nature Human Behaviour</i> , 2021, 5, 59-70.	6.2	79
108	Improving the precision of intranasal oxytocin research. <i>Nature Human Behaviour</i> , 2021, 5, 9-18.	6.2	28



#	ARTICLE	IF	CITATIONS
109	Rates of complete nonadherence among atypical antipsychotic drugs: A study using blood samples from 13,217 outpatients with psychotic disorders. <i>Schizophrenia Research</i> , 2021, 228, 590-596.	1.1	12
110	Multimodal imaging improves brain age prediction and reveals distinct abnormalities in patients with psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2021, 42, 1714-1726.	1.9	68
111	African-specific improvement of a polygenic hazard score for age at diagnosis of prostate cancer. <i>International Journal of Cancer</i> , 2021, 148, 99-105.	2.3	24
112	Shared Genetics of Multiple System Atrophy and Inflammatory Bowel Disease. <i>Movement Disorders</i> , 2021, 36, 449-459.	2.2	16
113	Identifying multimodal signatures underlying the somatic comorbidity of psychosis: the COMMITMENT roadmap. <i>Molecular Psychiatry</i> , 2021, 26, 722-724.	4.1	7
114	White Matter Matters: Unraveling Violence in Psychosis and Psychopathy. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	4
115	Using iPSC Models to Understand the Role of Estrogen in Neuron-Glia Interactions in Schizophrenia and Bipolar Disorder. <i>Cells</i> , 2021, 10, 209.	1.8	7
116	The genetic architecture of human complex phenotypes is modulated by linkage disequilibrium and heterozygosity. <i>Genetics</i> , 2021, 217, .	1.2	10
117	Genetic loci shared between major depression and intelligence with mixed directions of effect. <i>Nature Human Behaviour</i> , 2021, 5, 795-801.	6.2	23
118	Psychometric properties of the Norwegian version of the Patient Health Questionnaire-9 (PHQ-9) in a large female sample of adults with and without eating disorders. <i>BMC Psychiatry</i> , 2021, 21, 6.	1.1	17
119	Childhood trauma and cardiometabolic risk in severe mental disorders: The mediating role of cognitive control. <i>European Psychiatry</i> , 2021, 64, e24.	0.1	5
120	Additional SNPs improve risk stratification of a polygenic hazard score for prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 532-541.	2.0	16
121	Polygenic hazard score is associated with prostate cancer in multi-ethnic populations. <i>Nature Communications</i> , 2021, 12, 1236.	5.8	40
122	Genetic Liability for Schizophrenia and Childhood Psychopathology in the General Population. <i>Schizophrenia Bulletin</i> , 2021, 47, 1179-1189.	2.3	10
123	Replicating extensive brain structural heterogeneity in individuals with schizophrenia and bipolar disorder. <i>Human Brain Mapping</i> , 2021, 42, 2546-2555.	1.9	42
124	Elevated levels of soluble urokinase plasminogen activator receptor as a low-grade inflammation marker in schizophrenia: A case-control study. <i>Schizophrenia Research</i> , 2021, 228, 190-192.	1.1	3
125	1q21.1 distal copy number variants are associated with cerebral and cognitive alterations in humans. <i>Translational Psychiatry</i> , 2021, 11, 182.	2.4	24
126	Cognitive impairment profile in adolescent early-onset psychosis using the MATRICS Battery: Age and sex effects.. <i>Neuropsychology</i> , 2021, 35, 300-309.	1.0	6



#	ARTICLE	IF	CITATIONS
127	Common genetic and clinical risk factors: association with fatal prostate cancer in the Cohort of Swedish Men. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 845-851.	2.0	11
128	Sparse deep neural networks on imaging genetics for schizophrenia caseâ€“control classification. <i>Human Brain Mapping</i> , 2021, 42, 2556-2568.	1.9	17
129	Exploring neurophysiological markers of visual perspective taking: Methodological considerations. <i>International Journal of Psychophysiology</i> , 2021, 161, 1-12.	0.5	2
130	Genetic variants associated with cardiometabolic abnormalities during treatment with selective serotonin reuptake inhibitors: a genome-wide association study. <i>Pharmacogenomics Journal</i> , 2021, 21, 574-585.	0.9	5
131	ENIGMAâ€“Sleep: Challenges, opportunities, and the road map. <i>Journal of Sleep Research</i> , 2021, 30, e13347.	1.7	19
132	Phenotypically independent profiles relevant to mental health are genetically correlated. <i>Translational Psychiatry</i> , 2021, 11, 202.	2.4	15
133	Association between body mass index and subcortical brain volumes in bipolar disordersâ€“ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021, 26, 6806-6819.	4.1	24
134	Physical activity and childhood trauma experiences in patients with schizophrenia or bipolar disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 637-645.	1.3	4
135	Similar Genetic Architecture of Alzheimerâ€™s Disease and Differential APOE Effect Between Sexes. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 674318.	1.7	8
136	Clinical predictors of nonâ€“response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , 2021, 23, 821-831.	1.1	20
137	The association between bullying and eating disorders: A caseâ€“control study. <i>International Journal of Eating Disorders</i> , 2021, 54, 1405-1414.	2.1	14
138	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
139	The genetic architecture of the human thalamus and its overlap with ten common brain disorders. <i>Nature Communications</i> , 2021, 12, 2909.	5.8	25
140	Adiponectin Is Related to Cardiovascular Risk in Severe Mental Illness Independent of Antipsychotic Treatment. <i>Frontiers in Psychiatry</i> , 2021, 12, 623192.	1.3	6
141	Population-based bodyâ€“brain mapping links brain morphology with anthropometrics and body composition. <i>Translational Psychiatry</i> , 2021, 11, 295.	2.4	17
142	Genome-wide analyses of smoking behaviors in schizophrenia: Findings from the Psychiatric Genomics Consortium. <i>Journal of Psychiatric Research</i> , 2021, 137, 215-224.	1.5	10
143	Evidence for Reduced Long-Term Potentiation-Like Visual Cortical Plasticity in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021, 47, 1751-1760.	2.3	8
144	Identifying nootropic drug targets via large-scale cognitive GWAS and transcriptomics. <i>Neuropsychopharmacology</i> , 2021, 46, 1788-1801.	2.8	12

#	ARTICLE	IF	CITATIONS
145	Transcriptome analysis reveals disparate expression of inflammation-related miRNAs and their gene targets in iPSC-astrocytes from people with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 235-244.	2.0	17
146	All-Optical Electrophysiology in hiPSC-Derived Neurons With Synthetic Voltage Sensors. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 671549.	1.8	3
147	The genetic structure of Norway. <i>European Journal of Human Genetics</i> , 2021, 29, 1710-1718.	1.4	10
148	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis – A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , 2021, 47, 54-61.	0.3	25
149	Common variants in Alzheimer’s disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417.	5.8	140
150	Lithium increases mitochondrial respiration in iPSC-derived neural precursor cells from lithium responders. <i>Molecular Psychiatry</i> , 2021, 26, 6789-6805.	4.1	29
151	Shared genetic architecture between neuroticism, coronary artery disease and cardiovascular risk factors. <i>Translational Psychiatry</i> , 2021, 11, 368.	2.4	10
152	Genome-wide association identifies the first risk loci for psychosis in Alzheimer disease. <i>Molecular Psychiatry</i> , 2021, 26, 5797-5811.	4.1	30
153	Cytomegalovirus infection and IQ in patients with severe mental illness and healthy individuals. <i>Psychiatry Research</i> , 2021, 300, 113929.	1.7	7
154	Examining Individual and Synergistic Contributions of PTSD and Genetics to Blood Pressure: A Trans-Ethnic Meta-Analysis. <i>Frontiers in Neuroscience</i> , 2021, 15, 678503.	1.4	10
155	Large-scale collaboration in ENIGMA-EEG: A perspective on the meta-analytic approach to link neurological and psychiatric liability genes to electrophysiological brain activity. <i>Brain and Behavior</i> , 2021, 11, e02188.	1.0	18
156	12-year prediction of mild cognitive impairment aided by Alzheimer’s brain signatures at mean age 56. <i>Brain Communications</i> , 2021, 3, fcab167.	1.5	7
157	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	6.0	74
158	Genetic Overlap Between Alzheimer’s Disease and Depression Mapped Onto the Brain. <i>Frontiers in Neuroscience</i> , 2021, 15, 653130.	1.4	14
159	Identification of pleiotropy at the gene level between psychiatric disorders and related traits. <i>Translational Psychiatry</i> , 2021, 11, 410.	2.4	7
160	Characterizing the Genetic Overlap Between Psychiatric Disorders and Sleep-Related Phenotypes. <i>Biological Psychiatry</i> , 2021, 90, 621-631.	0.7	24
161	Extensive bidirectional genetic overlap between bipolar disorder and cardiovascular disease phenotypes. <i>Translational Psychiatry</i> , 2021, 11, 407.	2.4	16
162	Absolute and Dose-Adjusted Serum Concentrations of Clozapine in Patients Switching vs. Maintaining Treatment: An Observational Study of 1979 Patients. <i>CNS Drugs</i> , 2021, 35, 999-1008.	2.7	6

#	ARTICLE	IF	CITATIONS
163	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
164	Cytomegalovirus infection associated with smaller dentate gyrus in men with severe mental illness. <i>Brain, Behavior, and Immunity</i> , 2021, 96, 54-62.	2.0	13
165	Derivation and Molecular Characterization of a Morphological Subpopulation of Human iPSC Astrocytes Reveal a Potential Role in Schizophrenia and Clozapine Response. <i>Schizophrenia Bulletin</i> , 2021, , .	2.3	14
166	A review of systems biology research of anxiety disorders. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 414-423.	0.9	9
167	Neuropsychiatric symptoms and brain morphology in patients with mild cognitive impairment and Alzheimer's disease with dementia. <i>International Psychogeriatrics</i> , 2021, 33, 1217-1228.	0.6	20
168	Gut microbial biomarkers for the treatment response in first-episode, drug-naïve schizophrenia: a 24-week follow-up study. <i>Translational Psychiatry</i> , 2021, 11, 422.	2.4	25
169	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021, 20, 417-436.	4.8	127
170	A genome-wide association study with 1,126,563 individuals identifies new risk loci for Alzheimer's disease. <i>Nature Genetics</i> , 2021, 53, 1276-1282.	9.4	430
171	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	0.8	6
172	Characterising the shared genetic determinants of bipolar disorder, schizophrenia and risk-taking. <i>Translational Psychiatry</i> , 2021, 11, 466.	2.4	15
173	Genetic Association Between Schizophrenia and Cortical Brain Surface Area and Thickness. <i>JAMA Psychiatry</i> , 2021, 78, 1020.	6.0	43
174	Prominent health problems, socioeconomic deprivation, and higher brain age in lonely and isolated individuals: A population-based study. <i>Behavioural Brain Research</i> , 2021, 414, 113510.	1.2	18
175	New insights into the dynamic development of the cerebral cortex in childhood and adolescence: Integrating macro- and microstructural MRI findings. <i>Progress in Neurobiology</i> , 2021, 204, 102109.	2.8	54
176	Maternal and offspring genetic risk score analyses of fetal alcohol exposure and attention deficit hyperactivity disorder risk in offspring. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 2090-2102.	1.4	1
177	Polygenic risk scores in psychiatry – Large potential but still limited clinical utility. <i>European Neuropsychopharmacology</i> , 2021, 51, 68-70.	0.3	11
178	Telomeres are shorter and associated with number of suicide attempts in affective disorders. <i>Journal of Affective Disorders</i> , 2021, 295, 1032-1039.	2.0	13
179	Vertex-wise multivariate genome-wide association study identifies 780 unique genetic loci associated with cortical morphology. <i>NeuroImage</i> , 2021, 244, 118603.	2.1	48
180	The factor structure of social cognition in schizophrenia: Weak evidence for separable domains. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100208.	0.7	1

#	ARTICLE	IF	CITATIONS
181	In Vivo Amygdala Nuclei Volumes in Schizophrenia and Bipolar Disorders. Schizophrenia Bulletin, 2021, 47, 1431-1441.	2.3	33
182	Polygenic overlap and shared genetic loci between loneliness, severe mental disorders, and cardiovascular disease risk factors suggest shared molecular mechanisms. Translational Psychiatry, 2021, 11, 3.	2.4	29
183	Structural brain imaging studies offer clues about the effects of the shared genetic etiology among neuropsychiatric disorders. Molecular Psychiatry, 2021, 26, 2101-2110.	4.1	53
184	Diphtheria And Tetanus Vaccination History Is Associated With Lower Odds of COVID-19 Hospitalization. Frontiers in Immunology, 2021, 12, 749264.	2.2	8
185	Stressful life events among individuals with a history of eating disorders: a case-control comparison. BMC Psychiatry, 2021, 21, 501.	1.1	13
186	Interplay between the genetics of personality traits, severe psychiatric disorders and COVID-19 host genetics in the susceptibility to SARS-CoV-2 infection. BJPsych Open, 2021, 7, e188.	0.3	1
187	Exploring low grade inflammation by soluble urokinase plasminogen activator receptor levels in schizophrenia: a sex-dependent association with depressive symptoms. BMC Psychiatry, 2021, 21, 527.	1.1	4
188	Sex-Specific Effect of Serum Lipids and Body Mass Index on Psychotic Symptoms, a Cross-Sectional Study of First-Episode Psychosis Patients. Frontiers in Psychiatry, 2021, 12, 723158.	1.3	3
189	Multivariate alterations in insula - Medial prefrontal cortex linked to genetics in 12q24 in schizophrenia. Psychiatry Research, 2021, 306, 114237.	1.7	4
190	Lower plasma total tau in adolescent psychosis: Involvement of the orbitofrontal cortex. Journal of Psychiatric Research, 2021, 144, 255-261.	1.5	3
191	A human iPSC-astroglia neurodevelopmental model reveals divergent transcriptomic patterns in schizophrenia. Translational Psychiatry, 2021, 11, 554.	2.4	19
192	Oxytocin-pathway polygenic scores for severe mental disorders and metabolic phenotypes in the UK Biobank. Translational Psychiatry, 2021, 11, 599.	2.4	2
193	Aberrant Default Mode Connectivity in Adolescents with Early-Onset Psychosis: A resting state fMRI study. NeuroImage: Clinical, 2021, 33, 102881.	1.4	12
194	Multisite reproducibility and test-retest reliability of the T1w/T2w-ratio: A comparison of processing methods. NeuroImage, 2021, 245, 118709.	2.1	17
195	Causal association of cognitive reserve on Alzheimer's disease with putative sex difference. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12270.	1.2	2
196	Negative Symptom Domains Are Associated With Verbal Learning in Adolescents With Early Onset Psychosis. Frontiers in Psychiatry, 2021, 12, 825681.	1.3	6
197	Association of Birth Asphyxia With Regional White Matter Abnormalities Among Patients With Schizophrenia and Bipolar Disorders. JAMA Network Open, 2021, 4, e2139759.	2.8	5
198	The genetic architecture of human cortical folding. Science Advances, 2021, 7, eabj9446.	4.7	50

#	ARTICLE	IF	CITATIONS
199	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	2.3	60
200	Brain scans from 21,297 individuals reveal the genetic architecture of hippocampal subfield volumes. <i>Molecular Psychiatry</i> , 2020, 25, 3053-3065.	4.1	80
201	Dose response of the 16p11.2 distal copy number variant on intracranial volume and basal ganglia. <i>Molecular Psychiatry</i> , 2020, 25, 584-602.	4.1	49
202	Using structural MRI to identify bipolar disorders – 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020, 25, 2130-2143.	4.1	127
203	Genome-wide analysis reveals extensive genetic overlap between schizophrenia, bipolar disorder, and intelligence. <i>Molecular Psychiatry</i> , 2020, 25, 844-853.	4.1	156
204	Improvement in verbal learning over the first year of antipsychotic treatment is associated with serum HDL levels in a cohort of first episode psychosis patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 49-58.	1.8	8
205	Metabolic dysfunctions in the kynurenine pathway, noradrenergic and purine metabolism in schizophrenia and bipolar disorders. <i>Psychological Medicine</i> , 2020, 50, 595-606.	2.7	23
206	Discovery of shared genomic loci using the conditional false discovery rate approach. <i>Human Genetics</i> , 2020, 139, 85-94.	1.8	109
207	Obstetric complications and intelligence in patients on the schizophrenia-bipolar spectrum and healthy participants. <i>Psychological Medicine</i> , 2020, 50, 1914-1922.	2.7	15
208	Autism spectrum disorder polygenic scores are associated with every day executive function in children admitted for clinical assessment. <i>Autism Research</i> , 2020, 13, 207-220.	2.1	25
209	Age of First Walking and Associations with Symptom Severity in Children with Suspected or Diagnosed Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2020, 50, 3216-3232.	1.7	13
210	Distinct structural brain circuits indicate mood and apathy profiles in bipolar disorder. <i>NeuroImage: Clinical</i> , 2020, 26, 101989.	1.4	4
211	Exploring lithium's transcriptional mechanisms of action in bipolar disorder: a multi-step study. <i>Neuropsychopharmacology</i> , 2020, 45, 947-955.	2.8	24
212	Genomics of Alzheimer's disease. , 2020, , 275-283.		5
213	Association of Copy Number Variation of the 15q11.2 BP1-BP2 Region With Cortical and Subcortical Morphology and Cognition. <i>JAMA Psychiatry</i> , 2020, 77, 420.	6.0	54
214	Brain Connectome Mapping of Complex Human Traits and Their Polygenic Architecture Using Machine Learning. <i>Biological Psychiatry</i> , 2020, 87, 717-726.	0.7	23
215	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020, 22, 174-181.	1.1	29
216	Shared Genetic Loci Between Body Mass Index and Major Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2020, 77, 503.	6.0	82

#	ARTICLE	IF	CITATIONS
217	The genetic architecture of bipolar disorder: Entering the road of discoveries. , 2020, , 215-225.		0
218	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. Sleep, 2020, 43, .	0.6	32
219	Lipid alterations in adolescents with early-onset psychosis may be independent of antipsychotic medication. Schizophrenia Research, 2020, 216, 295-301.	1.1	10
220	The association between hippocampal subfield volumes in mild cognitive impairment and conversion to Alzheimer's disease. Brain Research, 2020, 1728, 146591.	1.1	27
221	Increased interleukin 18 activity in adolescents with early-onset psychosis is associated with cortisol and depressive symptoms. Psychoneuroendocrinology, 2020, 112, 104513.	1.3	21
222	Identification of Genetic Loci Shared Between Attention-Deficit/Hyperactivity Disorder, Intelligence, and Educational Attainment. Biological Psychiatry, 2020, 87, 1052-1062.	0.7	13
223	Age dependence of modern clinical risk groups for localized prostate cancer – A population-based study. Cancer, 2020, 126, 1691-1699.	2.0	25
224	S97. IS EARLY DEBUT OF SUBSTANCE USE ASSOCIATED WITH VIOLENT OFFENDING IN SCHIZOPHRENIA?. Schizophrenia Bulletin, 2020, 46, S71-S72.	2.3	0
225	Genetic correlations and genome-wide associations of cortical structure in general population samples of 22,824 adults. Nature Communications, 2020, 11, 4796.	5.8	61
226	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 1095-1103.	1.1	28
227	The effects of cognitive abilities and task demands on tonic and phasic pupil sizes. Biological Psychology, 2020, 156, 107945.	1.1	22
228	Making the MOSTest of Imaging Genetics. Biological Psychiatry, 2020, 87, S304-S305.	0.7	1
229	Undetectable or subtherapeutic serum levels of antipsychotic drugs preceding switch to clozapine. NPJ Schizophrenia, 2020, 6, 17.	2.0	6
230	Interleukin 18 (IL-18) and its binding protein (IL-18BP) are increased in patients with epilepsy suggesting low-grade systemic inflammation. Seizure: the Journal of the British Epilepsy Association, 2020, 80, 221-225.	0.9	15
231	Disentangling the relationship between cholesterol, aggression, and impulsivity in severe mental disorders. Brain and Behavior, 2020, 10, e01751.	1.0	5
232	Insulin Resistance and Oxidative Stress: In Relation to Cognitive Function and Psychopathology in Drug-Naïve, First-Episode Drug-Free Schizophrenia. Frontiers in Psychiatry, 2020, 11, 537280.	1.3	13
233	Maturation of cortical microstructure and cognitive development in childhood and adolescence: A T1w/T2w ratio <math>\langle \text{MRI} \rangle</math> study. Human Brain Mapping, 2020, 41, 4676-4690.	1.9	30
234	The genetic architecture of human brainstem structures and their involvement in common brain disorders. Nature Communications, 2020, 11, 4016.	5.8	26



#	ARTICLE	IF	CITATIONS
235	Impact of antipsychotic polypharmacy on nonadherence of oral antipsychotic drugs – A study based on blood sample analyses from 24,239 patients. <i>European Neuropsychopharmacology</i> , 2020, 37, 64-69.	0.3	10
236	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 642.	1.3	5
237	Atherogenic Lipid Ratios Related to Myeloperoxidase and C-Reactive Protein Levels in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 672.	1.3	15
238	Understanding the genetic determinants of the brain with MOSTest. <i>Nature Communications</i> , 2020, 11, 3512.	5.8	100
239	The role of norepinephrine in the pathophysiology of schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 118, 298-314.	2.9	48
240	Differences in directed functional brain connectivity related to age, sex and mental health. <i>Human Brain Mapping</i> , 2020, 41, 4173-4186.	1.9	8
241	Testing relationships between multimodal modes of brain structural variation and age, sex and polygenic scores for neuroticism in children and adolescents. <i>Translational Psychiatry</i> , 2020, 10, 251.	2.4	3
242	How important are parents in the development of child anxiety and depression? A genomic analysis of parent-offspring trios in the Norwegian Mother Father and Child Cohort Study (MoBa). <i>BMC Medicine</i> , 2020, 18, 284.	2.3	29
243	C9orf72, age at onset, and ancestry help discriminate behavioral from language variants in FTL D cohorts. <i>Neurology</i> , 2020, 95, e3288-e3302.	1.5	7
244	Reduced levels of circulating adhesion molecules in adolescents with early-onset psychosis. <i>NPJ Schizophrenia</i> , 2020, 6, 20.	2.0	10
245	Computationally efficient familywise error rate control in genome-wide association studies using score tests for generalized linear models. <i>Scandinavian Journal of Statistics</i> , 2020, 47, 1090-1113.	0.9	2
246	Experience-dependent modulation of the visual evoked potential: Testing effect sizes, retention over time, and associations with age in 415 healthy individuals. <i>NeuroImage</i> , 2020, 223, 117302.	2.1	12
247	Polygenic scores for schizophrenia and general cognitive ability: associations with six cognitive domains, premorbid intelligence, and cognitive composite score in individuals with a psychotic disorder and in healthy controls. <i>Translational Psychiatry</i> , 2020, 10, 416.	2.4	16
248	Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. <i>Translational Psychiatry</i> , 2020, 10, 425.	2.4	31
249	Cognitive Heterogeneity across Schizophrenia and Bipolar Disorder: A Cluster Analysis of Intellectual Trajectories. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 860-872.	1.2	31
250	Beyond SNP heritability: Polygenicity and discoverability of phenotypes estimated with a univariate Gaussian mixture model. <i>PLoS Genetics</i> , 2020, 16, e1008612.	1.5	120
251	Childhood Trauma in Persons With Schizophrenia and a History of Interpersonal Violence. <i>Frontiers in Psychiatry</i> , 2020, 11, 383.	1.3	16
252	Exploring the Effects of an Acute Dose of Antipsychotic Medication on Motivation-mediated BOLD Activity Using fMRI and a Perceptual Decision-making Task. <i>Neuroscience</i> , 2020, 440, 146-159.	1.1	2



#	ARTICLE	IF	CITATIONS
253	Quantifying the Polygenic Architecture of the Human Cerebral Cortex: Extensive Genetic Overlap between Cortical Thickness and Surface Area. <i>Cerebral Cortex</i> , 2020, 30, 5597-5603.	1.6	29
254	Childhood Trauma Is Nominally Associated With Elevated Cortisol Metabolism in Severe Mental Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 391.	1.3	7
255	Associations of loneliness and social isolation with cardiovascular and metabolic health: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2020, 9, 102.	2.5	11
256	Exploring white matter microstructure and the impact of antipsychotics in adolescent-onset psychosis. <i>PLoS ONE</i> , 2020, 15, e0233684.	1.1	13
257	Nonsocial cognitive underpinnings of theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2020, 289, 113055.	1.7	6
258	The polygenic architecture of schizophrenia – rethinking pathogenesis and nosology. <i>Nature Reviews Neurology</i> , 2020, 16, 366-379.	4.9	122
259	The effect of sample size on polygenic hazard models for prostate cancer. <i>European Journal of Human Genetics</i> , 2020, 28, 1467-1475.	1.4	14
260	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , 2020, 36, 121-136.	0.3	17
261	Phenotype-specific differences in polygenicity and effect size distribution across functional annotation categories revealed by AI-MiXeR. <i>Bioinformatics</i> , 2020, 36, 4749-4756.	1.8	6
262	Identification of a novel polymorphism associated with reduced clozapine concentration in schizophrenia patients – a genome-wide association study adjusting for smoking habits. <i>Translational Psychiatry</i> , 2020, 10, 198.	2.4	32
263	ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. <i>Translational Psychiatry</i> , 2020, 10, 100.	2.4	365
264	The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, .	6.0	450
265	The Relationship Between White Matter Microstructure and General Cognitive Ability in Patients With Schizophrenia and Healthy Participants in the ENIGMA Consortium. <i>American Journal of Psychiatry</i> , 2020, 177, 537-547.	4.0	49
266	Sex-dependent autosomal effects on clinical progression of Alzheimer’s disease. <i>Brain</i> , 2020, 143, 2272-2280.	3.7	46
267	A Genetic Risk Score to Personalize Prostate Cancer Screening, Applied to Population Data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1731-1738.	1.1	27
268	Decreased IL-1 $\beta$ -induced CCL20 response in human iPSC-astrocytes in schizophrenia: Potential attenuating effects on recruitment of regulatory T cells. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 634-644.	2.0	49
269	Negative and disorganized symptoms mediate the relationship between verbal learning and global functioning in adolescents with early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1693-1703.	2.8	7
270	Hippocampal subfield and amygdala nuclei volumes in schizophrenia patients with a history of violence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 771-782.	1.8	25

#	ARTICLE	IF	CITATIONS
271	Pleiotropy of polygenic factors associated with focal and generalized epilepsy in the general population. PLoS ONE, 2020, 15, e0232292.	1.1	14
272	Higher vitamin B12 levels in neurodevelopmental disorders than in healthy controls and schizophrenia. FASEB Journal, 2020, 34, 8114-8124.	0.2	11
273	Indicated association between polygenic risk score and treatment-resistance in a naturalistic sample of patients with schizophrenia spectrum disorders. Schizophrenia Research, 2020, 218, 55-62.	1.1	26
274	Hierarchical Bayesian Regression for Multi-site Normative Modeling of Neuroimaging Data. Lecture Notes in Computer Science, 2020, , 699-709.	1.0	28
275	Genome-wide association study identifies 16 genomic regions associated with circulating cytokines at birth. PLoS Genetics, 2020, 16, e1009163.	1.5	12
276	Title is missing!. , 2020, 16, e1008612.		0
277	Title is missing!. , 2020, 16, e1008612.		0
278	Title is missing!. , 2020, 16, e1008612.		0
279	Title is missing!. , 2020, 16, e1008612.		0
280	Title is missing!. , 2020, 16, e1008612.		0
281	Title is missing!. , 2020, 16, e1008612.		0
282	Title is missing!. , 2020, 16, e1009163.		0
283	Title is missing!. , 2020, 16, e1009163.		0
284	Title is missing!. , 2020, 16, e1009163.		0
285	Title is missing!. , 2020, 16, e1009163.		0
286	Title is missing!. , 2020, 15, e0233684.		0
287	Title is missing!. , 2020, 15, e0233684.		0
288	Title is missing!. , 2020, 15, e0233684.		0

#	ARTICLE	IF	CITATIONS
289	Title is missing!. , 2020, 15, e0233684.		0
290	Title is missing!. , 2020, 15, e0233684.		0
291	Title is missing!. , 2020, 15, e0233684.		0
292	Title is missing!. , 2020, 15, e0232292.		0
293	Title is missing!. , 2020, 15, e0232292.		0
294	Title is missing!. , 2020, 15, e0232292.		0
295	Title is missing!. , 2020, 15, e0232292.		0
296	GWASinlps: non-local prior based iterative SNP selection tool for genome-wide association studies. <i>Bioinformatics</i> , 2019, 35, 1-11.	1.8	26
297	A global overview of pleiotropy and genetic architecture in complex traits. <i>Nature Genetics</i> , 2019, 51, 1339-1348.	9.4	774
298	Pleiotropic Meta-Analysis of Cognition, Education, and Schizophrenia Differentiates Roles of Early Neurodevelopmental and Adult Synaptic Pathways. <i>American Journal of Human Genetics</i> , 2019, 105, 334-350.	2.6	86
299	Biophysical Psychiatryâ€”How Computational Neuroscience Can Help to Understand the Complex Mechanisms of Mental Disorders. <i>Frontiers in Psychiatry</i> , 2019, 10, 534.	1.3	19
300	Genetic risk for coronary heart disease alters the influence of Alzheimer's genetic risk on mild cognitive impairment. <i>Neurobiology of Aging</i> , 2019, 84, 237.e5-237.e12.	1.5	7
301	Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214.	9.4	641
302	Examining the association between genetic liability for schizophrenia and psychotic symptoms in Alzheimerâ€™s disease. <i>Translational Psychiatry</i> , 2019, 9, 273.	2.4	36
303	Attention-deficit hyperactivity disorder shares copy number variant risk with schizophrenia and autism spectrum disorder. <i>Translational Psychiatry</i> , 2019, 9, 258.	2.4	75
304	Genomewide association study of Parkinson's disease clinical biomarkers in 12 longitudinal patients' cohorts. <i>Movement Disorders</i> , 2019, 34, 1839-1850.	2.2	122
305	Population-based neuroimaging reveals traces of childbirth in the maternal brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 22341-22346.	3.3	95
306	Perceived and experienced stigma in first-episode psychosis: A 1-year follow-up study. <i>Comprehensive Psychiatry</i> , 2019, 95, 152134.	1.5	14

#	ARTICLE	IF	CITATIONS
307	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019, 10, 4558.	5.8	363
308	Computational Modeling of Genetic Contributions to Excitability and Neural Coding in Layer V Pyramidal Cells: Applications to Schizophrenia Pathology. <i>Frontiers in Computational Neuroscience</i> , 2019, 13, 66.	1.2	5
309	Identification of novel risk loci, causal insights, and heritable risk for Parkinson's disease: a meta-analysis of genome-wide association studies. <i>Lancet Neurology</i> , The, 2019, 18, 1091-1102.	4.9	1,414
310	Population-Based Mapping of Polygenic Risk for Schizophrenia on the Human Brain: New Opportunities to Capture the Dimensional Aspects of Severe Mental Disorders. <i>Biological Psychiatry</i> , 2019, 86, 499-501.	0.7	15
311	T8. ATHEROGENIC LIPID RATIOS RELATED TO MYELOPEROXIDASE AND C-REACTIVE PROTEIN LEVELS IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S206.	2.3	3
312	O9.4. ELEVATED HAIR CORTISOL IS ASSOCIATED WITH CHILDHOOD MALTREATMENT AND COGNITION IN SCHIZOPHRENIA AND IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S187-S188.	2.3	0
313	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019, 44, 2285-2293.	2.8	147
314	Pupillary dilation responses as a midlife indicator of risk for Alzheimer's disease: association with Alzheimer's disease polygenic risk. <i>Neurobiology of Aging</i> , 2019, 83, 114-121.	1.5	24
315	O1.6. TELOMERE LENGTH IS ASSOCIATED WITH CHILDHOOD TRAUMA IN PATIENTS WITH SEVERE MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S160-S161.	2.3	0
316	Theory of mind in schizophrenia and bipolar disorder: psychometric properties of the Norwegian version of the Hinting Task. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 454-469.	0.7	9
317	Identification of neurobehavioural symptom groups based on shared brain mechanisms. <i>Nature Human Behaviour</i> , 2019, 3, 1306-1318.	6.2	37
318	Common brain disorders are associated with heritable patterns of apparent aging of the brain. <i>Nature Neuroscience</i> , 2019, 22, 1617-1623.	7.1	358
319	Elevated hair cortisol is associated with childhood maltreatment and cognitive impairment in schizophrenia and in bipolar disorders. <i>Schizophrenia Research</i> , 2019, 213, 65-71.	1.1	70
320	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. <i>Psychological Medicine</i> , 2019, 49, 1749-1757.	2.7	40
321	Cerebellar Gray Matter Volume Is Associated With Cognitive Function and Psychopathology in Adolescence. <i>Biological Psychiatry</i> , 2019, 86, 65-75.	0.7	75
322	Reproducible grey matter patterns index a multivariate, global alteration of brain structure in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2019, 9, 12.	2.4	35
323	Polygenic hazard score, amyloid deposition and Alzheimer's neurodegeneration. <i>Brain</i> , 2019, 142, 460-470.	3.7	63
324	Cross-Sectional and Longitudinal MRI Brain Scans Reveal Accelerated Brain Aging in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2019, 10, 450.	1.1	69

#	ARTICLE	IF	CITATIONS
325	Bivariate causal mixture model quantifies polygenic overlap between complex traits beyond genetic correlation. <i>Nature Communications</i> , 2019, 10, 2417.	5.8	190
326	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
327	A five-year follow-up study of antioxidants, oxidative stress and polyunsaturated fatty acids in schizophrenia. <i>Acta Neuropsychiatrica</i> , 2019, 31, 202-212.	1.0	43
328	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	0.7	67
329	GBA and APOE $\epsilon$ 4 associate with sporadic dementia with Lewy bodies in European genome wide association study. <i>Scientific Reports</i> , 2019, 9, 7013.	1.6	53
330	A preliminary study of cortical morphology in schizophrenia patients with a history of violence. <i>Psychiatry Research - Neuroimaging</i> , 2019, 288, 29-36.	0.9	15
331	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	0.7	43
332	Post-traumatic stress following military deployment: Genetic associations and cross-disorder genetic correlations. <i>Journal of Affective Disorders</i> , 2019, 252, 350-357.	2.0	12
333	Antipsychotic treatment and basal ganglia volumes: Exploring the role of receptor occupancy, dosage and remission status. <i>Schizophrenia Research</i> , 2019, 208, 114-123.	1.1	18
334	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
335	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S255-S256.	2.3	0
336	Telomere length is associated with childhood trauma in patients with severe mental disorders. <i>Translational Psychiatry</i> , 2019, 9, 97.	2.4	41
337	Genetic Overlap Between Alzheimer's Disease and Bipolar Disorder Implicates the MARK2 and VAC14 Genes. <i>Frontiers in Neuroscience</i> , 2019, 13, 220.	1.4	42
338	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	1.5	25
339	Sleep disturbances in schizophrenia spectrum and bipolar disorders – a transdiagnostic perspective. <i>Comprehensive Psychiatry</i> , 2019, 91, 6-12.	1.5	55
340	Mood episodes are associated with increased cortical thinning: A longitudinal study of bipolar disorder type II. <i>Bipolar Disorders</i> , 2019, 21, 525-538.	1.1	12
341	Objectively Assessed Daily Steps – Not Light Intensity Physical Activity, Moderate-to-Vigorous Physical Activity and Sedentary Time – Is Associated With Cardiorespiratory Fitness in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 82.	1.3	7
342	Brain Heterogeneity in Schizophrenia and Its Association With Polygenic Risk. <i>JAMA Psychiatry</i> , 2019, 76, 739.	6.0	195

#	ARTICLE	IF	CITATIONS
343	Roadmap for a precision-medicine initiative in the Nordic region. <i>Nature Genetics</i> , 2019, 51, 924-930.	9.4	22
344	Oxytocin pathway gene networks in the human brain. <i>Nature Communications</i> , 2019, 10, 668.	5.8	200
345	Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019, 51, 431-444.	9.4	1,538
346	A randomized controlled trial of training of affect recognition (TAR) in schizophrenia shows lasting effects for theory of mind. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 611-620.	1.8	11
347	The Association Between Cardiorespiratory Fitness and Cognition Appears Neither Related to Current Physical Activity Nor Mediated by Brain-Derived Neurotrophic Factor in a Sample of Outpatients With Schizophrenia. <i>Frontiers in Psychiatry</i> , 2019, 10, 785.	1.3	4
348	Reduction in N-Desmethylclozapine Level Is Determined by Daily Dose But Not Serum Concentration of Valproic Acid—Indications of a Presystemic Interaction Mechanism. <i>Therapeutic Drug Monitoring</i> , 2019, 41, 503-508.	1.0	16
349	Life satisfaction in Norwegian medical doctors: a 15-year longitudinal study of work-related predictors. <i>BMC Health Services Research</i> , 2019, 19, 729.	0.9	24
350	The emerging pattern of shared polygenic architecture of psychiatric disorders, conceptual and methodological challenges. <i>Psychiatric Genetics</i> , 2019, 29, 152-159.	0.6	26
351	Genetic architecture of subcortical brain structures in 38,851 individuals. <i>Nature Genetics</i> , 2019, 51, 1624-1636.	9.4	192
352	The relationship between physical activity, clinical and cognitive characteristics and BDNF mRNA levels in patients with severe mental disorders. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 567-576.	1.3	15
353	Low-dose intranasal oxytocin delivered with Breath Powered device modulates pupil diameter and amygdala activity: a randomized controlled pupillometry and fMRI study. <i>Neuropsychopharmacology</i> , 2019, 44, 306-313.	2.8	23
354	Discovery of the first genome-wide significant risk loci for attention deficit/hyperactivity disorder. <i>Nature Genetics</i> , 2019, 51, 63-75.	9.4	1,594
355	Dissecting the genetic relationship between cardiovascular risk factors and Alzheimer's disease. <i>Acta Neuropathologica</i> , 2019, 137, 209-226.	3.9	100
356	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	0.7	5
357	Genome-wide meta-analysis identifies new loci and functional pathways influencing Alzheimer's disease risk. <i>Nature Genetics</i> , 2019, 51, 404-413.	9.4	1,625
358	Response: Are thyroid abnormalities only related to antipsychotic treatment in patients with severe mental disorders?. <i>Journal of Psychiatric Research</i> , 2019, 117, 150.	1.5	0
359	Cardio-respiratory fitness is associated with a verbal factor across cognitive domains in schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 157-162.	1.1	3
360	Adipokine levels are associated with insulin resistance in antipsychotics users independently of BMI. <i>Psychoneuroendocrinology</i> , 2019, 103, 87-95.	1.3	20

#	ARTICLE	IF	CITATIONS
361	Analysis of differentially methylated regions in great apes and extinct hominids provides support for the evolutionary hypothesis of schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 209-216.	1.1	1
362	Alterations in Schizophrenia-Associated Genes Can Lead to Increased Power in Delta Oscillations. <i>Cerebral Cortex</i> , 2019, 29, 875-891.	1.6	30
363	Probing Brain Developmental Patterns of Myelination and Associations With Psychopathology in Youths Using Gray/White Matter Contrast. <i>Biological Psychiatry</i> , 2019, 85, 389-398.	0.7	45
364	Healthy Adolescent Performance With Standardized Scoring Tables for the MATRICS Consensus Cognitive Battery: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 773-783.	2.3	18
365	Restriction spectrum imaging of white matter and its relation to neurological disability in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2019, 25, 687-698.	1.4	8
366	Shared Genetic Risk of Schizophrenia and Gray Matter Reduction in 6p22.1. <i>Schizophrenia Bulletin</i> , 2019, 45, 222-232.	2.3	31
367	Use of an Alzheimer's disease polygenic risk score to identify mild cognitive impairment in adults in their 50s. <i>Molecular Psychiatry</i> , 2019, 24, 421-430.	4.1	93
368	Psychiatric genetics and the structure of psychopathology. <i>Molecular Psychiatry</i> , 2019, 24, 409-420.	4.1	281
369	Association between serum lipid levels, osteoprotegerin and depressive symptomatology in psychotic disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 795-802.	1.8	17
370	Prospective cohort study of early biosignatures of response to lithium in bipolar-I-disorders: overview of the H2020-funded R-LiNK initiative. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 20.	0.8	41
371	A genetic risk score to personalize prostate cancer screening, applied to population data.. <i>Journal of Clinical Oncology</i> , 2019, 37, 181-181.	0.8	2
372	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	2.4	94
373	Common schizophrenia alleles are enriched in mutation-intolerant genes and in regions under strong background selection. <i>Nature Genetics</i> , 2018, 50, 381-389.	9.4	1,332
374	Beyond heritability: improving discoverability in imaging genetics. <i>Human Molecular Genetics</i> , 2018, 27, R22-R28.	1.4	19
375	Revisiting Antipsychotic Drug Actions Through Gene Networks Associated With Schizophrenia. <i>American Journal of Psychiatry</i> , 2018, 175, 674-682.	4.0	20
376	T229. ANTIPSYCHOTIC DRUG USE AND THYROID FUNCTION IN PATIENTS WITH SEVERE MENTAL DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S205-S206.	2.3	6
377	CXCR4 involvement in neurodegenerative diseases. <i>Translational Psychiatry</i> , 2018, 8, 73.	2.4	66
378	Selective Genetic Overlap Between Amyotrophic Lateral Sclerosis and Diseases of the Frontotemporal Dementia Spectrum. <i>JAMA Neurology</i> , 2018, 75, 860.	4.5	79



#	ARTICLE	IF	CITATIONS
379	Cortical thickness abnormalities in bipolar disorder patients with a lifetime history of auditory hallucinations. <i>Bipolar Disorders</i> , 2018, 20, 647-657.	1.1	10
380	Genetic Overlap Between Schizophrenia and Volumes of Hippocampus, Putamen, and Intracranial Volume Indicates Shared Molecular Genetic Mechanisms. <i>Schizophrenia Bulletin</i> , 2018, 44, 854-864.	2.3	85
381	How can genetics help understand the relationship between cognitive dysfunction and schizophrenia?. <i>Scandinavian Journal of Psychology</i> , 2018, 59, 26-31.	0.8	9
382	Association of Heritable Cognitive Ability and Psychopathology With White Matter Properties in Children and Adolescents. <i>JAMA Psychiatry</i> , 2018, 75, 287.	6.0	88
383	The Promise of Intranasal Esketamine as a Novel and Effective Antidepressant. <i>JAMA Psychiatry</i> , 2018, 75, 123.	6.0	15
384	Novel Loci Associated With Attention-Deficit/Hyperactivity Disorder Are Revealed by Leveraging Polygenic Overlap With Educational Attainment. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 86-95.	0.3	30
385	Identification of shared genetic variants between schizophrenia and lung cancer. <i>Scientific Reports</i> , 2018, 8, 674.	1.6	33
386	Polygenic hazard score to guide screening for aggressive prostate cancer: development and validation in large scale cohorts. <i>BMJ: British Medical Journal</i> , 2018, 360, j5757.	2.4	153
387	Genetic variation in 117 myelination-related genes in schizophrenia: Replication of association to lipid biosynthesis genes. <i>Scientific Reports</i> , 2018, 8, 6915.	1.6	10
388	Effects of autozygosity and schizophrenia polygenic risk on cognitive and brain developmental trajectories. <i>European Journal of Human Genetics</i> , 2018, 26, 1049-1059.	1.4	10
389	A molecule-based genetic association approach implicates a range of voltage-gated calcium channels associated with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 454-467.	1.1	12
390	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
391	Hippocampus volume reduction in psychosis spectrum could be ameliorated by vitamin D. <i>Schizophrenia Research</i> , 2018, 199, 433-435.	1.1	7
392	Cardiometabolic risk factors, physical activity and psychiatric status in patients in long-term psychiatric inpatient departments. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 296-302.	0.7	48
393	Psychosis: clinical insight and beliefs in immigrants in their first episode. <i>Microbial Biotechnology</i> , 2018, 12, 185-192.	0.9	6
394	Thalamo-cortical functional connectivity in schizophrenia and bipolar disorder. <i>Brain Imaging and Behavior</i> , 2018, 12, 640-652.	1.1	70
395	A stepwise neuron model fitting procedure designed for recordings with high spatial resolution: Application to layer 5 pyramidal cells. <i>Journal of Neuroscience Methods</i> , 2018, 293, 264-283.	1.3	27
396	Psychiatric Genomics: An Update and an Agenda. <i>American Journal of Psychiatry</i> , 2018, 175, 15-27.	4.0	518

#	ARTICLE	IF	CITATIONS
397	Genetic factors influencing prostate cancer risk in Norwegian men. <i>Prostate</i> , 2018, 78, 186-192.	1.2	11
398	Cortical thickness, cortical surface area and subcortical volumes in schizophrenia and bipolar disorder patients with cannabis use. <i>European Neuropsychopharmacology</i> , 2018, 28, 37-47.	0.3	13
399	Polygenic hazard score: an enrichment marker for Alzheimer's associated amyloid and tau deposition. <i>Acta Neuropathologica</i> , 2018, 135, 85-93.	3.9	80
400	Side effect burden of antipsychotic drugs in real life – Impact of gender and polypharmacy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 263-271.	2.5	77
401	Increase in serum HDL level is associated with less negative symptoms after one year of antipsychotic treatment in first-episode psychosis. <i>Schizophrenia Research</i> , 2018, 197, 253-260.	1.1	24
402	Neurocognitive functioning, clinical course and functional outcome in first-treatment bipolar I disorder patients with and without clinical relapse: A 1-year follow-up study. <i>Bipolar Disorders</i> , 2018, 20, 228-237.	1.1	24
403	eHealth provides a novel opportunity to exploit the advantages of the Nordic countries in psychiatric genetic research, building on the public health care system, biobanks, and registries. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 625-629.	1.1	12
404	F22. DYSLIPIDEMIA AND INFLAMMATORY MARKERS IN RELATION TO CLINICAL SYMPTOMATOLOGY IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S227-S227.	2.3	0
405	1503 – Reduced life satisfaction in norwegian medical doctors compared to others: a 15-year longitudinal study on increased importance of work-related factors. , 2018, , .		1
406	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 19.	0.8	10
407	Association between olanzapine treatment and brain cortical thickness and gray/white matter contrast is moderated by cholesterol in psychotic disorders. <i>Psychiatry Research - Neuroimaging</i> , 2018, 282, 55-63.	0.9	11
408	Meta-analysis of Alzheimer's disease on 9,751 samples from Norway and IGAP study identifies four risk loci. <i>Scientific Reports</i> , 2018, 8, 18088.	1.6	47
409	White matter aberrations and age-related trajectories in patients with schizophrenia and bipolar disorder revealed by diffusion tensor imaging. <i>Scientific Reports</i> , 2018, 8, 14129.	1.6	53
410	<i>In Vivo</i> Two-Photon Voltage Imaging with Sulfonated Rhodamine Dyes. <i>ACS Central Science</i> , 2018, 4, 1371-1378.	5.3	41
411	Free thyroxine and thyroid-stimulating hormone in severe mental disorders: A naturalistic study with focus on antipsychotic medication. <i>Journal of Psychiatric Research</i> , 2018, 106, 74-81.	1.5	31
412	Genome-wide association study of 23,500 individuals identifies 7 loci associated with brain ventricular volume. <i>Nature Communications</i> , 2018, 9, 3945.	5.8	31
413	Mapping the Heterogeneous Phenotype of Schizophrenia and Bipolar Disorder Using Normative Models. <i>JAMA Psychiatry</i> , 2018, 75, 1146.	6.0	290
414	Elevated expression of a minor isoform of ANK3 is a risk factor for bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 210.	2.4	24

#	ARTICLE	IF	CITATIONS
415	T3. METACOGNITIVE BELIEFS IN SEVERE MENTAL DISORDERS. Schizophrenia Bulletin, 2018, 44, S113-S114.	2.3	0
416	Using motivational techniques to reduce cardiometabolic risk factors in long term psychiatric inpatients: a naturalistic interventional study. BMC Psychiatry, 2018, 18, 255.	1.1	5
417	S96. CARDIOVASCULAR DISEASE RISK IN PATIENTS WITH SCHIZOPHRENIA AND BIPOLAR DISORDER. Schizophrenia Bulletin, 2018, 44, S362-S362.	2.3	0
418	Cross-tissue eQTL enrichment of associations in schizophrenia. PLoS ONE, 2018, 13, e0202812.	1.1	6
419	Enrichment of genetic markers of recent human evolution in educational and cognitive traits. Scientific Reports, 2018, 8, 12585.	1.6	9
420	Regionally specific TSC1 and TSC2 gene expression in tuberous sclerosis complex. Scientific Reports, 2018, 8, 13373.	1.6	13
421	Longitudinal and cross-sectional investigations of long-term potentiation-like cortical plasticity in bipolar disorder type II and healthy individuals. Translational Psychiatry, 2018, 8, 103.	2.4	28
422	Saliva oxytocin measures do not reflect peripheral plasma concentrations after intranasal oxytocin administration in men. Hormones and Behavior, 2018, 102, 85-92.	1.0	37
423	Study of 300,486 individuals identifies 148 independent genetic loci influencing general cognitive function. Nature Communications, 2018, 9, 2098.	5.8	484
424	Stability of the Brain Functional Connectome Fingerprint in Individuals With Schizophrenia. JAMA Psychiatry, 2018, 75, 749.	6.0	28
425	Deep 2-photon imaging and artifact-free optogenetics through transparent graphene microelectrode arrays. Nature Communications, 2018, 9, 2035.	5.8	143
426	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. Biological Psychiatry, 2018, 84, 644-654.	0.7	627
427	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E5154-E5163.	3.3	299
428	Self-rated disability in first treated episode of psychosis: A 1-year follow-up study. Comprehensive Psychiatry, 2018, 85, 48-54.	1.5	3
429	Evidence for intranasal oxytocin delivery to the brain: recent advances and future perspectives. Therapeutic Delivery, 2018, 9, 515-525.	1.2	68
430	Genome-wide association meta-analysis in 269,867 individuals identifies new genetic and functional links to intelligence. Nature Genetics, 2018, 50, 912-919.	9.4	893
431	Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up. Psychiatry Research, 2018, 267, 140-147.	1.7	13
432	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	6.0	1,085

#	ARTICLE	IF	CITATIONS
433	A correction for sample overlap in genome-wide association studies in a polygenic pleiotropy-informed framework. <i>BMC Genomics</i> , 2018, 19, 494.	1.2	37
434	T24. REDOX REGULATORS AND OXIDATIVE STRESS IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S122-S122.	2.3	2
435	Combining Polygenic Hazard Score With Volumetric MRI and Cognitive Measures Improves Prediction of Progression From Mild Cognitive Impairment to Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2018, 12, 260.	1.4	41
436	Vitamin D, Folate and the Intracranial Volume in Schizophrenia and Bipolar Disorder and Healthy Controls. <i>Scientific Reports</i> , 2018, 8, 10817.	1.6	1
437	Widespread white matter changes in post-H1N1 patients with narcolepsy type 1 and first-degree relatives. <i>Sleep</i> , 2018, 41, .	0.6	21
438	Gjestad <i>et al.</i> reply to "Was 4 $\beta$ -hydroxycholesterol ever going to be a useful marker of CYP3A4 activity?" by Neuhoff and Tucker. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1624-1625.	1.1	3
439	Recently evolved human-specific methylated regions are enriched in schizophrenia signals. <i>BMC Evolutionary Biology</i> , 2018, 18, 63.	3.2	18
440	Expression of TCN1 in Blood is Negatively Associated with Verbal Declarative Memory Performance. <i>Scientific Reports</i> , 2018, 8, 12654.	1.6	14
441	Vitamin D levels, brain volume, and genetic architecture in patients with psychosis. <i>PLoS ONE</i> , 2018, 13, e0200250.	1.1	11
442	Areas of uncertainties and unmet needs in bipolar disorders: clinical and research perspectives. <i>Lancet Psychiatry</i> , 2018, 5, 930-939.	3.7	86
443	Emotion perception, non-social cognition and symptoms as predictors of theory of mind in schizophrenia. <i>Comprehensive Psychiatry</i> , 2018, 85, 1-7.	1.5	32
444	Williams Syndrome neuroanatomical score associates with GTF2IRD1 in large-scale magnetic resonance imaging cohorts: a proof of concept for multivariate endophenotypes. <i>Translational Psychiatry</i> , 2018, 8, 114.	2.4	6
445	Immune-related genetic enrichment in frontotemporal dementia: An analysis of genome-wide association studies. <i>PLoS Medicine</i> , 2018, 15, e1002487.	3.9	111
446	Key Brain Network Nodes Show Differential Cognitive Relevance and Developmental Trajectories during Childhood and Adolescence. <i>ENeuro</i> , 2018, 5, ENEURO.0092-18.2018.	0.9	23
447	Assessing distinct patterns of cognitive aging using tissue-specific brain age prediction based on diffusion tensor imaging and brain morphometry. <i>PeerJ</i> , 2018, 6, e5908.	0.9	90
448	Identification of Gene Loci That Overlap Between Schizophrenia and Educational Attainment. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw085.	2.3	56
449	ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide. <i>NeuroImage</i> , 2017, 145, 389-408.	2.1	173
450	High levels of anomalous self-experience are associated with longer duration of untreated psychosis. <i>Microbial Biotechnology</i> , 2017, 11, 133-138.	0.9	15

#	ARTICLE	IF	CITATIONS
451	Novel genetic loci associated with hippocampal volume. <i>Nature Communications</i> , 2017, 8, 13624.	5.8	250
452	Genetic architecture of sporadic frontotemporal dementia and overlap with Alzheimer's and Parkinson's diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 152-164.	0.9	107
453	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	2.3	47
454	Course of neurocognitive function in first treatment bipolar I disorder: One-year follow-up study. <i>Psychiatry Research</i> , 2017, 249, 286-292.	1.7	16
455	Disrupted global metastability and static and dynamic brain connectivity across individuals in the Alzheimer's disease continuum. <i>Scientific Reports</i> , 2017, 7, 40268.	1.6	94
456	Delayed stabilization and individualization in connectome development are related to psychiatric disorders. <i>Nature Neuroscience</i> , 2017, 20, 513-515.	7.1	197
457	Shared genetic risk between corticobasal degeneration, progressive supranuclear palsy, and frontotemporal dementia. <i>Acta Neuropathologica</i> , 2017, 133, 825-837.	3.9	90
458	Increased sensitivity to age-related differences in brain functional connectivity during continuous multiple object tracking compared to resting-state. <i>NeuroImage</i> , 2017, 148, 364-372.	2.1	19
459	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	4.0	410
460	The correlation between central and peripheral oxytocin concentrations: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 78, 117-124.	2.9	181
461	Early clinical recovery in first-episode psychosis: Symptomatic remission and its correlates at 1-year follow-up. <i>Psychiatry Research</i> , 2017, 254, 118-125.	1.7	27
462	A genetic association study of CSMD1 and CSMD2 with cognitive function. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 209-216.	2.0	49
463	Genome-wide analyses for personality traits identify six genomic loci and show correlations with psychiatric disorders. <i>Nature Genetics</i> , 2017, 49, 152-156.	9.4	350
464	Childhood maltreatment severity is associated with elevated C-reactive protein and body mass index in adults with schizophrenia and bipolar diagnoses. <i>Brain, Behavior, and Immunity</i> , 2017, 65, 342-349.	2.0	67
465	Impairment in emotion perception from body movements in individuals with bipolar I and bipolar II disorder is associated with functional capacity. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 13.	0.8	22
466	Genome-wide Pleiotropy Between Parkinson Disease and Autoimmune Diseases. <i>JAMA Neurology</i> , 2017, 74, 780.	4.5	245
467	Hydroxycholesterol level significantly correlates with steady-state serum concentration of the CYP3A4 substrate quetiapine in psychiatric patients. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2398-2405.	1.1	18
468	Identification of genetic loci shared between schizophrenia and the Big Five personality traits. <i>Scientific Reports</i> , 2017, 7, 2222.	1.6	79

#	ARTICLE	IF	CITATIONS
469	Bromodomain protein 4 discriminates tissue-specific super-enhancers containing disease-specific susceptibility loci in prostate and breast cancer. <i>BMC Genomics</i> , 2017, 18, 270.	1.2	26
470	Dissociable diffusion MRI patterns of white matter microstructure and connectivity in Alzheimer's disease spectrum. <i>Scientific Reports</i> , 2017, 7, 45131.	1.6	43
471	The quality of severe mental disorder diagnoses in a national health registry as compared to research diagnoses based on structured interview. <i>BMC Psychiatry</i> , 2017, 17, 93.	1.1	46
472	Whole-genome sequencing identifies rare genotypes in COMP and CHADL associated with high risk of hip osteoarthritis. <i>Nature Genetics</i> , 2017, 49, 801-805.	9.4	75
473	Task modulations and clinical manifestations in the brain functional connectome in 1615 fMRI datasets. <i>NeuroImage</i> , 2017, 147, 243-252.	2.1	41
474	Oxytocin system dysfunction as a common mechanism underlying metabolic syndrome and psychiatric symptoms in schizophrenia and bipolar disorders. <i>Frontiers in Neuroendocrinology</i> , 2017, 45, 1-10.	2.5	26
475	Reliability of basal plasma vasopressin concentrations in healthy male adults. <i>Acta Neuropsychiatrica</i> , 2017, 29, 315-321.	1.0	7
476	White matter microstructure is associated with functional, cognitive and emotional symptoms 12 months after mild traumatic brain injury. <i>Scientific Reports</i> , 2017, 7, 13795.	1.6	39
477	Correlation Between Serum Concentrations of N-Desmethylclozapine and Granulocyte Levels in Patients with Schizophrenia: A Retrospective Observational Study. <i>CNS Drugs</i> , 2017, 31, 991-997.	2.7	16
478	Identification of Genetic Loci Jointly Influencing Schizophrenia Risk and the Cognitive Traits of Verbal-Numerical Reasoning, Reaction Time, and General Cognitive Function. <i>JAMA Psychiatry</i> , 2017, 74, 1065.	6.0	123
479	Polygenic hazard scores in preclinical Alzheimer disease. <i>Annals of Neurology</i> , 2017, 82, 484-488.	2.8	49
480	Fourteen sequence variants that associate with multiple sclerosis discovered by meta-analysis informed by genetic correlations. <i>Npj Genomic Medicine</i> , 2017, 2, 24.	1.7	16
481	Body language reading of emotion in schizophrenia: Associations with symptoms and functional outcome. <i>Scandinavian Journal of Psychology</i> , 2017, 58, 359-366.	0.8	14
482	Distinct multivariate brain morphological patterns and their added predictive value with cognitive and polygenic risk scores in mental disorders. <i>NeuroImage: Clinical</i> , 2017, 15, 719-731.	1.4	89
483	Large-Scale Cognitive GWAS Meta-Analysis Reveals Tissue-Specific Neural Expression and Potential Nootropic Drug Targets. <i>Cell Reports</i> , 2017, 21, 2597-2613.	2.9	103
484	Leveraging genome characteristics to improve gene discovery for putamen subcortical brain structure. <i>Scientific Reports</i> , 2017, 7, 15736.	1.6	15
485	Ion diffusion may introduce spurious current sources in current-source density (CSD) analysis. <i>Journal of Neurophysiology</i> , 2017, 118, 114-120.	0.9	15
486	Distinguishing early and late brain aging from the Alzheimer's disease spectrum: consistent morphological patterns across independent samples. <i>NeuroImage</i> , 2017, 158, 282-295.	2.1	41



#	ARTICLE	IF	CITATIONS
487	Diabetes and Schizophrenia—New Findings for an Old Puzzle. <i>American Journal of Psychiatry</i> , 2017, 174, 616-617.	4.0	6
488	Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. <i>Brain Imaging and Behavior</i> , 2017, 11, 1497-1514.	1.1	144
489	Genetic Overlap Between Attention-Deficit/Hyperactivity Disorder and Bipolar Disorder: Evidence From Genome-wide Association Study Meta-analysis. <i>Biological Psychiatry</i> , 2017, 82, 634-641.	0.7	99
490	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	2.0	21
491	Genetic evidence for a role of the SREBP transcription system and lipid biosynthesis in schizophrenia and antipsychotic treatment. <i>European Neuropsychopharmacology</i> , 2017, 27, 589-598.	0.3	33
492	Auditory Cortex Characteristics in Schizophrenia: Associations With Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2017, 43, 75-83.	2.3	62
493	Serum levels of second-generation antipsychotics are associated with cognitive function in psychotic disorders. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 471-482.	1.3	18
494	Consistent Functional Connectivity Alterations in Schizophrenia Spectrum Disorder: A Multisite Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 914-924.	2.3	75
495	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
496	Modeling prior information of common genetic variants improves gene discovery for neuroticism. <i>Human Molecular Genetics</i> , 2017, 26, 4530-4539.	1.4	10
497	Analysis of the joint effect of SNPs to identify independent loci and allelic heterogeneity in schizophrenia GWAS data. <i>Translational Psychiatry</i> , 2017, 7, 1289.	2.4	4
498	Pleiotropic effects of schizophrenia-associated genetic variants in neuron firing and cardiac pacemaking revealed by computational modeling. <i>Translational Psychiatry</i> , 2017, 7, 5.	2.4	24
499	Childhood Trauma and Minimization/Denial in People with and without a Severe Mental Disorder. <i>Frontiers in Psychology</i> , 2017, 8, 1276.	1.1	45
500	Biclustered Independent Component Analysis for Complex Biomarker and Subtype Identification from Structural Magnetic Resonance Images in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 179.	1.3	25
501	Parents' Attitudes toward Clinical Genetic Testing for Autism Spectrum Disorder—Data from a Norwegian Sample. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1078.	1.8	28
502	Predicting Outcome 12 Months after Mild Traumatic Brain Injury in Patients Admitted to a Neurosurgery Service. <i>Frontiers in Neurology</i> , 2017, 8, 125.	1.1	25
503	Probing the Association between Early Evolutionary Markers and Schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0169227.	1.1	17
504	Diurnal Variation and Twenty-Four Hour Sleep Deprivation Do Not Alter Supine Heart Rate Variability in Healthy Male Young Adults. <i>PLoS ONE</i> , 2017, 12, e0170921.	1.1	15



#	ARTICLE	IF	CITATIONS
505	Shared genetic risk between migraine and coronary artery disease: A genome-wide analysis of common variants. PLoS ONE, 2017, 12, e0185663.	1.1	44
506	Genetic assessment of age-associated Alzheimer disease risk: Development and validation of a polygenic hazard score. PLoS Medicine, 2017, 14, e1002258.	3.9	311
507	Metacognitive Aspects of Executive Function Are Highly Associated with Social Functioning on Parent-Rated Measures in Children with Autism Spectrum Disorder. Frontiers in Behavioral Neuroscience, 2017, 11, 258.	1.0	59
508	Combinations of genetic variants associated with bipolar disorder. PLoS ONE, 2017, 12, e0189739.	1.1	6
509	Vitamin D Deficiency Associated With Cognitive Functioning in Psychotic Disorders. Journal of Clinical Psychiatry, 2017, 78, e750-e757.	1.1	20
510	Cannabis use in first-treatment bipolar I disorder: relations to clinical characteristics. Microbial Biotechnology, 2016, 10, 36-44.	0.9	22
511	Contribution of oxytocin receptor polymorphisms to amygdala activation in schizophrenia spectrum disorders. BJPsych Open, 2016, 2, 353-358.	0.3	11
512	Estimating Effect Sizes and Expected Replication Probabilities from GWAS Summary Statistics. Frontiers in Genetics, 2016, 7, 15.	1.1	40
513	Random Projection for Fast and Efficient Multivariate Correlation Analysis of High-Dimensional Data: A New Approach. Frontiers in Genetics, 2016, 7, 102.	1.1	5
514	The Association between Anomalous Self-experiences, Self-esteem and Depressive Symptoms in First Episode Schizophrenia. Frontiers in Human Neuroscience, 2016, 10, 557.	1.0	12
515	Cell type specificity of neurovascular coupling in cerebral cortex. ELife, 2016, 5, .	2.8	176
516	Leveraging Genomic Annotations and Pleiotropic Enrichment for Improved Replication Rates in Schizophrenia GWAS. PLoS Genetics, 2016, 12, e1005803.	1.5	34
517	Parents' attitudes toward genetic research in autism spectrum disorder. Psychiatric Genetics, 2016, 26, 74-80.	0.6	13
518	History of psychosis and previous episodes as potential explanatory factors for neurocognitive impairment in first-treatment bipolar I disorder. Bipolar Disorders, 2016, 18, 136-147.	1.1	19
519	A sequence variant associating with educational attainment also affects childhood cognition. Scientific Reports, 2016, 6, 36189.	1.6	2
520	Resting-state high-frequency heart rate variability is related to respiratory frequency in individuals with severe mental illness but not healthy controls. Scientific Reports, 2016, 6, 37212.	1.6	52
521	The impact of oxytocin administration on brain activity: a systematic review and meta-analysis protocol. Systematic Reviews, 2016, 5, 205.	2.5	8
522	Association of Butyrylcholinesterase-K Allele and Apolipoprotein E ε4 Allele with Cognitive Decline in Dementia with Lewy Bodies and Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 50, 567-576.	1.2	15

#	ARTICLE	IF	CITATIONS
523	The role of childhood trauma in bipolar disorders. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 2.	0.8	219
524	Metabolic Abnormalities Related to Treatment With Selective Serotonin Reuptake Inhibitors in Patients With Schizophrenia or Bipolar Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 615-620.	0.7	24
525	Serum concentrations of mood stabilizers are associated with memory, but not other cognitive domains in psychosis spectrum disorders; explorative analyses in a naturalistic setting. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 24.	0.8	7
526	Lipid profiles in schizophrenia associated with clinical traits: a five year follow-up study. <i>BMC Psychiatry</i> , 2016, 16, 299.	1.1	47
527	Increased plasma levels of competing amino acids, rather than lowered plasma tryptophan levels, are associated with a non-response to treatment in major depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 1286-1296.	0.3	15
528	Somatic Comorbidity in Schizophrenia: Some Possible Biological Mechanisms Across the Life Span. <i>Schizophrenia Bulletin</i> , 2016, 42, 1316-1319.	2.3	69
529	Association Between Genetic Traits for Immune-Mediated Diseases and Alzheimer Disease. <i>JAMA Neurology</i> , 2016, 73, 691.	4.5	151
530	The relationship between central and peripheral oxytocin concentrations: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2016, 5, 49.	2.5	22
531	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , 2016, 16, 129.	1.1	61
532	Low dose intranasal oxytocin delivered with Breath Powered device dampens amygdala response to emotional stimuli: A peripheral effect-controlled within-subjects randomized dose-response fMRI trial. <i>Psychoneuroendocrinology</i> , 2016, 69, 180-188.	1.3	90
533	Low vitamin D is associated with negative and depressive symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2016, 178, 44-49.	1.1	29
534	Reduced load-dependent default mode network deactivation across executive tasks in schizophrenia spectrum disorders. <i>NeuroImage: Clinical</i> , 2016, 12, 389-396.	1.4	21
535	Novel genetic loci underlying human intracranial volume identified through genome-wide association. <i>Nature Neuroscience</i> , 2016, 19, 1569-1582.	7.1	213
536	<i>VRK2</i> gene expression in schizophrenia, bipolar disorder and healthy controls. <i>British Journal of Psychiatry</i> , 2016, 209, 114-120.	1.7	17
537	Pleiotropic Analysis of Lung Cancer and Blood Triglycerides. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw167.	3.0	17
538	Age-dependent effects of <i>APOE</i> $\epsilon 4$ in preclinical Alzheimer's disease. <i>Annals of Clinical and Translational Neurology</i> , 2016, 3, 668-677.	1.7	46
539	The roadmap for estimation of cell-type-specific neuronal activity from non-invasive measurements. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150356.	1.8	41
540	Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	1.2	48

#	ARTICLE	IF	CITATIONS
541	Duration of untreated illness in first-treatment bipolar I disorder in relation to clinical outcome and cannabis use. <i>Psychiatry Research</i> , 2016, 246, 762-768.	1.7	17
542	A history of childhood trauma is associated with slower improvement rates: Findings from a one-year follow-up study of patients with a first-episode psychosis. <i>BMC Psychiatry</i> , 2016, 16, 126.	1.1	54
543	Genome-wide association study reveals greater polygenic loading for schizophrenia in cases with a family history of illness. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016, 171, 276-289.	1.1	28
544	Cannabis use is associated with 3 years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N = 1119). <i>Schizophrenia Research</i> , 2016, 170, 217-221.	1.1	47
545	New statistical approaches exploit the polygenic architecture of schizophrenia—implications for the underlying neurobiology. <i>Current Opinion in Neurobiology</i> , 2016, 36, 89-98.	2.0	53
546	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. <i>Journal of Affective Disorders</i> , 2016, 191, 156-163.	2.0	44
547	Evidence for Genetic Overlap Between Schizophrenia and Age at First Birth in Women. <i>JAMA Psychiatry</i> , 2016, 73, 497.	6.0	51
548	Functional Effects of Schizophrenia-Linked Genetic Variants on Intrinsic Single-Neuron Excitability: A Modeling Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2016, 1, 49-59.	1.1	21
549	Genetic influences on schizophrenia and subcortical brain volumes: large-scale proof of concept. <i>Nature Neuroscience</i> , 2016, 19, 420-431.	7.1	204
550	Analysis of five chronic inflammatory diseases identifies 27 new associations and highlights disease-specific patterns at shared loci. <i>Nature Genetics</i> , 2016, 48, 510-518.	9.4	617
551	Genetic overlap between multiple sclerosis and several cardiovascular disease risk factors. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1783-1793.	1.4	25
552	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , 2016, 67, 189-197.	1.3	39
553	Identification of rare high-risk copy number variants affecting the dopamine transporter gene in mental disorders. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 276-279.	0.7	2
554	A Loss-of-Function Variant in a Minor Isoform of ANK3 Protects Against Bipolar Disorder and Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 323-330.	0.7	31
555	The brain functional connectome is robustly altered by lack of sleep. <i>NeuroImage</i> , 2016, 127, 324-332.	2.1	107
556	Genetic Markers of Human Evolution Are Enriched in Schizophrenia. <i>Biological Psychiatry</i> , 2016, 80, 284-292.	0.7	92
557	Identifying Novel Gene Variants in Coronary Artery Disease and Shared Genes With Several Cardiovascular Risk Factors. <i>Circulation Research</i> , 2016, 118, 83-94.	2.0	52
558	Effect of Ionic Diffusion on Extracellular Potentials in Neural Tissue. <i>PLoS Computational Biology</i> , 2016, 12, e1005193.	1.5	58

#	ARTICLE	IF	CITATIONS
559	Conservation of Distinct Genetically-Mediated Human Cortical Pattern. <i>PLoS Genetics</i> , 2016, 12, e1006143.	1.5	15
560	Global brain connectivity alterations in patients with schizophrenia and bipolar spectrum disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2016, 41, 331-341.	1.4	51
561	Negative symptoms in schizophrenia show association with amygdala volumes and neural activation during affective processing. <i>Acta Neuropsychiatrica</i> , 2015, 27, 213-220.	1.0	31
562	Assessing brain structural associations with working memory related brain patterns in schizophrenia and healthy controls using linked independent component analysis. <i>NeuroImage: Clinical</i> , 2015, 9, 253-263.	1.4	16
563	Lithium treatment and hippocampal subfields and amygdala volumes in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 496-506.	1.1	57
564	No difference in frontal cortical activity during an executive functioning task after acute doses of aripiprazole and haloperidol. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 296.	1.0	14
565	An Empirical Bayes Mixture Model for Effect Size Distributions in Genome-Wide Association Studies. <i>PLoS Genetics</i> , 2015, 11, e1005717.	1.5	22
566	Altered Brain Activation during Emotional Face Processing in Relation to Both Diagnosis and Polygenic Risk of Bipolar Disorder. <i>PLoS ONE</i> , 2015, 10, e0134202.	1.1	54
567	Combinations of Genetic Data Present in Bipolar Patients, but Absent in Control Persons. <i>PLoS ONE</i> , 2015, 10, e0143432.	1.1	4
568	Genetic Sharing with Cardiovascular Disease Risk Factors and Diabetes Reveals Novel Bone Mineral Density Loci. <i>PLoS ONE</i> , 2015, 10, e0144531.	1.1	14
569	Association between Genetic Variation in the Oxytocin Receptor Gene and Emotional Withdrawal, but not between Oxytocin Pathway Genes and Diagnosis in Psychotic Disorders. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 9.	1.0	43
570	Polygenic risk scores in bipolar disorder subgroups. <i>Journal of Affective Disorders</i> , 2015, 183, 310-314.	2.0	24
571	Exploring the agreement between questionnaire information and DSM-IV diagnoses of comorbid psychopathology in children with autism spectrum disorders. <i>Autism</i> , 2015, 19, 433-442.	2.4	28
572	Comparison of variants of canonical correlation analysis and partial least squares for combined analysis of MRI and genetic data. <i>NeuroImage</i> , 2015, 107, 289-310.	2.1	54
573	Brain structure characteristics in intellectually superior schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 123-129.	0.9	9
574	Unhelpful metacognitive beliefs in early psychosis are associated with affective symptoms and childhood social adjustment. <i>Schizophrenia Research</i> , 2015, 169, 280-285.	1.1	6
575	Glutamate as a mediating transmitter for auditory hallucinations in schizophrenia: A 1H MRS study. <i>Schizophrenia Research</i> , 2015, 161, 252-260.	1.1	55
576	In Vivo Hippocampal Subfield Volumes in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2015, 77, 581-588.	0.7	161

#	ARTICLE	IF	CITATIONS
577	Theory of mind in schizophrenia: Error types and associations with symptoms. <i>Schizophrenia Research</i> , 2015, 162, 42-46.	1.1	78
578	Attentional load modulates large-scale functional brain connectivity beyond the core attention networks. <i>NeuroImage</i> , 2015, 109, 260-272.	2.1	34
579	Treatment-Resistant Bipolar Depression: A Randomized Controlled Trial of Electroconvulsive Therapy Versus Algorithm-Based Pharmacological Treatment. <i>American Journal of Psychiatry</i> , 2015, 172, 41-51.	4.0	135
580	Common genetic variants influence human subcortical brain structures. <i>Nature</i> , 2015, 520, 224-229.	13.7	772
581	Patterns of Gray Matter Abnormalities in Schizophrenia Based on an International Mega-analysis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1133-1142.	2.3	183
582	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015, 172, 375-380.	2.0	53
583	Large-scale genomics unveil polygenic architecture of human cortical surface area. <i>Nature Communications</i> , 2015, 6, 7549.	5.8	30
584	A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. <i>Psychiatry Research</i> , 2015, 228, 803-807.	1.7	34
585	Brain structure abnormalities in first-episode psychosis patients with persistent apathy. <i>Schizophrenia Research</i> , 2015, 164, 59-64.	1.1	41
586	Ongoing episode of major depressive disorder is not associated with elevated plasma levels of kynurenine pathway markers. <i>Psychoneuroendocrinology</i> , 2015, 56, 12-22.	1.3	45
587	Cognitive Effort and Schizophrenia Modulate Large-Scale Functional Brain Connectivity. <i>Schizophrenia Bulletin</i> , 2015, 41, 1360-1369.	2.3	14
588	The development of insight and its relationship with suicidality over one year follow-up in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2015, 162, 97-102.	1.1	42
589	Loss-of-function variants in ABCA7 confer risk of Alzheimer's disease. <i>Nature Genetics</i> , 2015, 47, 445-447.	9.4	283
590	Genome-wide association study identifies common variants associated with pharmacokinetics of psychotropic drugs. <i>Journal of Psychopharmacology</i> , 2015, 29, 884-891.	2.0	12
591	Negative symptoms in schizophrenia are associated with aberrant striato-cortical connectivity in a rewarded perceptual decision-making task. <i>NeuroImage: Clinical</i> , 2015, 8, 290-297.	1.4	22
592	Disintegration of Sensorimotor Brain Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 1326-1335.	2.3	146
593	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	1.1	85
594	Polygenic Overlap Between C-Reactive Protein, Plasma Lipids, and Alzheimer Disease. <i>Circulation</i> , 2015, 131, 2061-2069.	1.6	145

#	ARTICLE	IF	CITATIONS
595	Serum level of venlafaxine is associated with better memory in psychotic disorders. <i>Schizophrenia Research</i> , 2015, 169, 386-392.	1.1	10
596	MicroRNAs enrichment in GWAS of complex human phenotypes. <i>BMC Genomics</i> , 2015, 16, 304.	1.2	24
597	Effects of haloperidol and aripiprazole on the human mesolimbic motivational system: A pharmacological fMRI study. <i>European Neuropsychopharmacology</i> , 2015, 25, 2252-2261.	0.3	8
598	Effects of ECT in treatment of depression: study protocol for a prospective neuroradiological study of acute and longitudinal effects on brain structure and function. <i>BMC Psychiatry</i> , 2015, 15, 94.	1.1	22
599	Continued cannabis use at one year follow up is associated with elevated mood and lower global functioning in bipolar I disorder. <i>BMC Psychiatry</i> , 2015, 15, 11.	1.1	22
600	Functional connectivity indicates differential roles for the intraparietal sulcus and the superior parietal lobule in multiple object tracking. <i>NeuroImage</i> , 2015, 123, 129-137.	2.1	21
601	New data and an old puzzle: the negative association between schizophrenia and rheumatoid arthritis. <i>International Journal of Epidemiology</i> , 2015, 44, 1706-1721.	0.9	53
602	Population genetic differentiation of height and body mass index across Europe. <i>Nature Genetics</i> , 2015, 47, 1357-1362.	9.4	227
603	To the editors. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 497.	0.9	0
604	Vitamin D status in psychotic disorder patients and healthy controls – The influence of ethnic background. <i>Psychiatry Research</i> , 2015, 230, 616-621.	1.7	19
605	Stability of executive functions in first episode psychosis: One year follow up study. <i>Psychiatry Research</i> , 2015, 228, 475-481.	1.7	14
606	Investigation of the genetic interaction between <i>BDNF</i> and <i>DRD3</i> genes in suicidal behaviour in psychiatric disorders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 171-179.	1.3	14
607	Anomalous self-experience and childhood trauma in first-episode schizophrenia. <i>Comprehensive Psychiatry</i> , 2015, 56, 35-41.	1.5	43
608	Polygenic Risk for Schizophrenia Associated With Working Memory-related Prefrontal Brain Activation in Patients With Schizophrenia and Healthy Controls. <i>Schizophrenia Bulletin</i> , 2015, 41, 736-743.	2.3	62
609	Association between altered brain morphology and elevated peripheral endothelial markers – Implications for psychotic disorders. <i>Schizophrenia Research</i> , 2015, 161, 222-228.	1.1	23
610	Genome-Wide Analysis of Attention Deficit Hyperactivity Disorder in Norway. <i>PLoS ONE</i> , 2015, 10, e0122501.	1.1	71
611	Abundant Genetic Overlap between Blood Lipids and Immune-Mediated Diseases Indicates Shared Molecular Genetic Mechanisms. <i>PLoS ONE</i> , 2015, 10, e0123057.	1.1	40
612	Microarray Analysis of Copy Number Variants on the Human Y Chromosome Reveals Novel and Frequent Duplications Overrepresented in Specific Haplogroups. <i>PLoS ONE</i> , 2015, 10, e0137223.	1.1	17

#	ARTICLE	IF	CITATIONS
613	Cigarette smoking is associated with thinner cingulate and insular cortices in patients with severe mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 241-249.	1.4	23
614	Increased Amygdala and Visual Cortex Activity and Functional Connectivity towards Stimulus Novelty Is Associated with State Anxiety. <i>PLoS ONE</i> , 2014, 9, e96146.	1.1	30
615	Shared common variants in prostate cancer and blood lipids. <i>International Journal of Epidemiology</i> , 2014, 43, 1205-1214.	0.9	45
616	The Role of Clusterin in Amyloid- $\beta$ -Associated Neurodegeneration. <i>JAMA Neurology</i> , 2014, 71, 180.	4.5	66
617	Increased Mortality in Schizophrenia Due to Cardiovascular Disease – A Non-Systematic Review of Epidemiology, Possible Causes, and Interventions. <i>Frontiers in Psychiatry</i> , 2014, 5, 137.	1.3	247
618	The left inferior frontal gyrus is involved in adjusting response bias during a perceptual decision-making task. <i>Brain and Behavior</i> , 2014, 4, 398-407.	1.0	22
619	Neurocognitive Decrements are Present in Intellectually Superior Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 45.	1.3	21
620	Affective lability in patients with bipolar disorders is associated with high levels of childhood trauma. <i>Psychiatry Research</i> , 2014, 218, 252-255.	1.7	50
621	Altered systemic cortisol metabolism in bipolar disorder and schizophrenia spectrum disorders. <i>Journal of Psychiatric Research</i> , 2014, 52, 57-62.	1.5	36
622	Environmental factors during adolescence associated with later development of psychotic disorders – A nested case-control study. <i>Psychiatry Research</i> , 2014, 215, 579-585.	1.7	20
623	Boosting the Power of Schizophrenia Genetics by Leveraging New Statistical Tools. <i>Schizophrenia Bulletin</i> , 2014, 40, 13-17.	2.3	84
624	Identifying Common Genetic Variants in Blood Pressure Due to Polygenic Pleiotropy With Associated Phenotypes. <i>Hypertension</i> , 2014, 63, 819-826.	1.3	83
625	The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. <i>Brain Imaging and Behavior</i> , 2014, 8, 153-182.	1.1	696
626	Covariate-modulated local false discovery rate for genome-wide association studies. <i>Bioinformatics</i> , 2014, 30, 2098-2104.	1.8	46
627	Interplay between childhood trauma and BDNF val66met variants on blood BDNF mRNA levels and on hippocampus subfields volumes in schizophrenia spectrum and bipolar disorders. <i>Journal of Psychiatric Research</i> , 2014, 59, 14-21.	1.5	97
628	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 1017-1024.	4.1	333
629	The human amygdala encodes value and space during decision making. <i>NeuroImage</i> , 2014, 101, 712-719.	2.1	21
630	Anomalous self-experiences contribute independently to social dysfunction in the early phases of schizophrenia and psychotic bipolar disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 475-482.	1.5	45



#	ARTICLE	IF	CITATIONS
631	One year follow-up of alcohol and illicit substance use in first-episode psychosis: Does gender matter?. <i>Comprehensive Psychiatry</i> , 2014, 55, 274-282.	1.5	34
632	<i>ANKK1</i> gene expression in bipolar disorder and schizophrenia. <i>British Journal of Psychiatry</i> , 2014, 205, 244-245.	1.7	32
633	Reduced brain cortical folding in schizophrenia revealed in two independent samples. <i>Schizophrenia Research</i> , 2014, 152, 333-338.	1.1	65
634	The plasma levels of various cytokines are increased during ongoing depression and are reduced to normal levels after recovery. <i>Psychoneuroendocrinology</i> , 2014, 45, 77-86.	1.3	306
635	Indications of a dose-response relationship between cannabis use and age at onset in bipolar disorder. <i>Psychiatry Research</i> , 2014, 215, 101-104.	1.7	43
636	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2014, 163, 110-114.	2.0	28
637	The Effect of Electroconvulsive Therapy on Neurocognitive Function in Treatment-Resistant Bipolar Disorder Depression. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e1306-e1313.	1.1	49
638	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2.	0.8	17
639	Social dysfunction in first-episode psychosis and relations to neurocognition, duration of untreated psychosis and clinical symptoms. <i>Psychiatry Research</i> , 2013, 207, 33-39.	1.7	24
640	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013, 45, 984-994.	9.4	2,067
641	Variant of <i>TREM2</i> Associated with the Risk of Alzheimer's Disease. <i>New England Journal of Medicine</i> , 2013, 368, 107-116.	13.9	2,085
642	Interleukin 1 receptor antagonist and soluble tumor necrosis factor receptor 1 are associated with general severity and psychotic symptoms in schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 145, 36-42.	1.1	118
643	The neural correlates of cognitive control in bipolar I disorder: An fMRI study of medial frontal cortex activation during a Go/No-go task. <i>Neuroscience Letters</i> , 2013, 549, 51-56.	1.0	15
644	Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.	1.7	52
645	Cannabis use and premorbid functioning as predictors of poorer neurocognition in schizophrenia spectrum disorder. <i>Schizophrenia Research</i> , 2013, 143, 84-89.	1.1	19
646	Social functioning in first contact mania: Clinical and neurocognitive correlates. <i>Comprehensive Psychiatry</i> , 2013, 54, 432-438.	1.5	9
647	Improved Detection of Common Variants Associated with Schizophrenia by Leveraging Pleiotropy with Cardiovascular-Disease Risk Factors. <i>American Journal of Human Genetics</i> , 2013, 92, 197-209.	2.6	422
648	A Comprehensive Family-Based Replication Study of Schizophrenia Genes. <i>JAMA Psychiatry</i> , 2013, 70, 573.	6.0	138

#	ARTICLE	IF	CITATIONS
649	Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. <i>Nature Genetics</i> , 2013, 45, 670-675.	9.4	339
650	All SNPs Are Not Created Equal: Genome-Wide Association Studies Reveal a Consistent Pattern of Enrichment among Functionally Annotated SNPs. <i>PLoS Genetics</i> , 2013, 9, e1003449.	1.5	268
651	Improved Detection of Common Variants Associated with Schizophrenia and Bipolar Disorder Using Pleiotropy-Informed Conditional False Discovery Rate. <i>PLoS Genetics</i> , 2013, 9, e1003455.	1.5	298
652	Would Kraepelin reconsider the distinction between schizophrenia and bipolar disorder if he had access to recent molecular genetics evidence?. <i>Acta Neuropsychiatrica</i> , 2013, 25, 309-310.	1.0	0
653	Is there an optimal factor structure of the Positive and Negative Syndrome Scale in patients with first-episode psychosis?. <i>Scandinavian Journal of Psychology</i> , 2013, 54, 160-165.	0.8	51
654	A Genetic Deconstruction of Neurocognitive Traits in Schizophrenia and Bipolar Disorder. <i>PLoS ONE</i> , 2013, 8, e81052.	1.1	20
655	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 991-998.	1.1	175
656	Genetic Clustering on the Hippocampal Surface for Genome-Wide Association Studies. <i>Lecture Notes in Computer Science</i> , 2013, 16, 690-697.	1.0	7
657	Associations Between Variants Near a Monoaminergic Pathways Gene (PHOX2B) and Amygdala Reactivity: A Genome-Wide Functional Imaging Study. <i>Twin Research and Human Genetics</i> , 2012, 15, 273-285.	0.3	23
658	Up-Regulation of <i>NOTCH4</i> Gene Expression in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2012, 169, 1292-1300.	4.0	44
659	Association of common genetic variants in GPCPD1 with scaling of visual cortical surface area in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3985-3990.	3.3	50
660	Object relations and reality testing in schizophrenia, bipolar disorders, and healthy controls: differences in profiles and clinical correlates. <i>Comprehensive Psychiatry</i> , 2012, 53, 1200-1207.	1.5	6
661	An association between affective lability and executive functioning in bipolar disorder. <i>Psychiatry Research</i> , 2012, 198, 58-61.	1.7	34
662	Identification of common variants associated with human hippocampal and intracranial volumes. <i>Nature Genetics</i> , 2012, 44, 552-561.	9.4	594
663	Evidence for Impaired Neocortical Synaptic Plasticity in Bipolar II Disorder. <i>Biological Psychiatry</i> , 2012, 71, 68-74.	0.7	45
664	Cortical Volume, Surface Area, and Thickness in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 71, 552-560.	0.7	290
665	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. <i>Biological Psychiatry</i> , 2012, 72, 645-650.	0.7	15
666	Effect of relevance on amygdala activation and association with the ventral striatum. <i>NeuroImage</i> , 2012, 62, 95-101.	2.1	35

#	ARTICLE	IF	CITATIONS
667	Cardiovascular risk factors during second generation antipsychotic treatment are associated with increased C-reactive protein. <i>Schizophrenia Research</i> , 2012, 140, 169-174.	1.1	38
668	A mutation in APP protects against Alzheimer's disease and age-related cognitive decline. <i>Nature</i> , 2012, 488, 96-99.	13.7	1,442
669	Efficacy of pharmacotherapy in bipolar disorder: a report by the WPA section on pharmacopsychiatry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 1-48.	1.8	113
670	Linkage-Disequilibrium-Based Binning Affects the Interpretation of GWASs. <i>American Journal of Human Genetics</i> , 2012, 90, 727-733.	2.6	44
671	Neurocognitive functioning in patients recently diagnosed with bipolar disorder. <i>Bipolar Disorders</i> , 2012, 14, 227-238.	1.1	76
672	Common variants at VRK2 and TCF4 conferring risk of schizophrenia. <i>Human Molecular Genetics</i> , 2011, 20, 4076-4081.	1.4	193
673	At-Risk Variant in TCF7L2 for Type II Diabetes Increases Risk of Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 59-63.	0.7	114
674	Sex differences in neuropsychological performance and social functioning in schizophrenia and bipolar disorder. <i>Neuropsychology</i> , 2011, 25, 499-510.	1.0	86
675	Identification of low-frequency variants associated with gout and serum uric acid levels. <i>Nature Genetics</i> , 2011, 43, 1127-1130.	9.4	134
676	Subcortical brain volumes relate to neurocognition in schizophrenia and bipolar disorder and healthy controls. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1122-1130.	2.5	70
677	The Genetic Structure of the Swedish Population. <i>PLoS ONE</i> , 2011, 6, e22547.	1.1	67
678	Acta Neuropsychiatrica and Scandinavian College of Neuropsychopharmacology (SCNP). <i>Acta Neuropsychiatrica</i> , 2011, 23, 199-200.	1.0	2
679	Affective symptoms are associated with markers of inflammation and immune activation in bipolar disorders but not in schizophrenia. <i>Journal of Psychiatric Research</i> , 2011, 45, 1608-1616.	1.5	146
680	Prefrontal hyperactivation during a working memory task in early-onset schizophrenia spectrum disorders: An fMRI study. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 257-262.	0.9	24
681	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. <i>Journal of Affective Disorders</i> , 2011, 129, 68-74.	2.0	52
682	The load of short telomeres is increased and associated with lifetime number of depressive episodes in bipolar II disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 43-50.	2.0	111
683	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	2.6	257
684	Excessive cannabis use is associated with earlier age at onset in bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 397-405.	1.8	66

#	ARTICLE	IF	CITATIONS
685	Maternally Derived Microduplications at 15q11-q13: Implication of Imprinted Genes in Psychotic Illness. <i>American Journal of Psychiatry</i> , 2011, 168, 408-417.	4.0	95
686	Neurocognitive Dysfunction in Bipolar and Schizophrenia Spectrum Disorders Depends on History of Psychosis Rather Than Diagnostic Group. <i>Schizophrenia Bulletin</i> , 2011, 37, 73-83.	2.3	253
687	Treatment Delay and Excessive Substance Use in Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 628-633.	0.5	21
688	Depression and Depressive Symptoms in First Episode Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 67-71.	0.5	70
689	Gene variants associated with schizophrenia in a Norwegian genome-wide study are replicated in a large European cohort. <i>Journal of Psychiatric Research</i> , 2010, 44, 748-753.	1.5	183
690	Age at onset of bipolar disorder in a Norwegian catchment area sample. <i>Journal of Affective Disorders</i> , 2010, 124, 174-177.	2.0	24
691	The tryptophan hydroxylase 1 ( <i>TPH1</i> ) gene, schizophrenia susceptibility, and suicidal behavior: A multi-centre case-control study and meta-analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 387-396.	1.1	45
692	Association between methylenetetrahydrofolate reductase ( <i>MTHFR</i> ) C677T polymorphism and age of onset in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 610-618.	1.1	32
693	Association analysis of <i>PALB2</i> and <i>BRCA2</i> in bipolar disorder and schizophrenia in a scandinavian case-control sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1276-1282.	1.1	20
694	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , 2010, 10, 16.	1.1	23
695	Excessive substance use in bipolar disorder is associated with impaired functioning rather than clinical characteristics, a descriptive study. <i>BMC Psychiatry</i> , 2010, 10, 9.	1.1	60
696	Validation of the Norwegian version of the Social Functioning Scale (SFS) for schizophrenia and bipolar disorder. <i>Scandinavian Journal of Psychology</i> , 2010, 51, 525-533.	0.8	43
697	Sex-dependent association of common variants of microcephaly genes with brain structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 384-388.	3.3	118
698	Medication Adherence in Outpatients With Severe Mental Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 169-175.	0.7	97
699	Psychosocial function in schizophrenia and bipolar disorder: Relationship to neurocognition and clinical symptoms. <i>Journal of the International Neuropsychological Society</i> , 2010, 16, 771-783.	1.2	60
700	Cortical Thickness and Subcortical Volumes in Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2010, 68, 41-50.	0.7	406
701	Catechol O-methyltransferase variants and cognitive performance in schizophrenia and bipolar disorder versus controls. <i>Schizophrenia Research</i> , 2010, 122, 31-37.	1.1	47
702	SRD5A2 is associated with increased cortisol metabolism in schizophrenia spectrum disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1500-1506.	2.5	19

#	ARTICLE	IF	CITATIONS
703	The validity of <i>d</i> prime as a working memory index: Results from the "Bergen <i>n</i> -back task"; Journal of Clinical and Experimental Neuropsychology, 2010, 32, 871-880.	0.8	220
704	Osteoprotegerin levels in patients with severe mental disorders. Journal of Psychiatry and Neuroscience, 2010, 35, 304-310.	1.4	21
705	The Impact of Divergence Time on the Nature of Population Structure: An Example from Iceland. PLoS Genetics, 2009, 5, e1000505.	1.5	90
706	A common MECP2 haplotype associates with reduced cortical surface area in humans in two independent populations. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 15483-15488.	3.3	108
707	Disruption of the neurexin 1 gene is associated with schizophrenia. Human Molecular Genetics, 2009, 18, 988-996.	1.4	424
708	Common variants conferring risk of schizophrenia. Nature, 2009, 460, 744-747.	13.7	1,572
709	No altered dorsal anterior cingulate activation in bipolar II disorder patients during a Go/No-go task: an fMRI study. Bipolar Disorders, 2009, 11, 270-279.	1.1	24
710	Similar immune profile in bipolar disorder and schizophrenia: selective increase in soluble tumor necrosis factor receptor I and von Willebrand factor. Bipolar Disorders, 2009, 11, 726-734.	1.1	129
711	No association between DGKH and bipolar disorder in a Scandinavian case-control sample. Psychiatric Genetics, 2009, 19, 269-272.	0.6	18
712	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. British Journal of Psychiatry, 2009, 194, 559-560.	1.7	41
713	Large recurrent microdeletions associated with schizophrenia. Nature, 2008, 455, 232-236.	13.7	1,619
714	Neurocognitive profiles in bipolar I and bipolar II disorder: differences in pattern and magnitude of dysfunction. Bipolar Disorders, 2008, 10, 245-255.	1.1	146
715	The Level of Cardiovascular Risk Factors in Bipolar Disorder Equals That of Schizophrenia. Journal of Clinical Psychiatry, 2007, 68, 917-923.	1.1	164
716	Memantine attenuates the increase in striatal preproenkephalin mRNA expression and development of haloperidol-induced persistent oral dyskinesias in rats. Brain Research, 2003, 994, 188-192.	1.1	9
717	Huntington's Disease of the Endocrine Pancreas: Insulin Deficiency and Diabetes Mellitus due to Impaired Insulin Gene Expression. Neurobiology of Disease, 2002, 11, 410-424.	2.1	114
718	Therapeutic Effects of Coenzyme Q <sub>10</sub> and Remacemide in Transgenic Mouse Models of Huntington's Disease. Journal of Neuroscience, 2002, 22, 1592-1599.	1.7	380
719	Creatine Increases Survival and Delays Motor Symptoms in a Transgenic Animal Model of Huntington's Disease. Neurobiology of Disease, 2001, 8, 479-491.	2.1	270
720	Dichloroacetate exerts therapeutic effects in transgenic mouse models of Huntington's disease. Annals of Neurology, 2001, 50, 112-116.	2.8	79

#	ARTICLE	IF	CITATIONS
721	Partial deficiency of manganese superoxide dismutase exacerbates a transgenic mouse model of amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2000, 47, 447-455.	2.8	69
722	Estimation of the number of somatostatin neurons in the striatum: An in situ hybridization study using the optical fractionator method. <i>Journal of Comparative Neurology</i> , 1996, 370, 11-22.	0.9	3
723	Sex as a Moderator Between Parent Ratings of Executive Dysfunction and Social Difficulties in Children and Adolescents with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 0, , .	1.7	1