

# Andrea Alparone

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4536627/publications.pdf>

Version: 2024-02-01

68  
papers

1,166  
citations

361413

20  
h-index

454955

30  
g-index

70  
all docs

70  
docs citations

70  
times ranked

1125  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anharmonic Spectroscopic Investigation of Tellurophene and Its Perdeuterated Isotopomer: Application of Second-Order Perturbation Theory. <i>Journal of Quantum Chemistry</i> , 2014, 2014, 1-8.	0.9	0
2	Vibrational and Electronic Spectra of Silole: A Theoretical PT2-DFT Anharmonic and TD-DFT Study. <i>Journal of Applied Spectroscopy</i> , 2014, 81, 320-327.	0.7	2
3	Anharmonic IR and Raman spectra and electronic and vibrational (hyper)polarizabilities of barbituric, 2-thiobarbituric and 2-selenobarbituric acids. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 117, 669-678.	3.9	5
4	Theoretical study on the static and dynamic first-order hyperpolarisabilities of adenine tautomers. <i>Molecular Physics</i> , 2014, 112, 1755-1760.	1.7	5
5	Second harmonic generation and electro-optical Pockels effect of 1- and 3-nitro-6-azabenzopyrene N-oxide isomers: A Hartree-Fock and Coulomb-attenuating density functional theory investigation. <i>Journal of Chemical Sciences</i> , 2014, 126, 701-710.	1.5	2
6	Structural, torsional, vibrational and response electric properties of 2,2'-bitellurophene rotamers. An ab initio and density functional theory investigation. <i>Structural Chemistry</i> , 2014, 25, 959-968.	2.0	4
7	Electron correlation effects and density analysis of the first-order hyperpolarizability of neutral guanine tautomers. <i>Journal of Molecular Modeling</i> , 2013, 19, 3095-3102.	1.8	8
8	Prediction of mutagenic activity of nitrophenanthrene and nitroanthracene isomers by simulated IR and Raman spectra. <i>Chemosphere</i> , 2013, 90, 158-163.	8.2	12
9	Response electric properties of $\beta$ -helix polyglycines: A CAM-B3LYP DFT investigation. <i>Chemical Physics Letters</i> , 2013, 563, 88-92.	2.6	44
10	Nonlinear optical properties of fluorobenzenes: A Time-Dependent Hartree-Fock study. <i>Computational and Theoretical Chemistry</i> , 2013, 1013, 23-24.	2.5	7
11	Linear and nonlinear optical properties of nucleic acid bases. <i>Chemical Physics</i> , 2013, 410, 90-98.	1.9	72
12	Evolution of Electric Dipole (Hyper)polarizabilities of $\beta$ -Strand Polyglycine Single Chains: An ab Initio and DFT Theoretical Study. <i>Journal of Physical Chemistry A</i> , 2013, 117, 5184-5194.	2.5	12
13	The effect of secondary structures on the NLO properties of single chain oligopeptides: a comparison between $\beta$ -strand and $\beta$ -helix polyglycines. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 12958.	2.8	12
14	Infrared and Raman Spectra of and Isotopomers: A DFT-PT2 Anharmonic Study. <i>Journal of Chemistry</i> , 2013, 2013, 1-8.	1.9	1
15	Second Harmonic Generation, Electrooptical Pockels Effect, and Static First-Order Hyperpolarizabilities of 2,2'-Bithiophene Conformers: An HF, MP2, and DFT Theoretical Investigation. <i>Advances in Physical Chemistry</i> , 2013, 2013, 1-8.	2.0	12
16	Solvation Effects on the Static and Dynamic First-Order Electronic and Vibrational Hyperpolarizabilities of Uracil: A Polarized Continuum Model Investigation. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7.	2.1	2
17	A Quantum Chemical Study on Structures and Electronic (Hyper)polarizabilities of 2,2'-Biselenophene Rotamers. , 2013, 2013, 1-5.		2
18	Static and Dynamic Electronic (Hyper)polarizabilities of Dimethylnaphthalene Isomers: Characterization of Spatial Contributions by Density Analysis. <i>Scientific World Journal</i> , The, 2013, 2013, 1-9.	2.1	12

#	ARTICLE	IF	CITATIONS
19	The PAH and Nitro-PAH Concentration Profiles in Size-Segregated Urban Particulate Matter and Soil in Traffic-Related Sites in Catania, Italy. <i>Polycyclic Aromatic Compounds</i> , 2012, 32, 439-456.	2.6	16
20	DFT calculation of geometrical structure and electronic absorption spectra for neutral, mono-, and diprotonated forms of Risperidone (Risperdal). <i>Journal of Applied Spectroscopy</i> , 2012, 79, 535-539.	0.7	1
21	Density functional theory Raman spectra of cyclic selenium clusters $Sen$ ( $n=5-12$ ). <i>Computational and Theoretical Chemistry</i> , 2012, 988, 81-85.	2.5	20
22	Comment on: "FT-IR, FT-Raman and UV spectral investigation; computed frequency estimation analysis and electronic structure calculations on 1-nitronaphthalene" by M. Govindarajan and M. Karabacak [ <i>Spectrochim. Acta A</i> 85 (2012) 251-260]. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 98, 479-480.	3.9	2
23	Dipole (hyper)polarizabilities of fluorinated benzenes: An ab initio investigation. <i>Journal of Fluorine Chemistry</i> , 2012, 144, 94-101.	1.7	20
24	Raman DFT study of dimethylnaphthalenes: isomer identification and prediction of biodegradation rate coefficients. <i>Structural Chemistry</i> , 2012, 23, 1467-1474.	2.0	11
25	Structural, energetic and response electric properties of cyclic selenium clusters: an ab initio and density functional theory study. <i>Theoretical Chemistry Accounts</i> , 2012, 131, 1.	1.4	16
26	Physicochemical characterization of environmental mutagens: 3-nitro-6-azabenz[a]pyrene and its N-oxide derivative. <i>Monatshefte für Chemie</i> , 2012, 143, 1123-1132.	1.8	7
27	IR and Raman spectra of nitroanthracene isomers: Substitutional effects based on density functional theory study. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 89, 129-136.	3.9	12
28	Ionization energy and electron affinity of oligoglycines: a CAM-B3LYP density functional theory study. <i>Monatshefte für Chemie</i> , 2012, 143, 513-517.	1.8	8
29	Theoretical study of the electronic (hyper)polarizabilities of amino acids in gaseous and aqueous phases. <i>Computational and Theoretical Chemistry</i> , 2011, 976, 188-190.	2.5	13
30	Spectroscopic properties of neuroleptics: IR and Raman spectra of Risperidone (Risperdal) and of its mono- and di-protonated forms. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2011, 81, 631-639.	3.9	11
31	Comparative study of CCSD(T) and DFT methods: Electronic (hyper)polarizabilities of glycine. <i>Chemical Physics Letters</i> , 2011, 514, 21-25.	2.6	37
32	Electronic properties of neuroleptics: ionization energies of benzodiazepines. <i>Journal of Molecular Modeling</i> , 2011, 17, 281-287.	1.8	27
33	Computational note on the structure and vibrational spectra of organic micropollutants: 1-Ethynaphthalene and 2-ethynaphthalene. <i>Computational and Theoretical Chemistry</i> , 2011, 965, 244-245.	2.5	2
34	Physicochemical characterization of neuroleptics. Relative stability of 7- and 9-hydroxyrisperidones and their protonated forms in gas phase and in solution. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1367-1373.	5.5	2
35	Computational note on IR and Raman spectra of neutral and protonated forms of Aripiprazole (Abilify) and its metabolite Dehydroaripiprazole. <i>Computational and Theoretical Chemistry</i> , 2010, 955, 178-179.	1.5	3
36	Computational note on the IR spectra of 7- and 9-hydroxyrisperidone isomers. <i>Computational and Theoretical Chemistry</i> , 2009, 911, 144.	1.5	2

#	ARTICLE	IF	CITATIONS
37	Electronic dipole polarizabilities of polychlorinated dibenzofurans and semiempirical PM6 level performance. Computational and Theoretical Chemistry, 2009, 894, 128.	1.5	10
38	The role of electronic properties to the mutagenic activity of 1,6- and 3,6-dinitrobenzo[a]pyrene isomers. Journal of Hazardous Materials, 2009, 161, 1338-1346.	12.4	18
39	Computational study on dipole moment, polarizability and second hyperpolarizability of nitronaphthalenes. Computational and Theoretical Chemistry, 2008, 856, 105-111.	1.5	20
40	Electronic properties of some nitrobenzo[a]pyrene isomers: a possible relationship to mutagenic activity. Journal of Molecular Modeling, 2008, 14, 489-497.	1.8	16
41	Prediction of mutagenic activity of nitronaphthalene isomers by infrared and Raman spectroscopy. Journal of Hazardous Materials, 2008, 154, 1158-1165.	12.4	20
42	Validation of semiempirical PM6 method for the prediction of molecular properties of polycyclic aromatic hydrocarbons and fullerenes. Chemical Physics Letters, 2008, 460, 151-154.	2.6	33
43	Electronic and vibrational polarizabilities of the twenty naturally occurring amino acids. Biophysical Chemistry, 2008, 132, 139-147.	2.8	44
44	Computational analyses of virtual proteolytic fragments generated by naphthalene 1,2-dioxygenase. In search of native-like conformation and function. Molecular Simulation, 2007, 33, 231-237.	2.0	1
45	STRUCTURE, VIBRATIONAL PROPERTIES AND POLARIZABILITIES OF METHYLNAPHTHALENE ISOMERS. A QUANTUM-MECHANICAL APPROACH. Polycyclic Aromatic Compounds, 2007, 27, 65-94.	2.6	19
46	Electronic Polarizability as a Predictor of Biodegradation Rates of Dimethylnaphthalenes. An Ab Initio and Density Functional Theory Study. Environmental Science & Technology, 2007, 41, 1646-1652.	10.0	34
47	Computational note on anharmonic infrared spectrum of naphthalene. Computational and Theoretical Chemistry, 2007, 847, 23-24.	1.5	8
48	Theoretical Investigation of the (Hyper)polarizabilities of Pyrrole Homologues C <sub>4</sub> H <sub>4</sub> XH (X = N, P, As). Journal of Computational Chemistry, 2006, 27, 5909-5918.	2.5	38
49	Ab initio and DFT anharmonic spectroscopic investigation of 1,3-cyclopentadiene. Chemical Physics, 2006, 327, 127-136.	1.9	13
50	A systematic study of the linear and non-linear optical properties of small molecules and clusters. , 2006, , 294-307.		0
51	Non-planarity and solvent effects on structural and polarizability properties of cytosine tautomers. Chemical Physics, 2005, 312, 261-274.	1.9	24
52	Electronic dipole polarizability and hyperpolarizability of formic acid. Chemical Physics Letters, 2005, 409, 288-294.	2.6	22
53	Gas and solution phase electronic and vibrational (hyper)polarizabilities in the series formaldehyde, formamide and urea: CCSD(T) and DFT theoretical study. Chemical Physics Letters, 2005, 416, 282-288.	2.6	19
54	Theoretical investigation of the dipole polarisability and second hyperpolarisability of cyclopentadiene homologues C <sub>4</sub> H <sub>4</sub> XH <sub>2</sub> (X=C, Si, Ge, Sn). Chemical Physics, 2004, 298, 75-86.	1.9	13

#	ARTICLE	IF	CITATIONS
55	Tautomerism and polarizability in uracil: coupled cluster and density-functional theory study. <i>Chemical Physics</i> , 2004, 303, 27-36.	1.9	48
56	Vibrational properties and first hyperpolarizability of cyclopentadiene homologues C <sub>4</sub> H <sub>4</sub> XH <sub>2</sub> (X=C, Si). <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	1.5	11
57	Anharmonic vibrational spectroscopic investigation of malonaldehyde. <i>Chemical Physics</i> , 2003, 290, 15-25.	1.9	39
58	Ab Initio Study of the Structure and Polarizability of Sulfur Clusters, Sn(n= 2 <sup>â</sup> 12). <i>Journal of Physical Chemistry A</i> , 2001, 105, 9489-9497.	2.5	59
59	Conformational properties of thiophene oligomers. <i>Journal of Heterocyclic Chemistry</i> , 2000, 37, 847-853.	2.6	26
60	Second hyperpolarisability of furan homologues C <sub>4</sub> H <sub>4</sub> X (X=O, S, Se, Te): ab initio HF and DFT study. <i>Chemical Physics Letters</i> , 2000, 332, 175-180.	2.6	22
61	Theoretical determination of the vibrational and electronic (hyper)polarizabilities of C <sub>4</sub> H <sub>4</sub> X (X=O, S, Tj ETQq1 1 0.784314 rgBT /Overlo	2.8	32
62	Structure and (Hyper)polarizabilities of Five-membered Heterocycles C <sub>4</sub> H <sub>4</sub> XH <sub>2</sub> (X=C, Si, Ge, Sn). <i>Journal of Chemical Research Synopses</i> , 1999, , 238-239.	0.3	4
63	Ab initio and density functional theory calculations of the dipole polarizabilities of ethene, benzene and naphthalene. <i>Computational and Theoretical Chemistry</i> , 1998, 422, 179-190.	1.5	26
64	(Hyper)polarizability of chalcogenophenes C <sub>4</sub> H <sub>4</sub> X (X = O, S, Se, Te) Conventional ab initio and density functional theory study. <i>Computational and Theoretical Chemistry</i> , 1998, 431, 59-78.	1.5	39
65	Theoretical investigation of the structure and conformational behaviour of small selenophene oligomers. <i>Synthetic Metals</i> , 1998, 95, 217-224.	3.9	17
66	Theoretical study of the structure and torsional potential of pyrrole oligomers. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1998, 94, 25-32.	1.7	41
67	Nonlinear optical properties of benzofurobenzofurans. <i>Journal of Heterocyclic Chemistry</i> , 1997, 34, 195-201.	2.6	2
68	Ab initio study of the molecular structure, polarizability and first hyperpolarizability of 6-hydroxy-1-formylfulvene. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1994, 90, 2873.	1.7	18