List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4540817/publications.pdf Version: 2024-02-01



Ι ΠΕ ΖΗΛΙ

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Indoleamine 2,3-dioxygenase 1 (IDO): A mediator of immunoresistance in adults with brain cancer treated with immunomodulatory therapy. , 2022, , 127-151. | | 0 |
| 2 | A systematic review of pharmacologic treatment efficacy for depression in older patients with cancer. Brain, Behavior, & Immunity - Health, 2022, 21, 100449. | 2.5 | 3 |
| 3 | Cell-directed aptamer therapeutic targeting for cancers including those within the central nervous system. Oncolmmunology, 2022, 11, 2062827. | 4.6 | 6 |
| 4 | Tumor Cell IDO Enhances Immune Suppression and Decreases Survival Independent of Tryptophan Metabolism in Glioblastoma. Clinical Cancer Research, 2021, 27, 6514-6528. | 7.0 | 48 |
| 5 | Glioblastoma as an age-related neurological disorder in adults. Neuro-Oncology Advances, 2021, 3, vdab125. | 0.7 | 30 |
| 6 | A retrospective survival analysis of Glioblastoma patients treated with selective serotonin reuptake inhibitors. Brain, Behavior, & Immunity - Health, 2020, 2, 100025. | 2.5 | 22 |
| 7 | Advanced Age Increases Immunosuppression in the Brain and Decreases Immunotherapeutic Efficacy in Subjects with Glioblastoma. Clinical Cancer Research, 2020, 26, 5232-5245. | 7.0 | 52 |
| 8 | Immunosuppressive IDO in Cancer: Mechanisms of Action, Animal Models, and Targeting Strategies. Frontiers in Immunology, 2020, 11, 1185. | 4.8 | 131 |
| 9 | Abstract 5612: Targeting the non-enzymatic function of IDO1 in glioblastoma immunotherapy. , 2020, , . | | 0 |
| 10 | IMMU-40. IMPROVING OUTCOMES IN OLDER ADULTS WITH GLIOBLASTOMA BY REVERSING AGE-RELATED CHANGES OF THE CENTRAL NERVOUS SYSTEM. Neuro-Oncology, 2020, 22, ii113-ii113. | 1.2 | 0 |
| 11 | DDRE-09. DEVELOPING IDO-PROTACS TO IMPROVE IMMUNOTHERAPEUTIC EFFICACY IN PATIENTS WITH GLIOBLASTOMA. Neuro-Oncology, 2020, 22, ii63-ii63. | 1.2 | 0 |
| 12 | IMMU-32. NON-METABOLIC IDO ACTIVITY INCREASES COMPLEMENT FACTOR H LEVELS WHICH ENHANCES IMMUNOSUPPRESSION IN HUMAN GLIOBLASTOMA. Neuro-Oncology, 2020, 22, ii111-ii111. | 1.2 | 0 |
| 13 | TMOD-24. GENERATION AND CHARACTERIZATION OF A NOVEL TRANSGENIC IDO REPORTER MOUSE FOR IDO POSTTRANSLATIONAL MODIFICATION ANALYSIS IN SITU. Neuro-Oncology, 2020, 22, ii233-ii233. | 1.2 | 0 |
| 14 | Quantification of IDO1 enzyme activity in normal and malignant tissues. Methods in Enzymology, 2019, 629, 235-256. | 1.0 | 13 |
| 15 | IMMU-01. NOVEL RNA-TARGETING STRATEGY FOR TREATING T CELL-DRIVEN IMMUNOSUPPRESSION IN HUMAN DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology, 2019, 21, ii92-ii93. | 1.2 | 2 |
| 16 | The interplay among psychological distress, the immune system, and brain tumor patient outcomes. Current Opinion in Behavioral Sciences, 2019, 28, 44-50. | 3.9 | 22 |
| 17 | The Coincidence Between Increasing Age, Immunosuppression, and the Incidence of Patients With Clioblastoma. Frontiers in Pharmacology, 2019, 10, 200. | 3.5 | 82 |
| 18 | CBMT-34. MODULATING DIETARY TRYPTOPHAN OR GUT MICROBIOTA LEVELS DOES NOT IMPROVE THE EFFICACY OF COMBINED TREATMENT WITH RADIATION, ANTI-PD-1 mAb, AND AN IDO1 ENZYME INHIBITOR IN A MODEL OF GLIOBLASTOMA. Neuro-Oncology, 2019, 21, vi40-vi40. | 1.2 | 0 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | IMMU-22. TARGETING NON-CANONICAL FUNCTION OF IDO1 IN GLIOBLASTOMA IMMUNOTHERAPY. Neuro-Oncology, 2019, 21, vi123-vi123. | 1.2 | 0 |
| 20 | IMMU-20. ADVANCED AGING INCREASES IMMUNOSUPPRESSIVE IDO1 LEVELS THAT ARE UNINHIBITED BY IDO1 ENZYME INHIBITOR TREATMENT IN MODELS OF GLIOBLASTOMA. Neuro-Oncology, 2019, 21, vi123-vi123. | 1.2 | 0 |
| 21 | HOUT-20. TIME-DEPENDENT ANALYSIS OF SELECTIVE SEROTONIN REUPTAKE INHIBITOR TREATMENT ON OVERALL SURVIVAL OF PATIENTS WITH GLIOBLASTOMA. Neuro-Oncology, 2019, 21, vi116-vi116. | 1.2 | 0 |
| 22 | IMMU-44. INHIBITING IMMUNOSUPPRESSIVE IDO1 IN ADULTS WITH MALIGNANT GLIOMA – A MOVING TARGET THAT CHANGES WITH TREATMENT, CELL OF ORIGIN, AND AGING. Neuro-Oncology, 2019, 21, vi128-vi128. | 1.2 | 0 |
| 23 | Commentary: preclinical efficacy of immune-checkpoint monotherapy does not recapitulate corresponding biomarkers-based clinical predictions in glioblastoma by Garg et al. (2017). Oncolmmunology, 2019, 8, 1548242. | 4.6 | 1 |
| 24 | Abstract 2341: Indoleamine 2,3 dioxegenase 1 (IDO1) and T-cell infiltration in esophageal cancer. , 2019, , . | | 0 |
| 25 | IDO1 Inhibition Synergizes with Radiation and PD-1 Blockade to Durably Increase Survival Against Advanced Glioblastoma. Clinical Cancer Research, 2018, 24, 2559-2573. | 7.0 | 147 |
| 26 | IDO1 in cancer: a Gemini of immune checkpoints. Cellular and Molecular Immunology, 2018, 15, 447-457. | 10.5 | 266 |
| 27 | PDTM-10. NOVEL RNA-TARGETING STRATEGY FOR TREATING T CELL-DRIVEN IMMUNOSUPPRESSION IN HUMAN DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology, 2018, 20, vi205-vi206. | 1.2 | 0 |
| 28 | IMMU-24. IMMUNOTHERAPEUTIC NANOTECHNOLOGY TARGETING IDO1 FOR PEDIATRIC DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology, 2018, 20, i103-i103. | 1.2 | 2 |
| 29 | IMMU-34. A BALANCED TRYPTOPHAN DIET LEADS TO MAXIMAL IMMUNOTHERAPEUTIC EFFICACY IN GLIOBLASTOMA MODELS. Neuro-Oncology, 2018, 20, vi128-vi128. | 1.2 | 0 |
| 30 | IMMU-41. IDO1 INCREASES Treg RECRUITMENT INDEPENDENT OF TRYPTOPHAN METABOLISM IN A MODEL OF GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi130-vi130. | 1.2 | 0 |
| 31 | HOUT-10. SELECTIVE SEROTONIN REUPTAKE INHIBITOR (SSRI) TREATMENT IS ASSOCIATED WITH IMPROVED SURVIVAL AMONG ELDERLY PATIENTS DIAGNOSED WITH GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi115-vi115. | 1.2 | 0 |
| 32 | IMMU-46. GLIOBLASTOMA PATIENT DIAGNOSES AND IMMUNOSUPPRESSION ARE MAXIMAL DURING OLD AGE: A RANDOM COINCIDENCE, OR CAUSE AND EFFECT?. Neuro-Oncology, 2018, 20, vi131-vi131. | 1.2 | 0 |
| 33 | IMMU-35. PSYCHOSOCIAL STRESS NEGATIVELY IMPACTS IMMUNOTHERAPY IN IMMUNOCOMPETENT MODELS OF GLIOBLASTOMA. Neuro-Oncology, 2018, 20, vi128-vi129. | 1.2 | 0 |
| 34 | IMMU-10. RADIOTHERAPY AND PD-1 BLOCKADE INCREASES TRYPTOPHAN METABOLISM IN BRAIN TUMOR-DRAINING SECONDARY LYMPHOID ORGANS. Neuro-Oncology, 2018, 20, vi123-vi123. | 1.2 | 0 |
| 35 | Indoleamine 2,3-dioxygenase (IDO1), PD-L1, and overall survival (OS) of patients diagnosed with esophageal cancer Journal of Clinical Oncology, 2018, 36, 50-50. | 1.6 | 1 |
| 36 | Indoleamine 2,3-dioxygenase 1 and overall survival of patients diagnosed with esophageal cancer. Oncotarget, 2018, 9, 23482-23493. | 1.8 | 17 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Lessons learned from rindopepimut treatment in patients with EGFRvIII-expressing glioblastoma. Translational Cancer Research, 2018, 7, S510-S513. | 1.0 | 19 |
| 38 | Abstract LB-285: Non-enzyme IDO1 activity and its immunosuppressive effects in glioblastoma. , 2018, , . | | 0 |
| 39 | Lessons learned from rindopepimut treatment in patients with EGFRvIII-expressing glioblastoma. Translational Cancer Research, 2018, 7, S510-S513. | 1.0 | 6 |
| 40 | Non-tumor cell IDO1 predominantly contributes to enzyme activity and response to CTLA-4/PD-L1 inhibition in mouse glioblastoma. Brain, Behavior, and Immunity, 2017, 62, 24-29. | 4.1 | 46 |
| 41 | Metabolically Activated Adipose Tissue Macrophages Perform Detrimental and Beneficial Functions during Diet-Induced Obesity. Cell Reports, 2017, 20, 3149-3161. | 6.4 | 201 |
| 42 | Infiltrating T Cells Increase IDO1 Expression in Glioblastoma and Contribute to Decreased Patient Survival. Clinical Cancer Research, 2017, 23, 6650-6660. | 7.0 | 141 |
| 43 | IMMU-35. TARGETING IDO1 IN HUMAN PEDIATRIC BRAIN CANCER. Neuro-Oncology, 2017, 19, vi120-vi120. | 1.2 | 1 |
| 44 | IMMU-46. AÂsiRNA APPROACH FOR TARGETING IMMUNOSUPPRESSIVE IDO1 IN PEDIATRIC DIFFUSE INTRINSIC PONTINE GLIOMA. Neuro-Oncology, 2017, 19, vi122-vi123. | 1.2 | 0 |
| 45 | IMMU-21. CHARACTERIZING IDO1 AND ITS THERAPEUTIC POTENTIAL IN PEDIATRIC CENTRAL NERVOUS SYSTEM TUMORS. Neuro-Oncology, 2017, 19, iv32-iv32. | 1.2 | 2 |
| 46 | IMMU-22. COMBINATION IMMUNOTHERAPY WITH IDO1 INHIBITION ENHANCES TREATMENT EFFICACY IN MULTIPLE MODELS OF GLIOBLASTOMA MODEL. Neuro-Oncology, 2017, 19, vi117-vi117. | 1.2 | 0 |
| 47 | IMMU-66. IDO1 EXPRESSION STRATIFIES PATIENT SURVIVAL AND IS REGULATED BY TUMOR INFILTRATING T CELLS IN HUMAN GLIOBLASTOMA. Neuro-Oncology, 2017, 19, vi127-vi127. | 1.2 | 0 |
| 48 | IMST-39. IDO1 IS PROGNOSTIC FOR GLIOBLASTOMA PATIENT SURVIVAL AND CENTRALLY CORRELATES WITH POTENTLY IMMUNOSUPPRESSIVE MEDIATORS. Neuro-Oncology, 2016, 18, vi95-vi95. | 1.2 | 1 |
| 49 | The Kynurenine/Tryptophan Ratio and Glioblastoma Patients Treated with Hsppc-96 Vaccine. Immunotherapy (Los Angeles, Calif), 2016, 2, . | 0.1 | 5 |
| 50 | IMST-35. IDO1 AND TARGETED IMMUNOTHERAPY IN AÂMOUSE GLIOBLASTOMA MODEL. Neuro-Oncology, 2016, 18, vi94-vi94. | 1.2 | 0 |
| 51 | Advanced age negatively impacts survival in an experimental brain tumor model. Neuroscience Letters, 2016, 630, 203-208. | 2.1 | 25 |
| 52 | Improving vaccine efficacy against malignant glioma. Oncolmmunology, 2016, 5, e1196311. | 4.6 | 16 |
| 53 | Abstract A064: IDO1 expression stratifies glioblastoma patient survival and correlates with dominantly immunosuppressive pathways. , 2016, , . | | 0 |
| 54 | Abstract B018: A novel IDO1 inhibitor combined with targeted immunotherapy durably increases survival in a mouse model of glioblastoma. , 2016, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Abstract A051: Characterization of IDO1 and TDO2 in pediatric central nervous system tumors. , 2016, , . | | Ο |
| 56 | IMPS-43IDO1 DOES NOT FUNCTION AS A TRYPTOPHAN CATABOLIC ENZYME IN MALIGNANT GLIOMA. Neuro-Oncology, 2015, 17, v122.3-v122. | 1.2 | 0 |
| 57 | The role of IDO in brain tumor immunotherapy. Journal of Neuro-Oncology, 2015, 123, 395-403. | 2.9 | 75 |
| 58 | Molecular Pathways: Targeting IDO1 and Other Tryptophan Dioxygenases for Cancer Immunotherapy. Clinical Cancer Research, 2015, 21, 5427-5433. | 7.0 | 254 |
| 59 | The kynurenine to tryptophan ratio as a prognostic tool for glioblastoma patients enrolling in immunotherapy. Journal of Clinical Neuroscience, 2015, 22, 1964-1968. | 1.5 | 61 |
| 60 | An RNA Aptamer-Based Microcantilever Sensor To Detect the Inflammatory Marker, Mouse Lipocalin-2. Analytical Chemistry, 2012, 84, 8763-8770. | 6.5 | 28 |
| 61 | Fusion of C3d molecule with neutralization epitope(s) of hepatitis E virus enhances antibody avidity maturation and neutralizing activity following DNA immunization. Virus Research, 2010, 151, 162-169. | 2.2 | 7 |
| 62 | Hepatitis E virus genotyping based on full-length genome and partial genomic regions. Virus Research, 2006, 120, 57-69. | 2.2 | 102 |