Joachim Szecsenyi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4541908/publications.pdf

Version: 2024-02-01

361413 454955 123 1,822 20 30 citations h-index g-index papers 145 145 145 2201 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Assessing reported adherence to pharmacological treatment recommendations. Translation and evaluation of the Medication Adherence Report Scale (MARS) in Germany. Journal of Evaluation in Clinical Practice, 2010, 16, 574-579.	1.8	132
2	Correlation between patient quality of life in palliative care and burden of their family caregivers: a prospective observational cohort study. BMC Palliative Care, 2016, 15, 4.	1.8	79
3	Validation of the German version of the STarT-Back Tool (STarT-G): a cohort study with patients from primary care practices. BMC Musculoskeletal Disorders, 2015, 16, 346.	1.9	47
4	Assessing self-management in patients with diabetes mellitus type 2 in Germany: validation of a German version of the Summary of Diabetes Self-Care Activities measure (SDSCA-G). Health and Quality of Life Outcomes, 2014, 12, 185.	2.4	46
5	Involving patients in detecting quality gaps in a fragmented healthcare system: development of a questionnaire for Patients' Experiences Across Health Care Sectors (PEACS). International Journal for Quality in Health Care, 2014, 26, 240-249.	1.8	40
6	The patients' active role in managing a personal electronic health record: a qualitative analysis. Supportive Care in Cancer, 2015, 23, 2613-2621.	2.2	40
7	Antibiotic prescribing for acute lower respiratory tract infections (LRTI) – guideline adherence in the German primary care setting: An analysis of routine data. PLoS ONE, 2017, 12, e0174584.	2.5	39
8	Personal Electronic Health Records: Understanding User Requirements and Needs in Chronic Cancer Care. Journal of Medical Internet Research, 2015, 17, e121.	4.3	37
9	Adaptation and psychometric properties of the PACIC short form. American Journal of Managed Care, 2012, 18, e55-60.	1.1	35
10	Perspectives of Psychotherapists and Psychiatrists on Mental Health Care Integration Within Primary Care Via Video Consultations: Qualitative Preimplementation Study. Journal of Medical Internet Research, 2020, 22, e17569.	4.3	34
11	Impact of a tailored program on the implementation of evidence-based recommendations for multimorbid patients with polypharmacy in primary care practicesâ€"results of a cluster-randomized controlled trial. Implementation Science, 2017, 12, 8.	6.9	29
12	Yield of active screening for tuberculosis among asylum seekers in Germany: a systematic review and meta-analysis. Eurosurveillance, $2017, 22, .$	7.0	29
13	Potentially avoidable hospitalisations of German nursing home patients? A cross-sectional study on utilisation patterns and potential consequences for healthcare. BMJ Open, 2019, 9, e025269.	1.9	28
14	Infectious disease screening in asylum seekers: range, coverage and economic evaluation in Germany, 2015. Eurosurveillance, 2017, 22, .	7.0	26
15	Translation and psychometric properties of the German version of the University of the West of England Interprofessional Questionnaire (UWE-IP). Journal of Interprofessional Care, 2017, 31, 105-109.	1.7	25
16	Digitalizing Health Services by Implementing a Personal Electronic Health Record in Germany: Qualitative Analysis of Fundamental Prerequisites From the Perspective of Selected Experts. Journal of Medical Internet Research, 2020, 22, e15102.	4.3	25
17	Developing a Shared Patient-Centered, Web-Based Medication Platform for Type 2 Diabetes Patients and Their Health Care Providers: Qualitative Study on User Requirements. Journal of Medical Internet Research, 2018, 20, e105.	4.3	25
18	Mental health specialist video consultations for patients with depression or anxiety disorders in primary care: protocol for a randomised controlled feasibility trial. BMJ Open, 2019, 9, e030003.	1.9	24

#	Article	IF	CITATIONS
19	General Practitioners Views of Implementing a Stratified Treatment Approach for Low Back Pain in Germany: A Qualitative Study. PLoS ONE, 2015, 10, e0136119.	2.5	24
20	Individual difficulties and resources & amp; ndash; a qualitative analysis in patients with advanced lung cancer and their relatives. Patient Preference and Adherence, 2016, Volume 10, 2021-2029.	1.8	23
21	Peers as OSCE assessors for junior medical students – a review of routine use: a mixed methods study. BMC Medical Education, 2020, 20, 17.	2.4	23
22	Social disparities in Disease Management Programmes for coronary heart disease in Germany: a cross-classified multilevel analysis. Journal of Epidemiology and Community Health, 2015, 69, 1091-1101.	3.7	22
23	A Personal Electronic Health Record: Study Protocol of a Feasibility Study on Implementation in a Real-World Health Care Setting. JMIR Research Protocols, 2017, 6, e33.	1.0	22
24	Collaboration and communication in colorectal cancer care: a qualitative study of the challenges experienced by patients and health care professionals. Family Practice, 2015, 32, cmv069.	1.9	21
25	Evaluation of a program to strengthen general practice care for patients with chronic disease in Germany. BMC Health Services Research, 2017, 17, 62.	2.2	21
26	Teaching implementation science in a new Master of Science Program in Germany: a survey of stakeholder expectations. Implementation Science, 2017, 12, 55.	6.9	21
27	Complexity of care and strategies of self-management in patients with colorectal cancer. Patient Preference and Adherence, 2017, Volume 11, 731-742.	1.8	21
28	Differences in the prevalence of hospitalizations and utilization of emergency outpatient services for ambulatory care sensitive conditions between asylum-seeking children and children of the general population: a cross-sectional medical records study (2015). BMC Health Services Research, 2017, 17, 731.	2.2	20
29	The effects of an integrated supportive care intervention on quality of life outcomes in outpatients with breast and gynecologic cancer undergoing chemotherapy: Results from a randomized controlled trial. Cancer Medicine, 2019, 8, 3666-3676.	2.8	20
30	Costs and its drivers for diabetes mellitus type 2 patients in France and Germany: a systematic review of economic studies. BMC Health Services Research, 2020, 20, 1043.	2,2	20
31	Psychometric Properties of a German Version of the "Satisfaction with Information about Medicines Scale―(SIMS-D). Value in Health, 2009, 12, 1176-1179.	0.3	19
32	Stakeholders' contributions to tailored implementation programs: an observational study of group interview methods. Implementation Science, 2014, 9, 185.	6.9	18
33	Mandatory national quality improvement systems using indicators: An initial assessment in Europe and Israel. Health Policy, 2016, 120, 1256-1269.	3.0	18
34	Psychosocial health of asylum seeking women living in state-provided accommodation in Germany during pregnancy and early motherhood: A case study exploring the role of social determinants of health. PLoS ONE, 2018, 13, e0208007.	2.5	18
35	Differences in pregnancy outcomes and obstetric care between asylum seeking and resident women: a cross-sectional study in a German federal state, 2010–2016. BMC Pregnancy and Childbirth, 2018, 18, 417.	2.4	18
36	Physiotherapists' views of implementing a stratified treatment approach for patients with low back pain in Germany: a qualitative study. BMC Health Services Research, 2018, 18, 214.	2.2	17

#	Article	IF	CITATIONS
37	Holistic care programÂfor elderly patients to integrate spiritual needs, social activity, and self-care into disease management in primary care (HoPES3): study protocol for a cluster-randomized trial. Trials, 2019, 20, 364.	1.6	17
38	Continuity in general practice and hospitalization patterns: an observational study. BMC Family Practice, 2021, 22, 21.	2.9	17
39	Health-Related Quality of Life in Primary Care: Which Aspects Matter in Multimorbid Patients with Type 2 Diabetes Mellitus in a Community Setting?. PLoS ONE, 2017, 12, e0170883.	2.5	16
40	Effects of a program to strengthen general practice care on hospitalisation rates: a comparative observational study. Scandinavian Journal of Primary Health Care, 2018, 36, 109-114.	1.5	16
41	Using country of origin to inform targeted tuberculosis screening in asylum seekers: a modelling study of screening data in a German federal state, 2002–2015. BMC Infectious Diseases, 2019, 19, 304.	2.9	16
42	Mental Health Specialist Video Consultations Versus Treatment-as-Usual for Patients With Depression or Anxiety Disorders in Primary Care: Randomized Controlled Feasibility Trial. JMIR Mental Health, 2021, 8, e22569.	3.3	16
43	Utilizing a Prototype Patient-Controlled Electronic Health Record in Germany: Qualitative Analysis of User-Reported Perceptions and Perspectives. JMIR Formative Research, 2018, 2, e10411.	1.4	16
44	Understanding Challenges, Strategies, and the Role of Support Networks in Medication Self-management Among Patients With Type 2 Diabetes. The Diabetes Educator, 2017, 43, 190-205.	2.5	15
45	Regional deprivation is associated with the distribution of vulnerable asylum seekers: a nationwide small area analysis in Germany. Journal of Epidemiology and Community Health, 2017, 71, 857-862.	3.7	15
46	Patients with somatoform disorders: More frequent attendance and higher utilization in primary Out-of-Hours care? PLoS ONE, 2018, 13, e0202546.	2.5	15
47	Factors associated with medication information in diabetes care: differences in perceptions between patients and health care professionals. Patient Preference and Adherence, 2015, 9, 1431.	1.8	14
48	A tailored programme to implement recommendations for multimorbid patients with polypharmacy in primary care practicesâ€"process evaluation of a cluster randomized trial. Implementation Science, 2017, 12, 31.	6.9	14
49	Anchoring interprofessional education in undergraduate curricula: The Heidelberg story. Journal of Interprofessional Care, 2017, 31, 175-179.	1.7	14
50	German healthcare professionals' perspective on implementing recommendations about polypharmacy in general practice: a qualitative study. Family Practice, 2018, 35, 503-510.	1.9	14
51	Challenges in supporting lay carers of patients at the end of life: results from focus group discussions with primary healthcare providers. BMC Family Practice, 2018, 19, 112.	2.9	14
52	"lf you can, change this system―Pregnant asylum seekersâ€~ perceptions on social determinants and material circumstances affecting their health whilst living in state-provided accommodation in Germany - a prospective, qualitative case study. BMC Public Health, 2019, 19, 287.	2.9	14
53	Encountering complexity in collaborative learning activities: an exploratory case study with undergraduate health professionals. Journal of Interprofessional Care, 2019, 33, 490-496.	1.7	14
54	A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. Journal of Clinical Epidemiology, 2019, 105, 112-124.	5.0	14

#	Article	IF	CITATIONS
55	Monitoring mental healthcare on a system level: Country profiles and status from EU countries. Health Policy, 2016, 120, 706-717.	3.0	13
56	Sustainable reduction of antibiotic-induced antimicrobial resistance (ARena) in German ambulatory care: study protocol of a cluster randomised trial. Implementation Science, 2018, 13, 23.	6.9	13
57	Artificial Pancreas Systems for People With Type 2 Diabetes: Conception and Design of the European CLOSE Project. Journal of Diabetes Science and Technology, 2019, 13, 261-267.	2.2	13
58	Strong primary care and patients' survival. Scientific Reports, 2019, 9, 10859.	3.3	12
59	Fostering Appropriate Antibiotic Use in a Complex Intervention: Mixed-Methods Process Evaluation Alongside the Cluster-Randomized Trial ARena. Antibiotics, 2020, 9, 878.	3.7	12
60	Mental health of postgraduate trainees in primary care: a cross-sectional study. BMC Family Practice, 2020, 21, 123.	2.9	12
61	Europe's response to the refugee crisis: why relocation quotas will fail to achieve †fairness' from a health perspective. European Journal of Public Health, 2016, 26, 5-6.	0.3	11
62	Novel oral anticoagulants in primary care in patients with atrial fibrillation: a cross-sectional comparison before and after their introduction. BMC Family Practice, 2018, 19, 115.	2.9	11
63	Motives, experiences and psychological strain in medical students engaged in refugee care in a reception center– a mixed-methods approach. BMC Medical Education, 2019, 19, 302.	2.4	11
64	Strengthening Interprofessional Requirements Engineering Through Action Sheets: A Pilot Study. JMIR Human Factors, 2016, 3, e25.	2.0	11
65	Medication Lists and Brown Bag Reviews: Potential Positive and Negative Impacts on Patients Beliefs about Their Medicine. BioMed Research International, 2015, 2015, 1-6.	1.9	10
66	Confirmatory factor analysis of the German Readiness for Interprofessional Learning Scale (RIPLS-D). Journal of Interprofessional Care, 2016, 30, 381-384.	1.7	10
67	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. BMJ Open, 2020, 10, e035973.	1.9	10
68	How to ensure basic competencies in end of life care – a mixed methods study with post-graduate trainees in primary care in Germany. BMC Palliative Care, 2020, 19, 36.	1.8	10
69	Quality of care for people with multimorbidity: a focus group study with patients and their relatives. BMJ Open, 2021, 11, e047025.	1.9	10
70	New paths in post-graduate medical training in general practice - 8 years of experience with the pilot project Verbundweiterbildung Baden-Wýrttemberg. GMS Journal for Medical Education, 2017, 34, Doc62.	0.1	10
71	How the Consolidated Framework for Implementation Research Can Strengthen Findings and Improve Translation of Research Into Practice: A Case Study. Oncology Nursing Forum, 2017, 44, E223-E231.	1.2	9
72	Caregivers' role in using a personal electronic health record: a qualitative study of cancer patients and caregivers in Germany. BMC Medical Informatics and Decision Making, 2020, 20, 158.	3.0	9

#	Article	IF	Citations
73	Beliefs and practices among primary care physicians during the first wave of the COVID-19 pandemic in Baden-Wuerttemberg (Germany): an observational study. BMC Family Practice, 2021, 22, 86.	2.9	9
74	Antibiotic prescribing for acute, non-complicated infections in primary care in Germany: baseline assessment in the cluster randomized trial ARena. BMC Infectious Diseases, 2021, 21, 877.	2.9	9
75	An Electronic Medication Module to Improve Health Literacy in Patients With Type 2 Diabetes Mellitus: Pilot Randomized Controlled Trial. JMIR Formative Research, 2020, 4, e13746.	1.4	9
76	Design and Delivery of a Tailored Intervention to Implement Recommendations for Multimorbid Patients Receiving Polypharmacy into Primary Care Practices. BioMed Research International, 2015, 2015, 1-9.	1.9	8
77	Analysing horizontal equity in enrolment in Disease Management Programmes for coronary heart disease in Germany 2008–2010. International Journal for Equity in Health, 2015, 14, 28.	3.5	8
78	Training Standards Statements of Family Medicine Postgraduate Training – A Review of Existing Documents Worldwide. PLoS ONE, 2016, 11, e0159906.	2.5	8
79	Potentially avoidable and ambulatory care sensitive hospitalisations among forced migrants: a protocol for a systematic review and meta-analysis. BMJ Open, 2016, 6, e012216.	1.9	8
80	Development of indicators for a nationwide cross-sectoral quality assurance procedure for mental health care of patients with schizophrenia, schizotypal and delusional disorders in Germany. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2017, 126, 13-22.	0.9	8
81	Reflection of illness and strategies for handling advanced lung cancer $\hat{a}\in$ a qualitative analysis in patients and their relatives. BMC Health Services Research, 2017, 17, 173.	2.2	8
82	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. Journal of Psychosomatic Research, 2016, 90, 43-50.	2.6	7
83	Converting habits of antibiotic use for respiratory tract infections in German primary care – study protocol of the cluster-randomized controlled CHANGE-3 trial. Trials, 2019, 20, 103.	1.6	7
84	Development of an algorithm to detect and reduce complexity of drug treatment and its technical realisation. BMC Medical Informatics and Decision Making, 2020, 20, 154.	3.0	7
85	The role of personalised professional relations across care sectors in achieving high continuity of care. BMC Family Practice, 2021, 22, 72.	2.9	7
86	Quality circles to identify barriers, facilitating factors, and solutions for high-quality primary care for asylum seekers. BJGP Open, 2017, 1, bjgpopen17X101133.	1.8	7
87	What drives the costs of heart failure care in Germany? A health services cost analysis. Zeitschrift Fur Gesundheitswissenschaften, 2012, 20, 653-660.	1.6	6
88	Excess costs from functional somatic syndromes in Germany â€" An analysis using entropy balancing. Journal of Psychosomatic Research, 2017, 97, 52-57.	2.6	6
89	Knowledge, competencies and attitudes regarding external post-mortem physical examination: A survey among German post-graduate trainees in general practice. European Journal of General Practice, 2018, 24, 26-31.	2.0	6
90	Care management intervention to strengthen self-care of multimorbid patients with type 2 diabetes in a German primary care network: A randomized controlled trial. PLoS ONE, 2019, 14, e0214056.	2.5	6

#	Article	IF	Citations
91	Improving continuity of patient care across sectors: study protocol of a quasi-experimental multi-centre study regarding an admission and discharge model in Germany (VESPEERA). BMC Health Services Research, 2019, 19, 206.	2.2	6
92	Mental health specialist video consultations versus treatment as usual in patients with depression or anxiety disorders in primary care: study protocol for an individually randomised superiority trial (the) Tj ETQq0 0	0 r g,B T /O	verlock 10 Tf
93	Measuring the Quality of Care for Older Adults With Multimorbidity: Results of the MULTIqual Project. Gerontologist, The, 2022, 62, 1135-1146.	3.9	6
94	Adaptation, psychometric properties and feasibility of the Professionalism Scale Germany. Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen, 2016, 113, 66-75.	0.9	5
95	Effect of involving certified healthcare assistants in primary care in Germany: a cross-sectional study. BMJ Open, 2019, 9, e033325.	1.9	5
96	A New Method for Structured Integration of User Needs in Two Health Technology Development Projects: Action Sheets. Informatics for Health and Social Care, 2021, 46, 113-125.	2.6	5
97	Evaluating the structural reform of outpatient psychotherapy in Germany (ES-RiP trial) - a qualitative study of provider perspectives. BMC Health Services Research, 2021, 21, 1204.	2.2	5
98	Meeting the needs of multimorbid patients with Type 2 diabetes mellitus – A randomized controlled trial to assess the impact of a care management intervention aiming to improve self-care. Diabetes Research and Clinical Practice, 2019, 150, 184-193.	2.8	4
99	Improving continuity of patient care across sectors: study protocol of the process evaluation of a quasi-experimental multi-centre study regarding an admission and discharge model in Germany (VESPEERA). BMJ Open, 2019, 9, e031245.	1.9	4
100	The AaLplus near-peer teaching program in Family Medicine strengthens basic medical skills—A five-year retrospective study. PLoS ONE, 2020, 15, e0233748.	2.5	4
101	Acupuncture as Complementary Treatment for Acute Tinnitus: A Randomized Controlled Pilot Study. Complementary Medicine Research, 2021, 28, 96-103.	1.2	4
102	Exploring Physician Perspectives on Using Real-world Care Data for the Development of Artificial Intelligence–Based Technologies in Health Care: Qualitative Study. JMIR Formative Research, 2022, 6, e35367.	1.4	4
103	Prescribing differences in family practice for diabetic patients in Germany according to statutory or private health insurance: the case of DPP-4-inhibitors and GLP-1-agonists. BMC Family Practice, 2016, 17, 146.	2.9	3
104	Assessing Reduction of Antibiotic Prescribing for Acute, Non-Complicated Infections in Primary Care in Germany: Multi-Step Outcome Evaluation in the Cluster-Randomized Trial ARena. Antibiotics, 2021, 10, 1151.	3.7	3
105	Health Status and Access to Healthcare for Uninsured Migrants in Germany: A Qualitative Study on the Involvement of Public Authorities in Nine Cities. International Journal of Environmental Research and Public Health, 2022, 19, 6613.	2.6	3
106	Medication beliefs and use of medication lists â€" is there a connection? Results from a before-and-after study in Germany. BMC Geriatrics, 2020, 20, 116.	2.7	2
107	Primary care practice-based care management for chronically ill patients (PraCMan) in German healthcare: Outcome of a propensity-score matched cohort study. European Journal of General Practice, 2021, 27, 228-234.	2.0	2
108	Surveillance and care for confirmed and suspected patients with COVID-19 in general practice (CovidCare): study protocol for an observational trial. BMC Family Practice, 2021, 22, 173.	2.9	2

#	Article	IF	CITATIONS
109	Self-Efficacy, Social Activity, and Spirituality in the Care of Elderly Patients with Polypharmacy in Germany—A Multicentric Cross-Sectional Study within the HoPES3 Trial. Healthcare (Switzerland), 2021, 9, 1312.	2.0	2
110	Developing a seminar curriculum for the Competence Center for General Practice in Baden-Wuerttemberg - a progress report. GMS Journal for Medical Education, 2021, 38, Doc36.	0.1	2
111	Health providers' experiences with mental health specialist video consultations in primary care: a qualitative study nested within a randomised feasibility trial. BMJ Open, 2021, 11, e047829.	1.9	2
112	Primary care disease management for venous leg ulcerationâ€"study protocol for the Ulcus Cruris Care [UCC] randomized controlled trial (DRKS00026126). Trials, 2022, 23, 60.	1.6	2
113	Prevalence and patient-rated relevance of complexity factors in medication regimens of community-dwelling patients with polypharmacy. European Journal of Clinical Pharmacology, 2022, 78, 1127-1136.	1.9	2
114	Protocol for the process evaluation of a counselling intervention designed to educate cancer patients on complementary and integrative health care and promote interprofessional collaboration in this area (the CCC-Integrativ study). PLoS ONE, 2022, 17, e0268091.	2.5	2
115	Ambulatory Care–Sensitive Conditions Associated With Potentially Avoidable Hospital Admissions. Journal of the American Medical Directors Association, 2020, 21, 555.	2.5	1
116	Differences between Practice Patterns of Conventional and Naturopathic GPs in Germany. PLoS ONE, 2016, 11, e0163519.	2.5	1
117	Enhancing implementation of a standardized initial assessment for demand management in outpatient emergency care in Germany: a quantitative process evaluation. BMC Medical Informatics and Decision Making, 2021, 21, 318.	3.0	1
118	Mental health specialist video consultations for patients with somatic symptom disorder in primary care: protocol for a randomised feasibility trial (the VISION trial). BMJ Open, 2022, 12, e058150.	1.9	1
119	Healthcare planning across healthcare sectors in Baden-Wuerttemberg, Germany: a stakeholder online survey to identify indicators. BMC Health Services Research, 2021, 21, 510.	2.2	0
120	Title is missing!. , 2020, 15, e0233748.		0
121	Title is missing!. , 2020, 15, e0233748.		0
122	Title is missing!. , 2020, 15, e0233748.		0
123	Title is missing!. , 2020, 15, e0233748.		0