

Joachim Szecsenyi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4541908/publications.pdf>

Version: 2024-02-01

123
papers

1,822
citations

361413

20
h-index

454955

30
g-index

145
all docs

145
docs citations

145
times ranked

2201
citing authors

#	ARTICLE	IF	CITATIONS
1	Measuring the Quality of Care for Older Adults With Multimorbidity: Results of the MULTIQal Project. <i>Gerontologist</i> , The, 2022, 62, 1135-1146.	3.9	6
2	Primary care disease management for venous leg ulcerationâ€”study protocol for the Ulcus Cruris Care [UCC] randomized controlled trial (DRKS00026126). <i>Trials</i> , 2022, 23, 60.	1.6	2
3	Mental health specialist video consultations for patients with somatic symptom disorder in primary care: protocol for a randomised feasibility trial (the VISION trial). <i>BMJ Open</i> , 2022, 12, e058150.	1.9	1
4	Prevalence and patient-rated relevance of complexity factors in medication regimens of community-dwelling patients with polypharmacy. <i>European Journal of Clinical Pharmacology</i> , 2022, 78, 1127-1136.	1.9	2
5	Protocol for the process evaluation of a counselling intervention designed to educate cancer patients on complementary and integrative health care and promote interprofessional collaboration in this area (the CCC-Integrativ study). <i>PLoS ONE</i> , 2022, 17, e0268091.	2.5	2
6	Exploring Physician Perspectives on Using Real-world Care Data for the Development of Artificial Intelligenceâ€”Based Technologies in Health Care: Qualitative Study. <i>JMIR Formative Research</i> , 2022, 6, e35367.	1.4	4
7	Health Status and Access to Healthcare for Uninsured Migrants in Germany: A Qualitative Study on the Involvement of Public Authorities in Nine Cities. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6613.	2.6	3
8	Acupuncture as Complementary Treatment for Acute Tinnitus: A Randomized Controlled Pilot Study. <i>Complementary Medicine Research</i> , 2021, 28, 96-103.	1.2	4
9	Continuity in general practice and hospitalization patterns: an observational study. <i>BMC Family Practice</i> , 2021, 22, 21.	2.9	17
10	Primary care practice-based care management for chronically ill patients (PraCMan) in German healthcare: Outcome of a propensity-score matched cohort study. <i>European Journal of General Practice</i> , 2021, 27, 228-234.	2.0	2
11	A New Method for Structured Integration of User Needs in Two Health Technology Development Projects: Action Sheets. <i>Informatics for Health and Social Care</i> , 2021, 46, 113-125.	2.6	5
12	Mental Health Specialist Video Consultations Versus Treatment-as-Usual for Patients With Depression or Anxiety Disorders in Primary Care: Randomized Controlled Feasibility Trial. <i>JMIR Mental Health</i> , 2021, 8, e22569.	3.3	16
13	The role of personalised professional relations across care sectors in achieving high continuity of care. <i>BMC Family Practice</i> , 2021, 22, 72.	2.9	7
14	Mental health specialist video consultations versus treatment as usual in patients with depression or anxiety disorders in primary care: study protocol for an individually randomised superiority trial (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5		
15	Beliefs and practices among primary care physicians during the first wave of the COVID-19 pandemic in Baden-Wuerttemberg (Germany): an observational study. <i>BMC Family Practice</i> , 2021, 22, 86.	2.9	9
16	Healthcare planning across healthcare sectors in Baden-Wuerttemberg, Germany: a stakeholder online survey to identify indicators. <i>BMC Health Services Research</i> , 2021, 21, 510.	2.2	0
17	Quality of care for people with multimorbidity: a focus group study with patients and their relatives. <i>BMJ Open</i> , 2021, 11, e047025.	1.9	10
18	Antibiotic prescribing for acute, non-complicated infections in primary care in Germany: baseline assessment in the cluster randomized trial ARena. <i>BMC Infectious Diseases</i> , 2021, 21, 877.	2.9	9

#	ARTICLE	IF	CITATIONS
19	Surveillance and care for confirmed and suspected patients with COVID-19 in general practice (CovidCare): study protocol for an observational trial. <i>BMC Family Practice</i> , 2021, 22, 173.	2.9	2
20	Assessing Reduction of Antibiotic Prescribing for Acute, Non-Complicated Infections in Primary Care in Germany: Multi-Step Outcome Evaluation in the Cluster-Randomized Trial AREna. <i>Antibiotics</i> , 2021, 10, 1151.	3.7	3
21	Self-Efficacy, Social Activity, and Spirituality in the Care of Elderly Patients with Polypharmacy in Germanyâ€”A Multicentric Cross-Sectional Study within the HoPES3 Trial. <i>Healthcare (Switzerland)</i> , 2021, 9, 1312.	2.0	2
22	Evaluating the structural reform of outpatient psychotherapy in Germany (ES-RiP trial) - a qualitative study of provider perspectives. <i>BMC Health Services Research</i> , 2021, 21, 1204.	2.2	5
23	Developing a seminar curriculum for the Competence Center for General Practice in Baden-Wuerttemberg - a progress report. <i>GMS Journal for Medical Education</i> , 2021, 38, Doc36.	0.1	2
24	Health providersâ€™ experiences with mental health specialist video consultations in primary care: a qualitative study nested within a randomised feasibility trial. <i>BMJ Open</i> , 2021, 11, e047829.	1.9	2
25	Enhancing implementation of a standardized initial assessment for demand management in outpatient emergency care in Germany: a quantitative process evaluation. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 318.	3.0	1
26	Ambulatory Careâ€™ Sensitive Conditions Associated With Potentially Avoidable Hospital Admissions. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 555.	2.5	1
27	Caregivers' role in using a personal electronic health record: a qualitative study of cancer patients and caregivers in Germany. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 158.	3.0	9
28	Costs and its drivers for diabetes mellitus type 2 patients in France and Germany: a systematic review of economic studies. <i>BMC Health Services Research</i> , 2020, 20, 1043.	2.2	20
29	Depression screening using patient-targeted feedback in general practices: study protocol of the German multicentre GET.FEEDBACK.GP randomised controlled trial. <i>BMJ Open</i> , 2020, 10, e035973.	1.9	10
30	Fostering Appropriate Antibiotic Use in a Complex Intervention: Mixed-Methods Process Evaluation Alongside the Cluster-Randomized Trial AREna. <i>Antibiotics</i> , 2020, 9, 878.	3.7	12
31	Medication beliefs and use of medication lists â€” is there a connection? Results from a before-and-after study in Germany. <i>BMC Geriatrics</i> , 2020, 20, 116.	2.7	2
32	The AaLplus near-peer teaching program in Family Medicine strengthens basic medical skillsâ€™ A five-year retrospective study. <i>PLoS ONE</i> , 2020, 15, e0233748.	2.5	4
33	How to ensure basic competencies in end of life care â€” a mixed methods study with post-graduate trainees in primary care in Germany. <i>BMC Palliative Care</i> , 2020, 19, 36.	1.8	10
34	Development of an algorithm to detect and reduce complexity of drug treatment and its technical realisation. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 154.	3.0	7
35	Mental health of postgraduate trainees in primary care: a cross-sectional study. <i>BMC Family Practice</i> , 2020, 21, 123.	2.9	12
36	Peers as OSCE assessors for junior medical students â€” a review of routine use: a mixed methods study. <i>BMC Medical Education</i> , 2020, 20, 17.	2.4	23

#	ARTICLE	IF	CITATIONS
37	Digitalizing Health Services by Implementing a Personal Electronic Health Record in Germany: Qualitative Analysis of Fundamental Prerequisites From the Perspective of Selected Experts. <i>Journal of Medical Internet Research</i> , 2020, 22, e15102.	4.3	25
38	Perspectives of Psychotherapists and Psychiatrists on Mental Health Care Integration Within Primary Care Via Video Consultations: Qualitative Preimplementation Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e17569.	4.3	34
39	An Electronic Medication Module to Improve Health Literacy in Patients With Type 2 Diabetes Mellitus: Pilot Randomized Controlled Trial. <i>JMIR Formative Research</i> , 2020, 4, e13746.	1.4	9
40	Title is missing!. , 2020, 15, e0233748.		0
41	Title is missing!. , 2020, 15, e0233748.		0
42	Title is missing!. , 2020, 15, e0233748.		0
43	Title is missing!. , 2020, 15, e0233748.		0
44	Motives, experiences and psychological strain in medical students engaged in refugee care in a reception centerâ€“ a mixed-methods approach. <i>BMC Medical Education</i> , 2019, 19, 302.	2.4	11
45	Strong primary care and patientsâ€™ survival. <i>Scientific Reports</i> , 2019, 9, 10859.	3.3	12
46	â€œIf you can, change this systemâ€“Pregnant asylum seekersâ€™ perceptions on social determinants and material circumstances affecting their health whilst living in state-provided accommodation in Germany - a prospective, qualitative case study. <i>BMC Public Health</i> , 2019, 19, 287.	2.9	14
47	Holistic care program for elderly patients to integrate spiritual needs, social activity, and self-care into disease management in primary care (HoPES3): study protocol for a cluster-randomized trial. <i>Trials</i> , 2019, 20, 364.	1.6	17
48	Care management intervention to strengthen self-care of multimorbid patients with type 2 diabetes in a German primary care network: A randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0214056.	2.5	6
49	The effects of an integrated supportive care intervention on quality of life outcomes in outpatients with breast and gynecologic cancer undergoing chemotherapy: Results from a randomized controlled trial. <i>Cancer Medicine</i> , 2019, 8, 3666-3676.	2.8	20
50	Using country of origin to inform targeted tuberculosis screening in asylum seekers: a modelling study of screening data in a German federal state, 2002â€“2015. <i>BMC Infectious Diseases</i> , 2019, 19, 304.	2.9	16
51	Meeting the needs of multimorbid patients with Type 2 diabetes mellitus â€“ A randomized controlled trial to assess the impact of a care management intervention aiming to improve self-care. <i>Diabetes Research and Clinical Practice</i> , 2019, 150, 184-193.	2.8	4
52	Potentially avoidable hospitalisations of German nursing home patients? A cross-sectional study on utilisation patterns and potential consequences for healthcare. <i>BMJ Open</i> , 2019, 9, e025269.	1.9	28
53	Improving continuity of patient care across sectors: study protocol of a quasi-experimental multi-centre study regarding an admission and discharge model in Germany (VESPEERA). <i>BMC Health Services Research</i> , 2019, 19, 206.	2.2	6
54	Converting habits of antibiotic use for respiratory tract infections in German primary care â€“ study protocol of the cluster-randomized controlled CHANGE-3 trial. <i>Trials</i> , 2019, 20, 103.	1.6	7

#	ARTICLE	IF	CITATIONS
55	Improving continuity of patient care across sectors: study protocol of the process evaluation of a quasi-experimental multi-centre study regarding an admission and discharge model in Germany (VESPEERA). <i>BMJ Open</i> , 2019, 9, e031245.	1.9	4
56	Effect of involving certified healthcare assistants in primary care in Germany: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e033325.	1.9	5
57	Mental health specialist video consultations for patients with depression or anxiety disorders in primary care: protocol for a randomised controlled feasibility trial. <i>BMJ Open</i> , 2019, 9, e030003.	1.9	24
58	Encountering complexity in collaborative learning activities: an exploratory case study with undergraduate health professionals. <i>Journal of Interprofessional Care</i> , 2019, 33, 490-496.	1.7	14
59	A novel superior medication-based chronic disease score predicted all-cause mortality in independent geriatric cohorts. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 112-124.	5.0	14
60	Artificial Pancreas Systems for People With Type 2 Diabetes: Conception and Design of the European CLOSE Project. <i>Journal of Diabetes Science and Technology</i> , 2019, 13, 261-267.	2.2	13
61	German healthcare professionals' perspective on implementing recommendations about polypharmacy in general practice: a qualitative study. <i>Family Practice</i> , 2018, 35, 503-510.	1.9	14
62	Knowledge, competencies and attitudes regarding external post-mortem physical examination: A survey among German post-graduate trainees in general practice. <i>European Journal of General Practice</i> , 2018, 24, 26-31.	2.0	6
63	Physiotherapists' views of implementing a stratified treatment approach for patients with low back pain in Germany: a qualitative study. <i>BMC Health Services Research</i> , 2018, 18, 214.	2.2	17
64	Psychosocial health of asylum seeking women living in state-provided accommodation in Germany during pregnancy and early motherhood: A case study exploring the role of social determinants of health. <i>PLoS ONE</i> , 2018, 13, e0208007.	2.5	18
65	Differences in pregnancy outcomes and obstetric care between asylum seeking and resident women: a cross-sectional study in a German federal state, 2010-2016. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 417.	2.4	18
66	Patients with somatoform disorders: More frequent attendance and higher utilization in primary Out-of-Hours care?. <i>PLoS ONE</i> , 2018, 13, e0202546.	2.5	15
67	Novel oral anticoagulants in primary care in patients with atrial fibrillation: a cross-sectional comparison before and after their introduction. <i>BMC Family Practice</i> , 2018, 19, 115.	2.9	11
68	Sustainable reduction of antibiotic-induced antimicrobial resistance (ARena) in German ambulatory care: study protocol of a cluster randomised trial. <i>Implementation Science</i> , 2018, 13, 23.	6.9	13
69	Effects of a program to strengthen general practice care on hospitalisation rates: a comparative observational study. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 109-114.	1.5	16
70	Challenges in supporting lay carers of patients at the end of life: results from focus group discussions with primary healthcare providers. <i>BMC Family Practice</i> , 2018, 19, 112.	2.9	14
71	Utilizing a Prototype Patient-Controlled Electronic Health Record in Germany: Qualitative Analysis of User-Reported Perceptions and Perspectives. <i>JMIR Formative Research</i> , 2018, 2, e10411.	1.4	16
72	Developing a Shared Patient-Centered, Web-Based Medication Platform for Type 2 Diabetes Patients and Their Health Care Providers: Qualitative Study on User Requirements. <i>Journal of Medical Internet Research</i> , 2018, 20, e105.	4.3	25

#	ARTICLE	IF	CITATIONS
73	Understanding Challenges, Strategies, and the Role of Support Networks in Medication Self-management Among Patients With Type 2 Diabetes. <i>The Diabetes Educator</i> , 2017, 43, 190-205.	2.5	15
74	Development of indicators for a nationwide cross-sectoral quality assurance procedure for mental health care of patients with schizophrenia, schizotypal and delusional disorders in Germany. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2017, 126, 13-22.	0.9	8
75	How the Consolidated Framework for Implementation Research Can Strengthen Findings and Improve Translation of Research Into Practice: A Case Study. <i>Oncology Nursing Forum</i> , 2017, 44, E223-E231.	1.2	9
76	Regional deprivation is associated with the distribution of vulnerable asylum seekers: a nationwide small area analysis in Germany. <i>Journal of Epidemiology and Community Health</i> , 2017, 71, 857-862.	3.7	15
77	Excess costs from functional somatic syndromes in Germany – An analysis using entropy balancing. <i>Journal of Psychosomatic Research</i> , 2017, 97, 52-57.	2.6	6
78	Evaluation of a program to strengthen general practice care for patients with chronic disease in Germany. <i>BMC Health Services Research</i> , 2017, 17, 62.	2.2	21
79	Reflection of illness and strategies for handling advanced lung cancer – a qualitative analysis in patients and their relatives. <i>BMC Health Services Research</i> , 2017, 17, 173.	2.2	8
80	Impact of a tailored program on the implementation of evidence-based recommendations for multimorbid patients with polypharmacy in primary care practices—results of a cluster-randomized controlled trial. <i>Implementation Science</i> , 2017, 12, 8.	6.9	29
81	A tailored programme to implement recommendations for multimorbid patients with polypharmacy in primary care practices—process evaluation of a cluster randomized trial. <i>Implementation Science</i> , 2017, 12, 31.	6.9	14
82	Teaching implementation science in a new Master of Science Program in Germany: a survey of stakeholder expectations. <i>Implementation Science</i> , 2017, 12, 55.	6.9	21
83	Translation and psychometric properties of the German version of the University of the West of England Interprofessional Questionnaire (IUWE-IP). <i>Journal of Interprofessional Care</i> , 2017, 31, 105-109.	1.7	25
84	Anchoring interprofessional education in undergraduate curricula: The Heidelberg story. <i>Journal of Interprofessional Care</i> , 2017, 31, 175-179.	1.7	14
85	Health-Related Quality of Life in Primary Care: Which Aspects Matter in Multimorbid Patients with Type 2 Diabetes Mellitus in a Community Setting?. <i>PLoS ONE</i> , 2017, 12, e0170883.	2.5	16
86	Antibiotic prescribing for acute lower respiratory tract infections (LRTI) – guideline adherence in the German primary care setting: An analysis of routine data. <i>PLoS ONE</i> , 2017, 12, e0174584.	2.5	39
87	Differences in the prevalence of hospitalizations and utilization of emergency outpatient services for ambulatory care sensitive conditions between asylum-seeking children and children of the general population: a cross-sectional medical records study (2015). <i>BMC Health Services Research</i> , 2017, 17, 731.	2.2	20
88	Complexity of care and strategies of self-management in patients with colorectal cancer. <i>Patient Preference and Adherence</i> , 2017, Volume 11, 731-742.	1.8	21
89	A Personal Electronic Health Record: Study Protocol of a Feasibility Study on Implementation in a Real-World Health Care Setting. <i>JMIR Research Protocols</i> , 2017, 6, e33.	1.0	22
90	Yield of active screening for tuberculosis among asylum seekers in Germany: a systematic review and meta-analysis. <i>Eurosurveillance</i> , 2017, 22, .	7.0	29

#	ARTICLE	IF	CITATIONS
91	Infectious disease screening in asylum seekers: range, coverage and economic evaluation in Germany, 2015. <i>Eurosurveillance</i> , 2017, 22, .	7.0	26
92	Quality circles to identify barriers, facilitating factors, and solutions for high-quality primary care for asylum seekers. <i>BJGP Open</i> , 2017, 1, bjgpopen17X101133.	1.8	7
93	New paths in post-graduate medical training in general practice - 8 years of experience with the pilot project Verbundweiterbildung Baden-Württemberg. <i>GMS Journal for Medical Education</i> , 2017, 34, Doc62.	0.1	10
94	Training Standards Statements of Family Medicine Postgraduate Training – A Review of Existing Documents Worldwide. <i>PLoS ONE</i> , 2016, 11, e0159906.	2.5	8
95	Individual difficulties and resources – a qualitative analysis in patients with advanced lung cancer and their relatives. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 2021-2029.	1.8	23
96	Potentially avoidable and ambulatory care sensitive hospitalisations among forced migrants: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016, 6, e012216.	1.9	8
97	Cost-utility of a specific collaborative group intervention for patients with functional somatic syndromes. <i>Journal of Psychosomatic Research</i> , 2016, 90, 43-50.	2.6	7
98	Adaptation, psychometric properties and feasibility of the Professionalism Scale Germany. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2016, 113, 66-75.	0.9	5
99	Monitoring mental healthcare on a system level: Country profiles and status from EU countries. <i>Health Policy</i> , 2016, 120, 706-717.	3.0	13
100	Confirmatory factor analysis of the German Readiness for Interprofessional Learning Scale (RIPLS-D). <i>Journal of Interprofessional Care</i> , 2016, 30, 381-384.	1.7	10
101	Mandatory national quality improvement systems using indicators: An initial assessment in Europe and Israel. <i>Health Policy</i> , 2016, 120, 1256-1269.	3.0	18
102	Prescribing differences in family practice for diabetic patients in Germany according to statutory or private health insurance: the case of DPP-4-inhibitors and GLP-1-agonists. <i>BMC Family Practice</i> , 2016, 17, 146.	2.9	3
103	Correlation between patient quality of life in palliative care and burden of their family caregivers: a prospective observational cohort study. <i>BMC Palliative Care</i> , 2016, 15, 4.	1.8	79
104	Europe’s response to the refugee crisis: why relocation quotas will fail to achieve “fairness” from a health perspective. <i>European Journal of Public Health</i> , 2016, 26, 5-6.	0.3	11
105	Strengthening Interprofessional Requirements Engineering Through Action Sheets: A Pilot Study. <i>JMIR Human Factors</i> , 2016, 3, e25.	2.0	11
106	Differences between Practice Patterns of Conventional and Naturopathic GPs in Germany. <i>PLoS ONE</i> , 2016, 11, e0163519.	2.5	1
107	Validation of the German version of the STarT-Back Tool (STarT-G): a cohort study with patients from primary care practices. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 346.	1.9	47
108	Factors associated with medication information in diabetes care: differences in perceptions between patients and health care professionals. <i>Patient Preference and Adherence</i> , 2015, 9, 1431.	1.8	14

#	ARTICLE	IF	CITATIONS
109	Design and Delivery of a Tailored Intervention to Implement Recommendations for Multimorbid Patients Receiving Polypharmacy into Primary Care Practices. <i>BioMed Research International</i> , 2015, 2015, 1-9.	1.9	8
110	Medication Lists and Brown Bag Reviews: Potential Positive and Negative Impacts on Patients Beliefs about Their Medicine. <i>BioMed Research International</i> , 2015, 2015, 1-6.	1.9	10
111	Analysing horizontal equity in enrolment in Disease Management Programmes for coronary heart disease in Germany 2008â€“2010. <i>International Journal for Equity in Health</i> , 2015, 14, 28.	3.5	8
112	Collaboration and communication in colorectal cancer care: a qualitative study of the challenges experienced by patients and health care professionals. <i>Family Practice</i> , 2015, 32, cmv069.	1.9	21
113	The patientsâ€™ active role in managing a personal electronic health record: a qualitative analysis. <i>Supportive Care in Cancer</i> , 2015, 23, 2613-2621.	2.2	40
114	Social disparities in Disease Management Programmes for coronary heart disease in Germany: a cross-classified multilevel analysis. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1091-1101.	3.7	22
115	General Practitioners Views of Implementing a Stratified Treatment Approach for Low Back Pain in Germany: A Qualitative Study. <i>PLoS ONE</i> , 2015, 10, e0136119.	2.5	24
116	Personal Electronic Health Records: Understanding User Requirements and Needs in Chronic Cancer Care. <i>Journal of Medical Internet Research</i> , 2015, 17, e121.	4.3	37
117	Involving patients in detecting quality gaps in a fragmented healthcare system: development of a questionnaire for Patients' Experiences Across Health Care Sectors (PEACS). <i>International Journal for Quality in Health Care</i> , 2014, 26, 240-249.	1.8	40
118	Assessing self-management in patients with diabetes mellitus type 2 in Germany: validation of a German version of the Summary of Diabetes Self-Care Activities measure (SDSCA-G). <i>Health and Quality of Life Outcomes</i> , 2014, 12, 185.	2.4	46
119	Stakeholdersâ€™ contributions to tailored implementation programs: an observational study of group interview methods. <i>Implementation Science</i> , 2014, 9, 185.	6.9	18
120	What drives the costs of heart failure care in Germany? A health services cost analysis. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2012, 20, 653-660.	1.6	6
121	Adaptation and psychometric properties of the PACIC short form. <i>American Journal of Managed Care</i> , 2012, 18, e55-60.	1.1	35
122	Assessing reported adherence to pharmacological treatment recommendations. Translation and evaluation of the Medication Adherence Report Scale (MARS) in Germany. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 574-579.	1.8	132
123	Psychometric Properties of a German Version of the â€œSatisfaction with Information about Medicines Scaleâ€“(SIMS-D). <i>Value in Health</i> , 2009, 12, 1176-1179.	0.3	19