Timothy B Meier

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4547735/publications.pdf

Version: 2024-02-01

| | | 159585 | 123424 |
|----------|----------------|--------------|----------------|
| 87 | 4,274 | 30 | 61 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 00 | 0.0 | 00 | F702 |
| 88 | 88 | 88 | 5793 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The Kynurenine Pathway in Traumatic Brain Injury: Implications for Psychiatric Outcomes. Biological Psychiatry, 2022, 91, 449-458. | 1.3 | 20 |
| 2 | Test–Retest Reliability of a Semi-Structured Interview to Aid in Pediatric Traumatic Brain Injury Diagnosis. Journal of the International Neuropsychological Society, 2022, 28, 687-699. | 1.8 | 5 |
| 3 | Extracellular vesicle-associated cytokines in sport-related concussion. Brain, Behavior, and Immunity, 2022, 100, 83-87. | 4.1 | 10 |
| 4 | Investigating the overlapping associations of prior concussion, default mode connectivity, and executive function-based symptoms. Brain Imaging and Behavior, 2022, 16, 1275-1283. | 2.1 | 4 |
| 5 | Age-Group Differences and Annual Variation in Return-To-Play Practices After Sport-Related Concussion. Clinical Journal of Sport Medicine, 2022, 32, e52-e60. | 1.8 | 2 |
| 6 | Head Impact Exposure, Gray Matter Volume, and Moderating Effects of Estimated Intelligence Quotient and Educational Attainment in Former Athletes at Midlife. Journal of Neurotrauma, 2022, 39, 497-507. | 3.4 | 7 |
| 7 | Non-Linear Device Head Coupling and Temporal Delays in Large Animal Acceleration Models of Traumatic Brain Injury. Annals of Biomedical Engineering, 2022, , 1. | 2.5 | 2 |
| 8 | Investigating the diagnostic accuracy of a paper-and-pencil and a computerized cognitive test battery for pediatric mild traumatic brain injury Neuropsychology, 2022, 36, 565-577. | 1.3 | 5 |
| 9 | Hiding in Plain Sight: Factors Influencing the Neuroinflammatory Response to Sport-Related Concussion. Neurotrauma Reports, 2022, 3, 200-206. | 1.4 | 2 |
| 10 | Multicompartmental models and diffusion abnormalities in paediatric mild traumatic brain injury. Brain, 2022, 145, 4124-4137. | 7.6 | 3 |
| 11 | Effects of White-Matter Tract Length in Sport-Related Concussion: A Tractography Study from the NCAA-DoD CARE Consortium. Journal of Neurotrauma, 2022, 39, 1495-1506. | 3.4 | 2 |
| 12 | Positive association between serum quinolinic acid and functional connectivity following concussion. Brain, Behavior, and Immunity, 2021, 91, 531-540. | 4.1 | 11 |
| 13 | The ENIGMA sports injury working group:– an international collaboration to further our understanding of sport-related brain injury. Brain Imaging and Behavior, 2021, 15, 576-584. | 2.1 | 8 |
| 14 | Association of Head Impact Exposure with White Matter Macrostructure and Microstructure Metrics. Journal of Neurotrauma, 2021, 38, 474-484. | 3.4 | 6 |
| 15 | Acute Post-Concussive Assessments of Brain Tissue Magnetism Using Magnetic Resonance Imaging. Journal of Neurotrauma, 2021, 38, 848-857. | 3.4 | 8 |
| 16 | Prospective study of the association between sport-related concussion and brain morphometry (3T-MRI) in collegiate athletes: study from the NCAA-DoD CARE Consortium. British Journal of Sports Medicine, 2021, 55, 169-174. | 6.7 | 9 |
| 17 | Research Letter: Sleep Mediates the Association Between Prior Concussion and Depressive Symptoms. Journal of Head Trauma Rehabilitation, 2021, 36, E284-E288. | 1.7 | 4 |
| 18 | Assessment of Blood Biomarker Profile After Acute Concussion During Combative Training Among US Military Cadets. JAMA Network Open, 2021, 4, e2037731. | 5.9 | 25 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Association of Previous Concussion with Hippocampal Volume and Symptoms in Collegiate-Aged Athletes. Journal of Neurotrauma, 2021, 38, 1358-1367. | 3.4 | 12 |
| 20 | Reproducibility and Characterization of Head Kinematics During a Large Animal Acceleration Model of Traumatic Brain Injury. Frontiers in Neurology, 2021, 12, 658461. | 2.4 | 6 |
| 21 | The Association Between Concussion History and Increased Symptom Severity Reporting Is Independent of Common Medical Comorbidities, Personality Factors, and Sleep Quality in Collegiate Athletes. Journal of Head Trauma Rehabilitation, 2021, Publish Ahead of Print, . | 1.7 | 3 |
| 22 | Survival Rates and Biomarkers in a Large Animal Model of Traumatic Brain Injury Combined With Two Different Levels of Blood Loss. Shock, 2021, 55, 554-562. | 2.1 | 13 |
| 23 | Return to play and risk of repeat concussion in collegiate football players: comparative analysis from the NCAA Concussion Study (1999–2001) and CARE Consortium (2014–2017). British Journal of Sports Medicine, 2020, 54, 102-109. | 6.7 | 73 |
| 24 | Resting-State fMRI Metrics in Acute Sport-Related Concussion and Their Association with Clinical Recovery: A Study from the NCAA-DOD CARE Consortium. Journal of Neurotrauma, 2020, 37, 152-162. | 3.4 | 40 |
| 25 | Persistent alterations in cerebrovascular reactivity in response to hypercapnia following pediatric mild traumatic brain injury. Journal of Cerebral Blood Flow and Metabolism, 2020, 40, 2491-2504. | 4.3 | 21 |
| 26 | Longitudinal Reproducibility of MR Perfusion Using 3D Pseudocontinuous Arterial Spin Labeling With Hadamardâ€Encoded Multiple Postlabeling Delays. Journal of Magnetic Resonance Imaging, 2020, 51, 1846-1853. | 3.4 | 27 |
| 27 | Neurosensory Screening and Symptom Provocation in Pediatric Mild Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2020, 35, 270-278. | 1.7 | 2 |
| 28 | Longitudinal white-matter abnormalities in sports-related concussion. Neurology, 2020, 95, e781-e792. | 1.1 | 47 |
| 29 | Cumulative Effects of Prior Concussion and Primary Sport Participation on Brain Morphometry in Collegiate Athletes: A Study From the NCAA–DoD CARE Consortium. Frontiers in Neurology, 2020, 11, 673. | 2.4 | 16 |
| 30 | Systemic inflammation moderates the association of prior concussion with hippocampal volume and episodic memory in high school and collegiate athletes. Brain, Behavior, and Immunity, 2020, 89, 380-388. | 4.1 | 8 |
| 31 | Plasma Biomarker Concentrations Associated With Return to Sport Following Sport-Related Concussion in Collegiate Athletes—A Concussion Assessment, Research, and Education (CARE) Consortium Study. JAMA Network Open, 2020, 3, e2013191. | 5.9 | 32 |
| 32 | Prospective study of the effects of sport-related concussion on serum kynurenine pathway metabolites. Brain, Behavior, and Immunity, 2020, 87, 715-724. | 4.1 | 13 |
| 33 | A Prospective Study of Acute Bloodâ€Based Biomarkers for Sportâ€Related Concussion. Annals of Neurology, 2020, 87, 907-920. | 5.3 | 55 |
| 34 | Restingâ€State Power and Regional Connectivity After Pediatric Mild Traumatic Brain Injury. Journal of Magnetic Resonance Imaging, 2020, 52, 1701-1713. | 3.4 | 16 |
| 35 | Amygdala response to emotional faces in adolescents with persistent post-concussion symptoms. Neurolmage: Clinical, 2020, 26, 102217. | 2.7 | 7 |
| 36 | Association of Blood Biomarkers With Acute Sport-Related Concussion in Collegiate Athletes. JAMA Network Open, 2020, 3, e1919771. | 5.9 | 116 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 37 | Prognosis for Persistent Post Concussion Symptoms using a Multifaceted Objective Gait and Balance Assessment Approach. Gait and Posture, 2020, 79, 53-59. | 1.4 | 15 |
| 38 | Fluid Biomarkers of Pediatric Mild Traumatic Brain Injury: A Systematic Review. Journal of Neurotrauma, 2020, 37, 2029-2044. | 3.4 | 25 |
| 39 | Serial Diffusion Kurtosis Magnetic Resonance Imaging Study during Acute, Subacute, and Recovery Periods after Sport-Related Concussion. Journal of Neurotrauma, 2020, 37, 2081-2092. | 3.4 | 12 |
| 40 | Age-Group Differences and Annual Variation in Return-To-Play Practices After Sport-Related Concussion. Clinical Journal of Sport Medicine, 2020, , . | 1.8 | 0 |
| 41 | Quantifying Activity Levels After Sport-Related Concussion Using Actigraph and Mobile (mHealth) Technologies. Journal of Athletic Training, 2019, 54, 929-938. | 1.8 | 14 |
| 42 | Acute elevation of serum inflammatory markers predicts symptom recovery after concussion. Neurology, 2019, 93, e497-e507. | 1.1 | 61 |
| 43 | Proactive inhibition deficits with normal perfusion after pediatric mild traumatic brain injury. Human Brain Mapping, 2019, 40, 5370-5381. | 3.6 | 18 |
| 44 | Prevalence of Potentially Clinically Significant Magnetic Resonance Imaging Findings in Athletes with and without Sport-Related Concussion. Journal of Neurotrauma, 2019, 36, 1776-1785. | 3 . 4 | 37 |
| 45 | Cerebral blood flow in acute concussion: preliminary ASL findings from the NCAA-DoD CARE consortium. Brain Imaging and Behavior, 2019, 13, 1375-1385. | 2.1 | 45 |
| 46 | Restingâ€state functional connectivity after concussion is associated with clinical recovery. Human Brain Mapping, 2019, 40, 1211-1220. | 3.6 | 41 |
| 47 | The Association Between Persistent White-Matter Abnormalities and Repeat Injury After Sport-Related Concussion. Frontiers in Neurology, 2019, 10, 1345. | 2.4 | 16 |
| 48 | Spatial distribution bias in subject-specific abnormalities analyses. Brain Imaging and Behavior, 2018, 12, 1828-1834. | 2.1 | 3 |
| 49 | Stability of MRI metrics in the advanced research core of the NCAA-DoD concussion assessment, research and education (CARE) consortium. Brain Imaging and Behavior, 2018, 12, 1121-1140. | 2.1 | 22 |
| 50 | Acute White-Matter Abnormalities in Sports-Related Concussion: A Diffusion Tensor Imaging Study from the NCAA-DoD CARE Consortium. Journal of Neurotrauma, 2018, 35, 2653-2664. | 3.4 | 61 |
| 51 | Kynurenic acid is reduced in females and oral contraceptive users: Implications for depression. Brain, Behavior, and Immunity, 2018, 67, 59-64. | 4.1 | 40 |
| 52 | Association of acute depressive symptoms and functional connectivity of emotional processing regions following sport-related concussion. Neurolmage: Clinical, 2018, 19, 434-442. | 2.7 | 21 |
| 53 | Chronic differences in white matter integrity following sportâ€related concussion as measured by diffusion MRI: 6â€Month followâ€up. Human Brain Mapping, 2018, 39, 4276-4289. | 3.6 | 41 |
| 54 | Neurosensory Deficits Vary as a Function of Point of Care in Pediatric Mild Traumatic Brain Injury. Journal of Neurotrauma, 2018, 35, 1178-1184. | 3.4 | 16 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Advanced biomarkers of pediatric mild traumatic brain injury: Progress and perils. Neuroscience and Biobehavioral Reviews, 2018, 94, 149-165. | 6.1 | 66 |
| 56 | Quantitative Susceptibility Mapping after Sports-Related Concussion. American Journal of Neuroradiology, 2018, 39, 1215-1221. | 2.4 | 17 |
| 57 | Longitudinal assessment of local and global functional connectivity following sports-related concussion. Brain Imaging and Behavior, 2017, 11, 129-140. | 2.1 | 52 |
| 58 | A prospective microstructure imaging study in mixed-martial artists using geometric measures and diffusion tensor imaging: methods and findings. Brain Imaging and Behavior, 2017, 11, 698-711. | 2.1 | 33 |
| 59 | Role of advanced neuroimaging, fluid biomarkers and genetic testing in the assessment of sport-related concussion: a systematic review. British Journal of Sports Medicine, 2017, 51, 919-929. | 6.7 | 164 |
| 60 | Prospective Assessment of Acute Blood Markers of Brain Injury in Sport-Related Concussion. Journal of Neurotrauma, 2017, 34, 3134-3142. | 3.4 | 63 |
| 61 | Serial Assessment of Gray Matter Abnormalities after Sport-Related Concussion. Journal of Neurotrauma, 2017, 34, 3143-3152. | 3.4 | 23 |
| 62 | Abnormalities in Functional Connectivity in Collegiate Football Athletes with and without a Concussion History: Implications and Role of Neuroactive Kynurenine Pathway Metabolites. Journal of Neurotrauma, 2017, 34, 824-837. | 3.4 | 21 |
| 63 | Age-Related Changes in BOLD Activation Pattern in Phonemic Fluency Paradigm: An Investigation of Activation, Functional Connectivity and Psychophysiological Interactions. Frontiers in Aging Neuroscience, 2016, 8, 110. | 3.4 | 15 |
| 64 | Smaller Dentate Gyrus and CA2 and CA3 Volumes Are Associated with Kynurenine Metabolites in Collegiate Football Athletes. Journal of Neurotrauma, 2016, 33, 1349-1357. | 3.4 | 28 |
| 65 | Delineating potential epileptogenic areas utilizing resting functional magnetic resonance imaging (fMRI) in epilepsy patients. Neurocase, 2016, 22, 362-368. | 0.6 | 5 |
| 66 | Longitudinal assessment of white matter abnormalities following sportsâ€related concussion. Human Brain Mapping, 2016, 37, 833-845. | 3.6 | 95 |
| 67 | Relationship between neurotoxic kynurenine metabolites and reductions in right medial prefrontal cortical thickness in major depressive disorder. Brain, Behavior, and Immunity, 2016, 53, 39-48. | 4.1 | 136 |
| 68 | Thinner Cortex in Collegiate Football Players With, but not Without, a Self-Reported History of Concussion. Journal of Neurotrauma, 2016, 33, 330-338. | 3.4 | 45 |
| 69 | Mood symptoms correlate with kynurenine pathway metabolites following sports-related concussion. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, 670-675. | 1.9 | 31 |
| 70 | A functional magnetic resonance imaging study of cognitive control and neurosensory deficits in mild traumatic brain injury. Human Brain Mapping, 2015, 36, 4394-4406. | 3.6 | 26 |
| 71 | The underreporting of self-reported symptoms following sports-related concussion. Journal of Science and Medicine in Sport, 2015, 18, 507-511. | 1.3 | 151 |
| 72 | Activation of the kynurenine pathway is associated with striatal volume in major depressive disorder. Psychoneuroendocrinology, 2015, 62, 54-58. | 2.7 | 80 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | A Longitudinal Assessment of Structural and Chemical Alterations in Mixed Martial Arts Fighters. Journal of Neurotrauma, 2015, 32, 1759-1767. | 3.4 | 42 |
| 74 | Recovery of Cerebral Blood Flow Following Sports-Related Concussion. JAMA Neurology, 2015, 72, 530. | 9.0 | 224 |
| 75 | Relationship of Collegiate Football Experience and Concussion With Hippocampal Volume and Cognitive Outcomes. JAMA - Journal of the American Medical Association, 2014, 311, 1883. | 7.4 | 109 |
| 76 | Age-Related Reorganizational Changes in Modularity and Functional Connectivity of Human Brain Networks. Brain Connectivity, 2014, 4, 662-676. | 1.7 | 233 |
| 77 | The neural correlates of age effects on verbal–spatial binding in working memory. Behavioural Brain Research, 2014, 266, 146-152. | 2.2 | 4 |
| 78 | The Influence of Physiological Noise Correction on Test–Retest Reliability of Resting-State Functional Connectivity. Brain Connectivity, 2014, 4, 511-522. | 1.7 | 84 |
| 79 | The effect of resting condition on resting-state fMRI reliability and consistency: A comparison between resting with eyes open, closed, and fixated. Neurolmage, 2013, 78, 463-473. | 4.2 | 334 |
| 80 | The effect of scan length on the reliability of resting-state fMRI connectivity estimates. NeuroImage, 2013, 83, 550-558. | 4.2 | 707 |
| 81 | Characterizing Functional Connectivity Differences in Aging Adults using Machine Learning on Resting State fMRI Data. Frontiers in Computational Neuroscience, 2013, 7, 38. | 2.1 | 69 |
| 82 | Support vector machine classification and characterization of age-related reorganization of functional brain networks. NeuroImage, 2012, 60, 601-613. | 4.2 | 160 |
| 83 | Age-Related Differences in Test-Retest Reliability in Resting-State Brain Functional Connectivity. PLoS ONE, 2012, 7, e49847. | 2.5 | 92 |
| 84 | Parallel ICA identifies sub-components of resting state networks that covary with behavioral indices. Frontiers in Human Neuroscience, 2012, 6, 281. | 2.0 | 21 |
| 85 | Capacity-Speed Relationships in Prefrontal Cortex. PLoS ONE, 2011, 6, e27504. | 2.5 | 14 |
| 86 | Validating age-related functional imaging changes in verbal working memory with acute stroke. Behavioural Neurology, 2011, 24, 187-99. | 2.1 | 0 |
| 87 | Proteomic Profiling of Plasma Biomarkers Associated With Return to Sport Following Concussion: Findings From the NCAA and Department of Defense CARE Consortium. Frontiers in Neurology, 0, 13, . | 2.4 | 1 |