
Thomas E Ellis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4548337/publications.pdf Version: 2024-02-01



THOMAS F FLUS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Anhedonia predicts suicidal ideation in a large psychiatric inpatient sample. Psychiatry Research, 2014, 218, 124-128. | 3.3 | 112 |
| 2 | Body Investment, Depression, and Alcohol Use as Risk Factors for Suicide Proneness in College Students. Crisis, 2010, 31, 118-127. | 1.2 | 83 |
| 3 | Collaborative Assessment and Management of Suicidality in an inpatient setting: Results of a pilot study Psychotherapy, 2012, 49, 72-80. | 1.2 | 81 |
| 4 | Psychometric Reevaluation of the Columbia–Suicide Severity Rating Scale. Journal of Clinical Psychiatry, 2016, 77, e867-e873. | 2.2 | 67 |
| 5 | Cognitive characteristics of suicidal and nonsuicidal psychiatric inpatients. Cognitive Therapy and Research, 1986, 10, 625-634. | 1.9 | 65 |
| 6 | Patient Suicide in Psychiatry Residency Programs. Academic Psychiatry, 1998, 22, 181-189. | 0.9 | 57 |
| 7 | Cognition and Suicide: Two Decades of Progress. International Journal of Cognitive Therapy, 2008, 1, 47-68. | 2.2 | 52 |
| 8 | Integrating outcomes assessment and research into clinical care in inpatient adult psychiatric treatment. Bulletin of the Menninger Clinic, 2009, 73, 259-295. | 0.6 | 50 |
| 9 | Impact of a Suicideâ€Specific Intervention within Inpatient Psychiatric Care: The Collaborative Assessment and Management of Suicidality. Suicide and Life-Threatening Behavior, 2015, 45, 556-566. | 1.9 | 50 |
| 10 | A controlled comparison trial of the Collaborative Assessment and Management of Suicidality (CAMS) in an inpatient setting: Outcomes at discharge and six-month follow-up. Psychiatry Research, 2017, 249, 252-260. | 3.3 | 43 |
| 11 | Change in Experiential Avoidance is Associated with Reduced Suicidal Ideation over the Course of Psychiatric Hospitalization. Archives of Suicide Research, 2016, 20, 426-437. | 2.3 | 40 |
| 12 | Procedures surrounding the suicide of a trainee's patient: A national survey of psychology internships and psychiatry residency programs Professional Psychology: Research and Practice, 1998, 29, 492-497. | 1.0 | 38 |
| 13 | A psychometric study of the Suicide Cognitions Scale with psychiatric inpatients Psychological Assessment, 2015, 27, 82-89. | 1.5 | 37 |
| 14 | Acute Suicidal Affective Disturbance (ASAD): A confirmatory factor analysis with 1442 psychiatric inpatients. Journal of Psychiatric Research, 2016, 80, 97-104. | 3.1 | 34 |
| 15 | Implicit Measure of Life/Death Orientation Predicts Response of Suicidal Ideation to Treatment in Psychiatric Inpatients. Archives of Suicide Research, 2016, 20, 59-68. | 2.3 | 34 |
| 16 | Client Suicide: What Now?. Cognitive and Behavioral Practice, 2012, 19, 277-287. | 1.5 | 29 |
| 17 | Collaborative assessment and management of suicidality at Menninger (CAMS-M): An inpatient adaptation and implementation. Bulletin of the Menninger Clinic, 2012, 76, 147-171. | 0.6 | 26 |
| 18 | Treatment of Nightmares in Psychiatric Inpatients With Imagery Rehearsal Therapy: An Open Trial and Case Series. Behavioral Sleep Medicine, 2019, 17, 112-123. | 2.1 | 26 |

THOMAS E ELLIS

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Supporting a Psychiatric Hospital Culture of Safety. Journal of the American Psychiatric Nurses Association, 2012, 18, 299-306. | 1.0 | 25 |
| 20 | Neuropsychological Performance and Suicidal Behavior in Adult Psychiatric Inpatients. Perceptual and Motor Skills, 1992, 75, 639-647. | 1.3 | 24 |
| 21 | Presence and Persistence of Sleep-Related Symptoms and Suicidal Ideation in Psychiatric Inpatients. Crisis, 2014, 35, 398-405. | 1.2 | 23 |
| 22 | Classification of Suicidal Behavior: A Review and Step toward Integration. Suicide and Life-Threatening Behavior, 1988, 18, 358-371. | 1.9 | 22 |
| 23 | Implementing an evidence-based approach to working with suicidal inpatients. Bulletin of the Menninger Clinic, 2009, 73, 339-354. | 0.6 | 20 |
| 24 | Toward a cognitive therapy for suicidal individuals Professional Psychology: Research and Practice, 1986, 17, 125-130. | 1.0 | 19 |
| 25 | Healthâ€Risk Behaviors and Suicidal Ideation: A Preliminary Study of Cognitive and Developmental Factors. Suicide and Life-Threatening Behavior, 2008, 38, 251-259. | 1.9 | 19 |
| 26 | Negative Reactions of Therapists Working with Suicidal Patients: a CBT/Mindfulness Perspective on "Countertransferenceâ€: International Journal of Cognitive Therapy, 2018, 11, 80-99. | 2.2 | 18 |
| 27 | Collaboration and a Self-Help Orientation in Therapy with Suicidal Clients. Journal of Contemporary Psychotherapy, 2004, 34, 41-57. | 1.2 | 14 |
| 28 | Using the Suicide Index Score to Predict Treatment Outcomes among Psychiatric Inpatients. Suicide and Life-Threatening Behavior, 2013, 43, 547-561. | 1.9 | 13 |
| 29 | Intensive inpatient treatment improves emotion-regulation capacities among adults with severe mental illness. Borderline Personality Disorder and Emotion Dysregulation, 2014, 1, 19. | 2.6 | 13 |
| 30 | Assessing and Addressing Patient Satisfaction in a Longer-term Inpatient Psychiatric Hospital. Quality Management in Health Care, 2014, 23, 178-187. | 0.8 | 13 |
| 31 | Improvement in Health-Related Quality of Life Among Adults With Serious Mental Illness Receiving Inpatient Treatment. Journal of Clinical Psychiatry, 2015, 76, e632-e638. | 2.2 | 12 |
| 32 | Psychosocial characteristics of psychiatric inpatients at admissions and discharge: The Menninger Clinic Adult Outcomes Project. Bulletin of the Menninger Clinic, 2009, 73, 296-310. | 0.6 | 11 |
| 33 | The hopelessness scale and social desirability: More data and a contribution from the irrational beliefs test. Journal of Clinical Psychology, 1985, 41, 634-639. | 1.9 | 9 |
| 34 | Discovering the impact of psychotherapeutic hospital treatment for adults with serious mental illness. Bulletin of the Menninger Clinic, 2017, 81, 1-38. | 0.6 | 8 |
| 35 | Contributions of Cognitions, Psychological Flexibility, and Therapeutic Alliance to Suicidal Ideation in Psychiatric Inpatients. Suicide and Life-Threatening Behavior, 2018, 48, 271-280. | 1.9 | 8 |
| 36 | Utility of an Integrated Electronic Suicide Alert System in a Psychiatric Hospital. Quality Management in Health Care, 2015, 24, 79-83. | 0.8 | 6 |

THOMAS E ELLIS

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Factor Structure and Convergent Validity of the Inventory of Interpersonal Problems in an Inpatient Setting. Journal of Psychiatric Practice, 2012, 18, 145-158. | 0.7 | 4 |
| 38 | Working With Suicidal Clients: Not Business as Usual. Cognitive and Behavioral Practice, 2012, 19, 205-208. | 1.5 | 4 |
| 39 | Recognizing and addressing unique vulnerabilities of suicidal patients: Suicide research at The Menninger Clinic. Bulletin of the Menninger Clinic, 2017, 81, 39-52. | 0.6 | 3 |
| 40 | American Psychiatric Association Publishing Textbook of Suicide Risk Assessment and Management, Third Edition. Journal of Psychiatric Practice, 2021, 27, 498-499. | 0.7 | 2 |
| 41 | COMMENT ON "INEVITABLE SUICIDE― Journal of Psychiatric Practice, 2012, 18, 318-319. | 0.7 | 0 |
| 42 | Word count as an indicator of suicide risk in an inpatient setting. Bulletin of the Menninger Clinic, 2018, 82, 115-135. | 0.6 | 0 |
| 43 | Collaborative movement from "preventing suicide―to recovering desire to live. , 2020, , 161-178. | | О |