



| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Trends in Worldwide Research in Hypertension Over the Period 1999â€“2018. <i>Hypertension</i> , 2020, 76, 1649-1655.  | 2.7  | 45        |
| 2  | Randomized Dose-Response Study of the New Dual Endothelin Receptor Antagonist Aprocitentan in Hypertension. <i>Hypertension</i> , 2020, 75, 956-965.  | 2.7  | 49        |
| 3  | Bibliometric analysis of research relating to hypertension reported over the period 1997â€“2016. <i>Journal of Hypertension</i> , 2019, 37, 2116-2122.  | 0.5  | 58        |
| 4  | Pharmacological Characterization of Aprocitentan, a Dual Endothelin Receptor Antagonist, Alone and in Combination with Blockers of the Renin Angiotensin System, in Two Models of Experimental Hypertension. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 368, 462-473. | 2.5  | 32        |
| 5  | Conclusion de la sÃ©ance dÃ©diÃ©e : Â« Ã©volution de la prise en charge de lâ€™hypertension artÃ©rielle Â». <i>Bulletin De L'Academie Nationale De Medecine</i> , 2018, 202, 1581-1584.   | 0.0  | 0         |
| 6  | Primary Cardiovascular Disease Risk Factors Predicted by Poor Working Conditions in the GAZEL Cohort. <i>American Journal of Epidemiology</i> , 2017, 186, 815-823.   | 3.4  | 9         |
| 7  | A Global View of the Relationships between the Main Behavioural and Clinical Cardiovascular Risk Factors in the GAZEL Prospective Cohort. <i>PLoS ONE</i> , 2016, 11, e0162386.   | 2.5  | 14        |
| 8  | Unemployment is associated with high cardiovascular event rate and increased all-cause mortality in middle-aged socially privileged individuals. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 707-716.  | 2.3  | 55        |
| 9  | Clearance systems in the brainâ€”implications for Alzheimer disease. <i>Nature Reviews Neurology</i> , 2015, 11, 457-470.   | 10.1 | 1,127     |
| 10 | Genome-Wide Meta-Analyses of Plasma Renin Activity and Concentration Reveal Association With the Kininogen 1 and Prekallikrein Genes. <i>Circulation: Cardiovascular Genetics</i> , 2015, 8, 131-140.   | 5.1  | 24        |
| 11 | Deciphering the Role of Vasopressin in Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3297-3303.   | 3.6  | 8         |
| 12 | Multiple Ascending Dose Study With the New Renin Inhibitor VTP-27999. <i>Hypertension</i> , 2014, 63, 942-950.  | 2.7  | 42        |
| 13 | 20-Year prevalence projections for dementia and impact of preventive policy about risk factors. <i>European Journal of Epidemiology</i> , 2013, 28, 493-502.  | 5.7  | 54        |
| 14 | Aldosterone synthase inhibition in humans. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 36-43.  | 0.7  | 79        |
| 15 | Renin Inhibitors and Cardiovascular and Renal Protection: An Endless Quest?. <i>Cardiovascular Drugs and Therapy</i> , 2013, 27, 145-153.   | 2.6  | 24        |
| 16 | Effect of Contrasted Sodium Diets on the Pharmacokinetics and Pharmacodynamic Effects of Reninâ€“Angiotensin System Blockers. <i>Hypertension</i> , 2013, 61, 1239-1245.  | 2.7  | 8         |
| 17 | Evaluation of the agreement between guidelines and initial antihypertensive drug treatment using a national health care reimbursement database. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 623-629.  | 1.8  | 8         |
| 18 | Eplerenone Survival Benefits in Heart Failure Patients Post-Myocardial Infarction Are Independent From its Diuretic and Potassium-Sparing Effects. <i>Journal of the American College of Cardiology</i> , 2011, 58, 1958-1966.  | 2.8  | 117       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Effects of a Novel Aldosterone Synthase Inhibitor for Treatment of Primary Hypertension. <i>Circulation</i> , 2011, 124, 1945-1955.  | 1.6  | 173       |
| 20 | Aldosterone Synthase Inhibition With LCI699. <i>Hypertension</i> , 2010, 56, 831-838.  | 2.7  | 161       |
| 21 | Review: Measurement of plasma renin: a critical review of methodology. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010, 11, 89-90.   | 1.7  | 6         |
| 22 | Activity Assays and Immunoassays for Plasma Renin and Prorenin: Information Provided and Precautions Necessary for Accurate Measurement. <i>Clinical Chemistry</i> , 2009, 55, 867-877.  | 3.2  | 172       |
| 23 | Prorenin Contributes to Angiotensin Peptide Formation in Transgenic Rats With Rat Prorenin Expression Targeted to the Liver. <i>Hypertension</i> , 2009, 54, 1248-1253.  | 2.7  | 27        |
| 24 | Hormonal and Hemodynamic Effects of Aliskiren and Valsartan and Their Combination in Sodium-Replete Normotensive Individuals. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 947-955.   | 4.5  | 57        |
| 25 | Effects of Oral and Transvaginal Ethinyl Estradiol on Hemostatic Factors and Hepatic Proteins in a Randomized, Crossover Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 2074-2079.   | 3.6  | 76        |
| 26 | Comparison of the impact of vaginal and oral administration of combined hormonal contraceptives on hepatic proteins sensitive to estrogen. <i>Contraception</i> , 2007, 75, 430-437.   | 1.5  | 52        |
| 27 | Very Low Oral Doses of Vitamin B-12 Increase Serum Concentrations in Elderly Subjects with Food-Bound Vitamin B-12 Malabsorption. <i>Journal of Nutrition</i> , 2007, 137, 373-378.  | 2.9  | 28        |
| 28 | NMR-based prediction of cardiovascular risk in diabetes. <i>Nature Medicine</i> , 2007, 13, 399-400.   | 30.7 | 18        |
| 29 | Pharmacokinetics and pharmacodynamics of the vasopeptidase inhibitor AVE7688 in humans. <i>Clinical Pharmacology and Therapeutics</i> , 2006, 79, 49-61.   | 4.7  | 20        |
| 30 | Comparative effects of a contraceptive vaginal ring delivering a nonandrogenic progestin and continuous ethinyl estradiol and a combined oral contraceptive containing levonorgestrel on hemostasis variables. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 72-77.  | 1.3  | 45        |
| 31 | Assessment of Patients' and Physicians' Compliance to an ACE Inhibitor Treatment Based on Urinary N-Acetyl Ser-Asp-Lys-Pro Determination in the Noninsulin-Dependent Diabetes, Hypertension, Microalbuminuria, Proteinuria, Cardiovascular Events, and Ramipril (DIABHYCAR) Study. <i>Diabetes Care</i> , 2006, 29, 1331-1336. | 8.6  | 35        |
| 32 | Combined Blockade of the Renin-Angiotensin System With Angiotensin-Converting Enzyme Inhibitors and Angiotensin II Type 1 Receptor Antagonists. <i>Circulation</i> , 2004, 109, 2492-2499.   | 1.6  | 184       |
| 33 | Integrating Drug Pharmacokinetics for Phenotyping Individual Renin Response to Angiotensin II Blockade in Humans. <i>Hypertension</i> , 2004, 43, 785-790.   | 2.7  | 38        |
| 34 | Cardiovascular Prognosis of "Masked Hypertension" Detected by Blood Pressure Self-measurement in Elderly Treated Hypertensive Patients. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 1342.   | 7.4  | 740       |
| 35 | Serial left ventricular adaptations in world-class professional cyclists. <i>Journal of the American College of Cardiology</i> , 2004, 44, 144-149.  | 2.8  | 209       |
| 36 | Pharmacologic Demonstration of the Synergistic Effects of a Combination of the Renin Inhibitor Aliskiren and the AT1 Receptor Antagonist Valsartan on the Angiotensin II "Renin Feedback Interruption. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 3126-3133.                                       | 6.1  | 234       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | The 45-year story of the development of an anti-aldosterone more specific than spironolactone. <i>Molecular and Cellular Endocrinology</i> , 2004, 217, 45-52.  | 3.2  | 88        |
| 38 | Physiologic Consequences of Vasopeptidase Inhibition in Humans: Effect of Sodium Intake. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2454-2463.  | 6.1  | 20        |
| 39 | Altered Renin Synthesis and Secretion in the Kidneys of Heterozygous Mice with a Null Mutation in the TGF- $\beta$ 2 Gene. <i>Nephron Experimental Nephrology</i> , 2002, 10, 374-382.  | 2.2  | 8         |
| 40 | Functional consequences of angiotensin-converting enzyme gene polymorphism on N-acetyl-Ser-Asp-Lys-Pro degradation and angiotensin II production. <i>Journal of Molecular Medicine</i> , 2002, 80, 492-498.                               | 3.9  | 9         |
| 41 | Angiotensin-converting enzyme inhibitors. <i>Advances in Protein Chemistry</i> , 2001, 56, 13-75.   | 4.4  | 48        |
| 42 | Angiotensin I-Converting Enzyme And Metabolism Of The Haematological Peptide N-Acetyl-Seryl-Aspartyl-Lysyl-Proline. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001, 28, 1066-1069.                                   | 1.9  | 26        |
| 43 | Pharmacodynamic effects of dual neutral endopeptidase and angiotensin-converting enzyme inhibition versus angiotensin-converting enzyme inhibition in humans. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 65, 448-459.          | 4.7  | 36        |
| 44 | Effects of intensive blood-pressure lowering and low-dose aspirin in patients with hypertension: principal results of the Hypertension Optimal Treatment (HOT) randomised trial. <i>Lancet</i> , The, 1998, 351, 1755-1762.               | 13.7 | 5,398     |
| 45 | Prevalence, Treatment, and Control of Hypertension in the French Population *1Data From a Survey on High Blood Pressure in General Practice, 1994. <i>American Journal of Hypertension</i> , 1998, 11, 759-762.                           | 2.0  | 99        |
| 46 | Vascular and cardiac remodeling in world class professional cyclists. <i>American Heart Journal</i> , 1998, 136, 818-823.   | 2.7  | 33        |
| 47 | Review: Low-dose diuretics, but not high-dose diuretics and $\beta$ -blockers, reduce coronary heart disease and total mortality. <i>ACP Journal Club</i> , 1997, 127, 36.  | 0.1  | 0         |
| 48 | Influence of obesity on the diagnostic value of electrocardiographic criteria for detecting left ventricular hypertrophy. <i>American Journal of Cardiology</i> , 1996, 77, 739-744.  | 1.6  | 76        |
| 49 | Doppler-derived pulmonary arterial systolic pressure in patients with known systemic arterial pressures. <i>American Journal of Cardiology</i> , 1996, 77, 767-769.   | 1.6  | 12        |
| 50 | Benefits of a computer-assisted education program for hypertensive patients compared with standard education tools. <i>Patient Education and Counseling</i> , 1995, 26, 343-347.  | 2.2  | 50        |
| 51 | Comparison of the Angiotensin II Antagonist UP269 with the Angiotensin Converting Enzyme Inhibitor Enalapril in Normotensive Volunteers Challenged with Angiotensin I. <i>Journal of Cardiovascular Pharmacology</i> , 1995, 25, 986-993. | 1.9  | 17        |
| 52 | Developmental studies demonstrate age-dependent elevation of renin activity in TGR(mRen2)27 rats. <i>American Journal of Hypertension</i> , 1995, 8, 1167-1176.   | 2.0  | 29        |
| 53 | Renal Proliferative and Phenotypic Changes in Rats With Two-Kidney, One-Clip Goldblatt Hypertension. <i>American Journal of Hypertension</i> , 1994, 7, 177-185.  | 2.0  | 80        |
| 54 | ISIS: a computer-assisted education program for hypertensive patients and patients at cardiovascular risk. <i>Patient Education and Counseling</i> , 1994, 23, S131-S132.   | 2.2  | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Calcium blockade versus ACE inhibition in clipped and unclipped kidneys of 2K-1C rats. <i>Kidney International</i> , 1994, 46, 421-429.  | 5.2 | 83        |
| 56 | Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists. <i>American Journal of Cardiology</i> , 1993, 72, 620-624.                  | 1.6 | 11        |
| 57 | Calcium Antagonists-ACE Inhibitors Combination Therapy. <i>Journal of Cardiovascular Pharmacology</i> , 1993, 21, S49-S54.   | 1.9 | 24        |
| 58 | Effects of Ro 405967, a New Calcium Antagonist, and Enalapril on Cardiac Remodeling in Renal Hypertensive Rats. <i>Journal of Cardiovascular Pharmacology</i> , 1993, 21, 544-551.   | 1.9 | 24        |
| 59 | 1993 Guidelines for the Management of Mild Hypertension: Memorandum from a WHO/ISH Meeting.. <i>Hypertension Research</i> , 1993, 16, 149-161.   | 2.7 | 37        |
| 60 | Decreased renin release and constant kallikrein secretion after injection of L-NAME in isolated perfused rat kidney. <i>Life Sciences</i> , 1992, 50, 987-993.   | 4.3 | 52        |
| 61 | Arterial and Endocrine Effects of a Combination of an Angiotensin Converting Enzyme Inhibitor and a Vasodilator in Normotensive Healthy Volunteers. <i>Journal of Cardiovascular Pharmacology</i> , 1991, 18, 175-181.                   | 1.9 | 6         |
| 62 | Computer-assisted Techniques for Evaluation and Treatment of Hypertensive Patients. <i>American Journal of Hypertension</i> , 1990, 3, 156-163.  | 2.0 | 22        |
| 63 | Effects of captopril and minoxidil on left ventricular hypertrophy in resistant hypertensive patients: A 6 month double-blind comparison. <i>Journal of the American College of Cardiology</i> , 1990, 16, 137-142.                      | 2.8 | 49        |
| 64 | Predictive Factors of the Blood Pressure Fall Induced by Intravenous Nicardipine. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 13, 370-375.   | 1.9 | 4         |
| 65 | Immunologic approaches to blockade of the renin-angiotensin system: A review. <i>American Heart Journal</i> , 1989, 117, 756-767.  | 2.7 | 22        |
| 66 | Comparison of Increase in the Enalapril Dose and Addition of Hydrochlorothiazide as Second-Step Treatment of Hypertensive Patients Not Controlled by Enalapril Alone. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 13, 314-319. | 1.9 | 19        |
| 67 | Long-term metabolic effects of spironolactone and thiazides combined with potassium-sparing agents for treatment of essential hypertension. <i>American Journal of Cardiology</i> , 1988, 62, 1072-1077.                                 | 1.6 | 42        |
| 68 | Predictive Factors of the Acute and Chronic Blood Pressure Fall Induced by the Calcium Antagonist Nicardipine. <i>Annals of the New York Academy of Sciences</i> , 1988, 522, 625-627.   | 3.8 | 0         |
| 69 | Reduced urinary kallikrein in hypertensive diabetic patients. <i>The Journal of Diabetic Complications</i> , 1988, 2, 88-91.   | 0.2 | 0         |
| 70 | Effects of Transdermal Clonidine in Young and Elderly Patients with Mild Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1987, 10, 162-167.  | 1.9 | 10        |
| 71 | Treatment of mild to moderate hypertension with or without the converting enzyme inhibitor enalapril. <i>American Journal of Medicine</i> , 1987, 83, 227-235.   | 1.5 | 42        |
| 72 | Efficacy and tolerance of spironolactone in essential hypertension. <i>American Journal of Cardiology</i> , 1987, 60, 820-825.   | 1.6 | 245       |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Effects of antihypertensive treatment in one-clip, two kidney hypertension in rats. <i>Kidney International</i> , 1986, 29, 1011-1020.   | 5.2  | 71        |
| 74 | Presence of Renin, Angiotensinogen, and Converting Enzyme in Human Pituitary Lactotroph Cells and Prolactin Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 63, 231-237.                             | 3.6  | 68        |
| 75 | Evaluation of the capacity of gel electrophoresis, steady state and transient state electrofocusing to resolve native human des-angiotensin-I-angiotensinogen from angiotensinogen. <i>Electrophoresis</i> , 1985, 6, 201-206. | 2.4  | 2         |
| 76 | Processing of rat and human angiotensinogen precursors by microsomal membranes. <i>Molecular and Cellular Endocrinology</i> , 1985, 43, 31-40.   | 3.2  | 8         |
| 77 | Systemic hypertension after cardiac transplantation: Effect of cyclosporine on the renin-angiotensin-aldosterone system. <i>American Journal of Cardiology</i> , 1985, 56, 927-931.  | 1.6  | 140       |
| 78 | Effects of glucocorticoids and antiglucocorticoid on angiotensinogen production by hepatoma cells in culture. <i>In Vitro</i> , 1984, 20, 528-534.   | 1.2  | 29        |
| 79 | Identity of angiotensinogen precursors of rat brain and liver. <i>Nature</i> , 1984, 308, 206-208.   | 27.8 | 133       |
| 80 | Diminished number of renin-containing cells in kidney biopsy samples from hypertensive women immediately postpartum: An immunomorphologic study. <i>Kidney International</i> , 1984, 26, 85-87.                                | 5.2  | 13        |
| 81 | Osmoregulation and renal effects of vasopressin in normal and mildly hypertensive subjects. <i>Kidney International</i> , 1984, 25, 411-415.   | 5.2  | 13        |
| 82 | Regulation of kallikrein and renin release by the isolated perfused rat kidney. <i>Kidney International</i> , 1983, 24, 58-65.   | 5.2  | 39        |
| 83 | Abnormalities of renin-containing cells in human glomerular and vascular renal diseases. <i>Kidney International</i> , 1983, 23, 375-379.  | 5.2  | 35        |
| 84 | Comparison of the hormonal and renal effects of captopril in severe essential and renovascular hypertension. <i>American Journal of Cardiology</i> , 1982, 49, 1447-1452.  | 1.6  | 45        |
| 85 | Dose Dependency of Captopril Effects in Severely Hypertensive Patients. <i>Journal of Cardiovascular Pharmacology</i> , 1981, 3, 1229-1235.  | 1.9  | 8         |
| 86 | Synthesis and Renin Inhibitory Properties of a New Soluble Pepstatin Derivative. <i>Journal of Cardiovascular Pharmacology</i> , 1980, 2, 687-698.   | 1.9  | 15        |
| 87 | Sodium balance and renin regulation in rats: Role of intrinsic renal mechanisms. <i>Kidney International</i> , 1980, 17, 607-614.  | 5.2  | 12        |
| 88 | Dynamic study of antidiuretic hormone during benign mineralocorticoid and metacorticoid hypertension. <i>European Journal of Endocrinology</i> , 1980, 95, 444-453.  | 3.7  | 5         |
| 89 | Hypertension management: The computer as a participant. <i>American Journal of Medicine</i> , 1980, 68, 559-567.   | 1.5  | 38        |
| 90 | Value of renin measurement, saralasin test, and acebutolol treatment in hypertension. <i>Kidney International</i> , 1979, 15, 176-183.   | 5.2  | 17        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 91 | Abnormal regulation of antidiuretic hormone in idiopathic edema. American Journal of Medicine, 1979, 67, 67-73.  | 1.5  | 22        |
| 92 | Comparison of the antihypertensive and hormonal effects of a cardioselective beta-blocker, acebutolol, and diuretics in essential hypertension. American Journal of Medicine, 1978, 64, 1005-1012. | 1.5  | 41        |
| 93 | Methodologic problems in plasma renin activity measurements. American Journal of Medicine, 1976, 61, 725-730.  | 1.5  | 23        |
| 94 | Rapid identification of patients with essential hypertension sensitive to acebutolol (a new) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td   | 1.5  | 50        |
| 95 | Partial Characterization of Hog Renin Purified by Affinity Chromatography. FEBS Journal, 1976, 64, 621-627.  | 0.2  | 21        |
| 96 | Inhibition of Human Plasma Renin Activity by Pepstatin. Journal of Clinical Endocrinology and Metabolism, 1976, 43, 1301-1306.   | 3.6  | 19        |
| 97 | Purification of Neurophysins by Affinity Chromatography. FEBS Journal, 1974, 43, 371-375.  | 0.2  | 13        |
| 98 | Radioimmunoassay of urinary antidiuretic hormone in man: Stimulationâ€“suppression tests. Kidney International, 1974, 6, 184-190.  | 5.2  | 25        |
| 99 | VARIATIONS IN RENIN AND ITS SUBSTRATE AFTER BINEPHRECTOMY. Lancet, The, 1968, 291, 300.  | 13.7 | 13        |