

Frank M Schurr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4558643/publications.pdf>

Version: 2024-02-01

83
papers

9,950
citations

94433

37
h-index

69250

77
g-index

88
all docs

88
docs citations

88
times ranked

14639
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of seed morphology and orientation on secondary seed dispersal by wind. <i>Journal of Plant Ecology</i> , 2022, 15, 1257-1272.	2.3	4
2	Simulating the spread and establishment of alien species along aquatic and terrestrial transport networks: A multi-pathway and high-resolution approach. <i>Journal of Applied Ecology</i> , 2022, 59, 1769-1780.	4.0	5
3	Global relationships in tree functional traits. <i>Nature Communications</i> , 2022, 13, .	12.8	29
4	Inter- and intraspecific selection in alien plants: How population growth, functional traits and climate responses change with residence time. <i>Global Ecology and Biogeography</i> , 2021, 30, 429-442.	5.8	6
5	Range-wide population viability analyses reveal high sensitivity to wildflower harvesting in extreme environments. <i>Journal of Applied Ecology</i> , 2021, 58, 1399-1410.	4.0	2
6	Predicting the dynamics of establishing tree populations: A framework for statistical inference and lessons for data collection. <i>Methods in Ecology and Evolution</i> , 2021, 12, 1721-1733.	5.2	2
7	Mineral-Ecological Cropping Systems – A New Approach to Improve Ecosystem Services by Farming without Chemical Synthetic Plant Protection. <i>Agronomy</i> , 2021, 11, 1710.	3.0	25
8	Seed dispersal by wind decreases when plants are water-stressed, potentially counteracting species coexistence and niche evolution. <i>Ecology and Evolution</i> , 2021, 11, 16239-16249.	1.9	2
9	TRY plant trait database – enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.	9.5	1,038
10	Functional traits explain the Hutchinsonian niches of plant species. <i>Global Ecology and Biogeography</i> , 2020, 29, 534-545.	5.8	32
11	The importance of individual movement and feeding behaviour for long-distance seed dispersal by red deer: a data-driven model. <i>Movement Ecology</i> , 2020, 8, 44.	2.8	11
12	Tree potential growth varies more than competition among spontaneously established forest stands of pedunculate oak (<i>Quercus robur</i>). <i>Annals of Forest Science</i> , 2020, 77, 1.	2.0	7
13	Shifts in plant functional community composition under hydrological stress strongly decelerate litter decomposition. <i>Ecology and Evolution</i> , 2020, 10, 5712-5724.	1.9	7
14	Mismatches between demographic niches and geographic distributions are strongest in poorly dispersed and highly persistent plant species. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3663-3669.	7.1	42
15	Biotic resistance or introduction bias? Immigrant plant performance decreases with residence times over millennia. <i>Global Ecology and Biogeography</i> , 2019, 28, 222-237.	5.8	17
16	A trade-off between primary and secondary seed dispersal by wind. <i>Plant Ecology</i> , 2019, 220, 541-552.	1.6	14
17	The dimensionality of stability depends on disturbance type. <i>Ecology Letters</i> , 2019, 22, 674-684.	6.4	65
18	The geometry of habitat fragmentation: Effects of species distribution patterns on extinction risk due to habitat conversion. <i>Ecology and Evolution</i> , 2019, 9, 2775-2790.	1.9	37

#	ARTICLE	IF	CITATIONS
19	Neighbourhood effects on plant reproduction: An experimental analytical framework and its application to the invasive <i>Senecio inaequidens</i> . <i>Journal of Ecology</i> , 2018, 106, 761-773.	4.0	22
20	Life-History Traits Evolved Jointly with Climatic Niche and Disturbance Regime in the Genus <i>Leucadendron</i> (Proteaceae). <i>American Naturalist</i> , 2018, 191, 220-234.	2.1	11
21	Sugar landscapes and pollinator-mediated interactions in plant communities. <i>Ecography</i> , 2017, 40, 1129-1138.	4.5	41
22	Coexistence of plant species in a biodiversity hotspot is stabilized by competition but not by seed predation. <i>Oikos</i> , 2017, 126, .	2.7	19
23	Responses of nectar-feeding birds to floral resources at multiple spatial scales. <i>Ecography</i> , 2016, 39, 619-629.	4.5	39
24	Environmental drivers of demographic variation across the global geographical range of 26 plant species. <i>Journal of Ecology</i> , 2016, 104, 331-342.	4.0	38
25	A bird pollinator shows positive frequency dependence and constancy of species choice in natural plant communities. <i>Ecology</i> , 2016, 97, 3110-3118.	3.2	13
26	REVIEW: Predictive ecology in a changing world. <i>Journal of Applied Ecology</i> , 2015, 52, 1293-1310.	4.0	237
27	Reward quality predicts effects of bird-pollinators on the reproduction of African Protea shrubs. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015, 17, 209-217.	2.7	26
28	Statistical ecology comes of age. <i>Biology Letters</i> , 2014, 10, 20140698.	2.3	40
29	Demography as the basis for understanding and predicting range dynamics. <i>Ecography</i> , 2014, 37, 1149-1154.	4.5	49
30	CONVERGENT AND CORRELATED EVOLUTION OF MAJOR LIFE-HISTORY TRAITS IN THE ANGIOSPERM GENUS <i>LEUCADENDRON</i> (PROTEACEAE). <i>Evolution; International Journal of Organic Evolution</i> , 2014, 68, 2775-2792.	2.3	25
31	The influence of interspecific interactions on species range expansion rates. <i>Ecography</i> , 2014, 37, 1198-1209.	4.5	196
32	Quantifying range-wide variation in population trends from local abundance surveys and widespread opportunistic occurrence records. <i>Methods in Ecology and Evolution</i> , 2014, 5, 751-760.	5.2	56
33	Does probability of occurrence relate to population dynamics?. <i>Ecography</i> , 2014, 37, 1155-1166.	4.5	127
34	Landscape structure and genetic architecture jointly impact rates of niche evolution. <i>Ecography</i> , 2014, 37, 1218-1229.	4.5	28
35	Effects of intraspecific and community density on the lifetime fecundity of long-lived shrubs. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2013, 15, 150-161.	2.7	15
36	Habitat loss and fragmentation affecting mammal and bird communities – The role of interspecific competition and individual space use. <i>Ecological Informatics</i> , 2013, 14, 90-98.	5.2	60

#	ARTICLE	IF	CITATIONS
37	Impacts of past habitat loss and future climate change on the range dynamics of South African Proteaceae. <i>Diversity and Distributions</i> , 2013, 19, 363-376.	4.1	33
38	How can we bring together empiricists and modellers in functional biodiversity research?. <i>Basic and Applied Ecology</i> , 2013, 14, 93-101.	2.7	24
39	Fynbos Proteaceae as model organisms for biodiversity research and conservation. <i>South African Journal of Science</i> , 2012, 108, .	0.7	21
40	How to understand species' niches and range dynamics: a demographic research agenda for biogeography. <i>Journal of Biogeography</i> , 2012, 39, 2146-2162.	3.0	249
41	Forecasting species ranges by statistical estimation of ecological niches and spatial population dynamics. <i>Global Ecology and Biogeography</i> , 2012, 21, 293-304.	5.8	188
42	Towards novel approaches to modelling biotic interactions in multispecies assemblages at large spatial extents. <i>Journal of Biogeography</i> , 2012, 39, 2163-2178.	3.0	340
43	Movement upscaled – the importance of individual foraging movement for community response to habitat loss. <i>Ecography</i> , 2012, 35, 436-445.	4.5	31
44	How random is dispersal? From stochasticity to process in the description of seed movement. , 2012, , 240-248.		2
45	When and how should intraspecific variability be considered in trait-based plant ecology?. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2011, 13, 217-225.	2.7	454
46	Spread of North American wind-dispersed trees in future environments. <i>Ecology Letters</i> , 2011, 14, 211-219.	6.4	160
47	Effects of Harvesting Flowers from Shrubs on the Persistence and Abundance of Wild Shrub Populations at Multiple Spatial Extents. <i>Conservation Biology</i> , 2011, 25, 73-84.	4.7	17
48	Differentiation of reproductive and competitive ability in the invaded range of <i>Senecio inaequidens</i> : the role of genetic Allee effects, adaptive and nonadaptive evolution. <i>New Phytologist</i> , 2011, 192, 529-541.	7.3	50
49	An allometric model of home range formation explains the structuring of animal communities exploiting heterogeneous resources. <i>Oikos</i> , 2011, 120, 106-118.	2.7	45
50	Disentangling facilitation and seed dispersal from environmental heterogeneity as mechanisms generating associations between savanna plants. <i>Journal of Vegetation Science</i> , 2011, 22, 1038-1048.	2.2	27
51	Projecting climate change impacts on species distributions in megadiverse South African Cape and Southwest Australian Floristic Regions: Opportunities and challenges. <i>Austral Ecology</i> , 2010, 35, 374-391.	1.5	86
52	The making of a rapid plant invader: genetic diversity and differentiation in the native and invaded range of <i>Senecio inaequidens</i> . <i>Molecular Ecology</i> , 2010, 19, 3952-3967.	3.9	100
53	Estimating demographic models for the range dynamics of plant species. <i>Global Ecology and Biogeography</i> , 2010, 19, 85-97.	5.8	73
54	Increased mortality can promote evolutionary adaptation of forest trees to climate change. <i>Forest Ecology and Management</i> , 2010, 259, 1003-1008.	3.2	129

#	ARTICLE	IF	CITATIONS
55	Recruitment requirements of the rare and threatened <i>Juncus atratus</i> . <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2010, 205, 583-589.	1.2	17
56	Lifespan, lifetime reproductive performance and paternity loss of within-pair and extra-pair offspring in the coal tit <i>Periparus ater</i> . <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 337-345.	2.6	41
57	Increases in air temperature can promote wind-driven dispersal and spread of plants. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 3081-3087.	2.6	72
58	Rethinking the common garden in invasion research. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2009, 11, 311-320.	2.7	73
59	Assessing the risk of gene flow from genetically modified trees carrying mitigation transgenes. <i>Biological Invasions</i> , 2008, 10, 281-290.	2.4	10
60	Dealing with virtual aggregation – a new index for analysing heterogeneous point patterns. <i>Ecography</i> , 2008, 31, 545-555.	4.5	30
61	Plant fecundity and seed dispersal in spatially heterogeneous environments: models, mechanisms and estimation. <i>Journal of Ecology</i> , 2008, 96, 628-641.	4.0	114
62	Costs of persistence and the spread of competing seeders and sprouters. <i>Journal of Ecology</i> , 2008, 96, 679-686.	4.0	46
63	Assessing the importance of seed immigration on coexistence of plant functional types in a species-rich ecosystem. <i>Ecological Modelling</i> , 2008, 213, 402-416.	2.5	26
64	Mechanisms of long-distance seed dispersal. <i>Trends in Ecology and Evolution</i> , 2008, 23, 638-647.	8.7	705
65	The state of plant population modelling in light of environmental change. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2008, 9, 171-189.	2.7	107
66	Predicting global change impacts on plant species' distributions: Future challenges. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2008, 9, 137-152.	2.7	966
67	Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. <i>Ecography</i> , 2007, 30, 609-628.	4.5	2,522
68	AIR-MEDIATED POLLEN FLOW FROM GENETICALLY MODIFIED TO CONVENTIONAL CROPS. , 2007, 17, 431-440.		40
69	Polyandry in coal tits <i>Parus ater</i> : fitness consequences of putting eggs into multiple genetic baskets. <i>Journal of Evolutionary Biology</i> , 2007, 20, 1115-1125.	1.7	15
70	Colonization and persistence ability explain the extent to which plant species fill their potential range. <i>Global Ecology and Biogeography</i> , 2007, 16, 449-459.	5.8	92
71	A flexible modelling framework linking the spatio-temporal dynamics of plant genotypes and populations: Application to gene flow from transgenic forests. <i>Ecological Modelling</i> , 2007, 202, 476-486.	2.5	36
72	Colonization and persistence ability explain the extent to which plant species fill their potential range. <i>Global Ecology and Biogeography</i> , 2007, .	5.8	0

#	ARTICLE	IF	CITATIONS
73	A mechanistic model for secondary seed dispersal by wind and its experimental validation. <i>Journal of Ecology</i> , 2005, 93, 1017-1028.	4.0	122
74	PATERNAL GENETIC EFFECTS ON OFFSPRING FITNESS ARE CONTEXT DEPENDENT: WITHIN THE EXTRAPAIR MATING SYSTEM OF A SOCIALLY MONOGAMOUS PASSERINE. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 645-657.	2.3	47
75	Paternal genetic effects on offspring fitness are context dependent within the extrapair mating system of a socially monogamous passerine. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 645-57.	2.3	45
76	Seed dispersal by cattle may cause shrub encroachment of <i>Grewia flava</i> on southern Kalahari rangelands. <i>Applied Vegetation Science</i> , 2004, 7, 89-102.	1.9	40
77	Spatial pattern formation in semi-arid shrubland: a priori predicted versus observed pattern characteristics. <i>Plant Ecology</i> , 2004, 173, 271-282.	1.6	87
78	Seed dispersal by cattle may cause shrub encroachment of <i>Grewia flava</i> on southern Kalahari rangelands. <i>Applied Vegetation Science</i> , 2004, 7, 89.	1.9	27
79	Forecasting plant migration rates: managing uncertainty for risk assessment. <i>Journal of Ecology</i> , 2003, 91, 341-347.	4.0	204
80	Spatial patterns of plant association in grazed and ungrazed shrublands in the semi-arid Karoo, South Africa. <i>Journal of Vegetation Science</i> , 2000, 11, 253-258.	2.2	15
81	Long-Distance Seed Dispersal. , 0, , 204-237.		18
82	Key impacts of climate engineering on biodiversity and ecosystems, with priorities for future research. <i>Journal of Integrative Environmental Sciences</i> , 0, , 1-26.	2.5	11
83	The value of remotely sensed vs. field-surveyed habitat structure for predicting bird abundance: a case study in traditional orchards. <i>Journal of Ornithology</i> , 0, , 1.	1.1	0