
## Michael J Blum

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4559034/publications.pdf Version: 2024-02-01



MICHAEL I RUIM

#	Article	IF	CITATIONS
1	DNA-based methods for monitoring invasive species: a review and prospectus. Biological Invasions, 2007, 9, 751-765.	2.4	205
2	Morphological responses of a stream fish to water impoundment. Biology Letters, 2010, 6, 803-806.	2.3	184
3	Singing in a silent spring: Birds respond to a half-century soundscape reversion during the COVID-19 shutdown. Science, 2020, 370, 575-579.	12.6	165
4	An ancient icon reveals new mysteries: mummy DNA resurrects a cryptic species within the Nile crocodile. Molecular Ecology, 2011, 20, 4199-4215.	3.9	131
5	Global population divergence and admixture of the brown rat ( <i>Rattus norvegicus</i> ). Proceedings of the Royal Society B: Biological Sciences, 2016, 283, 20161762.	2.6	119
6	Geographic structure, genetic diversity and source tracking of <i>Spartina alterniflora</i> . Journal of Biogeography, 2007, 34, 2055-2069.	3.0	91
7	A Tale of Two Spills: Novel Science and Policy Implications of an Emerging New Oil Spill Model. BioScience, 2012, 62, 461-469.	4.9	89
8	Hybridization between invasive <i>Spartina densiflora</i> (Poaceae) and native <i>S. foliosa</i> in San Francisco Bay, California, USA. American Journal of Botany, 2008, 95, 713-719.	1.7	67
9	Commonly Rare and Rarely Common: Comparing Population Abundance of Invasive and Native Aquatic Species. PLoS ONE, 2013, 8, e77415.	2.5	67
10	Characterization of microsatellite loci in Spartina species (Poaceae). Molecular Ecology Notes, 2003, 4, 39-42.	1.7	59
11	Consequences of alternative dispersal strategies in a putatively amphidromous fish. Ecology, 2014, 95, 2397-2408.	3.2	57
12	Science Communication Through Art: Objectives, Challenges, and Outcomes. Trends in Ecology and Evolution, 2016, 31, 657-660.	8.7	53
13	Urban rat races: spatial population genomics of brown rats ( <i>Rattus norvegicus</i> ) compared across multiple cities. Proceedings of the Royal Society B: Biological Sciences, 2018, 285, 20180245.	2.6	48
14	Genetic diversity and species diversity of stream fishes covary across a land-use gradient. Oecologia, 2012, 168, 83-95.	2.0	44
15	Genetic variation of Spartina alterniflora intentionally introduced to China. Biological Invasions, 2016, 18, 1485-1498.	2.4	44
16	Characterization of 24 additional microsatellite loci in Spartina species (Poaceae). Conservation Genetics, 2006, 6, 1049-1052.	1.5	43
17	Shifts in Symbiotic Endophyte Communities of a Foundational Salt Marsh Grass following Oil Exposure from the Deepwater Horizon Oil Spill. PLoS ONE, 2015, 10, e0122378.	2.5	40
18	Genetic estimates of population structure and dispersal in a benthic stream fish. Ecology of Freshwater Fish, 2012, 21, 75-86.	1.4	38

#	Article	IF	CITATIONS
19	Molecular assessment of population differentiation and individual assignment potential of Nile crocodile (Crocodylus niloticus) populations. Conservation Genetics, 2010, 11, 1435-1443.	1.5	36
20	Exposure to an environmental estrogen breaks down sexual isolation between native and invasive species. Evolutionary Applications, 2012, 5, 901-912.	3.1	36
21	Population structure, multiple paternity, and long-distance transport of spermatozoa in the freshwater mussel <i>Lampsilis cardium</i> (Bivalvia:Unionidae). Freshwater Science, 2013, 32, 267-282.	1.8	36
22	Predictors of body shape among populations of a stream fish ( <i>Cyprinella venusta</i> ,) Tj ETQq0 0 0 rgBT /Ove	rlock 10 T 1.6	f 50 622 Td (
23	Reproductive isolation and the expansion of an invasive hybrid swarm. Biological Invasions, 2010, 12, 2825-2836.	2.4	33
24	Abandonment, Ecological Assembly and Public Health Risks in Counter-Urbanizing Cities. Sustainability, 2016, 8, 491.	3.2	31
25	Rodent-Borne Bartonella Infection Varies According to Host Species Within and Among Cities. EcoHealth, 2017, 14, 771-782.	2.0	31
26	Deep sequencing reveals multiclonality and new discrete typing units of Trypanosoma cruzi in rodents from the southern United States. Journal of Microbiology, Immunology and Infection, 2020, 53, 622-633.	3.1	31
	Inter-basin exchange and repeated headwater capture across the Sierra Madre Occidental inferred		

27	from the phylogeography of Mexican stonerollers. Journal of Biogeography, 2011, 38, 1406-1421.	3.0	30	

Landscape Genetics of Schistocephalus solidus Parasites in Threespine Stickleback (Gasterosteus) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50

29	Molecular Systematics of the Cyprinid Genus Campostoma (Actinopterygii: Cypriniformes): Disassociation between Morphological and Mitochondrial Differentiation. Copeia, 2008, 2008, 360-369.	1.3	27
30	A Dedicated Pediatric Spine Deformity Team Significantly Reduces Surgical Time and Cost. Journal of Bone and Joint Surgery - Series A, 2018, 100, 1574-1580.	3.0	26
31	Overcoming urban stream syndrome: Trophic flexibility confers resilience in a Hawaiian stream fish. Freshwater Biology, 2018, 63, 492-502.	2.4	25
32	Persisting responses of salt marsh fungal communities to the Deepwater Horizon oil spill. Science of the Total Environment, 2018, 642, 904-913.	8.0	25
33	Socioecological disparities in New Orleans following Hurricane Katrina. Ecosphere, 2017, 8, e01922.	2.2	24
34	A molecular phylogeny of the neotropical butterfly genus Anartia (Lepidoptera: Nymphalidae). Molecular Phylogenetics and Evolution, 2003, 26, 46-55.	2.7	23
35	Characterization of microsatellite loci in the European green crab (Carcinus maenas). Molecular Ecology Notes, 2006, 6, 343-345.	1.7	23
36	Molecular and Morphological Evidence of Distinct Evolutionary Lineages of Awaous guamensis in Hawai'i and Guam. Copeia, 2012, 2012, 293-300.	1.3	23

#	Article	IF	CITATIONS
37	Disturbance, Reassembly, and Disease Risk in Socioecological Systems. EcoHealth, 2016, 13, 450-455.	2.0	23
38	Source–sink dynamics sustain central stonerollers ( <i>Campostoma anomalum</i> ) in a heavily urbanized catchment. Freshwater Biology, 2008, 53, 2061-2075.	2.4	22
39	Rodent assemblage structure reflects socioecological mosaics of counter-urbanization across post-Hurricane Katrina New Orleans. Landscape and Urban Planning, 2020, 195, 103710.	7.5	20
40	Advancing community resilience research and practice: moving from "me―to "we―to "3D― Journal Risk Research, 2020, 23, 1-10.	of 2.6	19
41	Geographic range and structure of cryptic genetic diversity among Pacific North American populations of the non-native amphipod Grandidierella japonica. Biological Invasions, 2013, 15, 2415-2428.	2.4	18
42	Spread of an introduced parasite across the Hawaiian archipelago independent of its introduced host. Freshwater Biology, 2015, 60, 311-322.	2.4	18
43	Ecological and genetic associations across a <i>Heliconius</i> hybrid zone. Journal of Evolutionary Biology, 2008, 21, 330-341.	1.7	17
44	Rapid movement and instability of an invasive hybrid swarm. Evolutionary Applications, 2016, 9, 741-755.	3.1	16
45	Isolation and differentiation of Rivulus hartii across Trinidad and neighboring islands. Molecular Ecology, 2011, 20, 601-618.	3.9	15
46	Brackish Marsh Plant Community Responses to Regional Precipitation and Relative sea-Level Rise. Wetlands, 2016, 36, 607-619.	1.5	14
47	Clonal Vegetation Patterns Mediate Shoreline Erosion. Geophysical Research Letters, 2018, 45, 6476-6484.	4.0	14
48	Rhizosphere microbial communities reflect genotypic and trait variation in a salt marsh ecosystem engineer. American Journal of Botany, 2020, 107, 941-949.	1.7	14
49	Turbidity alters preâ€mating social interactions between native and invasive stream fishes. Freshwater Biology, 2015, 60, 1784-1793.	2.4	13
50	Rat Lungworm Infection in Rodents across Post-Katrina New Orleans, Louisiana, USA. Emerging Infectious Diseases, 2018, 24, 2176-2183.	4.3	13
51	A century of genetic variation inferred from a persistent soilâ€stored seed bank. Evolutionary Applications, 2018, 11, 1715-1731.	3.1	11
52	Genetic Analysis of the Chinese Mitten Crab (Eriocheir sinensis) Introduced to the North American Great Lakes and St. Lawrence Seaway. Journal of Great Lakes Research, 2007, 33, 658.	1.9	10
53	Resurrecting an extinct species: archival DNA, taxonomy, and conservation of the Vegas Valley leopard frog. Conservation Genetics, 2011, 12, 1379-1385.	1.5	10
54	In the heart of the city: Trypanosoma cruzi infection prevalence in rodents across New Orleans. Parasites and Vectors, 2020, 13, 577.	2.5	10

#	Article	IF	CITATIONS
55	Intraspecific variation in landform engineering across a restored salt marsh shoreline. Evolutionary Applications, 2021, 14, 685-697.	3.1	10
56	Hybridization between Schoenoplectus sedges across Chesapeake Bay marshes. Conservation Genetics, 2010, 11, 1885-1898.	1.5	9
57	Genetic Structure ofCulex erraticusPopulations Across the Americas. Journal of Medical Entomology, 2012, 49, 522-534.	1.8	9
58	Mutual dilution of infection by an introduced parasite in native and invasive stream fishes across Hawaii. Parasitology, 2016, 143, 1605-1614.	1.5	9
59	Evidence of local adaptation in a waterfall-climbing Hawaiian goby fish derived from coupled biophysical modeling of larval dispersal and post-settlement selection. BMC Evolutionary Biology, 2019, 19, 88.	3.2	9
60	Migratory flexibility in native Hawai'ian amphidromous fishes. Journal of Fish Biology, 2020, 96, 456-468.	1.6	9
61	Characterization of microsatellite loci in Schoenoplectus americanus (Cyperaceae). Molecular Ecology Notes, 2005, 5, 661-663.	1.7	8
62	Invasion of the Hawaiian Islands by a parasite infecting imperiled stream fishes. Ecography, 2018, 41, 528-539.	4.5	8
63	Phylogeography of the widespread creek chub Semotilus atromaculatus (Cypriniformes: Leuciscidae). Journal of Fish Biology, 2018, 93, 778-791.	1.6	8
64	A century-long record of plant evolution reconstructed from a coastal marsh seed bank. Evolution Letters, 2021, 5, 422-431.	3.3	8
65	Geographic and host-mediated population genetic structure in a cestode parasite of the three-spined stickleback. Biological Journal of the Linnean Society, 2016, 119, 381-396.	1.6	7
66	Geographic independence and phylogenetic diversity of red shiner introductions. Conservation Genetics, 2016, 17, 795-809.	1.5	7
67	Comparison of Visual Survey and Mark–Recapture Population Estimates of a Benthic Fish in Hawaii. Transactions of the American Fisheries Society, 2016, 145, 878-887.	1.4	6
68	Estimating effective population size for a cestode parasite infecting three-spined sticklebacks. Parasitology, 2019, 146, 883-896.	1.5	6
69	Migratory gauntlets on oceanic islands: Watershed disturbance increases the cost of amphidromy. Ecology of Freshwater Fish, 2019, 28, 446-458.	1.4	6
70	Amplification of pathogenic <i>Leptospira</i> infection with greater abundance and coâ€occurrence of rodent hosts across a counterâ€urbanizing landscape. Molecular Ecology, 2021, 30, 2145-2161.	3.9	6
71	Effectiveness and outcomes of invasive species removal in Hawaiian streams. Biological Invasions, 2021, 23, 1739-1763.	2.4	6
72	Invasion and rapid adaptation of guppies ( <i>Poecilia reticulata</i> ) across the Hawaiian Archipelago. Evolutionary Applications, 2021, 14, 1747-1761.	3.1	6

#	Article	IF	CITATIONS
73	Microbial mediation of salinity stress response varies by plant genotype and provenance over time. Molecular Ecology, 2022, 31, 4571-4585.	3.9	5
74	Genetic diversity of the endangered Chinese endemic plant Monimopetalum chinense revealed by amplified fragment length polymorphism (AFLP). Biochemical Systematics and Ecology, 2011, 39, 384-391.	1.3	4
75	Parasitism of a native <scp>H</scp> awaiian stream fish by an introduced nematode increases with declining precipitation across a natural rainfall gradient. Ecology of Freshwater Fish, 2016, 25, 476-486.	1.4	4
76	Accounting for variability when resurrecting dormant propagules substantiates their use in ecoâ€evolutionary studies. Evolutionary Applications, 2021, 14, 2831-2847.	3.1	4
77	Characterization of ten novel microsatellite markers in Awaous guamensis with comments on cross amplification in congeners and other amphidromous fish native to Hawai'i. Conservation Genetics Resources, 2011, 3, 275-277.	0.8	3
78	Chronosequence of morphological change in a stream fish following impoundment. Freshwater Biology, 2021, 66, 1721-1735.	2.4	3
79	Flooding and abandonment have shaped rat demography across post-Katrina New Orleans. Landscape and Urban Planning, 2021, 215, 104218.	7.5	2
80	Host genetic variation and microenvironment shape an emergent plant–antagonist interaction. Evolutionary Ecology, 2016, 30, 1043-1060.	1.2	1
81	Neutral and non-neutral factors shape an emergent plant–antagonist interaction. Evolutionary Ecology, 2018, 32, 265-285.	1.2	1
82	Rodent Virus Diversity and Differentiation across Post-Katrina New Orleans. Sustainability, 2021, 13, 8034.	3.2	1
83	Reconsidering the New Normal: Trauma, Vulnerability & Resilience in Post-Katrina New Orleans. Nature Precedings, 2011, , .	0.1	0
84	Environmental Pressures on Top-Down and Bottom-Up Forces in Coastal Ecosystems. Diversity, 2021, 13, 444.	1.7	0
85	Spatial and temporal comparisons of salt marsh soil fungal communities following the deepwater horizon spill. Wetlands Ecology and Management, 0, , 1.	1.5	0