

# Sixto Gimenez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4560623/publications.pdf>

Version: 2024-02-01

108  
papers

9,102  
citations

53794

45  
h-index

39675

94  
g-index

112  
all docs

112  
docs citations

112  
times ranked

9657  
citing authors

#	ARTICLE	IF	CITATIONS
1	Switchable All Inorganic Halide Perovskite Nanocrystalline Photoelectrodes for Solar-Driven Organic Transformations. <i>Solar Rrl</i> , 2022, 6, 2100723.	5.8	5
2	Role of Pd in the Electrochemical Hydrogenation of Nitrobenzene Using CuPd Electrodes. <i>Advanced Sustainable Systems</i> , 2022, 6, .	5.3	16
3	Application of Halide Perovskite Nanocrystals in Solar-Driven Photo(electro)Catalysis. <i>Solar Rrl</i> , 2022, 6, .	5.8	5
4	Direct Observation of the Chemical Transformations in BiVO <sub>4</sub> Photoanodes upon Prolonged Light-Aging Treatments. <i>Solar Rrl</i> , 2022, 6, .	5.8	5
5	Spectroelectrochemical Analysis of the Water Oxidation Mechanism on Doped Nickel Oxides. <i>Journal of the American Chemical Society</i> , 2022, 144, 7622-7633.	13.7	66
6	Exploiting the synergistic catalytic effects of CoPi nanostructures on Zr-doped highly ordered TiO <sub>2</sub> nanotubes for efficient solar water oxidation. <i>International Journal of Energy Research</i> , 2022, 46, 12608-12622.	4.5	7
7	Direct Observation of the Chemical Transformations in BiVO <sub>4</sub> Photoanodes upon Prolonged Light-Aging Treatments. <i>Solar Rrl</i> , 2022, 6, .	5.8	0
8	Laser-Reduced BiVO <sub>4</sub> for Enhanced Photoelectrochemical Water Splitting. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 33200-33210.	8.0	15
9	Improved solar water splitting performance of BiVO <sub>4</sub> photoanode by the synergistic effect of Zr-Mo co-doping and FeOOH Co-catalyst layer. <i>Materials Letters</i> , 2022, 325, 132799.	2.6	5
10	Self-supported ultra-active NiO-based electrocatalysts for the oxygen evolution reaction by solution combustion. <i>Journal of Materials Chemistry A</i> , 2021, 9, 12700-12710.	10.3	14
11	Push-Pull Electronic Effects in Surface-Active Sites Enhance Electrocatalytic Oxygen Evolution on Transition Metal Oxides. <i>ChemSusChem</i> , 2021, 14, 1595-1601.	6.8	10
12	Interfacial Engineering at Quantum Dot-Sensitized TiO <sub>2</sub> Photoelectrodes for Ultrahigh Photocurrent Generation. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 6208-6218.	8.0	7
13	Unprecedented solar water splitting of dendritic nanostructured Bi <sub>2</sub> O <sub>3</sub> films by combined oxygen vacancy formation and Na <sub>2</sub> MoO <sub>4</sub> doping. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 23702-23714.	7.1	11
14	Solution-Processed Ni-Based Nanocomposite Electrocatalysts: An Approach to Highly Efficient Electrochemical Water Splitting. <i>ACS Applied Energy Materials</i> , 2021, 4, 5255-5264.	5.1	16
15	Multifunctional approach to improve water oxidation performance with MOF-based photoelectrodes. <i>Applied Materials Today</i> , 2021, 24, 101159.	4.3	4
16	Facile Surfactant-Assisted Synthesis of BiVO <sub>4</sub> Nanoparticulate Films for Solar Water Splitting. <i>Catalysts</i> , 2021, 11, 1244.	3.5	1
17	Efficient and Stable Blue- and Red-Emitting Perovskite Nanocrystals through Defect Engineering: PbX <sub>2</sub> Purification. <i>Chemistry of Materials</i> , 2021, 33, 8745-8757.	6.7	24
18	Intensity-Modulated Photocurrent Spectroscopy for Solar Energy Conversion Devices: What Does a Negative Value Mean?. <i>ACS Energy Letters</i> , 2020, 5, 187-191.	17.4	23

#	ARTICLE	IF	CITATIONS
19	Unravelling the Photocatalytic Behavior of All-Inorganic Mixed Halide Perovskites: The Role of Surface Chemical States. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 914-924.	8.0	55
20	The role of oxygen vacancies in water splitting photoanodes. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5916-5926.	4.9	52
21	A low temperature aqueous formate fuel cell using cobalt hexacyanoferrate as a non-noble metal oxidation catalyst. <i>Sustainable Energy and Fuels</i> , 2020, 4, 6227-6233.	4.9	8
22	Separating bulk and surface processes in NiO <sub>x</sub> electrocatalysts for water oxidation. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5024-5030.	4.9	26
23	Cobalt Hexacyanoferrate as a Selective and High Current Density Formate Oxidation Electrocatalyst. <i>ACS Applied Energy Materials</i> , 2020, 3, 9198-9207.	5.1	15
24	Hierarchical Ti-Based MOF with Embedded RuO <sub>2</sub> Nanoparticles: a Highly Efficient Photoelectrode for Visible Light Water Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 18366-18376.	6.7	16
25	An integrated photoanode based on non-critical raw materials for robust solar water splitting. <i>Materials Advances</i> , 2020, 1, 1202-1211.	5.4	4
26	Electrophoretic deposition of antimonene for photoelectrochemical applications. <i>Applied Materials Today</i> , 2020, 20, 100714.	4.3	11
27	Lead Sulfide Nanocubes for Solar Energy Storage. <i>Energy Technology</i> , 2020, 8, 2000301.	3.8	5
28	Impact of Oxygen Vacancy Occupancy on Charge Carrier Dynamics in BiVO <sub>4</sub> Photoanodes. <i>Journal of the American Chemical Society</i> , 2019, 141, 18791-18798.	13.7	147
29	TiO <sub>2</sub> Nanotubes for Solar Water Splitting: Vacuum Annealing and Zr Doping Enhance Water Oxidation Kinetics. <i>ACS Omega</i> , 2019, 4, 16095-16102.	3.5	24
30	WO <sub>3</sub> /BiVO <sub>4</sub> : impact of charge separation at the timescale of water oxidation. <i>Chemical Science</i> , 2019, 10, 2643-2652.	7.4	59
31	Photocatalytic and Photoelectrochemical Degradation of Organic Compounds with All-Inorganic Metal Halide Perovskite Quantum Dots. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 630-636.	4.6	124
32	The Role of Underlayers and Overlayers in Thin Film BiVO <sub>4</sub> Photoanodes for Solar Water Splitting. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900299.	3.7	28
33	Suppressing H <sub>2</sub> Evolution and Promoting Selective CO <sub>2</sub> Electroreduction to CO at Low Overpotentials by Alloying Au with Pd. <i>ACS Catalysis</i> , 2019, 9, 3527-3536.	11.2	79
34	Electronic Effects Determine the Selectivity of Planar Au-Cu Bimetallic Thin Films for Electrochemical CO <sub>2</sub> Reduction. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 16546-16555.	8.0	71
35	A metal-organic framework converted catalyst that boosts photo-electrochemical water splitting. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11143-11149.	10.3	59
36	Unraveling Charge Transfer in CoFe Prussian Blue Modified BiVO <sub>4</sub> Photoanodes. <i>ACS Energy Letters</i> , 2019, 4, 337-342.	17.4	61

#	ARTICLE	IF	CITATIONS
37	Improving the Back Surface Field on an Amorphous Silicon Carbide Thin-Film Photocathode for Solar Water Splitting. <i>ChemSusChem</i> , 2018, 11, 1797-1804.	6.8	6
38	Impedance Spectroscopy in Molecular Devices. <i>Green Chemistry and Sustainable Technology</i> , 2018, , 353-384.	0.7	4
39	PHOTOELECTROCHEMICAL TOOLS FOR THE ASSESSMENT OF ENERGY CONVERSION DEVICES. , 2018, , 361-395.		0
40	Enhancing the Optical Absorption and Interfacial Properties of BiVO <sub>4</sub> with Ag <sub>3</sub> PO <sub>4</sub> Nanoparticles for Efficient Water Splitting. <i>Journal of Physical Chemistry C</i> , 2018, 122, 11608-11615.	3.1	44
41	Solar Energy Storage by a Heterostructured BiVO <sub>4</sub> -PbO <sub>x</sub> Photocapacitive Device. <i>ACS Energy Letters</i> , 2017, 2, 469-475.	17.4	38
42	Near-complete suppression of surface losses and total internal quantum efficiency in BiVO <sub>4</sub> photoanodes. <i>Energy and Environmental Science</i> , 2017, 10, 1517-1529.	30.8	159
43	Level Alignment as Descriptor for Semiconductor/Catalyst Systems in Water Splitting: The Case of Hematite/Cobalt Hexacyanoferrate Photoanodes. <i>ChemSusChem</i> , 2017, 10, 4552-4560.	6.8	33
44	Cobalt Hexacyanoferrate on BiVO <sub>4</sub> Photoanodes for Robust Water Splitting. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 37671-37681.	8.0	109
45	Chromium doped copper vanadate photoanodes for water splitting. <i>Catalysis Today</i> , 2017, 290, 65-72.	4.4	32
46	Understanding the synergistic effect of WO <sub>3</sub> -BiVO <sub>4</sub> heterostructures by impedance spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 9255-9261.	2.8	41
47	Analysis of Photoelectrochemical Systems by Impedance Spectroscopy. , 2016, , 281-321.		9
48	Direct Hydrogen Evolution from Saline Water Reduction at Neutral pH using Organic Photocathodes. <i>ChemSusChem</i> , 2016, 9, 3062-3066.	6.8	16
49	Cooperative Catalytic Effect of ZrO <sub>2</sub> and Fe <sub>2</sub> O <sub>3</sub> Nanoparticles on BiVO <sub>4</sub> Photoanodes for Enhanced Photoelectrochemical Water Splitting. <i>ChemSusChem</i> , 2016, 9, 2779-2783.	6.8	42
50	Electropolymerized polyaniline: A promising hole selective contact in organic photoelectrochemical cells. <i>Chemical Engineering Science</i> , 2016, 154, 143-149.	3.8	26
51	Exploring Graphene Quantum Dots/TiO <sub>2</sub> interface in photoelectrochemical reactions: Solar to fuel conversion. <i>Electrochimica Acta</i> , 2016, 187, 249-255.	5.2	79
52	The Complex Role of Carbon Nitride as a Sensitizer in Photoelectrochemical Cells. <i>Advanced Optical Materials</i> , 2015, 3, 1052-1058.	7.3	41
53	Toward Stable Solar Hydrogen Generation Using Organic Photoelectrochemical Cells. <i>Journal of Physical Chemistry C</i> , 2015, 119, 6488-6494.	3.1	61
54	Modulating the interaction between gold and TiO <sub>2</sub> nanowires for enhanced solar driven photoelectrocatalytic hydrogen generation. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 19371-19378.	2.8	16

#	ARTICLE	IF	CITATIONS
55	Analysis of bio-anode performance through electrochemical impedance spectroscopy. <i>Bioelectrochemistry</i> , 2015, 106, 64-72.	4.6	45
56	Competitive Photoelectrochemical Methanol and Water Oxidation with Hematite Electrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 7653-7660.	8.0	56
57	Controlled Carbon Nitride Growth on Surfaces for Hydrogen Evolution Electrodes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 3654-3658.	13.8	187
58	Energy Diagram of Semiconductor/Electrolyte Junctions. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 205-207.	4.6	61
59	Panchromatic Solar-to-H <sub>2</sub> Conversion by a Hybrid Quantum Dots "Dye Dual Absorber Tandem Device. <i>Journal of Physical Chemistry C</i> , 2014, 118, 891-895.	3.1	27
60	Calculation of the Energy Band Diagram of a Photoelectrochemical Water Splitting Cell. <i>Journal of Physical Chemistry C</i> , 2014, 118, 29599-29607.	3.1	56
61	Plasmonic versus catalytic effect of gold nanoparticles on mesoporous TiO <sub>2</sub> electrodes for water splitting. <i>Electrochimica Acta</i> , 2014, 144, 64-70.	5.2	46
62	Photon Up-Conversion with Lanthanide-Doped Oxide Particles for Solar H <sub>2</sub> Generation. <i>Journal of Physical Chemistry C</i> , 2014, 118, 11279-11284.	3.1	37
63	Understanding the Role of Underlayers and Overlayers in Thin Film Hematite Photoanodes. <i>Advanced Functional Materials</i> , 2014, 24, 7681-7688.	14.9	289
64	Organic photoelectrochemical cells with quantitative photocarrier conversion. <i>Energy and Environmental Science</i> , 2014, 7, 3666-3673.	30.8	55
65	Selective contacts drive charge extraction in quantum dot solids via asymmetry in carrier transfer kinetics. <i>Nature Communications</i> , 2013, 4, 2272.	12.8	56
66	Hole conductivity and acceptor density of p-type CuGaO <sub>2</sub> nanoparticles determined by impedance spectroscopy: The effect of Mg doping. <i>Electrochimica Acta</i> , 2013, 113, 570-574.	5.2	43
67	Harnessing Infrared Photons for Photoelectrochemical Hydrogen Generation. A PbS Quantum Dot Based "Quasi-Artificial Leaf", <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 141-146.	4.6	101
68	High performance PbS Quantum Dot Sensitized Solar Cells exceeding 4% efficiency: the role of metal precursors in the electron injection and charge separation. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 13835.	2.8	143
69	Ultrafast characterization of the electron injection from CdSe quantum dots and dye N719 co-sensitizers into TiO <sub>2</sub> using sulfide based ionic liquid for enhanced long term stability. <i>Electrochimica Acta</i> , 2013, 100, 35-43.	5.2	20
70	Interpretation of Cyclic Voltammetry Measurements of Thin Semiconductor Films for Solar Fuel Applications. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 1334-1339.	4.6	69
71	Water Oxidation at Hematite Photoelectrodes with an Iridium-Based Catalyst. <i>Journal of Physical Chemistry C</i> , 2013, 117, 3826-3833.	3.1	128
72	Quantum Dot Based Heterostructures for Unassisted Photoelectrochemical Hydrogen Generation. <i>Advanced Energy Materials</i> , 2013, 3, 176-182.	19.5	101

#	ARTICLE	IF	CITATIONS
73	Electrochemical and photoelectrochemical investigation of water oxidation with hematite electrodes. <i>Energy and Environmental Science</i> , 2012, 5, 7626.	30.8	451
74	Photoelectrochemical and Impedance Spectroscopic Investigation of Water Oxidation with $\text{TiO}_2$ -Coated Hematite Electrodes. <i>Journal of the American Chemical Society</i> , 2012, 134, 16693-16700.	13.7	635
75	Carrier density and interfacial kinetics of mesoporous $\text{TiO}_2$ in aqueous electrolyte determined by impedance spectroscopy. <i>Journal of Electroanalytical Chemistry</i> , 2012, 668, 119-125.	3.8	54
76	Water Oxidation at Hematite Photoelectrodes: The Role of Surface States. <i>Journal of the American Chemical Society</i> , 2012, 134, 4294-4302.	13.7	895
77	Easily manufactured $\text{TiO}_2$ hollow fibers for quantum dot sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 522-528.	2.8	42
78	Photoanodes Based on Nanostructured $\text{WO}_3$ for Water Splitting. <i>ChemPhysChem</i> , 2012, 13, 3025-3034.	2.1	99
79	Effect of nanostructured electrode architecture and semiconductor deposition strategy on the photovoltaic performance of quantum dot sensitized solar cells. <i>Electrochimica Acta</i> , 2012, 75, 139-147.	5.2	62
80	Identifying charge and mass transfer resistances of an oxygen reducing biocathode. <i>Energy and Environmental Science</i> , 2011, 4, 5035.	30.8	107
81	Fluorine Treatment of $\text{TiO}_2$ for Enhancing Quantum Dot Sensitized Solar Cell Performance. <i>Journal of Physical Chemistry C</i> , 2011, 115, 14400-14407.	3.1	105
82	A Sulfide/Polysulfide-Based Ionic Liquid Electrolyte for Quantum Dot-Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2011, 133, 20156-20159.	13.7	153
83	Modeling and characterization of extremely thin absorber ( $\eta$ ) solar cells based on ZnO nanowires. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 7162.	2.8	45
84	Panchromatic Sensitized Solar Cells Based on Metal Sulfide Quantum Dots Grown Directly on Nanostructured $\text{TiO}_2$ Electrodes. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 454-460.	4.6	247
85	Energy transfer versus charge separation in hybrid systems of semiconductor quantum dots and Ru-dyes as potential co-sensitizers of $\text{TiO}_2$ -based solar cells. <i>Journal of Applied Physics</i> , 2011, 110, .	2.5	42
86	Direct Correlation between Ultrafast Injection and Photoanode Performance in Quantum Dot Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2010, 114, 22352-22360.	3.1	97
87	Influence of cysteine adsorption on the performance of CdSe quantum dots sensitized solar cells. <i>Materials Chemistry and Physics</i> , 2010, 124, 709-712.	4.0	22
88	Determination of limiting factors of photovoltaic efficiency in quantum dot sensitized solar cells: Correlation between cell performance and structural properties. <i>Journal of Applied Physics</i> , 2010, 108, 064310.	2.5	42
89	Design of Injection and Recombination in Quantum Dot Sensitized Solar Cells. <i>Journal of the American Chemical Society</i> , 2010, 132, 6834-6839.	13.7	252
90	Charge transfer kinetics in CdSe quantum dot sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 2819.	2.8	44

#	ARTICLE	IF	CITATIONS
91	Fast Regeneration of CdSe Quantum Dots by Ru Dye in Sensitized TiO <sub>2</sub> Electrodes. <i>Journal of Physical Chemistry C</i> , 2010, 114, 6755-6761.	3.1	43
92	Microstructural characterisation of vacuum sintered T42 powder metallurgy high-speed steel after heat treatments. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 499, 360-367.	5.6	22
93	Recombination in Quantum Dot Sensitized Solar Cells. <i>Accounts of Chemical Research</i> , 2009, 42, 1848-1857.	15.6	747
94	Improving the performance of colloidal quantum-dot-sensitized solar cells. <i>Nanotechnology</i> , 2009, 20, 295204.	2.6	383
95	Effect of the heat treatment prior to extrusion on the direct hot-extrusion of aluminium powder compacts. <i>Journal of Alloys and Compounds</i> , 2009, 467, 191-201.	5.5	13
96	Electron Lifetime in Dye-Sensitized Solar Cells: Theory and Interpretation of Measurements. <i>Journal of Physical Chemistry C</i> , 2009, 113, 17278-17290.	3.1	694
97	Development of powder metallurgy T42 high speed steel for structural applications. <i>Journal of Materials Processing Technology</i> , 2008, 202, 521-527.	6.3	13
98	Sintering behaviour and microstructure development of T42 powder metallurgy high speed steel under different processing conditions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 480, 130-137.	5.6	47
99	Factors determining the photovoltaic performance of a CdSe quantum dot sensitized solar cell: the role of the linker molecule and of the counter electrode. <i>Nanotechnology</i> , 2008, 19, 424007.	2.6	237
100	Resonant vibration analysis for temperature dependence of elastic properties of bulk metallic glass. <i>Journal of Materials Research</i> , 2007, 22, 533-537.	2.6	9
101	Recent Advances in Material Characterization Using the Impulse Excitation Technique (IET). <i>Key Engineering Materials</i> , 2007, 333, 235-238.	0.4	8
102	The role of chemical wear in machining iron based materials by PCD and PCBN super-hard tool materials. <i>Diamond and Related Materials</i> , 2007, 16, 435-445.	3.9	42
103	Chemical reactivity of PVD-coated WC-Co tools with steel. <i>Applied Surface Science</i> , 2007, 253, 3547-3556.	6.1	15
104	Effects of microstructural heterogeneity on the mechanical properties of pressed soft magnetic composite bodies. <i>Journal of Alloys and Compounds</i> , 2006, 419, 299-305.	5.5	24
105	Influence of the green density on the dewaxing behaviour of uniaxially pressed powder compacts. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 430, 277-284.	5.6	9
106	Computer aided design of PM high speed steels for vacuum and nitrogen atmospheres. <i>Powder Metallurgy</i> , 2003, 46, 209-218.	1.7	14
107	Sintering of modified M35MHV HSS under different nitrogen pressures. <i>Powder Metallurgy</i> , 2001, 44, 211-220.	1.7	3
108	Effect of nitrogen on supersolidus sintering of modified M35M high speed steel. <i>Powder Metallurgy</i> , 1999, 42, 353-357.	1.7	26