
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4560933/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Facebook Users' Interactions, Organic Reach, and Engagement in a Smoking Cessation Intervention: Content Analysis. Journal of Medical Internet Research, 2021, 23, e27853.	4.3	5
2	Christianity and Schizophrenia Redux: An Empirical Study. Journal of Religion and Health, 2020, 59, 452-469.	1.7	4
3	Improvement of Theory of Mind in Schizophrenia: A 15-Year Follow-Up Study. Psych, 2019, 1, 420-428.	1.6	4
4	Antipsychotics influence Toll-like receptor (TLR) expression and its relationship with cognitive functions in schizophrenia. Brain, Behavior, and Immunity, 2017, 62, 256-264.	4.1	42
5	Uniting the neurodevelopmental and immunological hypotheses: Neuregulin 1 receptor ErbB and Toll-like receptor activation in first-episode schizophrenia. Scientific Reports, 2017, 7, 4147.	3.3	18
6	A single dose of l-DOPA changes perceptual experiences and decreases latent inhibition in Parkinson's disease. Journal of Neural Transmission, 2017, 124, 113-119.	2.8	4
7	Reduced CA2–CA3 Hippocampal Subfield Volume Is Related to Depression and Normalized by l-DOPA in Newly Diagnosed Parkinson's Disease. Frontiers in Neurology, 2017, 8, 84.	2.4	26
8	Faith Unchanged: Spirituality, But Not Christian Beliefs and Attitudes, Is Altered in Newly Diagnosed Parkinson's Disease. Religions, 2016, 7, 73.	0.6	4
9	Acute response to psychological trauma and subsequent recovery: No changes in brain structure. Psychiatry Research - Neuroimaging, 2015, 231, 269-272.	1.8	3
10	Neuregulin 1-Induced AKT and ERK Phosphorylation in Patients with Fragile X Syndrome (FXS) and Intellectual Disability Associated with Obstetric Complications. Journal of Molecular Neuroscience, 2014, 54, 119-124.	2.3	5
11	Changes in FKBP5 expression and memory functions during cognitive–behavioral therapy in posttraumatic stress disorder: A preliminary study. Neuroscience Letters, 2014, 569, 116-120.	2.1	26
12	Expression of Toll-Like Receptors in peripheral blood mononuclear cells and response to cognitive-behavioral therapy in major depressive disorder. Brain, Behavior, and Immunity, 2014, 40, 235-243.	4.1	118
13	Low-grade inflammation disrupts structural plasticity in the human brain. Neuroscience, 2014, 275, 81-88.	2.3	15
14	Blood biomarkers of depression track clinical changes during cognitive-behavioral therapy. Journal of Affective Disorders, 2014, 164, 118-122.	4.1	26
15	Association Among Clinical Response, Hippocampal Volume, and FKBP5 Gene Expression in Individuals with Posttraumatic Stress Disorder Receiving Cognitive Behavioral Therapy. Biological Psychiatry, 2013, 74, 793-800.	1.3	129
16	Decreased fragile X mental retardation protein (FMRP) is associated with lower IQ and earlier illness onset in patients with schizophrenia. Psychiatry Research, 2013, 210, 690-693.	3.3	49
17	Perceptual and cognitive effects of antipsychotics in first-episode schizophrenia: The potential impact of GABA concentration in the visual cortex. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 47, 13-19.	4.8	65
18	Contrast, motion, perceptual integration, and neurocognition in schizophrenia: The role of fragile-X related mechanisms. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2013, 46, 92-97.	4.8	25

#	Article	IF	CITATIONS
19	The hippocampus plays a role in the recognition of visual scenes presented at behaviorally relevant points in time: Evidence from amnestic mild cognitive impairment (aMCI) and healthy controls. Cortex, 2013, 49, 1892-1900.	2.4	8
20	How attentional boost interacts with reward: the effect of dopaminergic medications in Parkinson's disease. European Journal of Neuroscience, 2013, 38, 3650-3658.	2.6	5
21	Neuropsychological functions and visual contrast sensitivity in schizophrenia: the potential impact of comorbid posttraumatic stress disorder (PTSD). Frontiers in Psychology, 2013, 4, 136.	2.1	18
22	Impaired Generalization of Associative Learning in Patients with Alcohol Dependence After Intermediate-term Abstinence. Alcohol and Alcoholism, 2012, 47, 533-537.	1.6	13
23	How does the hippocampal formation mediate memory for stimuli processed by the magnocellular and parvocellular visual pathways? Evidence from the comparison of schizophrenia and amnestic mild cognitive impairment (aMCI). Neuropsychologia, 2012, 50, 3193-3199.	1.6	18
24	Decreased peripheral expression of neuregulin 1 in high-risk individuals who later converted to psychosis. Schizophrenia Research, 2012, 135, 198-199.	2.0	11
25	Hippocampal volume and the AKT signaling system in first-episode schizophrenia. Journal of Psychiatric Research, 2012, 46, 279-284.	3.1	25
26	Impaired context reversal learning, but not cue reversal learning, in patients with amnestic mild cognitive impairment. Neuropsychologia, 2011, 49, 3320-3326.	1.6	33
27	The Relationship Among Neuregulin 1-Stimulated Phosphorylation of AKT, Psychosis Proneness, and Habituation of Arousal in Nonclinical Individuals. Schizophrenia Bulletin, 2011, 37, 141-147.	4.3	14
28	Suppression of the P50 Evoked Response and Neuregulin 1-Induced AKT Phosphorylation in First-Episode Schizophrenia. American Journal of Psychiatry, 2010, 167, 444-450.	7.2	35
29	Neuregulin 1-induced AKT phosphorylation in monozygotic twins discordant for schizophrenia. Neurochemistry International, 2010, 56, 906-910.	3.8	11
30	Attentional modulation of perceptual organisation in schizophrenia. Cognitive Neuropsychiatry, 2009, 14, 77-86.	1.3	17
31	A polymorphism of the neuregulin 1 gene (SNP8NRC243177/rs6994992) affects reactivity to expressed emotion in schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 418-420.	1.7	35
32	Effects of a neuregulin 1 variant on conversion to schizophrenia and schizophreniform disorder in people at high risk for psychosis. Molecular Psychiatry, 2009, 14, 118-119.	7.9	57
33	The role of attention and immediate memory in vulnerability to interpersonal criticism during family transactions in schizophrenia. British Journal of Clinical Psychology, 2009, 48, 21-29.	3.5	4
34	Sharing secrets: Oxytocin and trust in schizophrenia. Social Neuroscience, 2009, 4, 287-293.	1.3	148
35	Neuregulin 1-stimulated phosphorylation of AKT in psychotic disorders and its relationship with neurocognitive functions. Neurochemistry International, 2009, 55, 606-609.	3.8	30
36	How to find the way out from four rooms? The learning of "chaining―associations may shed light on the neuropsychology of the deficit syndrome of schizophrenia. Schizophrenia Research, 2008, 99, 200-207.	2.0	34

#	Article	IF	CITATIONS
37	Associative learning in deficit and nondeficit schizophrenia. NeuroReport, 2008, 19, 55-58.	1.2	34
38	How well do patients with schizophrenia track multiple moving targets?. Neuropsychology, 2007, 21, 319-325.	1.3	7
39	Dopaminergic contribution to cognitive sequence learning. Journal of Neural Transmission, 2007, 114, 607-612.	2.8	21
40	Development of visual motion perception in children of patients with schizophrenia and bipolar disorder: A follow-up study. Schizophrenia Research, 2006, 82, 9-14.	2.0	13
41	RECOGNITION OF COMPLEX MENTAL STATES IN PATIENTS WITH ALCOHOLISM AFTER LONG-TERM ABSTINENCE. Alcohol and Alcoholism, 2006, 41, 512-514.	1.6	16
42	Anomalous visual experiences, negative symptoms, perceptual organization and the magnocellular pathway in schizophrenia: a shared construct?. Psychological Medicine, 2005, 35, 1445-1455.	4.5	84
43	Lateral interactions in the visual cortex of patients with schizophrenia and bipolar disorder. Psychological Medicine, 2005, 35, 1043-1051.	4.5	49
44	Habit Learning and the Genetics of the Dopamine Dâ, f Receptor: Evidence From Patients With Schizophrenia and Healthy Controls Behavioral Neuroscience, 2005, 119, 687-693.	1.2	44
45	Theory of Mind and Motion Perception in Schizophrenia Neuropsychology, 2005, 19, 494-500.	1.3	67
46	Visual-Perceptual Dysfunctions Are Possible Endophenotypes of Schizophrenia: Evidence From the Psychophysical Investigation of Magnocellular and Parvocellular Pathways Neuropsychology, 2005, 19, 649-656.	1.3	45
47	Dissociation between medial temporal lobe and basal ganglia memory systems in schizophrenia. Schizophrenia Research, 2005, 77, 321-328.	2.0	60
48	No evidence for impaired †theory of mind' in unaffected firstâ€degree relatives of schizophrenia patients. Acta Psychiatrica Scandinavica, 2004, 110, 146-149.	4.5	104
49	Patients with schizophreniform disorder use verbal descriptions for the representation of visual categories. Psychological Medicine, 2004, 34, 247-253.	4.5	3
50	Vernier Threshold in Patients With Schizophrenia and in Their Unaffected Siblings Neuropsychology, 2004, 18, 537-542.	1.3	78
51	Intact prototype learning in schizophrenia. Schizophrenia Research, 2001, 52, 261-264.	2.0	30
52	Different trait markers for schizophrenia and bipolar disorder: a neurocognitive approach. Psychological Medicine, 2001, 31, 915-922.	4.5	203
53	Remitted schizophrenia-spectrum patients with spared working memory show information processing abnormalities. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 60-65.	3.2	13
54	Are Alzheimer's disease patients able to learn visual prototypes?. Neuropsychologia, 2001, 39, 1218-1223.	1.6	30

#	Article	IF	CITATIONS
55	Schizophrenics know more than they can tell: probabilistic classification learning in schizophrenia. Psychological Medicine, 2000, 30, 149-155.	4.5	74
56	Abstraction is impaired at the perceptual level in schizophrenic patients. Neuroscience Letters, 1998, 243, 93-96.	2.1	11
57	How to create social media contents based on Motivational Interviewing approach to support tobacco use cessation? A content analysis. Journal of Substance Use, 0, , 1-7.	0.7	1