

Rashmi Sood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4561397/publications.pdf>

Version: 2024-02-01

24
papers

1,127
citations

933447

10
h-index

888059

17
g-index

25
all docs

25
docs citations

25
times ranked

1008
citing authors

#	ARTICLE	IF	CITATIONS
1	The endothelial protein C receptor plays an essential role in the maintenance of pregnancy. Science Advances, 2020, 6, .	10.3	3
2	Maintaining extraembryonic expression allows generation of mice with severe tissue factor pathway inhibitor deficiency. Blood Advances, 2019, 3, 489-498.	5.2	9
3	Genetic Absence of Integrin alpha2b Improves Survival of Tissue Factor Pathway Inhibitor Null Mice but Results in Hydrocephalus Formation. Blood, 2019, 134, 3626-3626.	1.4	0
4	Deficiency of Protease Activated Receptor 3 in the Mother Prevents Placenta-Mediated Death of Endothelial Protein C Receptor Null Mice, but Uncovers an Obligate Requirement of EPCR in the Embryo and Neonate. Blood, 2019, 134, 2382-2382.	1.4	0
5	Animal Models Demonstrate a Critical Role of Factor VIII in Par4- and Platelet-Mediated Pathology. Blood, 2019, 134, 1057-1057.	1.4	0
6	Humanized GPIIb/IIIa-von Willebrand factor interaction in the mouse. Blood Advances, 2018, 2, 2522-2532.	5.2	12
7	Variable phenotypic penetrance of thrombosis in adult mice after tissue-selective and temporally controlled Thbd gene inactivation. Blood Advances, 2017, 1, 1148-1158.	5.2	12
8	Vasculogenesis and Angiogenesis. Molecular and Translational Medicine, 2016, , 77-99.	0.4	2
9	Humanized Von Willebrand Factor-Glycoprotein Iib/IIIa Interaction in Mouse Models of Hemostasis and Thrombosis. Blood, 2016, 128, 558-558.	1.4	1
10	Genetic Absence of Thrombin Receptor Par4 Overcomes the Obligate Requirement of EPCR in Mouse Placenta. Blood, 2015, 126, 425-425.	1.4	0
11	An Experimental Model of Platelet Activation at the Feto-Maternal Interface. Blood, 2014, 124, 2766-2766.	1.4	0
12	Heparin rescues factor V Leiden-associated placental failure independent of anticoagulation in a murine high-risk pregnancy model. Blood, 2013, 121, 2127-2134.	1.4	18
13	Cascading into the Thrombin-Thrombomodulin Complex. FASEB Journal, 2013, 27, 1b237.	0.5	0
14	Thrombophilia and fetal loss: Lessons from gene targeting in mice. Thrombosis Research, 2009, 123, S79-S84.	1.7	7
15	Caveolin-1-dependent apoptosis induced by fibrin degradation products. Blood, 2009, 113, 4431-4439.	1.4	36
16	Maternal Par4 and platelets contribute to defective placenta formation in mouse embryos lacking thrombomodulin. Blood, 2008, 112, 585-591.	1.4	36
17	Endotoxemia and sepsis mortality reduction by non-anticoagulant-activated protein C. Journal of Experimental Medicine, 2007, 204, 2439-2448.	8.5	319
18	Fetal gene defects precipitate platelet-mediated pregnancy failure in factor V Leiden mothers. Journal of Experimental Medicine, 2007, 204, 1049-1056.	8.5	38

#	ARTICLE	IF	CITATIONS
19	Endothelial Mimicry of Placental Trophoblast Cells. , 2007, , 1479-1487.		1
20	Fetomaternal cross talk in the placental vascular bed: control of coagulation by trophoblast cells. Blood, 2006, 107, 3173-3180.	1.4	97
21	Cause-effect relation between hyperfibrinogenemia and vascular disease. Blood, 2004, 103, 1728-1734.	1.4	80
22	The thrombomodulinâ€“protein C system is essential for the maintenance of pregnancy. Nature Medicine, 2003, 9, 331-337.	30.7	242
23	Embryogenesis and gene targeting of coagulation factors in mice. Best Practice and Research in Clinical Haematology, 2003, 16, 169-181.	1.7	5
24	Survival advantage associated with heterozygous factor V Leiden mutation in patients with severe sepsis and in mouse endotoxemia. Blood, 2003, 102, 3085-3092.	1.4	209