

Bradford A Hawkins

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4563035/publications.pdf>

Version: 2024-02-01

99
papers

13,402
citations

36203

51
h-index

34900

98
g-index

101
all docs

101
docs citations

101
times ranked

12884
citing authors

#	ARTICLE	IF	CITATIONS
1	The evolution of critical thermal limits of life on Earth. <i>Nature Communications</i> , 2021, 12, 1198.	5.8	149
2	The geographical variation of network structure is scale dependent: understanding the biotic specialization of host–parasitoid networks. <i>Ecography</i> , 2019, 42, 1175-1187.	2.1	25
3	An intercontinental comparison of niche conservatism along a temperature gradient. <i>Journal of Biogeography</i> , 2018, 45, 1104-1113.	1.4	11
4	GlobTherm, a global database on thermal tolerances for aquatic and terrestrial organisms. <i>Scientific Data</i> , 2018, 5, 180022.	2.4	164
5	Trait syndromes among North American trees are evolutionarily conserved and show adaptive value over broad geographic scales. <i>Ecography</i> , 2018, 41, 540-550.	2.1	15
6	Mean family age of angiosperm tree communities and its climatic correlates along elevational and latitudinal gradients in eastern North America. <i>Journal of Biogeography</i> , 2018, 45, 259-268.	1.4	12
7	Structural bias in aggregated species-level variables driven by repeated species co-occurrences: a pervasive problem in community and assemblage data. <i>Journal of Biogeography</i> , 2017, 44, 1199-1211.	1.4	45
8	Stress from cold and drought as drivers of functional trait spectra in North American angiosperm tree assemblages. <i>Ecology and Evolution</i> , 2017, 7, 7548-7559.	0.8	17
9	Spatial and evolutionary parallelism between shade and drought tolerance explains the distributions of conifers in the conterminous United States. <i>Global Ecology and Biogeography</i> , 2017, 26, 31-42.	2.7	34
10	Range maps and checklists provide similar estimates of taxonomic and phylogenetic alpha diversity, but less so for beta diversity, of Brazilian Atlantic Forest anurans. <i>Natureza A Conservacao</i> , 2016, 14, 99-105.	2.5	5
11	The diversity and abundance of North American bird assemblages fail to track changing productivity. <i>Ecology</i> , 2015, 96, 1105-1114.	1.5	25
12	Functional determinants of forest recruitment over broad scales. <i>Global Ecology and Biogeography</i> , 2015, 24, 192-202.	2.7	13
13	Community phylogenetics at the biogeographical scale: cold tolerance, niche conservatism and the structure of North American forests. <i>Journal of Biogeography</i> , 2014, 41, 23-38.	1.4	126
14	Evolutionary histories of soil fungi are reflected in their large-scale biogeography. <i>Ecology Letters</i> , 2014, 17, 1086-1093.	3.0	80
15	The geographical distribution of life and the problem of regionalization: 100 years after Alfred Russel Wallace. <i>Journal of Biogeography</i> , 2013, 40, 2209-2214.	1.4	41
16	Identifying global zoogeographical regions: lessons from Wallace. <i>Journal of Biogeography</i> , 2013, 40, 2215-2225.	1.4	84
17	Biogeographic anomalies in the species richness of Chilean forests: Incorporating evolution into a climatic “historic” scenario. <i>Austral Ecology</i> , 2013, 38, 905-914.	0.7	22
18	Range size patterns of New World oscine passerines (Aves): insights from differences among migratory and sedentary clades. <i>Journal of Biogeography</i> , 2013, 40, 2261-2273.	1.4	13

#	ARTICLE	IF	CITATIONS
19	Does fragmentation increase extinction thresholds? A European-wide test with seven forest birds. <i>Global Ecology and Biogeography</i> , 2013, 22, 1282-1292.	2.7	31
20	The Imprint of Cenozoic Migrations and Evolutionary History on the Biogeographic Gradient of Body Size in New World Mammals. <i>American Naturalist</i> , 2012, 180, 246-256.	1.0	34
21	Willing or unwilling to share primary biodiversity data: results and implications of an international survey. <i>Conservation Letters</i> , 2012, 5, 399-406.	2.8	53
22	Eight (and a half) deadly sins of spatial analysis. <i>Journal of Biogeography</i> , 2012, 39, 1-9.	1.4	122
23	Different evolutionary histories underlie congruent species richness gradients of birds and mammals. <i>Journal of Biogeography</i> , 2012, 39, 825-841.	1.4	84
24	Species distribution modelling as a macroecological tool: a case study using New World amphibians. <i>Ecography</i> , 2012, 35, 539-548.	2.1	45
25	Deep phylogeny, net primary productivity, and global body size gradient in birds. <i>Biological Journal of the Linnean Society</i> , 2012, 106, 880-892.	0.7	27
26	Ice age climate, evolutionary constraints and diversity patterns of European dung beetles. <i>Ecology Letters</i> , 2011, 14, 741-748.	3.0	183
27	Niche conservatism and species richness patterns of squamate reptiles in eastern and southern Africa. <i>Austral Ecology</i> , 2011, 36, 550-558.	0.7	14
28	Global angiosperm family richness revisited: linking ecology and evolution to climate. <i>Journal of Biogeography</i> , 2011, 38, 1253-1266.	1.4	116
29	Tropical niche conservatism as a historical narrative hypothesis for the Neotropics: a case study using the fly family Muscidae. <i>Journal of Biogeography</i> , 2011, 38, 1936-1947.	1.4	19
30	Climatic niche conservatism and the evolutionary dynamics in species range boundaries: global congruence across mammals and amphibians. <i>Journal of Biogeography</i> , 2011, 38, 2237-2247.	1.4	75
31	Relationships of climate, residence time, and biogeographical origin with the range sizes and species richness patterns of exotic plants in Great Britain. <i>Plant Ecology</i> , 2011, 212, 1901-1911.	0.7	15
32	Multiregional comparison of the ecological and phylogenetic structure of butterfly species richness gradients. <i>Journal of Biogeography</i> , 2010, 37, 647-656.	1.4	55
33	Towards a biogeographic regionalization of the European biota. <i>Journal of Biogeography</i> , 2010, 37, 2067-2076.	1.4	75
34	Defying the curse of ignorance: perspectives in insect macroecology and conservation biogeography. <i>Insect Conservation and Diversity</i> , 2010, 3, 172-179.	1.4	129
35	Niche conservatism as an emerging principle in ecology and conservation biology. <i>Ecology Letters</i> , 2010, 13, 1310-1324.	3.0	1,387
36	Phylogeny, niche conservatism and the latitudinal diversity gradient in mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 2131-2138.	1.2	219

#	ARTICLE	IF	CITATIONS
37	Grids versus regional species lists: are broad-scale patterns of species richness robust to the violation of constant grain size?. <i>Biodiversity and Conservation</i> , 2009, 18, 3127-3137.	1.2	28
38	Spatial speciesâ€ richness gradients across scales: a metaâ€ analysis. <i>Journal of Biogeography</i> , 2009, 36, 132-147.	1.4	573
39	Tropical niche conservatism and the species richness gradient of North American butterflies. <i>Journal of Biogeography</i> , 2009, 36, 1698-1711.	1.4	77
40	Coefficient shifts in geographical ecology: an empirical evaluation of spatial and nonâ€ spatial regression. <i>Ecography</i> , 2009, 32, 193-204.	2.1	231
41	Visions for insect conservation and diversity: spanning the gap between practice and theory. <i>Insect Conservation and Diversity</i> , 2009, 2, 1-4.	1.4	6
42	Partitioning phylogenetic and adaptive components of the geographical bodyâ€ size pattern of New World birds. <i>Global Ecology and Biogeography</i> , 2008, 17, 100-110.	2.7	30
43	What Do Range Maps and Surveys Tell Us About Diversity Patterns?. <i>Folia Geobotanica</i> , 2008, 43, 345-355.	0.4	45
44	Why do mountains support so many species of birds?. <i>Ecography</i> , 2008, 31, 306-315.	2.1	107
45	Insect conservation: finding the way forward. <i>Insect Conservation and Diversity</i> , 2008, 1, 67-69.	1.4	36
46	<i>Insect Conservation and Diversity</i> â€ a new journal for the Royal Entomological Society. <i>Insect Conservation and Diversity</i> , 2008, 1, 1-1.	1.4	5
47	Waterâ€ energy and the geographical species richness pattern of European and North African dragonflies (Odonata). <i>Insect Conservation and Diversity</i> , 2008, 1, 142-150.	1.4	51
48	Bergmann's rule and the geography of mammal body size in the Western Hemisphere. <i>Global Ecology and Biogeography</i> , 2008, 17, 274-283.	2.7	133
49	Why do mountains support so many species of birds?. <i>Ecography</i> , 2008, .	2.1	0
50	Seeing the forest for the trees: partitioning ecological and phylogenetic components of Bergmann's rule in European Carnivora. <i>Ecography</i> , 2007, 30, 598-608.	2.1	72
51	GLOBAL MODELS FOR PREDICTING WOODY PLANT RICHNESS FROM CLIMATE: COMMENT. <i>Ecology</i> , 2007, 88, 255-259.	1.5	17
52	Climate, Niche Conservatism, and the Global Bird Diversity Gradient. <i>American Naturalist</i> , 2007, 170, S16-S27.	1.0	226
53	Range maps and species richness patterns: errors of commission and estimates of uncertainty. <i>Ecography</i> , 2007, 30, 649-662.	2.1	22
54	METABOLIC THEORY AND DIVERSITY GRADIENTS: WHERE DO WE GO FROM HERE?. <i>Ecology</i> , 2007, 88, 1898-1902.	1.5	47

#	ARTICLE	IF	CITATIONS
55	A GLOBAL EVALUATION OF METABOLIC THEORY AS AN EXPLANATION FOR TERRESTRIAL SPECIES RICHNESS GRADIENTS. <i>Ecology</i> , 2007, 88, 1877-1888.	1.5	139
56	Macroevolutionary dynamics in environmental space and the latitudinal diversity gradient in New World birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2007, 274, 43-52.	1.2	43
57	Contemporary richness of holarctic trees and the historical pattern of glacial retreat. <i>Ecography</i> , 2007, 30, 173-182.	2.1	89
58	Seeing the forest for the trees: partitioning ecological and phylogenetic components of Bergmann's rule in European Carnivora. <i>Ecography</i> , 2007, 30, 598-608.	2.1	14
59	Red herrings revisited: spatial autocorrelation and parameter estimation in geographical ecology. <i>Ecography</i> , 2007, 30, 375-384.	2.1	186
60	The geographic distribution of mammal body size in Europe. <i>Global Ecology and Biogeography</i> , 2006, 15, 173-181.	2.7	100
61	Mapping macroecology. <i>Global Ecology and Biogeography</i> , 2006, 15, 433-437.	2.7	29
62	Beyond Rapoport's rule: evaluating range size patterns of New World birds in a two-dimensional framework. <i>Global Ecology and Biogeography</i> , 2006, 15, 461-469.	2.7	98
63	Broad-scale patterns of body size in squamate reptiles of Europe and North America. <i>Journal of Biogeography</i> , 2006, 33, 781-793.	1.4	174
64	Post-Eocene climate change, niche conservatism, and the latitudinal diversity gradient of New World birds. <i>Journal of Biogeography</i> , 2006, 33, 770-780.	1.4	205
65	Mapping macroecology. <i>Global Ecology and Biogeography</i> , 2006, 15, 433-437.	2.7	2
66	Beyond Rapoport's rule: evaluating range size patterns of New World birds in a two-dimensional framework. <i>Global Ecology and Biogeography</i> , 2006, 15, 461-469.	2.7	1
67	Water links the historical and contemporary components of the Australian bird diversity gradient. <i>Journal of Biogeography</i> , 2005, 32, 1035-1042.	1.4	148
68	Energy, water and large-scale patterns of reptile and amphibian species richness in Europe. <i>Acta Oecologica</i> , 2005, 28, 65-70.	0.5	152
69	The Mid- Ω Domain Effect and Diversity Gradients: Is There Anything to Learn?. <i>American Naturalist</i> , 2005, 166, E140-E143.	1.0	81
70	Predictions and tests of climate-based hypotheses of broad-scale variation in taxonomic richness. <i>Ecology Letters</i> , 2004, 7, 1121-1134.	3.0	1,011
71	Summer vegetation, deglaciation and the anomalous bird diversity gradient in eastern North America. <i>Global Ecology and Biogeography</i> , 2004, 13, 321-325.	2.7	40
72	Macroecological explanations for differences in species richness gradients: a canonical analysis of South American birds. <i>Journal of Biogeography</i> , 2004, 31, 1819-1827.	1.4	31

#	ARTICLE	IF	CITATIONS
73	Does plant richness influence animal richness?: the mammals of Catalonia (NE Spain). <i>Diversity and Distributions</i> , 2004, 10, 247-252.	1.9	48
74	Latitude and geographic patterns in species richness. <i>Ecography</i> , 2004, 27, 268-272.	2.1	191
75	Bergmann's rule and the mammal fauna of northern North America. <i>Ecography</i> , 2004, 27, 715-724.	2.1	181
76	Invited Views in Basic and Applied Ecology: Are we making progress toward understanding the global diversity gradient?. <i>Basic and Applied Ecology</i> , 2004, 5, 1-3.	1.2	28
77	A test of multiple hypotheses for the species richness gradient of South American owls. <i>Oecologia</i> , 2004, 140, 633-638.	0.9	32
78	Water-energy balance and the geographic pattern of species richness of western Palearctic butterflies. <i>Ecological Entomology</i> , 2003, 28, 678-686.	1.1	106
79	Food web complexity and higher-level ecosystem services. <i>Ecology Letters</i> , 2003, 6, 587-593.	3.0	100
80	Relative influences of current and historical factors on mammal and bird diversity patterns in deglaciated North America. <i>Global Ecology and Biogeography</i> , 2003, 12, 475-481.	2.7	165
81	Spatial autocorrelation and red herrings in geographical ecology. <i>Global Ecology and Biogeography</i> , 2003, 12, 53-64.	2.7	874
82	PRODUCTIVITY AND HISTORY AS PREDICTORS OF THE LATITUDINAL DIVERSITY GRADIENT OF TERRESTRIAL BIRDS. <i>Ecology</i> , 2003, 84, 1608-1623.	1.5	401
83	ENERGY, WATER, AND BROAD-SCALE GEOGRAPHIC PATTERNS OF SPECIES RICHNESS. <i>Ecology</i> , 2003, 84, 3105-3117.	1.5	1,868
84	Does Herbivore Diversity Depend on Plant Diversity? The Case of California Butterflies. <i>American Naturalist</i> , 2003, 161, 40-49.	1.0	245
85	Basic biogeography. <i>Journal of Biogeography</i> , 2002, 29, 1716-1716.	1.4	0
86	The mid-domain effect cannot explain the diversity gradient of Nearctic birds. <i>Global Ecology and Biogeography</i> , 2002, 11, 419-426.	2.7	91
87	Parasitoids of grass-feeding chalcid wasps: a comparison of German and British communities. <i>Oecologia</i> , 2001, 129, 445-451.	0.9	12
88	Area and the latitudinal diversity gradient for terrestrial birds. <i>Ecology Letters</i> , 2001, 4, 595-601.	3.0	31
89	Ecology's oldest pattern?. <i>Endeavour</i> , 2001, 25, 133.	0.1	134
90	Top-down and bottom-up forces in the population and community ecology of insects. <i>Basic and Applied Ecology</i> , 2001, 2, 293-294.	1.2	6

#	ARTICLE	IF	CITATIONS
91	More haste, less science?. Nature, 1999, 400, 498-498.	13.7	6
92	EFFECTS OF SAMPLING EFFORT ON CHARACTERIZATION OF FOOD-WEB STRUCTURE. Ecology, 1999, 80, 1044-1055.	1.5	231
93	Patterns of diversity for aphidiine (Hymenoptera: Braconidae) parasitoid assemblages on aphids (Homoptera). Oecologia, 1998, 116, 234-242.	0.9	14
94	Critical appraisals allow the analytical review of existing knowledge on current topics of significance in ecological entomology. They should assess the worth or quality of the work in the field and suggest areas for investigation.. Ecological Entomology, 1998, 23, 340-349.	1.1	63
95	PREDATORS, PARASITIDS, AND PATHOGENS AS MORTALITY AGENTS IN PHYTOPHAGOUS INSECT POPULATIONS. Ecology, 1997, 78, 2145-2152.	1.5	287
96	The colonization of native phytophagous insects in North America by exotic parasitoids. Oecologia, 1997, 112, 566-571.	0.9	115
97	The usefulness of destructive host feeding parasitoids in classical biological control: theory and observation conflict. Ecological Entomology, 1996, 21, 41-46.	1.1	79
98	Latitudinal body size gradients for the bees of the eastern United States. Ecological Entomology, 1995, 20, 195-198.	1.1	52
99	Accumulation of Native Parasitoid Species on Introduced Herbivores: A Comparison of Hosts as Natives and Hosts as Invaders. American Naturalist, 1993, 141, 847-865.	1.0	220