Guangliang Shan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4567184/publications.pdf

Version: 2024-02-01

304743 182427 3,143 96 22 51 citations h-index g-index papers 99 99 99 4134 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Long-term exposure to ambient nitrogen dioxide and ozone modifies systematic low-grade inflammation: The CHCN-BTH study. International Journal of Hygiene and Environmental Health, 2022, 239, 113875.	4.3	8
2	The Effect of Body Weight and Alcohol Consumption on Hyperuricemia and Their Population Attributable Fractions: A National Health Survey in China. Obesity Facts, 2022, 15, 216-227.	3.4	21
3	Long-Term Ozone Exposure and Small Airway Dysfunction: The China Pulmonary Health (CPH) Study. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 450-458.	5.6	24
4	Body mass index was linked with multi-cardiometabolic abnormalities in Chinese children and adolescents: a community-based survey. BMC Pediatrics, 2022, 22, 33.	1.7	5
5	Associations of residential greenness with lung function and chronic obstructive pulmonary disease in China. Environmental Research, 2022, 209, 112877.	7.5	12
6	Joint Effect of Beer, Spirits Intake, and Excess Adiposity on Hyperuricemia Among Chinese Male Adults: Evidence From the China National Health Survey. Frontiers in Nutrition, 2022, 9, 806751.	3.7	5
7	Characteristics, goalâ€oriented treatments and survival of pulmonary arterial hypertension in China: Insights from a national multicentre prospective registry. Respirology, 2022, 27, 517-528.	2.3	15
8	Using Procalcitonin to Guide Antibiotic Escalation in Patients With Suspected Bacterial Infection: A New Application of Procalcitonin in the Intensive Care Unit. Frontiers in Cellular and Infection Microbiology, 2022, 12, 844134.	3.9	2
9	Development and Validation of a Screening Questionnaire of COPD from a Large Epidemiological Study in China. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2022, 19, 118-124.	1.6	1
10	MC4R Gene Polymorphisms Interact With the Urbanized Living Environment on Obesity: Results From the Yi Migrant Study. Frontiers in Genetics, 2022, 13, 849138.	2.3	3
11	Associations of long-term ambient air pollution and traffic-related pollution with blood pressure and hypertension defined by the different guidelines worldwide: the CHCN-BTH study. Environmental Science and Pollution Research, 2022, 29, 63057-63070.	5.3	2
12	Association Between Different DVT Prevention Methods and Outcomes of Septic Shock Caused by Intestinal Perforation in China: A Cross-Sectional Study. Frontiers in Medicine, 2022, 9, 878075.	2.6	2
13	The diverse life-course cohort (DLCC): protocol of a large-scale prospective study in China. European Journal of Epidemiology, 2022, 37, 871-880.	5.7	10
14	Characteristics and longâ€term survival of patients with chronic thromboembolic pulmonary hypertension in China. Respirology, 2021, 26, 196-203.	2.3	21
15	Compliance with the Surviving Sepsis Campaign guideline 1-hour bundle for septic shock in China in 2018. Annals of Translational Medicine, 2021, 9, 278-278.	1.7	8
16	Cohort profile: the Chinese Pregnant Women Cohort Study and Offspring Follow-up (CPWCSaOF). BMJ Open, 2021, 11, e044933.	1.9	4
17	Analysis of structure indicators influencing 3-h and 6-h compliance with the surviving sepsis campaign guidelines in China: a systematic review. European Journal of Medical Research, 2021, 26, 27.	2.2	3
18	Stepwise lactate kinetics in critically ill patients: prognostic, influencing factors, and clinical phenotype. BMC Anesthesiology, 2021, 21, 86.	1.8	1

#	Article	IF	Citations
19	Effect of fat mass index, fat free mass index and body mass index on childhood blood pressure: a cross-sectional study in south China. Translational Pediatrics, 2021, 10, 541-551.	1.2	7
20	Association of chronic diseases with depression, anxiety and stress in Chinese general population: The CHCN-BTH cohort study. Journal of Affective Disorders, 2021, 282, 1278-1287.	4.1	37
21	Risk prediction in medically treated chronic thromboembolic pulmonary hypertension. BMC Pulmonary Medicine, 2021, 21, 128.	2.0	5
22	Prevalence of dyslipidemia and associated risk factors among adult residents of Shenmu City, China. PLoS ONE, 2021, 16, e0250573.	2.5	17
23	Environmental and Genetic Determinants of Major Chronic Disease in Beijing–Tianjin–Hebei Region: Protocol for a Community-Based Cohort Study. Frontiers in Public Health, 2021, 9, 659701.	2.7	4
24	Prevalence and risk factors of refractive error in Qinghai, China: a cross-sectional study in Han and Tibetan adults in Xining and surrounding areas. BMC Ophthalmology, 2021, 21, 260.	1.4	8
25	Association of long-term exposure to ambient particulate pollution with stage 1 hypertension defined by the 2017 ACC/AHA Hypertension Guideline and cardiovascular disease: The CHCN-BTH cohort study. Environmental Research, 2021, 199, 111356.	7. 5	7
26	Association between Serum Uric Acid and Hypertension in Han and Yugur of Gansu Province: The China National Health Survey. Kidney and Blood Pressure Research, 2021, 46, 723-733.	2.0	4
27	Association of fine particulate matter air pollution and its constituents with lung function: The China Pulmonary Health study. Environment International, 2021, 156, 106707.	10.0	35
28	Elevated lipoprotein(a) and risk of coronary heart disease according to different lipid profiles in the general Chinese community population: the CHCN-BTH study. Annals of Translational Medicine, 2021, 9, 26-26.	1.7	13
29	Relationship between the duration of smoking and blood pressure in Han and ethnic minority populations: a cross-sectional study in China. BMC Public Health, 2021, 21, 135.	2.9	10
30	Mesenchymal stem cell treatment improves outcome of COVID-19 patients via multiple immunomodulatory mechanisms. Cell Research, 2021, 31, 1244-1262.	12.0	81
31	Anxiety and Depression in Patients with Chronic Obstructive Pulmonary Disease in China: Results from the China Pulmonary Health [CPH] Study. International Journal of COPD, 2021, Volume 16, 3387-3396.	2.3	9
32	The Effect of Body Adiposity and Alcohol Consumption on Serum Uric Acid: A Quantile Regression Analysis Based on the China National Health Survey. Frontiers in Nutrition, 2021, 8, 724497.	3.7	5
33	Analysis of Prevalence and Risk Factors of Adult Self-Reported Allergic Rhinitis and Asthma in Plain Lands and Hilly Areas of Shenmu City, China. Frontiers in Public Health, 2021, 9, 749388.	2.7	5
34	Preliminary study of the urinary proteome in Li and Han ethnic individuals from Hainan. Science China Life Sciences, 2020, 63, 125-137.	4.9	4
35	Prevalence and risk factors of refractive errors among older Chinese in Hebei, China: a crossâ€sectional study from the China National Health Survey. Acta Ophthalmologica, 2020, 98, e394-e395.	1.1	1
36	Prevalence and risk factors of small airway dysfunction, and association with smoking, in China: findings from a national cross-sectional study. Lancet Respiratory Medicine, the, 2020, 8, 1081-1093.	10.7	129

#	Article	IF	CITATIONS
37	Associations of long-term exposure to ambient air pollution with cardiac conduction abnormalities in Chinese adults: The CHCN-BTH cohort study. Environment International, 2020, 143, 105981.	10.0	23
38	Prevalence and Risk Factors for COPD at High Altitude: A Large Cross-Sectional Survey of Subjects Living Between 2,100–4,700 m Above Sea Level. Frontiers in Medicine, 2020, 7, 581763.	2.6	18
39	Prevalence and risk factors of myopia in Han and Yugur older adults in Gansu, China: a cross-sectional study. Scientific Reports, 2020, 10, 8249.	3.3	11
40	Effect on thromboprophylaxis among hospitalized patients using a system-wide multifaceted quality improvement intervention: Rationale and design for a multicenter cluster randomized clinical trial in China. American Heart Journal, 2020, 225, 44-54.	2.7	5
41	Smoking Prevalence, Patterns, and Cessation Among Adults in Hebei Province, Central China: Implications From China National Health Survey (CNHS). Frontiers in Public Health, 2020, 8, 177.	2.7	25
42	Low Serum ZAG Levels Correlate With Determinants of the Metabolic Syndrome in Chinese Subjects. Frontiers in Endocrinology, 2020, 11, 154.	3.5	13
43	Effects of a national quality improvement program on ICUs in China: a controlled pre-post cohort study in 586 hospitals. Critical Care, 2020, 24, 73.	5.8	14
44	Prevalence and associated factors for pterygium in Han and Mongolian adults: a cross-sectional study in inner Mongolian, China. BMC Ophthalmology, 2020, 20, 45.	1.4	11
45	Evaluation of the Secondary Transmission Pattern and Epidemic Prediction of COVID-19 in the Four Metropolitan Areas of China. Frontiers in Medicine, 2020, 7, 171.	2.6	30
46	Increased recurrent risk did not improve cerebrovascular disease survivors' response to stroke in China: a cross-sectional, community-based study. BMC Neurology, 2020, 20, 147.	1.8	3
47	Secular Trends of the Impact of Overweight and Obesity on Hypertension in Yi People: Yi Migrant Study, 1996–2015. International Journal of Hypertension, 2020, 2020, 1-9.	1.3	5
48	Hand grip strength is associated with cardiopulmonary function in Chinese adults: Results from a cross-sectional study. Journal of Exercise Science and Fitness, 2020, 18, 57-61.	2.2	13
49	Association of Socioeconomic Status and Overweight/Obesity in Rural-to-Urban Migrants: Different Effects by Age at Arrival. Frontiers in Public Health, 2020, 8, 622941.	2.7	10
50	The association between high-sensitivity C-reactive protein and blood pressure in Yi people. BMC Public Health, 2019, 19, 991.	2.9	5
51	The Additive Interaction between Body Mass Index and Hypertension Family History in Han and Yugur: The China National Health Survey (CNHS). International Journal of Hypertension, 2019, 2019, 1-9.	1.3	6
52	Prevalence of, and biochemical and anthropometric risk factors for, dyslipidemia in children and adolescents aged 7 to 18 years in China: A crossâ€sectional study. American Journal of Human Biology, 2019, 31, e23286.	1.6	13
53	Cardiovascular surgery experience does not significantly improve patients' response to stroke. Brain and Behavior, 2019, 9, e01405.	2.2	1
54	Body Composition and Serum Total Calcium Were Associated With Blood Pressure Among Children and Adolescents Aged 7–18 in China: A Cross-Sectional Study. Frontiers in Pediatrics, 2019, 7, 411.	1.9	3

#	Article	IF	CITATIONS
55	Neck circumference as an indicator of elevated blood pressure independent from body composition: implications from the China nation health survey (CNHS). BMC Cardiovascular Disorders, 2019, 19, 244.	1.7	4
56	Regarding the manuscript entitled "Association of Radioactive Iodine Treatment With Cancer Mortality in Patients With Hyperthyroidism― European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2410-2411.	6.4	6
57	Prevalence and risk factors of refractive error: a cross-sectional Study in Han and Yi adults in Yunnan, China. BMC Ophthalmology, 2019, 19, 33.	1.4	21
58	Prevalence, risk factors, and management of asthma in China: a national cross-sectional study. Lancet, The, 2019, 394, 407-418.	13.7	377
59	Muscle fitness and its association with body mass index in children and adolescents aged 7–18 years in China: a cross-sectional study. BMC Pediatrics, 2019, 19, 101.	1.7	22
60	Prevalence and risk factors for pterygium: a cross-sectional study in Han and Manchu ethnic populations in Hebei, China. BMJ Open, 2019, 9, e025725.	1.9	21
61	Barriers from calling ambulance after recognizing stroke differed in adults younger or older than 75 years old in China. BMC Neurology, 2019, 19, 283.	1.8	6
62	Public Awareness of Stroke and the Appropriate Responses in China. Stroke, 2019, 50, 455-462.	2.0	24
63	Characteristics and reference values of fat mass index and fat free mass index by bioelectrical impedance analysis in an adult population. Clinical Nutrition, 2019, 38, 2325-2332.	5.0	23
64	Prevalence and risk factors of chronic obstructive pulmonary disease in China (the China Pulmonary) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf 938
65	Comparison of myelin oligodendrocyte glycoprotein (MOG)-antibody disease and AQP4-lgG-positive neuromyelitis optica spectrum disorder (NMOSD) when they co-exist with anti-NMDA (N-methyl-D-aspartate) receptor encephalitis. Multiple Sclerosis and Related Disorders, 2018, 20, 144-152.	2.0	89
66	Left ventricular-arterial coupling is associated with prolonged mechanical ventilation in severe post-cardiac surgery patients: an observational study. BMC Anesthesiology, 2018, 18, 184.	1.8	3
67	Association of Age-Related Trends in Blood Pressure and Body Composition Indices in Healthy Adults. Frontiers in Physiology, 2018, 9, 1574.	2.8	11
68	Effect of BMI and Its Optimal Cut-Off Value in Identifying Hypertension in Uyghur and Han Chinese: A Biethnic Study from the China National Health Survey (CNHS). International Journal of Hypertension, 2018, 2018, 1-8.	1.3	5
69	Twenty-year time trends in hypertension prevalence in Yi people of China: three successive cross-sectional studies, 1996–2015. BMJ Open, 2018, 8, e022714.	1.9	9
70	Increasing prevalence of overweight and obesity in Yi farmers and migrants from 2007 to 2015 in China: the Yi migrant study. BMC Public Health, 2018, 18, 659.	2.9	14
71	Relative Handgrip Strength Is Inversely Associated with Metabolic Profile and Metabolic Disease in the General Population in China. Frontiers in Physiology, 2018, 9, 59.	2.8	61
72	Urinary Lead Concentration Is an Independent Predictor of Cancer Mortality in the U.S. General Population. Frontiers in Oncology, 2018, 8, 242.	2.8	17

#	Article	IF	CITATIONS
73	Data Resource Profile: The China National Health Survey (CNHS). International Journal of Epidemiology, 2018, 47, 1734-1735f.	1.9	53
74	Optimal body fat percentage cut-off values for identifying cardiovascular risk factors in Mongolian and Han adults: a population-based cross-sectional study in Inner Mongolia, China. BMJ Open, 2017, 7, e014675.	1.9	32
75	Spirometry reference values for population aged 7–80 years in China. Respirology, 2017, 22, 1630-1636.	2.3	20
76	Association between Indices of Body Composition and Abnormal Metabolic Phenotype in Normal-Weight Chinese Adults. International Journal of Environmental Research and Public Health, 2017, 14, 391.	2.6	29
77	The association between smoking and blood pressure in men: a cross-sectional study. BMC Public Health, 2017, 17, 797.	2.9	94
78	Association of prehypertension and cardiovascular risk factor clustering in Inner Mongolia: a cross-sectional study. BMJ Open, 2017, 7, e015340.	1.9	18
79	Reference ranges for serum insulin-like growth factor I (IGF-I) in healthy Chinese adults. PLoS ONE, 2017, 12, e0185561.	2.5	55
80	Association of striking life events with primary breast cancer in 265 Chinese women: a case-control study. Oncotarget, 2017, 8, 82103-82113.	1.8	1
81	Bimodal distribution of fasting plasma glucose in the Uyghur and Han populations of Xinjiang, China. Asia Pacific Journal of Clinical Nutrition, 2017, 26, 708-712.	0.4	2
82	A phase II study of a modified FOLFOX6 regimen as neoadjuvant chemotherapy for locally advanced gastric cancer. British Journal of Cancer, 2016, 114, 1326-1333.	6.4	35
83	Prevalence and characteristics of chronic body pain in China: a national study. SpringerPlus, 2016, 5, 938.	1.2	48
84	Prevalence, awareness, treatment, control and risk factors related to hypertension among urban adults in Inner Mongolia 2014: differences between Mongolian and Han populations. BMC Public Health, 2016, 16, 294.	2.9	44
85	Risk factors and indication for dissection of right paraesophageal lymph node metastasis in papillary thyroid carcinoma. European Journal of Surgical Oncology, 2016, 42, 81-86.	1.0	20
86	Poor sleep quality associated with obesity in men. Sleep and Breathing, 2016, 20, 873-880.	1.7	20
87	Towards better clinical laboratory diagnostic criteria for haemoglobin concentration: results from the Survey on Health Examination and Physiological Constants in China. Lancet, The, 2015, 386, S59.	13.7	3
88	Season of Birth, Sex and Sleep Timing Preferences. International Journal of Environmental Research and Public Health, 2015, 12, 5603-5613.	2.6	3
89	Prevalence of Diabetes and Associated Factors in the Uyghur and Han Population in Xinjiang, China. International Journal of Environmental Research and Public Health, 2015, 12, 12792-12802.	2.6	19
90	Sleep duration associated with body mass index among Chinese adults. Sleep Medicine, 2015, 16, 612-616.	1.6	40

#	Article	IF	CITATIONS
91	Sleep Duration and Quality among Different Occupations-China National Study. PLoS ONE, 2015, 10, e0117700.	2.5	38
92	The Status of Rheumatoid Factor and Anti-Cyclic Citrullinated Peptide Antibody Are Not Associated with the Effect of Anti-TNF \hat{l} ± Agent Treatment in Patients with Rheumatoid Arthritis: A Meta-Analysis. PLoS ONE, 2014, 9, e89442.	2.5	72
93	Anti-Cyclic Citrullinated Peptide Antibody Is Associated with Interstitial Lung Disease in Patients with Rheumatoid Arthritis. PLoS ONE, 2014, 9, e92449.	2.5	47
94	Obesity-Related Genomic Loci Are Associated with Type 2 Diabetes in a Han Chinese Population. PLoS ONE, 2014, 9, e104486.	2.5	25
95	Prevalence of dyslipidemia and associated factors in the Yi farmers and migrants of southwestern China. Atherosclerosis, 2012, 223, 512-518.	0.8	20
96	Trends of overweight and obesity in Yi people between 1996 and 2007: an Yi migrant study. Biomedical and Environmental Sciences, 2011, 24, 467-74.	0.2	17