

# Daoxia Guo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4567731/publications.pdf>

Version: 2024-02-01

39  
papers

342  
citations

933447

10  
h-index

996975

15  
g-index

39  
all docs

39  
docs citations

39  
times ranked

353  
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum Dkk-1 (Dickkopf-1) Is a Potential Biomarker in the Prediction of Clinical Outcomes Among Patients With Acute Ischemic Stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 285-293.	2.4	32
2	Increased Serum Netrin-1 Is Associated With Improved Prognosis of Ischemic Stroke. <i>Stroke</i> , 2019, 50, 845-852.	2.0	26
3	Self-reported daytime napping, daytime sleepiness, and other sleep phenotypes in the development of cardiometabolic diseases: a Mendelian randomization study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1982-1991.	1.8	26
4	Serum Hepatocyte Growth Factor Is Probably Associated With 3-Month Prognosis of Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 377-383.	2.0	22
5	Plasma S100A8/A9 Concentrations and Clinical Outcomes of Ischemic Stroke in 2 Independent Multicenter Cohorts. <i>Clinical Chemistry</i> , 2020, 66, 706-717.	3.2	20
6	Tissue inhibitor metalloproteinase-1 and clinical outcomes after acute ischemic stroke. <i>Neurology</i> , 2019, 93, e1675-e1685.	1.1	16
7	Increased Serum Complement C3 Levels Are Associated With Adverse Clinical Outcomes After Ischemic Stroke. <i>Stroke</i> , 2021, 52, 868-877.	2.0	16
8	Multiple biomarkers covering several pathways improve predictive ability for cognitive impairment among ischemic stroke patients with elevated blood pressure. <i>Atherosclerosis</i> , 2019, 287, 30-37.	0.8	15
9	Increased Growth Differentiation Factor 15 Is Associated with Unfavorable Clinical Outcomes of Acute Ischemic Stroke. <i>Clinical Chemistry</i> , 2019, 65, 569-578.	3.2	14
10	Endostatin as a novel prognostic biomarker in acute ischemic stroke. <i>Atherosclerosis</i> , 2020, 293, 42-48.	0.8	12
11	Prognostic Metrics Associated with Inflammation and Atherosclerosis Signaling Evaluate the Burden of Adverse Clinical Outcomes in Ischemic Stroke Patients. <i>Clinical Chemistry</i> , 2020, 66, 1434-1443.	3.2	12
12	Associations of genetically proxied inhibition of HMG-CoA reductase, NPC1L1, and PCSK9 with breast cancer and prostate cancer. <i>Breast Cancer Research</i> , 2022, 24, 12.	5.0	12
13	Interactions Between PPARC and AGTR1 Gene Polymorphisms on the Risk of Hypertension in Chinese Han Population. <i>Genetic Testing and Molecular Biomarkers</i> , 2018, 22, 90-97.	0.7	11
14	Hemoglobin level and three-month clinical outcomes among ischemic stroke patients with elevated systolic blood pressure. <i>Journal of the Neurological Sciences</i> , 2019, 396, 256-261.	0.6	10
15	Plasma Endostatin Levels at Acute Phase of Ischemic Stroke Are Associated with Post-Stroke Cognitive Impairment. <i>Neurotoxicity Research</i> , 2020, 37, 956-964.	2.7	10
16	Serum Rheumatoid Factor Levels at Acute Phase of Ischemic Stroke are Associated with Poststroke Cognitive Impairment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1133-1140.	1.6	9
17	Plasma osteopontin levels and adverse clinical outcomes after ischemic stroke. <i>Atherosclerosis</i> , 2021, 332, 33-40.	0.8	8
18	Causal associations of serum matrix metalloproteinase-8 level with ischaemic stroke and ischaemic stroke subtypes: a Mendelian randomization study. <i>European Journal of Neurology</i> , 2021, 28, 2543-2551.	3.3	7

#	ARTICLE	IF	CITATIONS
19	Predictive value of serum soluble corin in the risk of hyperglycemia: A population-based prospective cohort study in China. <i>Clinica Chimica Acta</i> , 2018, 479, 138-143.	1.1	6
20	Prognostic value of plasma fibroblast growth factor 21 among patients with acute ischemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 844-851.	3.3	6
21	Association of DNA Methylation in Blood Pressure-Related Genes With Ischemic Stroke Risk and Prognosis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 796245.	2.4	6
22	Platelet counts affect the prognostic value of homocysteine in acute ischemic stroke patients. <i>Atherosclerosis</i> , 2019, 285, 163-169.	0.8	5
23	Interaction Between <i>AGTR1</i> and <i>PPAR<math>\gamma</math>3</i> Gene Polymorphisms on the Risk of Nonalcoholic Fatty Liver Disease. <i>Genetic Testing and Molecular Biomarkers</i> , 2019, 23, 166-175.	0.7	5
24	Angiotensin-like protein 4 and clinical outcomes in ischemic stroke patients. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 687-695.	3.7	5
25	Effect of immediate blood pressure reduction on post-stroke depression in ischemic stroke patients: A substudy of CATIS trial. <i>Journal of Affective Disorders</i> , 2022, 300, 195-202.	4.1	5
26	Association between serum hepatocyte growth factor and prognosis of ischemic stroke: The role of blood lipid status. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 492-499.	2.6	4
27	Combined effect of serum N-terminal pro-brain natriuretic peptide and galectin-3 on prognosis 1 year after ischemic stroke. <i>Clinica Chimica Acta</i> , 2020, 511, 33-39.	1.1	4
28	Association between serum netrin-1 and prognosis of ischemic stroke: The role of lipid component levels. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 852-859.	2.6	4
29	Effect of renal function on association between uric acid and prognosis in acute ischemic stroke patients with elevated systolic blood pressure. <i>Neurological Research</i> , 2020, 42, 923-929.	1.3	3
30	Sex differences in modifiable stroke risk factors. <i>Neurology</i> , 2020, 95, 891-892.	1.1	2
31	Influence of lipoprotein-associated phospholipase A2 mass on prognosis value of baseline platelet count for clinical outcomes after acute ischemic stroke. <i>Atherosclerosis</i> , 2020, 306, 50-56.	0.8	2
32	Validation and comparison of prognostic scales in Chinese patients with ischemic stroke: a prospective study from CATIS. <i>Neurological Research</i> , 2021, , 1-8.	1.3	2
33	Serum Dickkopf-1 levels and poststroke depression in ischemic stroke patients. <i>Journal of Affective Disorders</i> , 2022, 310, 337-342.	4.1	2
34	Metabolomics on vascular events and death after acute ischemic stroke: A prospective matched nested case-control study. <i>Atherosclerosis</i> , 2022, 351, 1-8.	0.8	2
35	Decreased serum netrin-1 is associated with ischemic stroke: A case-control study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2328-2334.	2.6	1
36	Response to letter of hemoglobin level as a predictor of clinical outcome in patients with ischemic stroke by Tomoyuki Kawada. <i>Journal of the Neurological Sciences</i> , 2019, 399, 207-208.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Serum dickkopf-3 is associated with death and vascular events after ischemic stroke: an observational study from CATIS. <i>Journal of Neuroinflammation</i> , 2020, 17, 12.	7.2	0
38	The U-shaped Relationship Between Serum Methylene Tetrahydrofolate Reductase and Large-artery Atherosclerotic Stroke. <i>Current Neurovascular Research</i> , 2019, 16, 82-88.	1.1	0
39	Association of serum growth differentiation factor-15 levels with the risks of death and vascular events in patients with ischemic stroke: The role of diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 616-623.	2.6	0