

# Baohua Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4569167/publications.pdf>

Version: 2024-02-01

157  
papers

17,681  
citations

11651

70  
h-index

13379

130  
g-index

157  
all docs

157  
docs citations

157  
times ranked

14300  
citing authors

#	ARTICLE	IF	CITATIONS
1	Energetic Zinc Ion Chemistry: The Rechargeable Zinc Ion Battery. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 933-935.	13.8	1,437
2	Twinborn TiO <sub>2</sub> â€TiN heterostructures enabling smooth trappingâ€diffusionâ€conversion of polysulfides towards ultralong life lithiumâ€sulfur batteries. <i>Energy and Environmental Science</i> , 2017, 10, 1694-1703.	30.8	884
3	Chemical Dealloying Derived 3D Porous Current Collector for Li Metal Anodes. <i>Advanced Materials</i> , 2016, 28, 6932-6939.	21.0	751
4	An extremely safe and wearable solid-state zinc ion battery based on a hierarchical structured polymer electrolyte. <i>Energy and Environmental Science</i> , 2018, 11, 941-951.	30.8	731
5	Dendriteâ€Free, Highâ€Rate, Longâ€Life Lithium Metal Batteries with a 3D Crossâ€Linked Network Polymer Electrolyte. <i>Advanced Materials</i> , 2017, 29, 1604460.	21.0	604
6	Waterproof and Tailorable Elastic Rechargeable Yarn Zinc Ion Batteries by a Cross-Linked Polyacrylamide Electrolyte. <i>ACS Nano</i> , 2018, 12, 3140-3148.	14.6	439
7	Review of Recent Development of In Situ/Operando Characterization Techniques for Lithium Battery Research. <i>Advanced Materials</i> , 2019, 31, e1806620.	21.0	390
8	Novel gel polymer electrolyte for high-performance lithiumâ€sulfur batteries. <i>Nano Energy</i> , 2016, 22, 278-289.	16.0	382
9	A room-temperature sodiumâ€sulfur battery with high capacity and stable cycling performance. <i>Nature Communications</i> , 2018, 9, 3870.	12.8	367
10	Challenges and perspectives of garnet solid electrolytes for all solid-state lithium batteries. <i>Journal of Power Sources</i> , 2018, 389, 120-134.	7.8	359
11	SiO <sub>2</sub> Hollow Nanosphereâ€Based Composite Solid Electrolyte for Lithium Metal Batteries to Suppress Lithium Dendrite Growth and Enhance Cycle Life. <i>Advanced Energy Materials</i> , 2016, 6, 1502214.	19.5	346
12	Facile synthesis of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /C composite with super rate performance. <i>Energy and Environmental Science</i> , 2012, 5, 9595.	30.8	323
13	Deepâ€Eutecticâ€Solventâ€Based Selfâ€Healing Polymer Electrolyte for Safe and Longâ€Life Lithiumâ€Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 9134-9142.	13.8	292
14	Evolution of the electrochemical interface in sodium ion batteries with ether electrolytes. <i>Nature Communications</i> , 2019, 10, 725.	12.8	289
15	Gassing in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> -based batteries and its remedy. <i>Scientific Reports</i> , 2012, 2, 913.	3.3	284
16	Organic quinones towards advanced electrochemical energy storage: recent advances and challenges. <i>Journal of Materials Chemistry A</i> , 2019, 7, 23378-23415.	10.3	248
17	Interface chemistry of an amide electrolyte for highly reversible lithium metal batteries. <i>Nature Communications</i> , 2020, 11, 4188.	12.8	226
18	Effect of solid electrolyte interface (SEI) film on cyclic performance of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anodes for Li ion batteries. <i>Journal of Power Sources</i> , 2013, 239, 269-276.	7.8	223

#	ARTICLE	IF	CITATIONS
19	Advanced Nanostructured Anode Materials for Sodium-Ion Batteries. <i>Small</i> , 2017, 13, 1701835.	10.0	206
20	Ultrafine TiO <sub>2</sub> Decorated Carbon Nanofibers as Multifunctional Interlayer for High-Performance Lithium-Sulfur Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 23105-23113.	8.0	200
21	Suppressing Self-Discharge and Shuttle Effect of Lithium-Sulfur Batteries with V <sub>2</sub> O <sub>5</sub> -Decorated Carbon Nanofiber Interlayer. <i>Small</i> , 2017, 13, 1602539.	10.0	190
22	Dense coating of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> and graphene mixture on the separator to produce long cycle life of lithium-sulfur battery. <i>Nano Energy</i> , 2016, 30, 1-8.	16.0	179
23	A Stable Quasi-Solid-State Sodium-Sulfur Battery. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 10168-10172.	13.8	178
24	Deep Eutectic Solvents for Boosting Electrochemical Energy Storage and Conversion: A Review and Perspective. <i>Advanced Functional Materials</i> , 2021, 31, 2011102.	14.9	172
25	A robust strategy for crafting monodisperse Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> nanospheres as superior rate anode for lithium ion batteries. <i>Nano Energy</i> , 2016, 21, 133-144.	16.0	168
26	Enhancement on Cycle Performance of Zn Anodes by Activated Carbon Modification for Neutral Rechargeable Zinc Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A1439-A1444.	2.9	164
27	High electrochemical stability of a 3D cross-linked network PEO@nano-SiO <sub>2</sub> composite polymer electrolyte for lithium metal batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6832-6839.	10.3	164
28	A review of gassing behavior in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> -based lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6368-6381.	10.3	157
29	Electrosprayed silicon-embedded porous carbon microspheres as lithium-ion battery anodes with exceptional rate capacities. <i>Carbon</i> , 2018, 127, 424-431.	10.3	150
30	NaCl-templated synthesis of hierarchical porous carbon with extremely large specific surface area and improved graphitization degree for high energy density lithium ion capacitors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17057-17066.	10.3	149
31	Comprehensive Review of P <sub>2</sub> -Type Na <sub>2/3</sub> Ni <sub>1/3</sub> Mn <sub>2/3</sub> O <sub>2</sub> , a Potential Cathode for Practical Application of Na-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 22051-22066.	8.0	148
32	Redox-Active Organic Sodium Anthraquinone-2-sulfonate (AQS) Anchored on Reduced Graphene Oxide for High-Performance Supercapacitors. <i>Advanced Energy Materials</i> , 2018, 8, 1802088.	19.5	147
33	Multilayered silicon embedded porous carbon/graphene hybrid film as a high performance anode. <i>Carbon</i> , 2015, 84, 434-443.	10.3	144
34	Carbon coating to suppress the reduction decomposition of electrolyte on the Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> electrode. <i>Journal of Power Sources</i> , 2012, 202, 253-261.	7.8	142
35	Combining Fast Li-Ion Battery Cycling with Large Volumetric Energy Density: Grain Boundary Induced High Electronic and Ionic Conductivity in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Spheres of Densely Packed Nanocrystallites. <i>Chemistry of Materials</i> , 2015, 27, 5647-5656.	6.7	142
36	An interwoven MoO <sub>3</sub> @CNT scaffold interlayer for high-performance lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8612-8619.	10.3	141

#	ARTICLE	IF	CITATIONS
37	A Study on the Open Circuit Voltage and State of Charge Characterization of High Capacity Lithium-Ion Battery Under Different Temperature. <i>Energies</i> , 2018, 11, 2408.	3.1	137
38	Fe <sub>3</sub> O <sub>4</sub> nanoparticles encapsulated in electrospun porous carbon fibers with a compact shell as high-performance anode for lithium ion batteries. <i>Carbon</i> , 2015, 87, 347-356.	10.3	131
39	A honeycomb-cobweb inspired hierarchical core-shell structure design for electrospun silicon/carbon fibers as lithium-ion battery anodes. <i>Carbon</i> , 2016, 98, 582-591.	10.3	128
40	Hierarchical MoS <sub>2</sub> /Carbon microspheres as long-life and high-rate anodes for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5668-5677.	10.3	128
41	Pseudocapacitive anthraquinone modified with reduced graphene oxide for flexible symmetric all-solid-state supercapacitors. <i>Carbon</i> , 2018, 127, 459-468.	10.3	123
42	N and S co-doped porous carbon spheres prepared using L-cysteine as a dual functional agent for high-performance lithium-sulfur batteries. <i>Chemical Communications</i> , 2015, 51, 17720-17723.	4.1	121
43	Self-Healing Materials for Energy Storage Devices. <i>Advanced Functional Materials</i> , 2020, 30, 1909912.	14.9	121
44	An in-depth understanding of the effect of aluminum doping in high-nickel cathodes for lithium-ion batteries. <i>Energy Storage Materials</i> , 2021, 34, 229-240.	18.0	120
45	Fe <sub>3</sub> O <sub>4</sub> -Decorated Porous Graphene Interlayer for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 26264-26273.	8.0	117
46	Recent innovative configurations in high-energy lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5222-5234.	10.3	115
47	Co-B Nanoflakes as Multifunctional Bridges in ZnCo <sub>2</sub> O <sub>4</sub> Micro/Nanospheres for Superior Lithium Storage with Boosted Kinetics and Stability. <i>Advanced Energy Materials</i> , 2019, 9, 1803612.	19.5	114
48	Ultrafine Titanium Nitride Sheath Decorated Carbon Nanofiber Network Enabling Stable Lithium Metal Anodes. <i>Advanced Functional Materials</i> , 2019, 29, 1903229.	14.9	112
49	Electrosprayed porous Fe <sub>3</sub> O <sub>4</sub> /carbon microspheres as anode materials for high-performance lithium-ion batteries. <i>Nano Research</i> , 2018, 11, 892-904.	10.4	110
50	Advanced Matrixes for Binder-Free Nanostructured Electrodes in Lithium-Ion Batteries. <i>Advanced Materials</i> , 2020, 32, e1908445.	21.0	108
51	Self-Healing Janus Interfaces for High-Performance LAGP-Based Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2020, 5, 1456-1464.	17.4	104
52	Oxygen and nitrogen co-doped porous carbon granules enabling dendrite-free lithium metal anode. <i>Energy Storage Materials</i> , 2019, 18, 320-327.	18.0	102
53	Electrospun core-shell silicon/carbon fibers with an internal honeycomb-like conductive carbon framework as an anode for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7112-7120.	10.3	99
54	Nanostructured Anode Materials for Non-aqueous Lithium Ion Hybrid Capacitors. <i>Energy and Environmental Materials</i> , 2018, 1, 75-87.	12.8	97

#	ARTICLE	IF	CITATIONS
55	A three-dimensional graphene skeleton as a fast electron and ion transport network for electrochemical applications. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3031.	10.3	96
56	Investigation of cyano resin-based gel polymer electrolyte: in situ gelation mechanism and electrode-electrolyte interfacial fabrication in lithium-ion battery. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20059-20066.	10.3	92
57	Non-flammable electrolyte for dendrite-free sodium-sulfur battery. <i>Energy Storage Materials</i> , 2019, 23, 8-16.	18.0	92
58	Long-cycling and safe lithium metal batteries enabled by the synergetic strategy of <i>ex situ</i> anodic pretreatment and an in-built gel polymer electrolyte. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7197-7204.	10.3	91
59	A Simple Method for the Complete Performance Recovery of Degraded Ni-rich $\text{LiNi}_{0.70}\text{Co}_{0.15}\text{Mn}_{0.15}\text{O}_2$ Cathode via Surface Reconstruction. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 14076-14084.	8.0	89
60	Biopolymer-assisted synthesis of 3D interconnected $\text{Fe}_3\text{O}_4$ @carbon core@shell as anode for asymmetric lithium ion capacitors. <i>Carbon</i> , 2018, 140, 296-305.	10.3	88
61	A dual-functional gel-polymer electrolyte for lithium ion batteries with superior rate and safety performances. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18888-18895.	10.3	85
62	A carbon sandwich electrode with graphene filling coated by N-doped porous carbon layers for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 20218-20224.	10.3	83
63	Stacking up layers of polyaniline/carbon nanotube networks inside papers as highly flexible electrodes with large areal capacitance and superior rate capability. <i>Journal of Materials Chemistry A</i> , 2017, 5, 19934-19942.	10.3	82
64	Advances in Understanding Materials for Rechargeable Lithium Batteries by Atomic Force Microscopy. <i>Energy and Environmental Materials</i> , 2018, 1, 28-40.	12.8	80
65	Concrete-inspired construction of a silicon/carbon hybrid electrode for high performance lithium ion battery. <i>Carbon</i> , 2015, 93, 59-67.	10.3	78
66	Exploring Stability of Nonaqueous Electrolytes for Potassium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2018, 1, 1828-1833.	5.1	78
67	High-Performance Quasi-Solid-State MXene-Based $\text{Li}^+\text{I}^-$ Batteries. <i>ACS Central Science</i> , 2019, 5, 365-373.	11.3	78
68	Constructing Effective Interfaces for $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$ Pellets To Achieve Room-Temperature Hybrid Solid-State Lithium Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 9911-9918.	8.0	77
69	In-Plane Highly Dispersed $\text{Cu}_2\text{O}$ Nanoparticles for Seeded Lithium Deposition. <i>Nano Letters</i> , 2019, 19, 4601-4607.	9.1	75
70	Safe LAGP-based all solid-state Li metal batteries with plastic super-conductive interlayer enabled by in-situ solidification. <i>Energy Storage Materials</i> , 2020, 25, 613-620.	18.0	72
71	Hollow titanium dioxide spheres as anode material for lithium ion battery with largely improved rate stability and cycle performance by suppressing the formation of solid electrolyte interface layer. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13340-13349.	10.3	71
72	Electrostatic-spraying an ultrathin, multifunctional and compact coating onto a cathode for a long-life and high-rate lithium-sulfur battery. <i>Nano Energy</i> , 2016, 30, 138-145.	16.0	71

#	ARTICLE	IF	CITATIONS
73	A sliced orange-shaped ZnCo <sub>2</sub> O <sub>4</sub> material as anode for high-performance lithium ion battery. Energy Storage Materials, 2017, 6, 61-69.	18.0	71
74	Structure and Electrochemical Properties of Zn-Doped Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> as Anode Materials in Li-Ion Battery. Electrochemical and Solid-State Letters, 2010, 13, A36.	2.2	67
75	High-Density Microporous Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Microbars with Superior Rate Performance for Lithium-Ion Batteries. Advanced Science, 2017, 4, 1600311.	11.2	66
76	Deterioration mechanism of LiNi <sub>0.8</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> /graphite-SiO <sub>x</sub> power batteries under high temperature and discharge cycling conditions. Journal of Materials Chemistry A, 2018, 6, 65-72.	10.3	66
77	Enabling flexible solid-state Zn batteries via tailoring sulfur deficiency in bimetallic sulfide nanotube arrays. Nano Energy, 2020, 77, 105165.	16.0	65
78	Cyclized-polyacrylonitrile modified carbon nanofiber interlayers enabling strong trapping of polysulfides in lithium-sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 12973-12980.	10.3	64
79	Controlled synthesis of anisotropic hollow ZnCo <sub>2</sub> O <sub>4</sub> octahedrons for high-performance lithium storage. Energy Storage Materials, 2018, 11, 184-190.	18.0	63
80	Monodispersed SnO <sub>2</sub> nanospheres embedded in framework of graphene and porous carbon as anode for lithium ion batteries. Energy Storage Materials, 2016, 3, 98-105.	18.0	60
81	Transition metal assisted synthesis of tunable pore structure carbon with high performance as sodium/lithium ion battery anode. Carbon, 2018, 129, 667-673.	10.3	58
82	Ultrafast-Charging and Long-Life Li-Ion Battery Anodes of TiO <sub>2</sub> -B and Anatase Dual-Phase Nanowires. ACS Applied Materials & Interfaces, 2017, 9, 35917-35926.	8.0	57
83	Boost Anion Storage Capacity Using Conductive Polymer as a Pseudocapacitive Cathode for High-Energy and Flexible Lithium Ion Capacitors. ACS Applied Materials & Interfaces, 2020, 12, 10479-10489.	8.0	57
84	Highly Crystalline Lithium Titanium Oxide Sheets Coated with Nitrogen-Doped Carbon enable High-Rate Lithium-Ion Batteries. ChemSusChem, 2014, 7, 2567-2574.	6.8	55
85	Electrospun N-Doped Hierarchical Porous Carbon Nanofiber with Improved Degree of Graphitization for High-Performance Lithium Ion Capacitor. Chemistry - A European Journal, 2018, 24, 10460-10467.	3.3	55
86	Electrosprayed multiscale porous carbon microspheres as sulfur hosts for long-life lithium-sulfur batteries. Carbon, 2019, 141, 16-24.	10.3	54
87	Suppression of interfacial reactions between Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> electrode and electrolyte solution via zinc oxide coating. Electrochimica Acta, 2015, 157, 266-273.	5.2	51
88	Large Polarization of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> Lithiated to 0 V at Large Charge/Discharge Rates. ACS Applied Materials & Interfaces, 2016, 8, 18788-18796.	8.0	51
89	Carbon coated MoS <sub>2</sub> nanosheets vertically grown on carbon cloth as efficient anode for high-performance sodium ion hybrid capacitors. Electrochimica Acta, 2018, 283, 36-44.	5.2	50
90	Understanding the cathode electrolyte interface formation in aqueous electrolyte by scanning electrochemical microscopy. Journal of Materials Chemistry A, 2019, 7, 12993-12996.	10.3	49

#	ARTICLE	IF	CITATIONS
91	A scalable slurry process to fabricate a 3D lithiophilic and conductive framework for a high performance lithium metal anode. <i>Journal of Materials Chemistry A</i> , 2019, 7, 13225-13233.	10.3	49
92	Stabilizing a sodium-metal battery with the synergy effects of a sodiophilic matrix and fluorine-rich interface. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24857-24867.	10.3	48
93	Nanospace-confined formation of flattened Sn sheets in pre-seeded graphenes for lithium ion batteries. <i>Nanoscale</i> , 2014, 6, 9554-9558.	5.6	46
94	Increase and discretization of the energy barrier for individual $\text{LiNi}_x\text{Co}_y\text{Mn}_y\text{O}_2$ ( $x + 2y = 1$ ) particles with the growth of a $\text{Li}_2\text{CO}_3$ surface film. <i>Journal of Materials Chemistry A</i> , 2019, 7, 12723-12731.	10.3	43
95	High-Energy and High-Power Nonaqueous Lithium-Ion Capacitors Based on Polypyrrole/Carbon Nanotube Composites as Pseudocapacitive Cathodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 15646-15655.	8.0	43
96	The different Li/Na ion storage mechanisms of nano $\text{Sb}_2\text{O}_3$ anchored on graphene. <i>Journal of Power Sources</i> , 2018, 385, 114-121.	7.8	41
97	Basal Nanosuit of Graphite for High-Energy Hybrid Li Batteries. <i>ACS Nano</i> , 2020, 14, 1837-1845.	14.6	40
98	A Facile Surface Reconstruction Mechanism toward Better Electrochemical Performance of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ in Lithium-Ion Battery. <i>Advanced Science</i> , 2017, 4, 1700205.	11.2	37
99	Conductive Polyacrylic Acid-Polyaniline as a Multifunctional Binder for Stable Organic Quinone Electrodes of Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 39630-39638.	8.0	37
100	Sodiophilically Graded Gold Coating on Carbon Skeletons for Highly Stable Sodium Metal Anodes. <i>Small</i> , 2020, 16, e2003815.	10.0	37
101	Restructured rimous copper foam as robust lithium host. <i>Energy Storage Materials</i> , 2020, 26, 250-259.	18.0	34
102	A Novel Lithiated Silicon-Sulfur Battery Exploiting an Optimized Solid-Like Electrolyte to Enhance Safety and Cycle Life. <i>Small</i> , 2017, 13, 1602015.	10.0	33
103	Facile Synthesis of Ant-Nest-Like Porous Duplex Copper as Deeply Cycling Host for Lithium Metal Anodes. <i>Small</i> , 2020, 16, e2001784.	10.0	33
104	Synthesis of Lithium Iron Phosphate/Carbon Microspheres by Using Polyacrylic Acid Coated Iron Phosphate Nanoparticles Derived from Iron(III) Acrylate. <i>ChemSusChem</i> , 2015, 8, 1009-1016.	6.8	31
105	A biscuit-like separator enabling high performance lithium batteries by continuous and protected releasing of $\text{NO}_3^-$ in carbonate electrolyte. <i>Energy Storage Materials</i> , 2020, 24, 229-236.	18.0	31
106	Li-Ion Reaction to Improve the Rate Performance of Nanoporous Anatase $\text{TiO}_2$ Anodes. <i>Energy Technology</i> , 2013, 1, 668-674.	3.8	30
107	Micron-sized Spherical Si/C Hybrids Assembled via Water/Oil System for High-Performance Lithium Ion Battery. <i>Electrochimica Acta</i> , 2016, 211, 982-988.	5.2	30
108	Lowering the charge overpotential of $\text{Li}_2\text{S}$ via the inductive effect of phenyl diselenide in Li-S batteries. <i>Chemical Communications</i> , 2019, 55, 7655-7658.	4.1	30

#	ARTICLE	IF	CITATIONS
109	In Situ Observation of Interface Evolution on a Graphite Anode by Scanning Electrochemical Microscopy. ACS Applied Materials & Interfaces, 2020, 12, 37047-37053.	8.0	30
110	Simultaneously Homogenized Electric Field and Ionic Flux for Reversible Ultrahigh-Areal-Capacity Li Deposition. Nano Letters, 2020, 20, 5662-5669.	9.1	29
111	Recent progress and challenges on the bismuth-based anode for sodium-ion batteries and potassium-ion batteries. Materials Today Physics, 2021, 21, 100486.	6.0	29
112	Abundant grain boundaries activate highly efficient lithium ion transportation in high rate Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> compact microspheres. Journal of Materials Chemistry A, 2019, 7, 1168-1176.	10.3	28
113	Discovering a First-Order Phase Transition in the Li-CeO <sub>2</sub> System. Nano Letters, 2017, 17, 1282-1288.	9.1	27
114	Different solid electrolyte interface and anode performance of CoCO <sub>3</sub> microspheres due to graphene modification and LiCoO <sub>2</sub>   CoCO <sub>3</sub> @rGO full cell study. Electrochimica Acta, 2018, 270, 192-204.	5.2	27
115	Combination Effect of Bulk Structure Change and Surface Rearrangement on the Electrochemical Kinetics of LiNi <sub>0.80</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> During Initial Charging Processes. ACS Applied Materials & Interfaces, 2018, 10, 41370-41379.	8.0	27
116	Crystallized lithium titanate nanosheets prepared via spark plasma sintering for ultra-high rate lithium ion batteries. Journal of Materials Chemistry A, 2019, 7, 455-460.	10.3	26
117	The rise of metal-organic frameworks for electrolyte applications. Journal of Materials Chemistry A, 2021, 9, 20837-20856.	10.3	26
118	High catalytic activity of anatase titanium dioxide for decomposition of electrolyte solution in lithium ion battery. Journal of Power Sources, 2014, 268, 882-886.	7.8	25
119	Carbon coated porous tin peroxide/carbon composite electrode for lithium-ion batteries with excellent electrochemical properties. Carbon, 2015, 81, 739-747.	10.3	25
120	Rate-independent and ultra-stable low-temperature sodium storage in pseudocapacitive TiO <sub>2</sub> nanowires. Journal of Materials Chemistry A, 2019, 7, 19297-19304.	10.3	25
121	An Efficient Synthetic Method to Prepare High-Performance Ni-rich LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> for Lithium-Ion Batteries. ACS Applied Energy Materials, 2019, 2, 7403-7411.	5.1	25
122	Effect of Fluoroethylene Carbonate on Solid Electrolyte Interphase Formation of the SiO/C Anode Observed by In Situ Atomic Force Microscopy. ACS Applied Energy Materials, 2021, 4, 492-499.	5.1	25
123	Utilizing an autogenously protective atmosphere to synthesize a Prussian white cathode with ultrahigh capacity-retention for potassium-ion batteries. Chemical Communications, 2019, 55, 12555-12558.	4.1	24
124	Stabilizing sodium metal anode through facile construction of organic-metal interface. Journal of Energy Chemistry, 2022, 66, 133-139.	12.9	24
125	A Comparative Investigation of Single Crystal and Polycrystalline Ni-Rich NCMs as Cathodes for Lithium-Ion Batteries. Energy and Environmental Materials, 2023, 6, .	12.8	23
126	Horizontal Stress Release for Protuberance-Free Li Metal Anode. Advanced Functional Materials, 2020, 30, 2002522.	14.9	22



#	ARTICLE	IF	CITATIONS
127	Impact of evolution of cathode electrolyte interface of Li(Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> )O <sub>2</sub> on electrochemical performance during high voltage cycling process. <i>Journal of Energy Chemistry</i> , 2020, 47, 72-78.	12.9	20
128	Rational design of carbon nanotube architectures for lithium-chalcogen batteries: Advances and perspectives. <i>Energy Storage Materials</i> , 2021, 42, 723-752.	18.0	20
129	Promoting the reversibility of lithium ion/lithium metal hybrid graphite anode by regulating solid electrolyte interface. <i>Nano Energy</i> , 2021, 90, 106510.	16.0	20
130	Nanoscale observation of the solid electrolyte interface and lithium dendrite nucleation-growth process during the initial lithium electrodeposition. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18348-18357.	10.3	19
131	Investigating the increased-capacity mechanism of porous carbon materials in lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14031-14042.	10.3	18
132	A single-crystal nickel-rich material as a highly stable cathode for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 19680-19689.	10.3	18
133	Investigation of Interfacial Changes on Grain Boundaries of Li(Ni <sub>0.5</sub> Co <sub>0.2</sub> Mn <sub>0.3</sub> )O <sub>2</sub> in the Initial Overcharge Process. <i>Advanced Materials Interfaces</i> , 2019, 6, 1801764.	3.7	17
134	In Situ Constructed Ionic-Electronic Dual-Conducting Scaffold with Reinforced Interface for High-Performance Sodium Metal Anodes. <i>Small</i> , 2021, 17, e2104021.	10.0	17
135	Application of nano Al <sub>2</sub> O <sub>3</sub> particles as precipitate nucleus for preparation of high rate nickel-rich cathode materials. <i>Journal of Power Sources</i> , 2019, 439, 227038.	7.8	15
136	Investigations on the Surface Degradation of LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> after Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 7378-7385.	6.7	15
137	Understanding the Conductive Carbon Additive on Electrode/Electrolyte Interface Formation in Lithium-Ion Batteries via in situ Scanning Electrochemical Microscopy. <i>Frontiers in Chemistry</i> , 2020, 8, 114.	3.6	15
138	Application of Alternating Current Scanning Electrochemical Microscopy in Lithium-Ion Batteries: Local Visualization of the Electrode Surface. <i>ChemElectroChem</i> , 2019, 6, 4854-4858.	3.4	14
139	Dendrite-free lithium deposition enabled by a vertically aligned graphene pillar architecture. <i>Carbon</i> , 2021, 185, 152-160.	10.3	14
140	A gradient screening approach for retired lithium-ion batteries based on X-ray computed tomography images. <i>RSC Advances</i> , 2020, 10, 19117-19123.	3.6	14
141	Synthesis design of interfacial nanostructure for nickel-rich layered cathodes. <i>Nano Energy</i> , 2022, 97, 107119.	16.0	14
142	Vertically aligned carbon nanotubes grown on reduced graphene oxide as high-performance thermal interface materials. <i>Journal of Materials Science</i> , 2020, 55, 9414-9424.	3.7	13
143	Ultrahigh capacity and cyclability of dual-phase TiO <sub>2</sub> nanowires with low working potential at room and subzero temperatures. <i>Journal of Materials Chemistry A</i> , 2021, 9, 9256-9265.	10.3	13
144	A Conductive/Ferroelectric Hybrid Interlayer for Highly Improved Trapping of Polysulfides in Lithium-Sulfur Batteries. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900984.	3.7	12

#	ARTICLE	IF	CITATIONS
145	Identical cut-off voltage <i>versus</i> equivalent capacity: an objective evaluation of the impact of dopants in layered oxide cathodes. Journal of Materials Chemistry A, 2021, 9, 11219-11227.	10.3	12
146	A nanoscale interlayer void design enabling high-performance SnO <sub>2</sub> -carbon anodes. Carbon, 2021, 183, 486-494.	10.3	12
147	Lithium titanate hybridized with trace amount of graphene used as an anode for a high rate lithium ion battery. Electrochimica Acta, 2014, 142, 247-253.	5.2	11
148	Interfacial kinetics induced phase separation enhancing low-temperature performance of lithium-ion batteries. Nano Energy, 2020, 75, 104977.	16.0	11
149	Highly reversible lithium storage in a conversion-type ZnCo <sub>2</sub> O <sub>4</sub> anode promoted by NiCl <sub>2</sub> ·xH <sub>2</sub> O hydrate. Journal of Materials Chemistry A, 2020, 8, 2356-2363.	10.3	11
150	Transference Number Reinforced-Based Gel Copolymer Electrolyte for Dendrite-Free Lithium Metal Batteries. ACS Applied Materials & Interfaces, 2022, 14, 26612-26621.	8.0	11
151	Gradient Structure Design of a Floatable Host for Preferential Lithium Deposition. Nano Letters, 2021, 21, 10252-10259.	9.1	10
152	Sacrificial Poly(propylene carbonate) Membrane for Dispersing Nanoparticles and Preparing Artificial Solid Electrolyte Interphase on Li Metal Anode. ACS Applied Materials & Interfaces, 2020, 12, 27087-27094.	8.0	8
153	Heterogeneous Degradation in Thick Nickel-Rich Cathodes During High-Temperature Storage and Mitigation of Thermal Instability by Regulating Cationic Disorder. Small, 2021, 17, e2102055.	10.0	8
154	sp <sup>2</sup> hybrid-conjugated microporous polymer-derived Pd-encapsulated porous carbon materials for lithium-sulfur batteries. Chemical Communications, 2019, 55, 10084-10087.	4.1	6
155	Synthesis design of a 3D interfacial structure for highly reversible lithium deposition. Journal of Materials Chemistry A, 2021, 9, 25004-25012.	10.3	6
156	Multi-functional modification of nickel-rich lithium cathode materials using Na <sub>2</sub> PO <sub>3</sub> F. Journal of Materials Chemistry A, 2022, 10, 11437-11448.	10.3	4
157	A green water-induced spinel heterostructure interface enabling high performance lithium and manganese rich oxides. Journal of Materials Chemistry A, 2021, 9, 20576-20584.	10.3	3