

# Jiang Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4569816/publications.pdf>

Version: 2024-02-01

171  
papers

3,656  
citations

159585

30  
h-index

233421

45  
g-index

176  
all docs

176  
docs citations

176  
times ranked

1609  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Influence of presintering temperature on magnesium aluminate spinel transparent ceramics fabricated by solid-state reactive sintering. <i>International Journal of Applied Ceramic Technology</i> , 2022, 19, 367-374.                 | 2.1  | 4         |
| 2  | Ultra-fast High-temperature Sintering (UHS) of translucent alumina. <i>Open Ceramics</i> , 2022, 9, 100202.  | 2.0  | 8         |
| 3  | Fabrication and long persistent luminescence of Ce <sup>3+</sup> -Cr <sup>3+</sup> co-doped yttrium aluminum gallium garnet transparent ceramics. <i>Journal of Rare Earths</i> , 2022, 40, 1699-1705.                                 | 4.8  | 7         |
| 4  | Progress and perspectives on composite laser ceramics: A review. <i>Journal of the European Ceramic Society</i> , 2022, 42, 1833-1851.   | 5.7  | 23        |
| 5  | Achievements and Future Perspectives of the Trivalent Thulium-Ion-Doped Mixed-Sesquioxide Ceramics for Laser Applications. <i>Materials</i> , 2022, 15, 2084.  | 2.9  | 18        |
| 6  | Effect of dopant concentration on the optical characteristics of Cr <sup>3+</sup> :ZnGa <sub>2</sub> O <sub>4</sub> transparent ceramics exhibiting persistent luminescence. <i>Optical Materials</i> , 2022, 125, 112127.             | 3.6  | 6         |
| 7  | Fabrication and properties of non-stoichiometric Tb <sub>2</sub> (Hf <sup>x</sup> Tb <sup>1-x</sup> ) <sub>2</sub> O <sub>7</sub> magneto-optical ceramics. <i>Journal of Advanced Ceramics</i> , 2022, 11, 784-793.                   | 17.4 | 11        |
| 8  | Highly transparent Ce-doped yttria stabilized zirconia ceramics with bright red color. <i>Optical Materials</i> , 2022, 129, 112484.   | 3.6  | 3         |
| 9  | Influence of calcium doping concentration on the performance of Ce,Ca:LuAG scintillation ceramics. <i>Journal of the European Ceramic Society</i> , 2022, 42, 6075-6084.   | 5.7  | 7         |
| 10 | Terbium (III) Oxide (Tb <sub>2</sub> O <sub>3</sub> ) Transparent Ceramics by Two-Step Sintering from Precipitated Powder. <i>Magnetochemistry</i> , 2022, 8, 73.  | 2.4  | 10        |
| 11 | Fabrication, microstructure, and properties of 8 mol% yttria-stabilized zirconia (8YSZ) transparent ceramics. <i>Journal of Advanced Ceramics</i> , 2022, 11, 1153-1162.   | 17.4 | 29        |
| 12 | Fabrication and characterizations of Tm:Lu <sub>2</sub> O <sub>3</sub> transparent ceramics for 2 $\mu$ m laser applications. <i>Optical Materials</i> , 2022, 131, 112705.  | 3.6  | 9         |
| 13 | Influence of CaO on microstructure and properties of MgAl <sub>2</sub> O <sub>4</sub> transparent ceramics. <i>Optical Materials</i> , 2021, 111, 110604.  | 3.6  | 12        |
| 14 | Fabrication, microstructure and optical characterizations of holmium oxide (Ho <sub>2</sub> O <sub>3</sub> ) transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 759-767.                                 | 5.7  | 30        |
| 15 | Fabrication and Optical Property of Nd:Lu <sub>2</sub> O <sub>3</sub> Transparent Ceramics for Solid-state Laser Applications. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021, 36, 210.                              | 1.3  | 12        |
| 16 | Fine-grained Ce,Y:SrHfO <sub>3</sub> Scintillation Ceramics Fabricated by Hot Isostatic Pressing. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2021, 36, 1118.  | 1.3  | 4         |
| 17 | Al <sub>2</sub> O <sub>3</sub> @Ce:YAG and Al <sub>2</sub> O <sub>3</sub> @Ce:(Y,Gd)AG composite ceramics for high brightness lighting: Effect of microstructure. <i>Materials Characterization</i> , 2021, 172, 110883.               | 4.4  | 27        |
| 18 | Fabrication and performance evaluation of novel transparent ceramics RE:Tb <sub>3</sub> Ga <sub>5</sub> O <sub>12</sub> (RE = Pr, Tm, Dy) toward magneto-optical application. <i>Journal of Advanced Ceramics</i> , 2021, 10, 271-278. | 17.4 | 29        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Pressureless Sintering of YIG Ceramics from Coprecipitated Nanopowders. <i>Magnetochemistry</i> , 2021, 7, 56.   | 2.4  | 11        |
| 20 | Broadening emission band of Yb:LuScO <sub>3</sub> transparent ceramics for ultrashort pulse laser. <i>Journal of the American Ceramic Society</i> , 2021, 104, 6064-6073.  | 3.8  | 3         |
| 21 | Fabrication and characterizations of Cr <sup>3+</sup> -doped ZnGa <sub>2</sub> O <sub>4</sub> transparent ceramics with persistent luminescence. <i>Journal of the American Ceramic Society</i> , 2021, 104, 4927-4931.                            | 3.8  | 6         |
| 22 | Composition and structure design of three-layered composite phosphors for high color rendering chip-on-board light-emitting diode devices. <i>Journal of Advanced Ceramics</i> , 2021, 10, 729-740.  | 17.4 | 64        |
| 23 | Fabrication of Yb,La:CaF <sub>2</sub> transparent ceramics by air pre-sintering with hot isostatic pressing. <i>Optical Materials</i> , 2021, 116, 111108.   | 3.6  | 7         |
| 24 | Fabrication of Gd <sub>2</sub> O <sub>2</sub> S:Tb scintillation ceramics from the uniformly doped nanopowder. <i>Optical Materials</i> , 2021, 117, 111192.   | 3.6  | 7         |
| 25 | Research progress and prospects of rare-earth doped sesquioxide laser ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 3895-3910.  | 5.7  | 50        |
| 26 | Determination of the bulk fraction of spherical non-uniformities in high-density materials. <i>Ceramics International</i> , 2021, 47, 28932-28941.   | 4.8  | 5         |
| 27 | Fabrication and properties of transparent Tb <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> magneto-optical ceramics. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7208-7214.   | 5.7  | 10        |
| 28 | Transparent non-stoichiometric Tb <sub>2.45</sub> Hf <sub>2</sub> O <sub>7.68</sub> magneto-optical ceramics with high Verdet constant. <i>Scripta Materialia</i> , 2021, 204, 114158.   | 5.2  | 5         |
| 29 | Sintering parameter optimization of Tb <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramics by vacuum sintering and HIP post-treatment. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2116-2124.                    | 3.8  | 11        |
| 30 | Fabrication of Dy <sub>2</sub> O <sub>3</sub> Transparent Ceramics by Vacuum Sintering Using Precipitated Powders. <i>Magnetochemistry</i> , 2021, 7, 6.   | 2.4  | 14        |
| 31 | Fabrication, microstructure and properties of transparent Yb:Y <sub>2</sub> O <sub>3</sub> ceramics from co-precipitated nanopowders. <i>Optical Materials</i> , 2021, 122, 111792.  | 3.6  | 3         |
| 32 | Influence of co-doped alumina on the microstructure and radioluminescence of SrHfO <sub>3</sub> :Ce ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 449-455.  | 5.7  | 7         |
| 33 | Influences of the Sc <sup>3+</sup> content on the microstructure and optical properties of 10 at.% Yb:Y <sub>3</sub> Sc <sub>x</sub> Al <sub>5-x</sub> O <sub>12</sub> laser ceramics. <i>Journal of Alloys and Compounds</i> , 2020, 815, 152637. | 5.5  | 14        |
| 34 | Fabrication, microstructure, and optical properties of Yb:Y <sub>3</sub> ScAl <sub>4</sub> O <sub>12</sub> transparent ceramics with different doping levels. <i>Journal of the American Ceramic Society</i> , 2020, 103, 224-234.                 | 3.8  | 16        |
| 35 | Novel (Tb <sub>0.99</sub> Ce <sub>0.01</sub> ) <sub>3</sub> Ga <sub>5</sub> O <sub>12</sub> magneto-optical ceramics for Faraday isolators. <i>Scripta Materialia</i> , 2020, 177, 137-140.  | 5.2  | 26        |
| 36 | Fabrication and scintillation properties of Pr:Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> transparent ceramics from co-precipitated nanopowders. <i>Journal of Alloys and Compounds</i> , 2020, 818, 152885.                                  | 5.5  | 6         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Fabrication, microstructure, and optical properties of $\text{Tm:Y}_{3-x}\text{ScAl}_4\text{O}_{12}$ laser ceramics. <i>Journal of the American Ceramic Society</i> , 2020, 103, 1819-1830.  | 3.8  | 19        |
| 38 | Transparent $\text{Y}_0.16\text{Zr}_0.84\text{O}_{1.92}$ ceramics sintered from co-precipitated nanopowder. <i>Optical Materials</i> , 2020, 100, 109645.  | 3.6  | 4         |
| 39 | Heat-driven Tailored for Eliminating $\text{Nd}^{3+}$ $\text{Re}^{3+}$ clusters in $\text{Nd}^{3+}$ , $\text{Gd}^{3+}$ doped $\text{SrF}_2$ Laser Ceramic. <i>Journal of the American Ceramic Society</i> , 2020, 103, 2562-2568.  | 3.8  | 7         |
| 40 | Fabrication and upconversion luminescence of novel transparent $\text{Er}_2\text{O}_3$ ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1767-1772.   | 5.7  | 23        |
| 41 | Microstructure evolution in two-step-sintering process toward transparent $\text{Ce:}(\text{Y,Gd})_3(\text{Ga,Al})_5\text{O}_{12}$ scintillation ceramics. <i>Journal of Alloys and Compounds</i> , 2020, 846, 156377.   | 5.5  | 10        |
| 42 | Fabrication, microstructures, and optical properties of $\text{Yb:Lu}_2\text{O}_3$ laser ceramics from co-precipitated nano-powders. <i>Journal of Advanced Ceramics</i> , 2020, 9, 674-682.   | 17.4 | 34        |
| 43 | Specific absorption in $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Eu}$ ceramics and the role of stable $\text{Eu}^{2+}$ in energy transfer processes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 8823-8839.   | 5.5  | 13        |
| 44 | Fabrication of $\text{Gd}_2\text{O}_3:\text{Pr}$ scintillation ceramics from water-bath synthesized nanopowders. <i>Optical Materials</i> , 2020, 104, 109946.   | 3.6  | 6         |
| 45 | $\text{Er}^{3+}$ doped $\text{CaF}_2$ polycrystalline ceramic with perfect transparency for mid-infrared laser. <i>Journal of the American Ceramic Society</i> , 2020, 103, 5808-5812.   | 3.8  | 5         |
| 46 | Fabrication and characterization of $\text{Tb}_3\text{Al}_5\text{O}_{12}$ magneto-optical ceramics by solid-state reactive sintering. <i>Optical Materials</i> , 2020, 102, 109795.  | 3.6  | 13        |
| 47 | Fabrication of $\text{Nd:YAG}$ transparent ceramics from co-precipitated powders by vacuum pre-sintering and HIP post-treatment. <i>Optical Materials</i> , 2020, 101, 109728.   | 3.6  | 11        |
| 48 | Influence of Lanthanum Concentration on Microstructure of $(\text{Ho}^{1-x}\text{La}^x)_2\text{O}_3$ Magneto-Optical Ceramics. <i>Physica Status Solidi (B): Basic Research</i> , 2020, 257, 1900500.  | 1.5  | 8         |
| 49 | Microstructure and properties of $\text{MgAl}_2\text{O}_4$ transparent ceramics fabricated by hot isostatic pressing. <i>Optical Materials</i> , 2020, 104, 109938.  | 3.6  | 21        |
| 50 | An in depth characterization of the spectroscopic properties and laser action of 10 at% $\text{Yb}$ doped $\text{Y}_3\text{Sc}_x\text{Al}_{5-x}\text{O}_{12}$ ( $x = 0.25, 0.5, 1.0, 1.5$ ) transparent ceramics. <i>Ceramics International</i> , 2020, 46, 17252-17260. | 4.8  | 8         |
| 51 | Multi-component yttrium aluminosilicate ( $\text{YAS}$ ) fiber prepared by melt-in-tube method for stable single-frequency laser. <i>Journal of the American Ceramic Society</i> , 2019, 102, 2551-2557.   | 3.8  | 24        |
| 52 | Ultra-low energy joining: An invisible strong bond at room temperature. <i>Journal of the European Ceramic Society</i> , 2019, 39, 5358-5363.  | 5.7  | 7         |
| 53 | Preparation and optical properties of $\text{MgAl}_2\text{O}_4\text{-Ce:GdYAG}$ composite ceramic phosphors for white LEDs. <i>Journal of the European Ceramic Society</i> , 2019, 39, 4965-4971.  | 5.7  | 36        |
| 54 | Fabrication and characterizations of 8.7 mol% $\text{Y}_2\text{O}_3\text{-ZrO}_2$ transparent ceramics using co-precipitated nanopowders. <i>Scripta Materialia</i> , 2019, 171, 98-101.   | 5.2  | 23        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Fabrication and laser operation of Yb:Lu <sub>2</sub> O <sub>3</sub> transparent ceramics from co-precipitated nano-powders. Journal of the American Ceramic Society, 2019, 102, 7491-7499.  | 3.8 | 28        |
| 56 | Third-order nonlinear optical response of Yb:YAG ceramics under femtosecond laser irradiation. Optical Materials, 2019, 98, 109435.  | 3.6 | 2         |
| 57 | Magneto-Optical and Thermo-Optical Properties of Ce, Pr, and Ho Doped TAG Ceramics. IEEE Journal of Quantum Electronics, 2019, 55, 1-8.  | 1.9 | 8         |
| 58 | Suppression of the slow scintillation component of Pr:Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> transparent ceramics by increasing Pr concentration. Journal of Luminescence, 2019, 210, 14-20.                                | 3.1 | 16        |
| 59 | Fabrication and properties of Co:MgAl <sub>2</sub> O <sub>4</sub> transparent ceramics for a saturable absorber from coprecipitated nanopowder. Journal of the American Ceramic Society, 2019, 102, 3097-3102.                       | 3.8 | 9         |
| 60 | Effect of air annealing on the optical properties and laser performance of Yb:YAG transparent ceramics. Optical Materials, 2019, 95, 109203.   | 3.6 | 12        |
| 61 | Electronic band modification for faster and brighter Ce,Mg:Lu <sub>3-x</sub> Y <sub>x</sub> Al <sub>5</sub> O <sub>12</sub> ceramic scintillators. Journal of Luminescence, 2019, 214, 116545.                                       | 3.1 | 22        |
| 62 | A simple way to prepare Co:MgAl <sub>2</sub> O <sub>4</sub> transparent ceramics for saturable absorber. Journal of Alloys and Compounds, 2019, 797, 1288-1294.  | 5.5 | 16        |
| 63 | Transparent Tb <sub>3</sub> Ga <sub>5</sub> O <sub>12</sub> magneto-optical ceramics sintered from co-precipitated nano-powders calcined at different temperatures. Optical Materials, 2019, 90, 26-32.                              | 3.6 | 23        |
| 64 | Fabrication and laser performance of planar waveguide LuAG/Yb:LuAG/LuAG ceramics. Optical Materials, 2019, 89, 149-156.  | 3.6 | 5         |
| 65 | Luminescence and scintillation characteristics of cerium doped Gd <sub>2</sub> YGa <sub>3</sub> Al <sub>2</sub> O <sub>12</sub> ceramics. Optical Materials, 2019, 90, 20-25.  | 3.6 | 6         |
| 66 | Influence of terminal pH value on co-precipitated nanopowders for yttria-stabilized ZrO <sub>2</sub> transparent ceramics. Optical Materials, 2019, 98, 109475.  | 3.6 | 9         |
| 67 | The influence of air annealing on the microstructure and scintillation properties of Ce,Mg:Lu <sub>3-x</sub> Y <sub>x</sub> Al <sub>5</sub> O <sub>12</sub> ceramics. Journal of the American Ceramic Society, 2019, 102, 1805-1813. | 3.8 | 18        |
| 68 | Fabrication and kW-level MOPA laser output of planar waveguide YAG:Yb:YAG ceramic slab. Journal of the American Ceramic Society, 2019, 102, 1758-1767.   | 3.8 | 21        |
| 69 | Fabrication and properties of 10 at.% Yb:Y <sub>3</sub> Sc <sub>1.5</sub> Al <sub>3.5</sub> O <sub>12</sub> transparent ceramics. Optical Materials, 2019, 88, 339-344.  | 3.6 | 13        |
| 70 | Transparent Ce:GdYAG ceramic color converters for high-brightness white LEDs and LDs. Optical Materials, 2019, 88, 97-102.   | 3.6 | 48        |
| 71 | Pump coupling optimization of a native inhomogeneous planar waveguide laser. Optics Communications, 2019, 435, 195-201.  | 2.1 | 1         |
| 72 | Fabrication and characterizations of highly transparent Tb <sub>3</sub> Ga <sub>5</sub> O <sub>12</sub> magneto-optical ceramics. Optical Materials, 2019, 88, 238-243.  | 3.6 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Influence of Ammonium Hydrogen Carbonate to Metal Ions Molar Ratio on Co-precipitated Nanopowders for TGG Transparent Ceramics. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2019, 34, 791.                   | 1.3 | 27        |
| 74 | Doubly Q-switched tape casting YAG/Nd:YAG/YAG ceramic laser. <i>Journal of Modern Optics</i> , 2018, 65, 1549-1553.  | 1.3 | 2         |
| 75 | A novel (Tb <sub>0.995</sub> Ho <sub>0.005</sub> ) <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramic with high transparency and Verdet constant. <i>Scripta Materialia</i> , 2018, 150, 160-163.          | 5.2 | 25        |
| 76 | Fabrication of Yb:Sc <sub>2</sub> O <sub>3</sub> transparent ceramics from co-precipitated nanopowders: The effect of ammonium hydrogen carbonate to metal ions molar ratio. <i>Optical Materials</i> , 2018, 75, 673-679.   | 3.6 | 15        |
| 77 | Effect of ammonium carbonate to metal ions molar ratio on synthesis and sintering of Nd:YAG nanopowders. <i>Optical Materials</i> , 2018, 80, 127-137.   | 3.6 | 7         |
| 78 | Fabrication and properties of Eu:Lu <sub>2</sub> O <sub>3</sub> transparent ceramics for X-ray radiation detectors. <i>Optical Materials</i> , 2018, 80, 22-29.  | 3.6 | 19        |
| 79 | Fabrication, microstructure and spectroscopic properties of Yb:Lu <sub>2</sub> O <sub>3</sub> transparent ceramics from co-precipitated nanopowders. <i>Ceramics International</i> , 2018, 44, 11635-11643.                  | 4.8 | 27        |
| 80 | Influence of cerium doping concentration on the optical properties of Ce,Mg:LuAG scintillation ceramics. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3246-3254.   | 5.7 | 23        |
| 81 | Highly transparent Tb <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramics sintered from co-precipitated powders with sintering aids. <i>Optical Materials</i> , 2018, 78, 370-374.                         | 3.6 | 31        |
| 82 | Hot-pressing of zinc sulfide infrared transparent ceramics from nanopowders synthesized by the solvothermal method. <i>Ceramics International</i> , 2018, 44, 747-752.   | 4.8 | 11        |
| 83 | Fabrication and laser oscillation of Yb:Sc <sub>2</sub> O <sub>3</sub> transparent ceramics from co-precipitated nano-powders. <i>Journal of the European Ceramic Society</i> , 2018, 38, 1632-1638.                         | 5.7 | 21        |
| 84 | Effects of deformation rate on properties of Nd,Y-codoped CaF <sub>2</sub> transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2404-2409.   | 5.7 | 22        |
| 85 | The influences of stoichiometry on the sintering behavior, optical and scintillation properties of Pr:LuAG ceramics. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4252-4259.                                   | 5.7 | 12        |
| 86 | Fabrication and properties of (Tb <sub>1-x</sub> Ce <sub>x</sub> ) <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramics with different doping concentrations. <i>Scripta Materialia</i> , 2018, 155, 46-49. | 5.2 | 23        |
| 87 | A Comprehensive Characterization of a 10 at.% Yb:YSAG Laser Ceramic Sample. <i>Materials</i> , 2018, 11, 837.  | 2.9 | 17        |
| 88 | Doubly Q-Switched Nd:YAG Ceramic Laser. <i>Journal of Russian Laser Research</i> , 2018, 39, 187-191.  | 0.6 | 6         |
| 89 | Fabrication and characterizations of (Tb <sub>1-x</sub> Pr <sub>x</sub> ) <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramics for Faraday isolators. <i>Optical Materials</i> , 2018, 84, 330-334.         | 3.6 | 22        |
| 90 | Promising magneto-optical ceramics for high power Faraday isolators. <i>Scripta Materialia</i> , 2018, 155, 78-84.   | 5.2 | 51        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Fabrication of 5Åat.%Yb:(La 0.1 Y 0.9 ) 2 O 3 transparent ceramics by chemical precipitation and vacuum sintering. <i>Optical Materials</i> , 2017, 71, 56-61.  | 3.6 | 23        |
| 92  | Effect of Li+ ions co-doping on luminescence, scintillation properties and defects characteristics of LuAG:Ce ceramics. <i>Optical Materials</i> , 2017, 64, 245-249.   | 3.6 | 22        |
| 93  | Preparation and characterizations of Yb:YAG-derived silica fibers drawn by on-line feeding molten core approach. <i>Ceramics International</i> , 2017, 43, 5837-5841.   | 4.8 | 22        |
| 94  | Hot-pressing and post-HIP treatment of Fe 2+ :ZnS transparent ceramics from co-precipitated powders. <i>Journal of the European Ceramic Society</i> , 2017, 37, 2253-2257.  | 5.7 | 19        |
| 95  | Effects of LiF on the microstructure and optical properties of hot-pressed MgAl <sub>2</sub> O <sub>4</sub> ceramics. <i>Ceramics International</i> , 2017, 43, 6891-6897.  | 4.8 | 28        |
| 96  | Post-treatment of nanopowders-derived Nd:YAG transparent ceramics by hot isostatic pressing. <i>Ceramics International</i> , 2017, 43, 10013-10019.   | 4.8 | 22        |
| 97  | Fabrication of highly transparent AlON ceramics by hot isostatic pressing post-treatment. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4213-4216.   | 5.7 | 41        |
| 98  | Fabrication and spectral properties of hot-pressed Co:MgAl <sub>2</sub> O <sub>4</sub> transparent ceramics for saturable absorber. <i>Journal of Alloys and Compounds</i> , 2017, 724, 45-50.  | 5.5 | 13        |
| 99  | Tape casting fabrication and properties of planar waveguide YAG/Yb:YAG/YAG transparent ceramics. <i>Optical Materials</i> , 2017, 69, 169-174.  | 3.6 | 14        |
| 100 | Fabrication and spectroscopic properties of Co:MgAl <sub>2</sub> O <sub>4</sub> transparent ceramics by the HIP post-treatment. <i>Optical Materials</i> , 2017, 69, 152-157.   | 3.6 | 22        |
| 101 | Perfectly transparent pore-free Nd <sup>3+</sup> -doped Sr <sub>9</sub> GdF <sub>21</sub> polycrystalline ceramics elaborated from single-crystal ceramization. <i>Journal of the European Ceramic Society</i> , 2017, 37, 4912-4918.                 | 5.7 | 13        |
| 102 | The role of air annealing on the optical and scintillation properties of Mg co-doped Pr:LuAG transparent ceramics. <i>Optical Materials</i> , 2017, 72, 201-207.  | 3.6 | 16        |
| 103 | Fabrication of Nd:Lu <sub>2.7</sub> Gd <sub>0.3</sub> Al <sub>5</sub> O <sub>12</sub> transparent ceramics by solid-state reactive sintering. <i>Optical Materials</i> , 2017, 66, 422-427.   | 3.6 | 5         |
| 104 | Fabrication, microstructure and luminescence properties of Cr <sup>3+</sup> doped Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> red scintillator ceramics. <i>Optical Materials</i> , 2017, 66, 487-493.  | 3.6 | 9         |
| 105 | Synthesis of Tb <sub>4</sub> O <sub>7</sub> nanopowders by the carbonate-precipitation method for Tb <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> magneto-optical ceramics. <i>Optical Materials</i> , 2017, 73, 706-711.                             | 3.6 | 14        |
| 106 | High efficiency laser action in mildly doped Yb:LuYAG ceramics. <i>Optical Materials</i> , 2017, 73, 312-318.   | 3.6 | 20        |
| 107 | A kind of bilayer structure ceramic scintillators designed for phoswich detectors. <i>Journal of the American Ceramic Society</i> , 2017, 100, 5593-5600.   | 3.8 | 3         |
| 108 | Fabrication of Tb <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> transparent ceramics using co-precipitated nanopowders: The influence of ammonium hydrogen carbonate to metal ions molar ratio. <i>Ceramics International</i> , 2017, 43, 14457-14463. | 4.8 | 30        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Fabrication of Tb3Al5O12 transparent ceramics using co-precipitated nanopowders. Optical Materials, 2017, 73, 38-44.  | 3.6 | 24        |
| 110 | Optimization of Diode-Pumped Continuous-Wave Tape-Casting YAG/Nd:YAG/YAG-Ceramic Lasers. Journal of Russian Laser Research, 2017, 38, 539-543.  | 0.6 | 3         |
| 111 | Re-clustering of neodymium ions in neodymium, buffer ion-codoped alkaline-earth fluoride transparent ceramics. CrystEngComm, 2017, 19, 4480-4484.   | 2.6 | 4         |
| 112 | Fabrication and characterizations of (Lu,Gd)2O3:Eu scintillation ceramics. Ceramics International, 2017, 43, 2165-2169.   | 4.8 | 15        |
| 113 | Transparent Nd-doped Ca1-xYxF2+x ceramics prepared by the ceramization of single crystals. Materials and Design, 2017, 113, 326-330.  | 7.0 | 20        |
| 114 | Thulium doped LuAG ceramics for passively mode locked lasers. Optics Express, 2017, 25, 7084.   | 3.4 | 17        |
| 115 | Preparation and characterizations of Nd:YAG ceramic derived silica fibers drawn by post-feeding molten core approach. Optics Express, 2016, 24, 24248.  | 3.4 | 34        |
| 116 | Densification Behavior, Phase Transition, and Preferred Orientation of Hot-Pressed ZnS Ceramics from Precipitated Nanopowders. Journal of the American Ceramic Society, 2016, 99, 3060-3066.<br><a href="https://doi.org/10.1002/jam2.10001">https://doi.org/10.1002/jam2.10001</a> | 3.8 | 17        |
| 117 | $\text{Lu}_{1-x}\text{Y}_x\text{F}_{2+x}$<br>Physical Review Applied, 2016, 6,  | 3.8 | 23        |
| 118 | Fabrication of Nd:YAG transparent ceramics by non-aqueous gelcasting and vacuum sintering. Journal of the European Ceramic Society, 2016, 36, 2543-2548.  | 5.7 | 20        |
| 119 | Fabrication and properties of transparent Tb:YAG fluorescent ceramics with different doping concentrations. Ceramics International, 2016, 42, 13812-13818.  | 4.8 | 15        |
| 120 | First laser emission of Yb:Lu0.05Y0.05Al5O12 ceramics. Optics Express, 2016, 24, 9611.  | 3.4 | 22        |
| 121 | Densification behavior, doping profile and planar waveguide laser performance of the tape casting YAG/Nd:YAG/YAG ceramics. Optical Materials, 2016, 60, 221-229.  | 3.6 | 11        |
| 122 | Fabrication, microstructure and magneto-optical properties of Tb3Al5O12 transparent ceramics. Optical Materials, 2016, 62, 205-210.   | 3.6 | 29        |
| 123 | Tunable single-longitudinal-mode operation of a sandwich-type YAG/Ho:YAG/YAG ceramic laser. Infrared Physics and Technology, 2016, 78, 40-44.   | 2.9 | 4         |
| 124 | Ceramic planar waveguide laser of non-aqueous tape casting fabricated YAG/Yb:YAG/YAG. Scientific Reports, 2016, 6, 31289.   | 3.3 | 14        |
| 125 | Resonantly pumped high power acousto-optical Q-switched Ho:YAG ceramic laser. Optik, 2016, 127, 1595-1598.  | 2.9 | 3         |
| 126 | Synthesis of yttria nano-powders by the precipitation method: The influence of ammonium hydrogen carbonate to metal ions molar ratio and ammonium sulfate addition. Journal of Alloys and Compounds, 2016, 678, 258-266.  | 5.5 | 29        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | LD pumped passively Q-switched ceramic Nd:YAG 946nm laser with a high peak power output. Optical and Quantum Electronics, 2016, 48, 1.   | 3.3 | 3         |
| 128 | Diode-pumped tape casting planar waveguide YAG/Tm:YAG/YAG ceramic laser at 201376nm. Optics Letters, 2016, 41, 254.  | 3.3 | 12        |
| 129 | Continuous-wave and passively Q-switched 1.061/4m ceramic Nd:YAG laser. Optics and Laser Technology, 2016, 81, 46-49.  | 4.6 | 17        |
| 130 | Passively Q-switched Ho:YLF laser pumped by Tm <sup>3+</sup> -doped fiber laser. Optics and Laser Technology, 2016, 77, 55-58.   | 4.6 | 9         |
| 131 | Fabrication, microstructure and laser performance of Nd <sup>3+</sup> -doped Lu <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> transparent ceramics. Journal of the European Ceramic Society, 2016, 36, 655-661. | 5.7 | 14        |
| 132 | Fabrication and properties of highly transparent Yb:LuAG ceramics. Journal of Alloys and Compounds, 2016, 664, 595-601.  | 5.5 | 30        |
| 133 | Gd <sub>2</sub> O <sub>3</sub> :Pr Scintillation Ceramics from Powder Synthesized by a Novel Carbothermal Reduction Method. Journal of the American Ceramic Society, 2015, 98, 2159-2164.                      | 3.8 | 19        |
| 134 | Fabrication and Scintillation Performance of Nonstoichiometric LuAG:Ce Ceramics. Journal of the American Ceramic Society, 2015, 98, 510-514.   | 3.8 | 25        |
| 135 | Fabrication of YAG transparent ceramics using carbonate precipitated yttria powder. Journal of the European Ceramic Society, 2015, 35, 2379-2390.  | 5.7 | 31        |
| 136 | Transparent Yb: (Lu <sub>x</sub> Sc <sub>1-x</sub> ) <sub>2</sub> O <sub>3</sub> ceramics sintered from carbonate co-precipitated powders. Ceramics International, 2015, 41, 6335-6339.                        | 4.8 | 22        |
| 137 | GaSb-based SESAM mode-locked Tm:YAG ceramic laser at 2 μm. Optics Express, 2015, 23, 1361.   | 3.4 | 48        |
| 138 | Fabrication and thermal effects of highly transparent polycrystalline Nd:YAG ceramics. Optical Materials, 2015, 49, 105-109.   | 3.6 | 9         |
| 139 | Continuous-wave laser performance of non-aqueous tape casting fabricated Yb:YAG ceramics. Optical Materials Express, 2015, 5, 330.   | 3.0 | 17        |
| 140 | Nd:YAG transparent ceramics fabricated by direct cold isostatic pressing and vacuum sintering. Optical Materials, 2015, 50, 25-31.   | 3.6 | 24        |
| 141 | Spark plasma sintering of Y <sub>2</sub> O <sub>3</sub> -MgO composite nanopowder synthesized by the esterification sol-gel route. Ceramics International, 2015, 41, 3312-3317.                                | 4.8 | 47        |
| 142 | Influences of Solid Loadings on the Microstructures and the Optical Properties of Yb:YAG Ceramics. International Journal of Applied Ceramic Technology, 2015, 12, 418-425.                                     | 2.1 | 7         |
| 143 | Effect of air annealing on the optical properties and laser performance of Nd:YAG transparent ceramics. Optical Materials Express, 2014, 4, 2108.  | 3.0 | 33        |
| 144 | Preparation and properties of transparent Eu:YAG fluorescent ceramics with different doping concentrations. Ceramics International, 2014, 40, 8539-8545.   | 4.8 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Effects of ball milling time on microstructure evolution and optical transparency of Nd:YAG ceramics. <i>Ceramics International</i> , 2014, 40, 9841-9851.   | 4.8 | 39        |
| 146 | Influence of heat treatment of powder mixture on the microstructure and optical transmission of Nd:YAG transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2014, 34, 2497-2507. | 5.7 | 61        |
| 147 | Study of Yb:YAG ceramic slab with Cr <sup>4+</sup> :YAG edge cladding. <i>Ceramics International</i> , 2014, 40, 8879-8883.  | 4.8 | 12        |
| 148 | Fabrication of composite YAG/Nd:YAG/YAG transparent ceramics for planar waveguide laser. <i>Optical Materials Express</i> , 2014, 4, 1042.   | 3.0 | 71        |
| 149 | Influence of doping concentration on microstructure evolution and sintering kinetics of Er:YAG transparent ceramics. <i>Optical Materials</i> , 2014, 37, 706-713.                                 | 3.6 | 22        |
| 150 | Solid-state reactive sintering of YAG transparent ceramics for optical applications. <i>Journal of Alloys and Compounds</i> , 2014, 616, 81-88.  | 5.5 | 52        |
| 151 | Fabrication and scintillation properties of highly transparent Pr:LuAG ceramics using Sc,La-based isovalent sintering aids. <i>Ceramics International</i> , 2013, 39, 5985-5990.                   | 4.8 | 18        |
| 152 | Optimization of dispersing agents for preparing YAG transparent ceramics. <i>Journal of Rare Earths</i> , 2013, 31, 507-511.   | 4.8 | 7         |
| 153 | Transparent Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> ceramics produced by an aqueous tape casting method. <i>Ceramics International</i> , 2013, 39, 4639-4643.                               | 4.8 | 24        |
| 154 | Comparison of aqueous- and non-aqueous-based tape casting for preparing YAG transparent ceramics. <i>Journal of Alloys and Compounds</i> , 2013, 577, 228-231.                                     | 5.5 | 44        |
| 155 | The history, development, and future prospects for laser ceramics: A review. <i>International Journal of Refractory Metals and Hard Materials</i> , 2013, 39, 44-52.                               | 3.8 | 99        |
| 156 | High doping Nd:YAG transparent ceramics fabricated by solid-state reactive sintering. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2013, 10, 933-939.                   | 0.8 | 9         |
| 157 | Solid-State Reactive Sintering and Optical Characteristics of Transparent Er:YAG Laser Ceramics. <i>Journal of the American Ceramic Society</i> , 2012, 95, 1029-1032.                             | 3.8 | 10        |
| 158 | Sintering and laser behavior of composite YAG/Nd:YAG/YAG transparent ceramics. <i>Journal of Alloys and Compounds</i> , 2012, 527, 66-70.  | 5.5 | 40        |
| 159 | The Harmful Effects of Sintering Aids in Pr:LuAG Optical Ceramic Scintillator. <i>Journal of the American Ceramic Society</i> , 2012, 95, 2130-2132.   | 3.8 | 39        |
| 160 | Co-precipitation synthesis route to yttrium aluminum garnet (YAG) transparent ceramics. <i>Journal of the European Ceramic Society</i> , 2012, 32, 2971-2979.                                      | 5.7 | 110       |
| 161 | Preparation and characterization of transparent Tm:YAG ceramics. <i>Ceramics International</i> , 2011, 37, 1133-1137.  | 4.8 | 17        |
| 162 | Synthesis of Nd:YAG powders leading to transparent ceramics: The effect of MgO dopant. <i>Journal of the European Ceramic Society</i> , 2011, 31, 653-657.   | 5.7 | 53        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Influence of pH values on (Nd+Y):Al molar ratio of Nd:YAG nanopowders and preparation of transparent ceramics. <i>Journal of Alloys and Compounds</i> , 2010, 503, 525-528. | 5.5 | 42        |
| 164 | Diode-Pumped Tm:YAG Ceramic Laser. <i>Journal of the American Ceramic Society</i> , 2009, 92, 2434-2437.  | 3.8 | 62        |
| 165 | Hot pressing of bimodal alumina powders with magnesium aluminosilicate (MAS) addition. <i>Ceramics International</i> , 2009, 35, 1377-1383.                                 | 4.8 | 6         |
| 166 | Fabrication and properties of highly transparent Tm <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> (TmAG) ceramics. <i>Ceramics International</i> , 2009, 35, 2927-2931.      | 4.8 | 14        |
| 167 | Solid-state-reaction fabrication and properties of a high-doping Nd:YAG transparent laser ceramic. <i>Frontiers of Chemical Engineering in China</i> , 2008, 2, 248-252.    | 0.6 | 9         |
| 168 | Nanostructured Nd:YAG powders via gel combustion: The influence of citrate-to-nitrate ratio. <i>Ceramics International</i> , 2008, 34, 141-149.                             | 4.8 | 75        |
| 169 | Fabrication, microstructure and properties of highly transparent Nd:YAG laser ceramics. <i>Optical Materials</i> , 2008, 31, 6-17.  | 3.6 | 139       |
| 170 | Laminar-Structured YAG/Nd:YAG/YAG Transparent Ceramics for Solid-State Lasers. <i>International Journal of Applied Ceramic Technology</i> , 2008, 5, 360-364.               | 2.1 | 40        |
| 171 | Diode-Pumped Yb:YAG Ceramic Laser. <i>Journal of the American Ceramic Society</i> , 2007, 90, 3334-3337.  | 3.8 | 74        |