

Marloes Kleinjan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4571738/publications.pdf>

Version: 2024-02-01

107
papers

2,103
citations

218381

26
h-index

344852

36
g-index

113
all docs

113
docs citations

113
times ranked

3003
citing authors

#	ARTICLE	IF	CITATIONS
1	Adolescent Depression and Negative Life Events, the Mediating Role of Cognitive Emotion Regulation. PLoS ONE, 2016, 11, e0161062.	1.1	88
2	Development of alcohol expectancies and early alcohol use in children and adolescents: A systematic review. Clinical Psychology Review, 2018, 60, 136-146.	6.0	80
3	Prevalence rates of borderline personality disorder symptoms: a study based on the Netherlands Mental Health Survey and Incidence Study-2. BMC Psychiatry, 2016, 16, 249.	1.1	66
4	Mechanisms of adolescent smoking cessation: Roles of readiness to quit, nicotine dependence, and smoking of parents and peers. Drug and Alcohol Dependence, 2009, 99, 204-214.	1.6	61
5	Do Substance Use Risk Personality Dimensions Predict the Onset of Substance Use in Early Adolescence? A Variable- and Person-Centered Approach. Journal of Youth and Adolescence, 2012, 41, 1512-1525.	1.9	60
6	Course of subthreshold depression into a depressive disorder and its risk factors. Journal of Affective Disorders, 2018, 241, 206-215.	2.0	55
7	Evaluation of a School-Based Depression Prevention Program among Adolescents from Low-Income Areas: A Randomized Controlled Effectiveness Trial. International Journal of Environmental Research and Public Health, 2014, 11, 5273-5293.	1.2	50
8	The identification of symptom-based subtypes of depression: A nationally representative cohort study. Journal of Affective Disorders, 2016, 190, 395-406.	2.0	50
9	Are there reciprocal relationships between substance use risk personality profiles and alcohol or tobacco use in early adolescence?. Addictive Behaviors, 2013, 38, 2851-2859.	1.7	46
10	Adolescents' rationalizations to continue smoking: The role of disengagement beliefs and nicotine dependence in smoking cessation. Addictive Behaviors, 2009, 34, 440-445.	1.7	42
11	The Effectiveness of the "What Do You Drink"™ Web-based Brief Alcohol Intervention in Reducing Heavy Drinking among Students: A Two-arm Parallel Group Randomized Controlled Trial. Alcohol and Alcoholism, 2013, 48, 312-321.	0.9	42
12	Alcohol-related cognitions in children (aged 2-10) and how they are shaped by parental alcohol use: A systematic review. Drug and Alcohol Dependence, 2017, 177, 277-290.	1.6	36
13	Excuses to continue smoking: The role of disengagement beliefs in smoking cessation. Addictive Behaviors, 2006, 31, 2223-2237.	1.7	35
14	Mediational relations of substance use risk profiles, alcohol-related outcomes, and drinking motives among young adolescents in the Netherlands. Drug and Alcohol Dependence, 2013, 133, 571-579.	1.6	34
15	The Role of Explicit and Implicit Self-Esteem in Peer Modeling of Palatable Food Intake: A Study on Social Media Interaction among Youngsters. PLoS ONE, 2013, 8, e72481.	1.1	34
16	The Bittersweet Effects of COVID-19 on Mental Health: Results of an Online Survey among a Sample of the Dutch Population Five Weeks after Relaxation of Lockdown Restrictions. International Journal of Environmental Research and Public Health, 2020, 17, 9073.	1.2	33
17	A systematic review of the A118G (Asn40Asp) variant of <i>OPRM1</i> in relation to smoking initiation, nicotine dependence and smoking cessation. Pharmacogenomics, 2012, 13, 917-933.	0.6	32
18	Effectiveness of the "Healthy School and Drugs"™ prevention programme on adolescents' substance use: a randomized clustered trial. Addiction, 2014, 109, 1031-1040.	1.7	32

#	ARTICLE	IF	CITATIONS
19	Self-efficacy and acceptance of cravings to smoke underlie the effectiveness of quitline counseling for smoking cessation. <i>Drug and Alcohol Dependence</i> , 2014, 142, 269-276.	1.6	32
20	Effectiveness of a selective alcohol prevention program targeting personality risk factors: Results of interaction analyses. <i>Addictive Behaviors</i> , 2017, 71, 82-88.	1.7	32
21	The interplay between emotional exhaustion, common mental disorders, functioning and health care use in the working population. <i>Journal of Psychosomatic Research</i> , 2017, 100, 8-14.	1.2	32
22	Using Ecological Momentary Assessment to Test the Effectiveness of a Web-Based Brief Alcohol Intervention Over Time Among Heavy-Drinking Students: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e5.	2.1	32
23	Psychometric properties of the Dutch version of the Evidence-Based Practice Attitude Scale (EBPAS). <i>Health Research Policy and Systems</i> , 2015, 13, 69.	1.1	29
24	Effectiveness of a selective intervention program targeting personality risk factors for alcohol misuse among young adolescents: results of a cluster randomized controlled trial. <i>Addiction</i> , 2015, 110, 1101-1109.	1.7	28
25	Factorial and convergent validity of nicotine dependence measures in adolescents: Toward a multidimensional approach. <i>Nicotine and Tobacco Research</i> , 2007, 9, 1109-1118.	1.4	27
26	The role of environmental smoking in smoking-related cognitions and susceptibility to smoking in never-smoking 9-12-year-old children. <i>Addictive Behaviors</i> , 2012, 37, 1400-1405.	1.7	27
27	The effect of the "What Do You Drink"™ web-based brief alcohol intervention on self-efficacy to better understand changes in alcohol use over time: Randomized controlled trial using ecological momentary assessment. <i>Drug and Alcohol Dependence</i> , 2014, 138, 89-97.	1.6	27
28	Event-related potentials reflecting smoking cue reactivity and cognitive control as predictors of smoking relapse and resumption. <i>Psychopharmacology</i> , 2016, 233, 2857-2868.	1.5	27
29	The Oxytocin Receptor Gene (OXTR) in Relation to State Levels of Loneliness in Adolescence: Evidence for Micro-Level Gene-Environment Interactions. <i>PLoS ONE</i> , 2013, 8, e77689.	1.1	27
30	Longitudinal associations between descriptive and injunctive norms of youngsters and heavy drinking and problem drinking in late adolescence. <i>Journal of Substance Use</i> , 2013, 18, 275-287.	0.3	24
31	Effects of Nicotine Dependence and Depressive Symptoms on Smoking Cessation: A Longitudinal Study Among Adolescents. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1222-1229.	1.4	23
32	Substance use outcomes in the Healthy School and Drugs program: Results from a latent growth curve approach. <i>Addictive Behaviors</i> , 2015, 42, 194-202.	1.7	23
33	Effectiveness of the universal prevention program 'Healthy School and Drugs': Study protocol of a randomized clustered trial. <i>BMC Public Health</i> , 2010, 10, 541.	1.2	22
34	The Common Sense Model in early adolescents with asthma: Longitudinal relations between illness perceptions, asthma control and emotional problems mediated by coping. <i>Journal of Psychosomatic Research</i> , 2014, 77, 309-315.	1.2	22
35	Effectiveness of a Cognitive Behavioral Therapy-Based Indicated Prevention Program for Children with Elevated Anxiety Levels: a Randomized Controlled Trial. <i>Prevention Science</i> , 2017, 18, 31-39.	1.5	22
36	Exposure to Parental Alcohol Use Rather Than Parental Drinking Shapes Offspring's Alcohol Expectancies. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 1967-1977.	1.4	22

#	ARTICLE	IF	CITATIONS
37	Using Ecological Momentary Assessment in Testing the Effectiveness of an Alcohol Intervention: A Two-Arm Parallel Group Randomized Controlled Trial. <i>PLoS ONE</i> , 2013, 8, e78436.	1.1	22
38	Insomnia among current and remitted common mental disorders and the association with role functioning: results from a general population study. <i>Sleep Medicine</i> , 2016, 25, 34-41.	0.8	21
39	Associations between the transtheoretical processes of change, nicotine dependence and adolescent smokers' transition through the stages of change. <i>Addiction</i> , 2008, 103, 331-338.	1.7	20
40	Predicting nicotine dependence profiles among adolescent smokers: the roles of personal and social-environmental factors in a longitudinal framework. <i>BMC Public Health</i> , 2012, 12, 196.	1.2	20
41	Prevalence of hardcore smoking in the Netherlands between 2001 and 2012: a test of the hardening hypothesis. <i>BMC Public Health</i> , 2016, 16, 754.	1.2	20
42	Alcohol expectancies change in early to middle adolescence as a function of the exposure to parental alcohol use. <i>Drug and Alcohol Dependence</i> , 2020, 211, 107938.	1.6	20
43	Bidirectional Influences Between Parents and Children in Smoking Behavior: A Longitudinal Full-Family Model. <i>Nicotine and Tobacco Research</i> , 2013, 15, 44-51.	1.4	19
44	Effectiveness of proactive quitline counselling for smoking parents recruited through primary schools: results of a randomized controlled trial. <i>Addiction</i> , 2014, 109, 830-841.	1.7	19
45	The clinical potential of augmented reality.. <i>Clinical Psychology: Science and Practice</i> , 2020, 27, .	0.6	19
46	Effectiveness of proactive telephone counselling for smoking cessation in parents: Study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 732.	1.2	18
47	Targeting young drinkers online: the effectiveness of a web-based brief alcohol intervention in reducing heavy drinking among college students: study protocol of a two-arm parallel group randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 231.	1.2	18
48	Perceived pros and cons of smoking and quitting in hard-core smokers: a focus group study. <i>BMC Public Health</i> , 2014, 14, 175.	1.2	18
49	Exposure to drinking mediates the association between parental alcohol use and preteen alcohol use. <i>Addictive Behaviors</i> , 2018, 87, 244-250.	1.7	18
50	Evaluating a selective prevention programme for binge drinking among young adolescents: study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2011, 11, 126.	1.2	17
51	The effectiveness of a web-based brief alcohol intervention in reducing heavy drinking among adolescents aged 15-20 years with a low educational background: a two-arm parallel group cluster randomized controlled trial. <i>BMC Public Health</i> , 2013, 13, 694.	1.2	17
52	The impact of explicit mental health messages in video games on players'™ motivation and affect. <i>Computers in Human Behavior</i> , 2018, 83, 16-23.	5.1	17
53	An Integration of Parents' and Best Friends' Smoking, Smoking-Specific Cognitions, and Nicotine Dependence in Relation to Readiness to Quit Smoking: A Comparison between Adolescents with and without Asthma. <i>Journal of Pediatric Psychology</i> , 2008, 33, 821-832.	1.1	16
54	Nicotine dependence subtypes among adolescent smokers: Examining the occurrence, development and validity of distinct symptom profiles.. <i>Psychology of Addictive Behaviors</i> , 2010, 24, 61-74.	1.4	16

#	ARTICLE	IF	CITATIONS
55	Targeting hardcore smokers: The effects of an online tailored intervention, based on motivational interviewing techniques. <i>British Journal of Health Psychology</i> , 2017, 22, 644-660.	1.9	16
56	Responses to environmental smoking in never-smoking children: can symptoms of nicotine addiction develop in response to environmental tobacco smoke exposure?. <i>Journal of Psychopharmacology</i> , 2013, 27, 533-540.	2.0	15
57	Secondary outcomes of a school-based universal resiliency training for adolescents: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 1171.	1.2	15
58	Initial responses to the first dose of nicotine in novel smokers: The role of exposure to environmental smoking and genetic predisposition. <i>Psychology and Health</i> , 2014, 29, 698-716.	1.2	14
59	The development of a web-based brief alcohol intervention in reducing heavy drinking among college students: an Intervention Mapping approach. <i>Health Promotion International</i> , 2014, 29, 669-679.	0.9	14
60	Environmental Smoking and Smoking Onset in Adolescence: The Role of Dopamine-Related Genes. Findings from Two Longitudinal Studies. <i>PLoS ONE</i> , 2014, 9, e86497.	1.1	14
61	Predictors of cessation treatment outcome and treatment moderators among smoking parents receiving quitline counselling or self-help material. <i>Preventive Medicine</i> , 2014, 69, 126-131.	1.6	13
62	Childhood maltreatment, vulnerability characteristics and adult incident common mental disorders: 3-year longitudinal data among >10,000 adults in the general population. <i>Journal of Psychiatric Research</i> , 2019, 113, 199-207.	1.5	13
63	A Game-Based School Program for Mental Health Literacy and Stigma Regarding Depression (Moving) Tj ETQq1 1 0.784314 rgBT /Ove 0.5 13	0.5	13
64	Dual growth of adolescent smoking and drinking: evidence for an interaction between the mu-opioid receptor (OPRM1) A118G polymorphism and sex. <i>Addiction Biology</i> , 2013, 18, 1003-1012.	1.4	12
65	Different Trajectories of Adolescent Alcohol Use: Testing Gene-Environment Interactions. <i>Alcoholism: Clinical and Experimental Research</i> , 2014, 38, 704-712.	1.4	12
66	Mindful Parenting and Adolescent Depressive Symptoms: The Few Associations Are Moderated by Adolescent Gender and Parental Depressive Symptoms. <i>Mindfulness</i> , 2015, 6, 812-823.	1.6	12
67	Alcohol-Related Knowledge and Alcohol-Related Norms in 4- to 6-Year-Olds-Evidence from the Dutch Electronic Appropriate Beverage Task. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1637-1647.	1.4	12
68	The Effectiveness of a Cue-Reminder Intervention to Reduce Adolescents'™ Alcohol Use in Social Contexts. <i>Alcohol and Alcoholism</i> , 2012, 47, 451-457.	0.9	11
69	School-based promotion of cessation support: reach of proactive mailings and acceptability of treatment in smoking parents recruited into cessation support through primary schools. <i>BMC Public Health</i> , 2013, 13, 381.	1.2	11
70	Higher Weight, Lower Education: A Longitudinal Association Between Adolescents' Body Mass Index and Their Subsequent Educational Achievement Level?. <i>Journal of School Health</i> , 2014, 84, 769-776.	0.8	11
71	Evaluating a selective prevention program for substance use and comorbid behavioral problems in adolescents with mild to borderline intellectual disabilities: Study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 167.	1.1	11
72	Duration of anxiety disorder and its associated risk indicators: Results of a longitudinal study of the general population. <i>Depression and Anxiety</i> , 2021, 38, 328-336.	2.0	11

#	ARTICLE	IF	CITATIONS
73	Identifying Subgroups among Hardcore Smokers: a Latent Profile Approach. PLoS ONE, 2015, 10, e0133570.	1.1	11
74	The relative role of nicotine dependence and smoking-related cognitions in adolescents' process of smoking cessation. Psychology and Health, 2011, 26, 1310-1326.	1.2	10
75	Cross-Lagged Associations Between Adolescents' Depressive Symptoms and Negative Cognitive Style: The Role of Negative Life Events. Journal of Youth and Adolescence, 2015, 44, 2141-2153.	1.9	10
76	Promoting smoking cessation among parents: Effects on smoking-related cognitions and smoking initiation in children. Addictive Behaviors, 2015, 40, 66-72.	1.7	10
77	Augmented Reality for Smoking Cessation: Development and Usability Study. JMIR MHealth and UHealth, 2020, 8, e21643.	1.8	10
78	Proactive Telephone Smoking Cessation Counseling Tailored to Parents: Results of a Randomized Controlled Effectiveness Trial. International Journal of Environmental Research and Public Health, 2019, 16, 2730.	1.2	9
79	Personality and problem behaviours as predictors of adolescents' social status: academic track and gender as moderators. Educational Psychology, 2016, 36, 1443-1461.	1.2	8
80	From Age 4 to 8, Children Become Increasingly Aware About Normative Situations for Adults to Consume Alcohol. Alcohol and Alcoholism, 2020, 55, 104-111.	0.9	8
81	Adolescents' movement towards cessation of smoking: Role and relative value of the processes of change and nicotine dependence. Psychology and Health, 2008, 23, 729-743.	1.2	7
82	Smoking cessation-specific parenting and parental smoking as precursors of adolescent smoking cognitions and quitting. Addictive Behaviors, 2012, 37, 831-837.	1.7	7
83	Co-development of early adolescent alcohol use and depressive feelings: The role of the mu-opioid receptor A118G polymorphism. Development and Psychopathology, 2015, 27, 915-925.	1.4	7
84	Parental smoke exposure and the development of nicotine craving in adolescent novice smokers: the roles of DRD2, DRD4, and OPRM1 genotypes. BMC Pulmonary Medicine, 2015, 15, 115.	0.8	7
85	Effects of environmental tobacco smoke exposure on brain functioning in never-smoking adolescents. Brain and Behavior, 2020, 10, e01619.	1.0	7
86	Longitudinal associations between attitudes towards binge drinking and alcohol-free drinks, and binge drinking behavior in adolescence. Addictive Behaviors, 2013, 38, 2110-2114.	1.7	6
87	Sport club participation of adolescents with asthma: Maternal factors and adolescent cognitions. Pediatric Pulmonology, 2014, 49, 835-841.	1.0	6
88	Evaluation and Implementation of a Proactive Telephone Smoking Cessation Counseling for Parents: A Study Protocol of an Effectiveness Implementation Hybrid Design. International Journal of Environmental Research and Public Health, 2018, 15, 97.	1.2	6
89	A Game-Based School Program for Mental Health Literacy and Stigma on Depression (Moving Stories): Cluster Randomized Controlled Trial. JMIR Mental Health, 2022, 9, e26615.	1.7	6
90	Child Self-report to Identify Internalizing and Externalizing Problems and the Influence of Maternal Mental Health. Journal of Child and Family Studies, 2015, 24, 1605-1614.	0.7	5

#	ARTICLE	IF	CITATIONS
91	Testing Augmented Reality for Eliciting Cue-Provoked Urges to Smoke: Toward Moving Cue-Exposure Into the Real World. <i>Nicotine and Tobacco Research</i> , 2021, 23, 861-865.	1.4	5
92	Examining nicotine craving during abstinence among adolescent smokers: the roles of general perceived stress and temptation-coping strategies. <i>Journal of Substance Use</i> , 2012, 17, 249-259.	0.3	4
93	The effect of a depression prevention program on negative cognitive style trajectories in early adolescents. <i>Health Education Research</i> , 2016, 31, 665-677.	1.0	4
94	Environmental Tobacco Smoke Exposure and Brain Functioning Associated with Smoking Cue-Reactivity and Inhibitory Control in Nonsmoking Adolescents. <i>European Addiction Research</i> , 2021, 27, 341-350.	1.3	4
95	The Effectiveness of Smoking Cessation Interventions Tailored to Smoking Parents of Children Aged 0-18 Years: A Meta-Analysis. <i>European Addiction Research</i> , 2021, 27, 278-293.	1.3	4
96	Universele preventie van middelengebruik onder jongeren. <i>Kind En Adolescent</i> , 2010, 31, 221-233.	0.0	3
97	Examining Reciprocal Associations Between a Negative Cognitive Style and Depressive Symptoms in Early Adolescence. <i>International Journal of Cognitive Therapy</i> , 2015, 8, 78-94.	1.3	3
98	Does the exposure to smoking cues in movies affect adolescents' immediate smoking behavior?. <i>Addictive Behaviors</i> , 2013, 38, 2203-2206.	1.7	2
99	Cue-Reminders to Prevent Health-Risk Behaviors: A Systematic Review. <i>Frontiers in Public Health</i> , 2019, 7, 97.	1.3	2
100	Program uptake of a parent-tailored telephone smoking cessation counselling: An examination of recruitment approaches. <i>Tobacco Prevention and Cessation</i> , 2021, 7, 1-11.	0.2	2
101	Investigating the association between smoking, environmental tobacco smoke exposure and reward-related brain activity in adolescent experimental smokers. <i>Addiction Biology</i> , 2022, 27, e13070.	1.4	2
102	Implementation of a proactive referral tool for child healthcare professionals to encourage and facilitate parental smoking cessation in the Netherlands: a mixed-methods study. <i>BMC Health Services Research</i> , 2021, 21, 973.	0.9	2
103	Substance use: Determinants and opportunities for prevention in the family and school context. <i>New Directions for Youth Development</i> , 2014, 2014, 15-32.	0.6	0
104	Effectiviteit van telefonische coaching om te stoppen met roken. <i>Verslaving</i> , 2014, 10, 3-21.	0.1	0
105	Kunnen kinderen symptomen van nicotineafhankelijkheid ontwikkelen door blootstelling aan omgevingsrook?. <i>Kind En Adolescent</i> , 2016, 37, 1-20.	0.0	0
106	A Game-based Assessment of the Effects of Rejection on Young Adults. <i>Proceedings of the ACM on Human-Computer Interaction</i> , 2021, 5, 1-27.	2.5	0
107	The development of a dynamically tailored mobile alcohol intervention entitled "What Do You Drink"™ to reduce excessive drinking among Dutch lower educated (MBO) students aged 16 to 24 years: An Intervention Mapping approach (Preprint). <i>JMIR Formative Research</i> , 0, , .	0.7	0