

# Charles M Kenerley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4572647/publications.pdf>

Version: 2024-02-01

61  
papers

5,913  
citations

126907

33  
h-index

133252

59  
g-index

62  
all docs

62  
docs citations

62  
times ranked

3981  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adhesion as a Focus in <i>Trichoderma</i> Root Interactions. <i>Journal of Fungi</i> (Basel, Switzerland), 2022, 8, 372.	3.5	6
2	Early Transcriptome Response of <i>Trichoderma virens</i> to Colonization of Maize Roots. <i>Frontiers in Fungal Biology</i> , 2021, 2, .	2.0	3
3	Oxylipins Other Than Jasmonic Acid Are Xylem-Resident Signals Regulating Systemic Resistance Induced by <i>Trichoderma virens</i> in Maize. <i>Plant Cell</i> , 2020, 32, 166-185.	6.6	91
4	Deletion of the <i>Trichoderma virens</i> NRPS, <i>Tex7</i> , induces accumulation of the anti-cancer compound heptelidic acid. <i>Biochemical and Biophysical Research Communications</i> , 2020, 529, 672-677.	2.1	7
5	<i>Trichoderma virens</i> colonization of maize roots triggers rapid accumulation of 12-oxophytodienoate and two $\alpha$ -ketols in leaves as priming agents of induced systemic resistance. <i>Plant Signaling and Behavior</i> , 2020, 15, 1792187.	2.4	15
6	Effects on hyphal morphology and development by the putative copper radical oxidase <i>glx1</i> in <i>Trichoderma virens</i> suggest a novel role as a cell wall associated enzyme. <i>Fungal Genetics and Biology</i> , 2019, 131, 103245.	2.1	6
7	Differential expression analysis of <i>Trichoderma virens</i> RNA reveals a dynamic transcriptome during colonization of <i>Zea mays</i> roots. <i>BMC Genomics</i> , 2019, 20, 280.	2.8	33
8	Analysis of a putative glycosylation site in the <i>Trichoderma virens</i> elicitor SM1 reveals no role in protein dimerization. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 817-821.	2.1	6
9	Characterization of <i>Sclerotinia minor</i> populations in Texas peanut fields. <i>Plant Pathology</i> , 2018, 67, 839-847.	2.4	6
10	Ferricrocin, the intracellular siderophore of <i>Trichoderma virens</i> , is involved in growth, conidiation, gliotoxin biosynthesis and induction of systemic resistance in maize. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 606-611.	2.1	51
11	A paralog of the proteinaceous elicitor SM1 is involved in colonization of maize roots by <i>Trichoderma virens</i> . <i>Fungal Biology</i> , 2015, 119, 476-486.	2.5	41
12	Secretome of <i>Trichoderma</i> Interacting With Maize Roots: Role in Induced Systemic Resistance*. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 1054-1063.	3.8	95
13	Host-specific transcriptomic pattern of <i>Trichoderma virens</i> during interaction with maize or tomato roots. <i>BMC Genomics</i> , 2015, 16, 8.	2.8	76
14	Role of gliotoxin in the symbiotic and pathogenic interactions of <i>Trichoderma virens</i> . <i>Microbiology (United Kingdom)</i> , 2014, 160, 2319-2330.	1.8	86
15	<i>Trichoderma</i> Research in the Genome Era. <i>Annual Review of Phytopathology</i> , 2013, 51, 105-129.	7.8	370
16	A putative terpene cyclase, <i>vir4</i> , is responsible for the biosynthesis of volatile terpene compounds in the biocontrol fungus <i>Trichoderma virens</i> . <i>Fungal Genetics and Biology</i> , 2013, 56, 67-77.	2.1	81
17	Functional analysis of non-ribosomal peptide synthetases (NRPSs) in <i>Trichoderma virens</i> reveals a polyketide synthase (PKS)/NRPS hybrid enzyme involved in the induced systemic resistance response in maize. <i>Microbiology (United Kingdom)</i> , 2012, 158, 155-165.	1.8	137
18	Secondary metabolism in <i>Trichoderma</i> – a genomic perspective. <i>Microbiology (United Kingdom)</i> , 2012, 158, 35-45.	1.8	288

#	ARTICLE	IF	CITATIONS
19	Trichoderma: the genomics of opportunistic success. <i>Nature Reviews Microbiology</i> , 2011, 9, 749-759.	28.6	814
20	Comparative genome sequence analysis underscores mycoparasitism as the ancestral life style of Trichoderma. <i>Genome Biology</i> , 2011, 12, R40.	8.8	594
21	Silencing <i>GhNDR1</i> and <i>GhMKK2</i> compromises cotton resistance to Verticillium wilt. <i>Plant Journal</i> , 2011, 66, 293-305.	5.7	222
22	Functional characterization of a plant-like sucrose transporter from the beneficial fungus <i>Trichoderma virens</i> . Regulation of the symbiotic association with plants by sucrose metabolism inside the fungal cells. <i>New Phytologist</i> , 2011, 189, 777-789.	7.3	74
23	Two Classes of New Peptaibols Are Synthesized by a Single Non-ribosomal Peptide Synthetase of <i>Trichoderma virens</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 4544-4554.	3.4	97
24	Regulation of Morphogenesis and Biocontrol Properties in <i>Trichoderma virens</i> by a VELVET Protein, Vel1. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2345-2352.	3.1	135
25	Expression and purification of biologically active <i>Trichoderma virens</i> proteinaceous elicitor Sm1 in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2010, 72, 131-138.	1.3	40
26	Plant-Derived Sucrose Is a Key Element in the Symbiotic Association between <i>Trichoderma virens</i> and Maize Plants. <i>Plant Physiology</i> , 2009, 151, 792-808.	4.8	203
27	Defense-related gene expression and enzyme activities in transgenic cotton plants expressing an endochitinase gene from <i>Trichoderma virens</i> in response to interaction with <i>Rhizoctonia solani</i> . <i>Planta</i> , 2009, 230, 277-291.	3.2	83
28	Formulating variable carrying capacity by exploring a resource dynamics-based feedback mechanism underlying the population growth models. <i>Ecological Complexity</i> , 2009, 6, 403-412.	2.9	14
29	Competitiveness of a Genetically Engineered Strain of <i>Trichoderma virens</i> . <i>Mycopathologia</i> , 2008, 166, 51-59.	3.1	4
30	Microbial Degradation of Fluometuron Is Influenced by Roundup WeatherMAX. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8588-8593.	5.2	8
31	Dimerization Controls the Activity of Fungal Elicitors That Trigger Systemic Resistance in Plants. <i>Journal of Biological Chemistry</i> , 2008, 283, 19804-19815.	3.4	102
32	A Proteinaceous Elicitor Sm1 from the Beneficial Fungus <i>Trichoderma virens</i> Is Required for Induced Systemic Resistance in Maize. <i>Plant Physiology</i> , 2007, 145, 875-889.	4.8	286
33	Enhanced biocontrol activity of <i>Trichoderma virens</i> transformants constitutively coexpressing $\beta$ -1,3- and $\beta$ -1,6-glucanase genes. <i>Molecular Plant Pathology</i> , 2007, 8, 469-480.	4.2	68
34	The 18mer peptaibols from <i>Trichoderma virens</i> elicit plant defence responses. <i>Molecular Plant Pathology</i> , 2007, 8, 737-746.	4.2	218
35	Tvbgp3, a $\beta$ -1,6-Glucanase from the Biocontrol Fungus <i>Trichoderma virens</i> , Is Involved in Mycoparasitism and Control of <i>Pythium ultimum</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 7661-7670.	3.1	87
36	Sm1, a Proteinaceous Elicitor Secreted by the Biocontrol Fungus <i>Trichoderma virens</i> Induces Plant Defense Responses and Systemic Resistance. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 838-853.	2.6	310

#	ARTICLE	IF	CITATIONS
37	Density independent population dynamics by <i>Trichoderma virens</i> in soil and defined substrates. <i>Biocontrol Science and Technology</i> , 2005, 15, 847-857.	1.3	11
38	Fitness, persistence, and responsiveness of a genetically engineered strain of <i>Trichoderma virens</i> in soil mesocosms. <i>Applied Soil Ecology</i> , 2005, 29, 125-134.	4.3	23
39	Functional analysis of <i>tvsp1</i> , a serine protease-encoding gene in the biocontrol agent <i>Trichoderma virens</i> . <i>Fungal Genetics and Biology</i> , 2004, 41, 336-348.	2.1	125
40	Utilizing Aboveground Rhizotrons to Study Root Growth and Pathogen Movement in Simulated Orchard Conditions. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2004, 39, 798B-798.	1.0	0
41	Seasonal Influence on Infection Rates of <i>Malus sylvestris</i> var. <i>domestica</i> Roots by <i>Phymatotrichopsis omnivora</i> . <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2004, 39, 747A-747.	1.0	0
42	Enhanced fungal resistance in transgenic cotton expressing an endochitinase gene from <i>Trichoderma virens</i> . <i>Plant Biotechnology Journal</i> , 2003, 1, 321-336.	8.3	142
43	Enhanced biocontrol activity of <i>Trichoderma</i> through inactivation of a mitogen-activated protein kinase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15965-15970.	7.1	128
44	Identification of Peptaibols from <i>Trichoderma virens</i> and Cloning of a Peptaibol Synthetase. <i>Journal of Biological Chemistry</i> , 2002, 277, 20862-20868.	3.4	202
45	Cloning and characterization of multiple glycosyl hydrolase genes from <i>Trichoderma virens</i> . <i>Current Genetics</i> , 2002, 40, 374-384.	1.7	119
46	A logistic model of subsurface fungal growth with application to bioremediation. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2000, 35, 465-488.	1.7	9
47	Measurement of Apple Root Losses Associated with Cold Storage and Elutriation of Soil Core Samples. <i>HortTechnology</i> , 2000, 10, 580-584.	0.9	2
48	Detection and enumeration of a genetically modified fungus in soil environments by quantitative competitive polymerase chain reaction. <i>FEMS Microbiology Ecology</i> , 1998, 25, 419-428.	2.7	27
49	The <i>arg2</i> Gene of <i>Trichoderma virens</i> : Cloning and Development of a Homologous Transformation System. <i>Fungal Genetics and Biology</i> , 1998, 23, 34-44.	2.1	76
50	Detection and enumeration of a genetically modified fungus in soil environments by quantitative competitive polymerase chain reaction. <i>FEMS Microbiology Ecology</i> , 1998, 25, 419-428.	2.7	3
51	Enhanced expression of a bacterial gene for pesticide degradation in a common soil fungus. <i>Journal of Bioscience and Bioengineering</i> , 1996, 81, 473-481.	0.9	25
52	Expression of organophosphate hydrolase in the filamentous fungus <i>Gliocladium virens</i> . <i>Applied Microbiology and Biotechnology</i> , 1994, 41, 352-358.	3.6	32
53	Expression of organophosphate hydrolase in the filamentous fungus <i>Gliocladium virens</i> . <i>Applied Microbiology and Biotechnology</i> , 1994, 41, 352-358.	3.6	2
54	Inoculum dynamics of <i>Gliocladium virens</i> associated with roots of cotton seedlings. <i>Microbial Ecology</i> , 1992, 23, 169-179.	2.8	22

#	ARTICLE	IF	CITATIONS
55	Production of gliotoxin by <i>Gliocladium virens</i> as a function of source and concentration of carbon and nitrogen. <i>Mycological Research</i> , 1991, 95, 1242-1248.	2.5	13
56	Transformation of the mycoparasite <i>Gliocladium</i> . <i>Current Genetics</i> , 1989, 15, 415-420.	1.7	23
57	Cotton Fleahopper and Associated Microorganisms as Components in the Production of Stress Ethylene by Cotton. <i>Plant Physiology</i> , 1988, 87, 280-285.	4.8	12
58	Positional variation in phylloplane microbial populations within an apple tree canopy. <i>Microbial Ecology</i> , 1980, 6, 71-84.	2.8	49
59	Microbial populations associated with buds and young leaves of apple. <i>Canadian Journal of Botany</i> , 1980, 58, 847-855.	1.1	25
60	The effects of a pesticide program on microbial populations from apple leaf litter. <i>Canadian Journal of Microbiology</i> , 1979, 25, 1331-1344.	1.7	12
61	The effects of a pesticide program on non-target epiphytic microbial populations of apple leaves. <i>Canadian Journal of Microbiology</i> , 1978, 24, 1058-1072.	1.7	73