

Jean Martinez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4574533/publications.pdf>

Version: 2024-02-01

664
papers

20,085
citations

18887

64
h-index

35168

102
g-index

784
all docs

784
docs citations

784
times ranked

20560
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthetic therapeutic peptides: science and market. <i>Drug Discovery Today</i> , 2010, 15, 40-56.	3.2	1,215
2	<i>Baylis-Hillman Reaction</i> . <i>Chemical Reviews</i> , 2009, 109, 1-48.	23.0	542
3	Methods and Protocols of Modern Solid Phase Peptide Synthesis. <i>Molecular Biotechnology</i> , 2006, 33, 239-254.	1.3	379
4	Rapid sensing of circulating ghrelin by hypothalamic appetite-modifying neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1512-1517.	3.3	258
5	Silicon-Containing Amino Acids: Synthetic Aspects, Conformational Studies, and Applications to Bioactive Peptides. <i>Chemical Reviews</i> , 2016, 116, 11654-11684.	23.0	242
6	Isoxazolidine: A Privileged Scaffold for Organic and Medicinal Chemistry. <i>Chemical Reviews</i> , 2016, 116, 15235-15283.	23.0	204
7	Preparation of NHC-ruthenium complexes and their catalytic activity in metathesis reaction. <i>Coordination Chemistry Reviews</i> , 2007, 251, 726-764.	9.5	191
8	Recent Advances in the Synthesis of Hydantoins: The State of the Art of a Valuable Scaffold. <i>Chemical Reviews</i> , 2017, 117, 13757-13809.	23.0	163
9	Synthesis and biological activities of some pseudo-peptide analogs of tetragastrin: the importance of the peptide backbone. <i>Journal of Medicinal Chemistry</i> , 1985, 28, 1874-1879.	2.9	161
10	Identification of Key Residues for Interaction of Vasoactive Intestinal Peptide with Human VPAC1 and VPAC2 Receptors and Development of a Highly Selective VPAC1 Receptor Agonist. <i>Journal of Biological Chemistry</i> , 2000, 275, 24003-24012.	1.6	156
11	A facile synthesis of chiral N-protected α -amino alcohols.. <i>Tetrahedron Letters</i> , 1991, 32, 923-926.	0.7	152
12	Solvent-Free Synthesis of Peptides. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 9318-9321.	7.2	152
13	Synthesis of 3,4,5-Trisubstituted-1,2,4-triazoles. <i>Chemical Reviews</i> , 2010, 110, 1809-1827.	23.0	147
14	Chemical insights into bioinks for 3D printing. <i>Chemical Society Reviews</i> , 2019, 48, 4049-4086.	18.7	145
15	Characterization of New Polyclonal Antibodies Specific for 40 and 42 Amino Acid-Long Amyloid β Peptides: Their Use to Examine the Cell Biology of Presenilins and the Immunohistochemistry of Sporadic Alzheimer's Disease and Cerebral Amyloid Angiopathy Cases. <i>Molecular Medicine</i> , 1997, 3, 695-707.	1.9	142
16	High Constitutive Activity Is an Intrinsic Feature of Ghrelin Receptor Protein. <i>Journal of Biological Chemistry</i> , 2012, 287, 3630-3641.	1.6	132
17	Environmentally benign peptide synthesis using liquid-assisted ball-milling: application to the synthesis of Leu-enkephalin. <i>Green Chemistry</i> , 2013, 15, 1116.	4.6	130
18	Identification of the Receptor Subtype Involved in the Analgesic Effect of Neurotensin. <i>Journal of Neuroscience</i> , 1999, 19, 503-510.	1.7	126

#	ARTICLE	IF	CITATIONS
19	Palatability Can Drive Feeding Independent of AgRP Neurons. <i>Cell Metabolism</i> , 2015, 22, 646-657.	7.2	122
20	Toward Potent Ghrelin Receptor Ligands Based on Trisubstituted 1,2,4-Triazole Structure. 2. Synthesis and Pharmacological in Vitro and in Vivo Evaluations. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 5790-5806.	2.9	116
21	New Soluble-Polymer Bound Ruthenium Carbene Catalysts: Synthesis, Characterization, and Application to Ring-Closing Metathesis. <i>Organometallics</i> , 2003, 22, 2426-2435.	1.1	103
22	Mechanochemical Preparation of Hydantoins from Amino Esters: Application to the Synthesis of the Antiepileptic Drug Phenytoin. <i>Journal of Organic Chemistry</i> , 2014, 79, 10132-10142.	1.7	103
23	Side Reactions in Peptide Synthesis. <i>Synthesis</i> , 1981, 1981, 333-356.	1.2	97
24	Solid phase synthesis of chiral 3-substituted quinazoline-2,4-diones. <i>Tetrahedron Letters</i> , 1996, 37, 7031-7034.	0.7	97
25	Sonochemistry in non-conventional, green solvents or solvent-free reactions. <i>Tetrahedron</i> , 2017, 73, 609-653.	1.0	97
26	PEG as an alternative reaction medium in metal-mediated transformations. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2893-2920.	9.5	95
27	Ligands and signaling proteins govern the conformational landscape explored by a G protein-coupled receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8304-8309.	3.3	95
28	Cathepsin D displays in vitro β^2 -secretase-like specificity. <i>Brain Research</i> , 1997, 750, 11-19.	1.1	94
29	Synthesis and biological activity of partially modified retro-inverso pseudopeptide derivatives of the C-terminal tetrapeptide of gastrin. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 758-763.	2.9	92
30	Sequentialaza-Baylis-Hillman/Ring Closing Metathesis/Aromatization as a Novel Route for the Synthesis of Substituted Pyrroles. <i>Journal of Organic Chemistry</i> , 2004, 69, 8372-8381.	1.7	92
31	Mechanosynthesis of amides in the total absence of organic solvent from reaction to product recovery. <i>Chemical Communications</i> , 2012, 48, 11781.	2.2	92
32	Poly(ethylene glycol) as reaction medium for mild Mizoroki-Heck reaction in a ball-mill. <i>Chemical Communications</i> , 2012, 48, 11778.	2.2	91
33	N-terminus FITC labeling of peptides on solid support: the truth behind the spacer. <i>Tetrahedron Letters</i> , 2009, 50, 260-263.	0.7	88
34	Synthesis and Pharmacological in Vitro and in Vivo Evaluations of Novel Triazole Derivatives as Ligands of the Ghrelin Receptor. 1. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1939-1957.	2.9	86
35	Detergent-free Isolation of Functional G Protein-Coupled Receptors into Nanometric Lipid Particles. <i>Biochemistry</i> , 2016, 55, 38-48.	1.2	85
36	Alternative Energy Input for Transfer Hydrogenation using Iridium NHC Based Catalysts in Glycerol as Hydrogen Donor and Solvent. <i>Organometallics</i> , 2012, 31, 3911-3919.	1.1	84

#	ARTICLE	IF	CITATIONS
37	Improved solid phase synthesis of C-terminal peptide aldehydes. <i>Tetrahedron Letters</i> , 1995, 36, 7871-7874.	0.7	82
38	Solvent-free synthesis of nitrones in a ball-mill. <i>Tetrahedron</i> , 2008, 64, 5569-5576.	1.0	82
39	Influence of Gastrin on Human Astrocytic Tumor Cell Proliferation. <i>Journal of the National Cancer Institute</i> , 1996, 88, 594-600.	3.0	80
40	Agonism, Inverse Agonism, and Neutral Antagonism at the Constitutively Active Human Neurotensin Receptor 2. <i>Molecular Pharmacology</i> , 2001, 60, 1392-1398.	1.0	77
41	Influence of Silaproline on Peptide Conformation and Bioactivity. <i>Journal of the American Chemical Society</i> , 2002, 124, 2917-2923.	6.6	77
42	Alternative Technologies That Facilitate Access to Discrete Metal Complexes. <i>Chemical Reviews</i> , 2019, 119, 7529-7609.	23.0	77
43	Preparation of Chiral Amino Esters by Asymmetric Phase-Transfer Catalyzed Alkylations of Schiff Bases in a Ball Mill. <i>Chemistry - A European Journal</i> , 2012, 18, 3773-3779.	1.7	76
44	Agonism, Antagonism, and Inverse Agonism Bias at the Ghrelin Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 27021-27039.	1.6	76
45	Homogeneous time-resolved fluorescence-based assay to screen for ligands targeting the growth hormone secretagogue receptor type 1a. <i>Analytical Biochemistry</i> , 2011, 408, 253-262.	1.1	75
46	Cholecystokinin (pancreozymin). 4. Synthesis and properties of a biologically active analog of the C-terminal heptapeptide with .epsilon.-hydroxynorleucine sulfate replacing tyrosine sulfate. <i>Journal of Medicinal Chemistry</i> , 1978, 21, 1030-1035.	2.9	74
47	Structure-Activity Relationships of Phenyl-Furanyl-Rhodanines as Inhibitors of RNA Polymerase with Antibacterial Activity on Biofilms. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4195-4204.	2.9	74
48	Ghrelin knockout mice show decreased voluntary alcohol consumption and reduced ethanol-induced conditioned place preference. <i>Peptides</i> , 2013, 43, 48-55.	1.2	74
49	Arginine 336 and Asparagine 333 of the Human Cholecystokinin-A Receptor Binding Site Interact with the Penultimate Aspartic Acid and the C-terminal Amide of Cholecystokinin. <i>Journal of Biological Chemistry</i> , 1999, 274, 20457-20464.	1.6	73
50	Mass spectrometry in combinatorial chemistry. <i>Mass Spectrometry Reviews</i> , 2000, 19, 139-161.	2.8	73
51	Active Esters of Formic Acid as Useful Formylating Agents: Improvements in the Synthesis of Formyl-Amino Acid Esters, N- ϵ -Formyl-Met-Leu-Phe-OH, and Formyl-Met-Lys-Pro-Arg, a Phagocytosis Stimulating Peptide. <i>Synthesis</i> , 1982, 1982, 979-981.	1.2	72
52	CCK-JMV-180: a peptide that distinguishes high-affinity cholecystokinin receptors from low-affinity cholecystokinin receptors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1989, 1010, 145-150.	1.9	72
53	1,1'-Carbonyldiimidazole and Mechanochemistry: A Shining Green Combination. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 9599-9602.	3.2	72
54	Chemical Optimization of New Ligands of the Low-Density Lipoprotein Receptor as Potential Vectors for Central Nervous System Targeting. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2227-2241.	2.9	71

#	ARTICLE	IF	CITATIONS
55	Attenuation of cocaine-induced locomotor sensitization in rats sustaining genetic or pharmacologic antagonism of ghrelin receptors. <i>Addiction Biology</i> , 2012, 17, 956-963.	1.4	71
56	Coarse-Grained Simulations of the HIV-1 Matrix Protein Anchoring: Revisiting Its Assembly on Membrane Domains. <i>Biophysical Journal</i> , 2014, 106, 577-585.	0.2	71
57	Comprehensive Study of the Organic-Solvent-Free CDI-Mediated Acylation of Various Nucleophiles by Mechanochemistry. <i>Chemistry - A European Journal</i> , 2015, 21, 12787-12796.	1.7	71
58	New Trisubstituted 1,2,4-Triazole Derivatives as Potent Ghrelin Receptor Antagonists. 3. Synthesis and Pharmacological in Vitro and in Vivo Evaluations. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 689-693.	2.9	70
59	Synthesis of N-protected α -amino aldehydes from their morpholine amide derivatives. <i>Tetrahedron Letters</i> , 2000, 41, 37-40.	0.7	69
60	Ghrelin receptor conformational dynamics regulate the transition from a preassembled to an active receptor:Gq complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 1601-1606.	3.3	69
61	The Effect of Gastrin on Growth of Human Stomach Cancer Cells. <i>Annals of Surgery</i> , 1992, 215, 528-535.	2.1	68
62	Facile synthesis of tert-butyl ester of N-protected amino acids with tert-butyl bromide. <i>Tetrahedron Letters</i> , 1993, 34, 7409-7412.	0.7	68
63	BACE1- and BACE2-expressing Human Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 25859-25866.	1.6	68
64	Ac-[3- and 4-Alkylthioprolinyl]-CCK4 Analogs: Synthesis and Implications for the CCK-B Receptor-Bound Conformation. <i>Journal of Medicinal Chemistry</i> , 1995, 38, 137-149.	2.9	67
65	Synthesis of Silaproline, a New Proline Surrogate. , 2000, 2000, 807-811.		67
66	Serotonin Dimers: Application of the Bivalent Ligand Approach to the Design of New Potent and Selective 5-HT _{1B/1D} Agonists. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 4920-4927.	2.9	66
67	Potent Spinal Analgesia Elicited through Stimulation of NTS2 Neurotensin Receptors. <i>Journal of Neuroscience</i> , 2005, 25, 8188-8196.	1.7	66
68	Replacement of a Proline with Silaproline Causes a 20-Fold Increase in the Cellular Uptake of a Pro-Rich Peptide. <i>Journal of the American Chemical Society</i> , 2006, 128, 8479-8483.	6.6	66
69	Solution and Solid-Supported Synthesis of 3,4,5-Trisubstituted 1,2,4-Triazole-Based Peptidomimetics. <i>Organic Letters</i> , 2003, 5, 4465-4468.	2.4	65
70	New Active Series of Growth Hormone Secretagogues. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 1191-1203.	2.9	65
71	Regulation of ERK1/2 activity by ghrelin-activated growth hormone secretagogue receptor 1A involves a PLC/PKC γ pathway. <i>British Journal of Pharmacology</i> , 2006, 148, 350-365.	2.7	65
72	Anorexigenic and electrophysiological actions of novel ghrelin receptor (GHS-R1A) antagonists in rats. <i>European Journal of Pharmacology</i> , 2009, 612, 167-173.	1.7	65

#	ARTICLE	IF	CITATIONS
73	Chemical cross-linkers for protein structure studies by mass spectrometry. <i>Proteomics</i> , 2013, 13, 438-456.	1.3	65
74	Cage-like Copper(II) Silsesquioxanes: Transmetalation Reactions and Structural, Quantum Chemical, and Catalytic Studies. <i>Chemistry - A European Journal</i> , 2015, 21, 8758-8770.	1.7	65
75	Reduced peptide bond pseudopeptide analogues of neurotensins binding and biological activities, and in vitro metabolic stability. <i>European Journal of Pharmacology</i> , 1991, 205, 191-198.	1.7	64
76	Solid-Phase Synthesis of Isocoumarins: A Traceless Halocyclization Approach. <i>Journal of Organic Chemistry</i> , 2009, 74, 4158-4165.	1.7	64
77	Novel 1 <i>H</i> -Pyrrolo[3,2- <i>c</i>]quinoline Based 5-HT ₆ Receptor Antagonists with Potential Application for the Treatment of Cognitive Disorders Associated with Alzheimer's Disease. <i>ACS Chemical Neuroscience</i> , 2016, 7, 972-983.	1.7	64
78	Synthesis of Cyclic Amino Acid Derivatives via Ring Closing Metathesis on a Poly(ethylene glycol) Supported Substrate. <i>Journal of Organic Chemistry</i> , 2000, 65, 6787-6790.	1.7	63
79	Low Energy Peptide Fragmentations in an ESI-Q-ToF Type Mass Spectrometer. <i>Journal of Proteome Research</i> , 2007, 6, 1378-1391.	1.8	62
80	Melanin-Concentrating Hormone Binding Sites in Human SVK14 Keratinocytes. <i>Biochemical and Biophysical Research Communications</i> , 1997, 241, 622-629.	1.0	61
81	Cu(O), O ₂ and mechanical forces: a saving combination for efficient production of Cu ⁺ NHC complexes. <i>Chemical Science</i> , 2017, 8, 1086-1089.	3.7	61
82	Design and Synthesis of Potent Bradykinin Agonists Containing a Benzothiazepine Moiety. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 4185-4192.	2.9	60
83	PEG3400-Cu ₂ O-Cs ₂ CO ₃ : an efficient and recyclable microwave-enhanced catalytic system for ligand-free Ullmann arylation of indole and benzimidazole. <i>Tetrahedron</i> , 2010, 66, 3730-3735.	1.0	60
84	Copper-Catalyzed Direct Synthesis of Benzamides from Alcohols and Amines. <i>ChemCatChem</i> , 2012, 4, 1922-1925.	1.8	60
85	Ghrelin Stimulation of Growth Hormone-Releasing Hormone Neurons Is Direct in the Arcuate Nucleus. <i>PLoS ONE</i> , 2010, 5, e9159.	1.1	59
86	Identification of Two Amino Acids of the Human Cholecystokinin-A Receptor That Interact with the N-terminal Moiety of Cholecystokinin. <i>Journal of Biological Chemistry</i> , 1997, 272, 2920-2926.	1.6	58
87	Growth hormone secretagogues prevent dysregulation of skeletal muscle calcium homeostasis in a rat model of cisplatin-induced cachexia. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 386-404.	2.9	58
88	Recent Developments in Ghrelin Receptor Ligands. <i>ChemMedChem</i> , 2007, 2, 1242-1259.	1.6	57
89	SIDE REACTIONS IN PEPTIDE SYNTHESIS. <i>International Journal of Peptide and Protein Research</i> , 1978, 12, 277-283.	0.1	56
90	Helical Oligomers of Thiazole-Based β -Amino Acids: Synthesis and Structural Studies. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 6006-6010.	7.2	56

#	ARTICLE	IF	CITATIONS
91	Novel preparation of N-protected amino acid active esters using 1,2,2,2-tetrachloroethyl carbonates. <i>Journal of Organic Chemistry</i> , 1987, 52, 2364-2367.	1.7	55
92	Poly(ethylene glycol)-Based Ionic Liquids: Properties and Uses as Alternative Solvents in Organic Synthesis and Catalysis. <i>ChemSusChem</i> , 2014, 7, 45-65.	3.6	55
93	GHSR-D2R heteromerization modulates dopamine signaling through an effect on G protein conformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4501-4506.	3.3	55
94	Functionalization of peptides and proteins by aldehyde or keto groups. <i>Biopolymers</i> , 2000, 55, 165-186.	1.2	54
95	Activated N-nitrosocarbamates for regioselective synthesis of N-nitrosoureas. <i>Journal of Medicinal Chemistry</i> , 1982, 25, 178-182.	2.9	53
96	Synthesis of Various 3-Substituted 1,2,4-Oxadiazole-Containing Chiral β - and γ -Amino Acids from Fmoc-Protected Aspartic Acid. <i>Journal of Organic Chemistry</i> , 2003, 68, 7316-7321.	1.7	53
97	Efficient synthetic approach to heterocycles possessing the 3,3-disubstituted-2,3-dihydrobenzofuran skeleton via diverse palladium-catalyzed tandem reactions. <i>Tetrahedron</i> , 2007, 63, 3340-3349.	1.0	53
98	In Vivo Stabilization of a Gastrin-Releasing Peptide Receptor Antagonist Enhances PET Imaging and Radionuclide Therapy of Prostate Cancer in Preclinical Studies. <i>Theranostics</i> , 2016, 6, 104-117.	4.6	53
99	A heterometallic (Fe ₆ /Na ₈) cage-like silsesquioxane: synthesis, structure, spin glass behavior and high catalytic activity. <i>RSC Advances</i> , 2016, 6, 48165-48180.	1.7	53
100	Poly(ethylene glycol) as solvent and polymer support in the microwave assisted parallel synthesis of amino acid derivatives. <i>Tetrahedron Letters</i> , 2000, 41, 6371-6375.	0.7	52
101	Active esters of 9-fluorenylmethyloxycarbonyl amino acids and their application in the stepwise lengthening of a peptide chain. <i>Journal of Organic Chemistry</i> , 1980, 45, 72-76.	1.7	51
102	The 1,2,4-triazole as a scaffold for the design of ghrelin receptor ligands: development of JMV 2959, a potent antagonist. <i>Amino Acids</i> , 2013, 44, 301-314.	1.2	51
103	Peptide synthesis: ball-milling, in solution, or on solid support, what is the best strategy?. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2087-2093.	1.3	51
104	Side reactions in peptide synthesis. 11. Possible removal of the 9-fluorenylmethyloxycarbonyl group by the amino components during coupling. <i>Journal of Organic Chemistry</i> , 1979, 44, 1622-1625.	1.7	50
105	Synthesis of cyclic peptides via O ^N -acyl migration. <i>Tetrahedron Letters</i> , 2008, 49, 4674-4676.	0.7	50
106	Arginine 197 of the cholecystokinin _A receptor binding site interacts with the sulfate of the peptide agonist cholecystokinin. <i>Protein Science</i> , 1999, 8, 2347-2354.	3.1	50
107	Mechanochemical 1,1 ² -Carbonyldiimidazole-Mediated Synthesis of Carbamates. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 2882-2889.	3.2	50
108	Side reactions in peptide synthesis. 12. Hydrogenolysis of the 9-fluorenylmethyloxycarbonyl group. <i>Journal of Organic Chemistry</i> , 1979, 44, 3596-3598.	1.7	49

#	ARTICLE	IF	CITATIONS
109	Use of ozonolysis in the synthesis of C-terminal peptide aldehydes on solid support. <i>Tetrahedron Letters</i> , 1997, 38, 7749-7752.	0.7	49
110	In Vitro and In Vivo Application of Radiolabeled Gastrin-Releasing Peptide Receptor Ligands in Breast Cancer. <i>Journal of Nuclear Medicine</i> , 2015, 56, 752-757.	2.8	49
111	Pharmacologic antagonism of ghrelin receptors attenuates development of nicotine induced locomotor sensitization in rats. <i>Regulatory Peptides</i> , 2011, 172, 77-80.	1.9	48
112	Heterodimerization with Its Splice Variant Blocks the Ghrelin Receptor 1a in a Non-signaling Conformation. <i>Journal of Biological Chemistry</i> , 2013, 288, 24656-24665.	1.6	48
113	Ring-closing metathesis in glycerol under microwave activation. <i>Tetrahedron Letters</i> , 2010, 51, 3935-3937.	0.7	47
114	Solvent-free synthesis of hydrazones and their subsequent N-alkylation in a Ball-mill. <i>Tetrahedron</i> , 2011, 67, 8187-8194.	1.0	47
115	Chemical cross-linking methods for cell encapsulation in hydrogels. <i>Materials Today Communications</i> , 2019, 20, 100536.	0.9	47
116	2-(Trimethylsilyl)ethanesulfonyl (or SES) Group in Amine Protection and Activation. <i>Chemical Reviews</i> , 2006, 106, 2249-2269.	23.0	46
117	Preclinical Comparison of Al ¹⁸ F- and ⁶⁸ Ga-Labeled Gastrin-Releasing Peptide Receptor Antagonists for PET Imaging of Prostate Cancer. <i>Journal of Nuclear Medicine</i> , 2014, 55, 2050-2056.	2.8	46
118	Phenethyl ester derivative analogs of the C-terminal tetrapeptide of gastrin as potent gastrin antagonists. <i>Journal of Medicinal Chemistry</i> , 1986, 29, 2201-2206.	2.9	45
119	Synthesis and biological activities of pseudopeptide analogs of the C-terminal heptapeptide of cholecystokinin. On the importance of the peptide bonds. <i>Journal of Medicinal Chemistry</i> , 1987, 30, 1366-1373.	2.9	45
120	Microwave-assisted solid-phase synthesis of hydantoin derivatives. <i>Tetrahedron Letters</i> , 2007, 48, 5317-5320.	0.7	45
121	Microwave-assisted multi-step synthesis of novel pyrrolo-[3,2-c]quinoline derivatives. <i>Tetrahedron</i> , 2008, 64, 5949-5955.	1.0	45
122	Peptide Neurotoxins That Affect Voltage-Gated Calcium Channels: A Close-Up on δ -Agatoxins. <i>Toxins</i> , 2011, 3, 17-42.	1.5	45
123	Solventless Synthesis of N-Protected Amino Acids in a Ball Mill. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 1186-1191.	3.2	45
124	Peptide Mechanosynthesis by Direct Coupling of N-Protected α -Amino Acids with Amino Esters. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 3505-3508.	1.2	45
125	Oxyntomodulin (glucagon-37) and its C-terminal octapeptide inhibit gastric acid secretion. <i>FEBS Letters</i> , 1985, 188, 81-84.	1.3	44
126	Synthesis of novel poly(ethylene glycol) supported benzazepines: the crucial role of PEG on the selectivity of an intramolecular Heck reaction. <i>Tetrahedron</i> , 2006, 62, 10456-10466.	1.0	44

#	ARTICLE	IF	CITATIONS
127	Carboxamidomethyl esters (CAM esters) as carboxyl protecting groups.. Tetrahedron Letters, 1983, 24, 5219-5222.	0.7	43
128	Peptide Couplings by Reactive Extrusion: Solid-Tolerant and Free from Carcinogenic, Mutagenic and Reprotoxic Chemicals. ACS Sustainable Chemistry and Engineering, 2018, 6, 16001-16004.	3.2	43
129	Synthesis of chiral N-protected $\hat{\pm}$ -amino aldehydes by reduction of N-protected N-carboxyanhydrides (UNCAs). Tetrahedron Letters, 1994, 35, 9031-9034.	0.7	42
130	Polyethylene glycol (PEG) as polymeric support and phase-transfer catalyst in the soluble polymer liquid phase synthesis of $\hat{\pm}$ -amino esters. Tetrahedron Letters, 1998, 39, 821-824.	0.7	42
131	Evidence for a Direct Interaction between the Penultimate Aspartic Acid of Cholecystokinin and Histidine 207, Located in the Second Extracellular Loop of the Cholecystokinin B Receptor. Journal of Biological Chemistry, 1999, 274, 23191-23197.	1.6	42
132	A Microwave-Assisted Heck Reaction in Poly(ethylene glycol) for the Synthesis of Benzazepines. European Journal of Organic Chemistry, 2007, 2007, 201-208.	1.2	42
133	Investigation of Silicon-Based Nanostructure Morphology and Chemical Termination on Laser Desorption Ionization Mass Spectrometry Performance. Analytical Chemistry, 2012, 84, 10637-10644.	3.2	42
134	Iron-catalyzed benzamide formation. Application to the synthesis of moclobemide. Tetrahedron, 2014, 70, 5093-5099.	1.0	42
135	Expedient Mechanochemistry of $\langle i \rangle N \langle /i \rangle, \langle i \rangle N \langle /i \rangle \hat{\Delta}$ Dialkyl Imidazoliums and Silver(I) $\hat{\Delta}$ Carbene Complexes in a Ball $\hat{\Delta}$ Mill. Chemistry - A European Journal, 2015, 21, 17614-17617.	1.7	42
136	Use of coated capillaries for the electrophoretic separation of stereoisomers of a growth hormone secretagogue. Electrophoresis, 2009, 30, 3772-3779.	1.3	41
137	Comparison of inert supports in laser desorption/ionization mass spectrometry of peptides: pencil lead, porous silica gel, DIOS $\hat{\Delta}$ chip and NALDI $\hat{\Delta}$, $\hat{\Delta}$ target. Rapid Communications in Mass Spectrometry, 2009, 23, 2371-2379.	0.7	41
138	Evidence for a Role of NTS2 Receptors in the Modulation of Tonic Pain Sensitivity. Molecular Pain, 2009, 5, 1744-8069-5-38.	1.0	41
139	Solvent-free synthesis of unsaturated amino esters in a ball-mill. Tetrahedron Letters, 2010, 51, 6246-6249.	0.7	41
140	Inorganic polymerization: an attractive route to biocompatible hybrid hydrogels. Journal of Materials Chemistry B, 2018, 6, 3434-3448.	2.9	41
141	Evidence for dopaminomimetic effect of intrastriatally injected cholecystokinin octapeptide in mice. European Journal of Pharmacology, 1986, 121, 395-401.	1.7	40
142	Solid-phase synthesis of $\hat{\pm}$ -amino acids by radical addition to a dehydroalanine derivative. Tetrahedron Letters, 1999, 40, 4535-4538.	0.7	40
143	Molecular Basis for Selectivity of High Affinity Peptide Antagonists for the Gastrin-releasing Peptide Receptor. Journal of Biological Chemistry, 2001, 276, 36652-36663.	1.6	40
144	Imidazopyridine-fused [1,3]-diazepinones: Synthesis and antiproliferative activity. European Journal of Medicinal Chemistry, 2014, 75, 382-390.	2.6	40

#	ARTICLE	IF	CITATIONS
145	Palladium-catalyzed cascade allylation/carbopalladation/cross coupling: a novel three-component reaction for the synthesis of 3,3-disubstituted-2,3-dihydrobenzofurans. <i>Tetrahedron Letters</i> , 2003, 44, 8657-8659.	0.7	39
146	Synthesis and Biological Effects of c(Lys-Lys-Pro-Tyr-Ile-Leu-Lys-Lys-Pro-Tyr-Ile-Leu) (JMV2012), a New Analogue of Neurotensin that Crosses the Blood-Brain Barrier. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1610-1616.	2.9	39
147	Simple and Specific Grafting of Antibacterial Peptides on Silicone Catheters. <i>Advanced Healthcare Materials</i> , 2016, 5, 3067-3073.	3.9	39
148	Mechanochemistry for facilitated access to N,N-diaryl NHC metal complexes. <i>New Journal of Chemistry</i> , 2017, 41, 1057-1063.	1.4	39
149	Synthesis of chiral urethane N-alkoxycarbonyl tetramic acids from urethane N-carboxyanhydrides (UNCAs). <i>Tetrahedron Letters</i> , 1994, 35, 1557-1560.	0.7	38
150	Tandem mass spectrometry of amidated peptides. <i>Journal of Mass Spectrometry</i> , 2006, 41, 1470-1483.	0.7	38
151	(S)-ABOC: A Rigid Bicyclic β^2 -Amino Acid as Turn Inducer. <i>Organic Letters</i> , 2012, 14, 960-963.	2.4	38
152	Palladium π -Heterocyclic Carbene Catalysts for the Ultrasound-Promoted Suzuki-Miyaura Reaction in Glycerol. <i>Advanced Synthesis and Catalysis</i> , 2013, 355, 1107-1116.	2.1	38
153	α -Acyl Benzotriazole Derivatives for the Synthesis of Dipeptides and Tripeptides and Peptide Biotinylation by Mechanochemistry. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 2936-2941.	3.2	38
154	Synthesis and post-synthetic modification of UiO-67 type metal-organic frameworks by mechanochemistry. <i>Materials Letters</i> , 2017, 197, 171-174.	1.3	38
155	Prevention of Spontaneous Tumors of Aged Mice by Immunopharmacologic Manipulation: Study of Immune Antitumor Mechanisms. <i>Journal of the National Cancer Institute</i> , 1981, 66, 1113-1119.	3.0	37
156	On the use of carboxamidomethyl esters (cam esters) in the synthesis of model peptides. scope and limitations. <i>Tetrahedron</i> , 1985, 41, 739-743.	1.0	37
157	JMV 449: A pseudopeptide analogue of neurotensin-(8-13) with highly potent and long-lasting hypothermic and analgesic effects in the mouse. <i>European Journal of Pharmacology</i> , 1992, 219, 327-329.	1.7	37
158	Selective [3 + 2] Huisgen Cycloaddition. Synthesis of <i>Trans</i> -Disubstituted Triazolodiazepines from α -Baylis-Hillman Adducts. <i>Journal of Organic Chemistry</i> , 2009, 74, 2004-2007.	1.7	37
159	A Concerted Mechanism for Opening the GDP Binding Pocket and Release of the Nucleotide in Hetero-Trimeric G-Proteins. <i>Journal of Molecular Biology</i> , 2011, 411, 298-312.	2.0	37
160	Comprehensive study on olefin metathesis in PEG as an alternative solvent under microwave irradiation. <i>Journal of Catalysis</i> , 2012, 294, 113-118.	3.1	37
161	Sol-gel synthesis of collagen-inspired peptide hydrogel. <i>Materials Today</i> , 2017, 20, 59-66.	8.3	37
162	Growth hormone secretagogues hexarelin and JMV2894 protect skeletal muscle from mitochondrial damages in a rat model of cisplatin-induced cachexia. <i>Scientific Reports</i> , 2017, 7, 13017.	1.6	37

#	ARTICLE	IF	CITATIONS
163	High Catalytic Activity of Heterometallic (Fe ₆ Na ₇ and Fe ₆ Na ₆) Cage Silsesquioxanes in Oxidations with Peroxides. <i>Catalysts</i> , 2017, 7, 101.	1.6	37
164	Cholecystokinin increases intracellular Ca ²⁺ concentration in the Human JURKAT T Lymphocyte Cell line. <i>European Journal of Pharmacology</i> , 1993, 245, 241-246.	2.7	36
165	Gastrin induces over-expression of genes involved in human U373 glioblastoma cell migration. <i>Oncogene</i> , 2001, 20, 7021-7028.	2.6	36
166	Synthesis of peptide aldehydes. <i>Journal of Peptide Science</i> , 2007, 13, 1-15.	0.8	36
167	Microwave-assisted Solid Phase Peptide Synthesis on High Loaded Resins. <i>International Journal of Peptide Research and Therapeutics</i> , 2008, 14, 143-147.	0.9	36
168	Thiazole-Based Building Blocks as Reverse-Turn Mimetic to Design a Gramicidin...S Analogue: Conformational and Biological Evaluation. <i>Chemistry - A European Journal</i> , 2014, 20, 6713-6720.	1.7	36
169	Si ₁₀ Cu ₆ N ₄ Cage Hexacoppersilsesquioxanes Containing N Ligands: Synthesis, Structure, and High Catalytic Activity in Peroxide Oxidations. <i>Inorganic Chemistry</i> , 2017, 56, 15026-15040.	1.9	36
170	N-benzhydryl-glycolamide esters (OBg esters) as carboxyl protecting groups in peptide synthesis. <i>Tetrahedron</i> , 1988, 44, 5101-5108.	1.0	35
171	Structure of Cholecystokinin Receptor Binding Sites and Mechanism of Activation/Inactivation by Agonists/Antagonists. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2002, 91, 313-320.	0.0	35
172	Synthesis of Peptide Alcohols on the Basis of an O ² -N Acyl-Transfer Reaction. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 117-120.	7.2	35
173	Probing the importance of π -stacking interactions in DNA-templated self-assembly of bisfunctionalized guanidinium compounds. <i>Chemical Communications</i> , 2014, 50, 14257-14260.	2.2	35
174	Dystrophin and utrophin complexed with different associated proteins in cardiac Purkinje fibres. <i>The Histochemical Journal</i> , 1999, 31, 425-432.	0.6	34
175	A C-terminal aldehyde insect kinin analog enhances inhibition of weight gain and induces significant mortality in <i>Helicoverpa zea</i> larvae. <i>Peptides</i> , 2003, 24, 1615-1621.	1.2	34
176	Asymmetric Diels-Alder Cycloaddition of 1-Aminocyclohexadiene to Chiral Acrylate: Synthesis of Enantiopure Bridgehead-Aminobicyclo[2.2.2]octane-2-carboxylic Acid Derivatives. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 3166-3172.	1.2	34
177	Structure-activity relationships of novel peptide agonists of the human bradykinin B2 receptor. <i>Peptides</i> , 2009, 30, 777-787.	1.2	34
178	α -Carbamate-peptide bond surrogates: synthesis of Boc-Leu- α -(CH ₂ -CH ₂)-Phe-OH and Boc-Leu- β -(CH ₂ -CH ₂)-Phe-OH through a horner-emmons reaction.. <i>Tetrahedron Letters</i> , 1990, 31, 7319-7322.	0.7	33
179	Design and characterization of a new cell-permeant inhibitor of the β^2 -secretase BACE1. <i>British Journal of Pharmacology</i> , 2005, 145, 228-235.	2.7	33
180	2-Trimethylsilyl ethanesulfonyl (SES) versus Tosyl (Ts) Protecting Group in the Preparation of Nitrogen-Containing Five-Membered Rings. A Novel Route for the Synthesis of Substituted Pyrrolines and Pyrrolidines. <i>Journal of Organic Chemistry</i> , 2007, 72, 1518-1521.	1.7	33

#	ARTICLE	IF	CITATIONS
181	Synthesis of Pyrrolin-4-ones by Pt-Catalyzed Cycloisomerization in PEG under Microwaves. <i>Journal of Organic Chemistry</i> , 2013, 78, 2698-2702.	1.7	33
182	Ionic Complexes of Tetra- and Nonanuclear Cage Copper(II) Phenylsilsesquioxanes: Synthesis and High Activity in Oxidative Catalysis. <i>ChemCatChem</i> , 2017, 9, 4437-4447.	1.8	33
183	Involvement of PPAR δ in the Anticonvulsant Activity of EP-80317, a Ghrelin Receptor Antagonist. <i>Frontiers in Pharmacology</i> , 2017, 8, 676.	1.6	33
184	Neuroblastoma Differentiation Involves the Expression of Two Isoforms of the β -Subunit of Go. <i>Journal of Neurochemistry</i> , 1990, 54, 1310-1320.	2.1	32
185	Synthesis of a New Insoluble Polymer-Supported Chiral Alcohol Auxiliary and Its First Application to Nucleophilic Addition to Ketenes. <i>Journal of Organic Chemistry</i> , 2001, 66, 5859-5865.	1.7	32
186	Supported Synthesis of Oxoapratoxin A. <i>Journal of Organic Chemistry</i> , 2009, 74, 4298-4304.	1.7	32
187	Easy synthesis and ring-opening polymerization of α -aminovalerolactone: New degradable amino-functionalized (Co)polyesters. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5891-5898.	2.5	32
188	Activation of the Ghrelin Receptor is Described by a Privileged Collective Motion: A Model for Constitutive and Agonist-induced Activation of a Sub-class A G-Protein Coupled Receptor (GPCR). <i>Journal of Molecular Biology</i> , 2010, 395, 769-784.	2.0	32
189	Laser desorption ionization mass spectrometry of protein tryptic digests on nanostructured silicon plates. <i>Journal of Proteomics</i> , 2012, 75, 1973-1990.	1.2	32
190	Side reactions in peptide synthesis. 8. On the phenacyl group in the protection of the β -carboxyl function of aspartyl residues. <i>Journal of Organic Chemistry</i> , 1978, 43, 3071-3073.	1.7	31
191	Characterization of the differentiation of human colorectal cancer cell lines by means of Voronoi diagrams. <i>Cytometry</i> , 1993, 14, 783-792.	1.8	31
192	Synthesis of peptide aldehydes on solid support using ozonolysis. <i>Tetrahedron Letters</i> , 1998, 39, 7287-7290.	0.7	31
193	Selective C-Acylation of 2-Aminoimidazo[1,2- <i>a</i>]pyridine: Application to the Synthesis of Imidazopyridine-Fused [1,3]Diazepinones. <i>Journal of Organic Chemistry</i> , 2012, 77, 3679-3685.	1.7	31
194	Synthesis and anti-Candida activity of novel 2-hydrazino-1,3-thiazole derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 1803-1807.	1.0	31
195	Spinal NTS2 receptor activation reverses signs of neuropathic pain. <i>FASEB Journal</i> , 2013, 27, 3741-3752.	0.2	31
196	Unraveling the synthesis of homoleptic [Ag(N,N-diaryl-NHC) $_2$] $_2$ (Y = BF $_4^-$,) <i>Tetrahedron Letters</i> , 2017, 48, 1071-1074.	1.6	31
197	Synthesis of gastrin antagonists, analogs of the C-terminal tetrapeptide of gastrin, by introduction of a β -homo residue. <i>Journal of Medicinal Chemistry</i> , 1989, 32, 522-528.	2.9	30
198	Soluble Polymer Supported Synthesis of α -Amino Acid Derivatives. <i>ACS Combinatorial Science</i> , 2000, 2, 134-142.	3.3	30

#	ARTICLE	IF	CITATIONS
199	A New Class of Arylpiperazine Derivatives: The Library Synthesis on SynPhase Lanterns and Biological Evaluation on Serotonin 5-HT _{1A} and 5-HT _{2A} Receptors. <i>ACS Combinatorial Science</i> , 2004, 6, 761-767.	3.3	30
200	Synthesis and Characterization in Vitro and in Vivo of (S)-N-(Trimethylsilyl)alanine Containing Neuropeptide Analogues. <i>Journal of Medicinal Chemistry</i> , 2015, 58, 7785-7795.	2.9	30
201	Synthesis and Characterization of Bradykinin B ₂ Receptor Agonists Containing Constrained Dipeptide Mimics. <i>Journal of Medicinal Chemistry</i> , 1999, 42, 4193-4201.	2.9	29
202	Transannular rearrangement of activated 2,5-diketopiperazines: a key route to original scaffolds. <i>Organic and Biomolecular Chemistry</i> , 2008, 6, 3989.	1.5	29
203	Silaproline Helical Mimetics Selectively Form an All- <i>trans</i> PPII Helix. <i>Chemistry - A European Journal</i> , 2014, 20, 14240-14244.	1.7	29
204	Mechanochemical Preparation of 3,5-Disubstituted Hydantoins from Dipeptides and Unsymmetrical Ureas of Amino Acid Derivatives. <i>Journal of Organic Chemistry</i> , 2016, 81, 9802-9809.	1.7	29
205	Unambiguous and Controlled One-Pot Synthesis of Multifunctional Silica Nanoparticles. <i>Chemistry of Materials</i> , 2016, 28, 885-889.	3.2	29
206	Synthesis and biological activity of new peptide segments of gastrin exhibiting gastrin antagonist property. <i>Journal of Medicinal Chemistry</i> , 1984, 27, 1597-1601.	2.9	28
207	Peptide hormones as prohormones. <i>Trends in Pharmacological Sciences</i> , 1986, 7, 139-147.	4.0	28
208	A general route to α -carbamate peptide bond replacements: Unequivocal synthesis of Boc-Phe- $\dot{\text{I}}$ (CH ₂ -CH ₂)-Ala-OH and Boc-Phe- $\dot{\text{I}}$ (CH ₂ -CH ₂)-Ala-OH.. <i>Tetrahedron Letters</i> , 1990, 31, 5153-5156.	0.7	28
209	Chemoselective cross-linking of alginate with thiol-terminated peptides for tissue engineering applications. <i>Carbohydrate Polymers</i> , 2012, 88, 1239-1250.	5.1	28
210	MC1R expression in HaCaT keratinocytes inhibits UVA-induced ROS production via NADPH Oxidase and cAMP-dependent mechanisms. <i>Journal of Cellular Physiology</i> , 2012, 227, 2578-2585.	2.0	28
211	Gastrin Releasing Peptide Receptor-Directed Radioligands Based on a Bombesin Antagonist: Synthesis, ¹¹¹ In-Labeling, and Preclinical Profile. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 2374-2384.	2.9	28
212	Solventless Mechanosynthesis of N-Protected Amino Esters. <i>Journal of Organic Chemistry</i> , 2014, 79, 4008-4017.	1.7	28
213	Synthesis of chiral N-protected β^2 -amino alcohols by the use of UNCAs. <i>Tetrahedron Letters</i> , 1994, 35, 569-571.	0.7	27
214	Molecular Mechanism Underlying Partial and Full Agonism Mediated by the Human Cholecystokinin-1 Receptor. <i>Journal of Biological Chemistry</i> , 2005, 280, 10664-10674.	1.6	27
215	Transannular Rearrangement of Activated Lactams: Stereoselective Synthesis of Substituted Pyrrolidine-4-diones from Diketopiperazines. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7488-7490.	7.2	27
216	Development of an oxyntomodulin/glicentin C-terminal radioimmunoassay using a α -thiol-maleoyl coupling method for preparing the immunogen. <i>Analytical Biochemistry</i> , 1988, 173, 151-159.	1.1	26

#	ARTICLE	IF	CITATIONS
217	A New Soluble Polymer-Supported Sulfonyl Linker $\hat{\sim}$ Application to the Synthesis of Cyclic $\hat{\pm}$ -Amino Acids. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 2308.	1.2	26
218	Preparation of Poly(Ethylene Glycol) Sulfonamide: Synthesis of N-Supported $\hat{2}$ -Aminoesters via the Aza-Baylis $\hat{\sim}$ Hillman Reaction. <i>ACS Combinatorial Science</i> , 2004, 6, 464-467.	3.3	26
219	SYNTHESIS OF ANALOGS OF THE SERLIM THYMIC NONAPEPTIDE, FACTEUR THYMIQUE SERIQUE (FTS) Part I. <i>International Journal of Peptide and Protein Research</i> , 1979, 14, 41-56.	0.1	26
220	2-Phenylethyl ester and 2-phenylethyl amide derivative analogues of the C-terminal hepta- and octapeptide of cholecystokinin. <i>International Journal of Peptide and Protein Research</i> , 2009, 32, 384-395.	0.1	26
221	Cyclosulfamide as a chiral auxiliary: application to efficient asymmetric synthesis (alkylation/aldolization). <i>Tetrahedron: Asymmetry</i> , 2010, 21, 2361-2366.	1.8	26
222	Progressive Seizure Aggravation in the Repeated 6-Hz Corneal Stimulation Model Is Accompanied by Marked Increase in Hippocampal p-ERK1/2 Immunoreactivity in Neurons. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 281.	1.8	26
223	A ³ â€Coupling Reaction and [Ag(IPr) ₂]PF ₆ : A Successful Couple. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 4642-4647.	1.2	26
224	Poly(ethylene glycol)s as grinding additives in the mechanochemical preparation of highly functionalized 3,5-disubstituted hydantoins. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 19-25.	1.3	26
225	Site-specific grafting on titanium surfaces with hybrid temporin antibacterial peptides. <i>Journal of Materials Chemistry B</i> , 2018, 6, 1782-1790.	2.9	26
226	A more sustainable and efficient access to IMes $\hat{\sim}$ HCl and IPr $\hat{\sim}$ HCl by ball-milling. <i>Green Chemistry</i> , 2018, 20, 964-968.	4.6	26
227	Diastereoselective radical addition to dehydroalanine derivatives of pantolactone. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 503-510.	1.8	25
228	Identification of Tyrosine 189 and Asparagine 358 of the Cholecystokinin 2 Receptor in Direct Interaction with the Crucial C-Terminal Amide of Cholecystokinin by Molecular Modeling, Site-Directed Mutagenesis, and Structure/Affinity Studies. <i>Molecular Pharmacology</i> , 2003, 63, 973-982.	1.0	25
229	Fundamentals of Modern Peptide Synthesis. , 2005, 298, 3-24.		25
230	Laser desorption/ionization mass spectrometry on porous silica and alumina for peptide mass fingerprinting. <i>Journal of the American Society for Mass Spectrometry</i> , 2008, 19, 632-644.	1.2	25
231	Phenylethylamide derivatives of the C $\hat{\sim}$ terminal tetrapeptide of gastrin. <i>International Journal of Peptide and Protein Research</i> , 1986, 28, 529-535.	0.1	25
232	New hydroxamate inhibitors of neurotensin $\hat{\sim}$ degrading enzymes Synthesis and enzyme active $\hat{\sim}$ site recognition. <i>International Journal of Peptide and Protein Research</i> , 1996, 48, 148-155.	0.1	25
233	Silica nanoparticles pre-spotted onto target plate for laser desorption/ionization mass spectrometry analyses of peptides. <i>Analytica Chimica Acta</i> , 2012, 741, 47-57.	2.6	25
234	Unprecedented Chain $\hat{\sim}$ Length $\hat{\sim}$ Dependent Conformational Conversion Between 11/9 and 18/16 $\hat{\sim}$...Helix in $\hat{\pm}$ / $\hat{2}$ â€Hybrid Peptides. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13131-13135.	7.2	25

#	ARTICLE	IF	CITATIONS
235	Stereoselective synthesis of unsaturated $\hat{\iota}$ -amino acids. <i>Amino Acids</i> , 2015, 47, 1107-1115.	1.2	25
236	Easy Synthesis of Tunable Hybrid Bioactive Hydrogels. <i>Chemistry of Materials</i> , 2016, 28, 1261-1265.	3.2	25
237	Glicentin and Oxyntomodulin Modulate Both the Phosphoinositide and Cyclic Adenosine Monophosphate Signaling Pathways in Gastric Myocytes**This work was supported by La Fondation pour la Recherche Médicale.. <i>Endocrinology</i> , 1999, 140, 22-28.	1.4	24
238	A Rational Approach to the Design and Synthesis of a New Bradykinin B1 Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 2387-2394.	2.9	24
239	Convenient two-step preparation of [1,2,4]triazolo[4,3-a]pyridines from 2-hydrazinopyridine and carboxylic acids. <i>Tetrahedron Letters</i> , 2006, 47, 7591-7594.	0.7	24
240	Novel class of arylpiperazines containing N-acylated amino acids: Their synthesis, 5-HT1A, 5-HT2A receptor affinity, and in vivo pharmacological evaluation. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2907-2919.	1.4	24
241	Solid-phase synthesis of 5-arylhistidines via a microwave-assisted Suzuki-Miyaura cross-coupling. <i>Tetrahedron</i> , 2008, 64, 10538-10545.	1.0	24
242	Bactericidal activity of tuftsin. <i>Molecular and Cellular Biochemistry</i> , 1981, 41, 123-36.	1.4	23
243	Structure-activity relationships of C-terminal tri- and tetrapeptide fragments that inhibit gastrin activity. <i>Journal of Medicinal Chemistry</i> , 1985, 28, 273-278.	2.9	23
244	Synthesis of pyrrolidine-2,4-diones from urethane N-carboxyanhydrides (UNCAs). <i>Tetrahedron Letters</i> , 1996, 37, 1027-1030.	0.7	23
245	Synthesis of N- and side chain protected aspartyl and glutamyl aldehyde derivatives. Reinvestigation of the reduction of Weinreb amides. <i>Tetrahedron Letters</i> , 1998, 39, 1341-1344.	0.7	23
246	An efficient diastereoselective synthesis of $\hat{\iota}$ -1-formyl-2,3,4,6-tetra-O-benzyl-d-glucopyranoside. <i>Tetrahedron Letters</i> , 2002, 43, 7271-7272.	0.7	23
247	(R)- or (S)-4-(3-hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl)benzoic acid as a new chiral auxiliary for solid phase asymmetric Diels-Alder reactions. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 2515-2525.	1.8	23
248	Design and characterization of a novel cellular prion-derived quenched fluorimetric substrate of $\hat{\iota}$ -secretase. <i>Biochemical and Biophysical Research Communications</i> , 2006, 347, 254-260.	1.0	23
249	Stereoselective ring contraction of 2,5-diketopiperazines: An innovative approach to the synthesis of promising bioactive 5-membered scaffolds. <i>Bioorganic Chemistry</i> , 2010, 38, 210-217.	2.0	23
250	Multi-gram scale mercury-free synthesis of optically pure 3,4,5-trisubstituted 1,2,4-triazoles using silver benzoate. <i>Tetrahedron Letters</i> , 2010, 51, 2660-2663.	0.7	23
251	Study of a lipophilic captopril analogue binding to angiotensin I converting enzyme. <i>Journal of Peptide Science</i> , 2010, 16, 91-97.	0.8	23
252	Dipeptide mimic oligomer transporter mediates intracellular delivery of Cathepsin D inhibitors: A potential target for cancer therapy. <i>Journal of Controlled Release</i> , 2013, 171, 251-257.	4.8	23

#	ARTICLE	IF	CITATIONS
253	Solid-supported synthesis, molecular modeling, and biological activity of long-chain arylpiperazine derivatives with cyclic amino acid amide fragments as 5-HT7 and 5-HT1A receptor ligands. <i>European Journal of Medicinal Chemistry</i> , 2014, 78, 10-22.	2.6	23
254	Synthesis, characterisation and cytotoxic activity evaluation of new metal-salen complexes based on the 1,2-bicyclo[2.2.2]octane bridge. <i>Tetrahedron Letters</i> , 2021, 63, 152706.	0.7	23
255	Study of the states and populations of the rat pancreatic cholecystokinin receptor using the full peptide antagonist JMV 179. <i>FEBS Journal</i> , 1993, 212, 529-538.	0.2	22
256	Synthesis of perhydrodiazepinones as new putative peptidomimetics. <i>Tetrahedron</i> , 1999, 55, 4685-4698.	1.0	22
257	A side-reaction in the SPPS of Trp-containing peptides. , 1999, 5, 457-461.		22
258	Asymmetric Synthesis of (S)- ¹² Homoarylglycines. <i>European Journal of Organic Chemistry</i> , 2000, 2000, 2459-2466.	1.2	22
259	Dynamic kinetic resolution of racemic N-phthalyl amino acids using (S)- ¹ -methylpantolactone as the chiral auxiliary. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 737-741.	1.8	22
260	Chemoenzymatic Synthesis of Enantiomerically Pure (2S,3R,4S)-4-Hydroxyisoleucine, an Insulinotropic Amino Acid Isolated from Fenugreek Seeds. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 873-877.	1.2	22
261	Synthesis of analogues of the Des- ² -Phe-NH ₂ -terminal hexapeptide of cholecystokinin showing gastrin antagonist activity. <i>International Journal of Peptide and Protein Research</i> , 1986, 27, 386-393.	0.1	22
262	Synthesis of cyclic analogues of cholecystokinin highly selective for central receptors. <i>International Journal of Peptide and Protein Research</i> , 1990, 35, 441-451.	0.1	22
263	Peptide~Poly(L-lysine citramide) Conjugates and their In Vitro Anti-HIV Behavior. <i>Biomacromolecules</i> , 2009, 10, 865-876.	2.6	22
264	Synthesis of a new hydrophilic poly(ethylene glycol)-ionic liquid and its application in peptide synthesis. <i>Chemical Communications</i> , 2010, 46, 8842.	2.2	22
265	Robust Helix Formation in a New Family of Oligoureas Based on a Constrained Bicyclic Building Block. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 11267-11270.	7.2	22
266	Continuous flow ring-closing metathesis, an environmentally-friendly route to 2,5-dihydro-1H-pyrrole-3-carboxylates. <i>Green Chemistry</i> , 2017, 19, 1647-1652.	4.6	22
267	Bioactive peptides grafted silicone dressings: A simple and specific method. <i>Materials Today Chemistry</i> , 2017, 4, 73-83.	1.7	22
268	How are 1,2,3-triazoles accommodated in helical secondary structures?. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 3576-3583.	1.5	22
269	Effects of thiorphan, bestatin and a novel metallopeptidase inhibitor JMV 390-1 on the recovery of neurotensin and neuromedin N released from mouse hypothalamus. <i>Neuroscience Letters</i> , 1992, 142, 200-204.	1.0	21
270	The use of N-urethane-protected N-carboxyanhydrides (UNCAs) in amino acid and peptide synthesis. <i>Journal of Peptide Science</i> , 1995, 1, 124-131.	0.8	21

#	ARTICLE	IF	CITATIONS
271	Effect of glicentin, oxyntomodulin and related peptides on isolated gastric smooth muscle cells. Pflugers Archiv European Journal of Physiology, 1997, 434, 729-734.	1.3	21
272	Rapid solid phase synthesis of α -amino acids. Tetrahedron Letters, 1998, 39, 6287-6290.	0.7	21
273	Solid-phase synthesis of 3,7-disubstituted perhydro-1,4-diazepine-2,5-diones from amino acids and α -amino acids. Tetrahedron Letters, 2001, 42, 5389-5392.	0.7	21
274	On-Line Synthesis of Pseudopeptide Library Incorporating a Benzodiazepinone Turn Mimic: Biological Evaluation on MC1 Receptors. ACS Combinatorial Science, 2007, 9, 254-262.	3.3	21
275	Conformational Equilibrium of CDK/Cyclin Complexes by Molecular Dynamics with Excited Normal Modes. Biophysical Journal, 2015, 109, 1179-1189.	0.2	21
276	Iron/Caffeine as a Catalytic System for Microwave-Promoted Benzamide Formation. European Journal of Organic Chemistry, 2015, 2015, 417-422.	1.2	21
277	Epimerization-Free C-Term Activation of Peptide Fragments by Ball Milling. Organic Letters, 2021, 23, 631-635.	2.4	21
278	New Synthetic and Natural Tuftsin-related Compounds and Evaluation of Their Phagocytosis-stimulating Activity. Annals of the New York Academy of Sciences, 1983, 419, 23-34.	1.8	20
279	Synthesis of N-protected β -amino- α -keto-esters from urethane N-carboxyanhydrides (UNCAs). Tetrahedron Letters, 1996, 37, 8489-8492.	0.7	20
280	A silaprolin-containing dipeptide. Acta Crystallographica Section C: Crystal Structure Communications, 2000, 56, 1452-1454.	0.4	20
281	Synthesis and Biological Evaluation of Bombesin Constrained Analogues. Journal of Medicinal Chemistry, 2000, 43, 2356-2361.	2.9	20
282	Synthesis of New Tetrazole-Substituted Pyroaminoadipic and Pilocarpic Acid Derivatives. European Journal of Organic Chemistry, 2005, 2005, 326-333.	1.2	20
283	α -Disubstituted Amino Acids with Silylated Side Chains as Lipophilic Building Blocks for the Synthesis of Peptaibol Analogues. Chemistry and Biodiversity, 2008, 5, 1279-1287.	1.0	20
284	Trisubstituted 1,2,4-triazoles as ligands for the ghrelin receptor: On the significance of the orientation and substitution at position 3. Bioorganic and Medicinal Chemistry Letters, 2008, 18, 164-168.	1.0	20
285	Chemistry of Ring-Fused Oxazine-2,4-diones. European Journal of Organic Chemistry, 2009, 2009, 3487-3503.	1.2	20
286	Comparison of LID versus CID activation modes in tandem mass spectrometry of peptides. Journal of Mass Spectrometry, 2009, 44, 621-632.	0.7	20
287	Preparation of enantioenriched iodinated pyrrolinones by iodocyclization of α -amino- β -keto esters. Organic and Biomolecular Chemistry, 2012, 10, 9085.	1.5	20
288	Ring-Closing Metathesis in Aqueous Micellar Medium. Chemistry - A European Journal, 2012, 18, 760-764.	1.7	20

#	ARTICLE	IF	CITATIONS
289	Cyclic Enkephalins with a Diversely Substituted Guanidine Bridge or a Thiourea Bridge: Synthesis, Biological and Structural Evaluations. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 5964-5973.	2.9	20
290	Clinical use of β -proteasome in discriminating metastatic melanoma patients: Comparative study with LDH, MIA and S100B protein. <i>International Journal of Cancer</i> , 2013, 133, 142-148.	2.3	20
291	Fragment-Based Identification of a Locus in the Sec7 Domain of Arno for the Design of Protein-Protein Interaction Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8497-8511.	2.9	20
292	Poly(ethylene glycol) as a Reaction Matrix in Platinum- or Gold-Catalyzed Cycloisomerization: A Mechanistic Investigation. <i>Chemistry - A European Journal</i> , 2013, 19, 3817-3821.	1.7	20
293	Faster and cleaner dynamic kinetic resolution via mechanochemistry. <i>Green Chemistry</i> , 2015, 17, 204-208.	4.6	20
294	The importance of the amino acid in position 32 of cholecystokinin in determining its interaction with cholecystokinin receptors on pancreatic acini. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1981, 678, 352-357.	1.1	19
295	Oxyntomodulin and its (19-37) and (30-37) fragments inhibit histamine-stimulated gastric acid secretion in the conscious rat. <i>European Journal of Pharmacology</i> , 1991, 203, 245-252.	1.7	19
296	Impurity Detection in Solid-Phase Organic Chemistry: Scope and Limits of HR MAS NMR. <i>Tetrahedron</i> , 2000, 56, 5163-5167.	1.0	19
297	New example of proline-induced fragmentation in electrospray ionization mass spectrometry of peptides. <i>Rapid Communications in Mass Spectrometry</i> , 2002, 16, 1470-1475.	0.7	19
298	Microwave-assisted aza-Baylis-Hillman Reaction. Preparation of Poly(ethylene Glycol) Supported β -methylene- β -Aminoester. <i>QSAR and Combinatorial Science</i> , 2004, 23, 911-914.	1.5	19
299	Enantioselective synthesis of new 4-substituted glutamic acid derivatives. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 851-858.	1.8	19
300	Arylpiperazines with N-acylated amino acids as 5-HT1A receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 3406-3410.	1.0	19
301	A tandem aza-Friedel-Crafts reaction/Hantzsch cyclization: a simple procedure to access polysubstituted 2-amino-1,3-thiazoles. <i>Tetrahedron</i> , 2011, 67, 4897-4904.	1.0	19
302	GDP Release Preferentially Occurs on the Phosphate Side in Heterotrimeric G-proteins. <i>PLoS Computational Biology</i> , 2012, 8, e1002595.	1.5	19
303	Heating and microwave assisted SPPS of C-terminal acid peptides on trityl resin: the truth behind the yield. <i>Amino Acids</i> , 2013, 45, 1395-1403.	1.2	19
304	Bioorganic hybrid OMS by straightforward grafting of trialkoxysilyl peptides. <i>Journal of Materials Chemistry B</i> , 2013, 1, 2921.	2.9	19
305	Micelles into Glycerol Solvent: Overcoming Side Reactions of Glycerol. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 1353-1358.	3.2	19
306	Pyrido-imidazodiazepinones as a new class of reversible inhibitors of human kallikrein 7. <i>European Journal of Medicinal Chemistry</i> , 2015, 93, 202-213.	2.6	19

#	ARTICLE	IF	CITATIONS
307	Use of Molecular Modeling to Design Selective NTS2 Neurotensin Analogues. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 3303-3313.	2.9	19
308	Pharmacological and Biochemical Characterization of TLQP-21 Activation of a Binding Site on CHO Cells. <i>Frontiers in Pharmacology</i> , 2017, 8, 167.	1.6	19
309	Automated Monitoring of Phosphatidylcholine Biosyntheses in <i>Plasmodium falciparum</i> by Electrospray Ionization Mass Spectrometry through Stable Isotope Labeling Experiments. <i>Analytical Chemistry</i> , 2004, 76, 4515-4521.	3.2	18
310	MALDI-TOF MS analysis of soluble PEG based multi-step synthetic reaction mixtures with automated detection of reaction failure. <i>Journal of the American Society for Mass Spectrometry</i> , 2005, 16, 670-678.	1.2	18
311	Synthesis of new tetrazole and triazole substituted pyroglutamic acid and proline derivatives. <i>Tetrahedron Letters</i> , 2007, 48, 805-808.	0.7	18
312	Molecular modeling study for a novel structured oligomer subunit selection: the example of 2-aminomethyl-phenyl-acetic acid. <i>Tetrahedron Letters</i> , 2007, 48, 1787-1790.	0.7	18
313	Synthesis of a novel pyrrolo-[3,2-c]quinoline N-oxide by aza-Baylis-Hillman adduct of o-nitrobenzaldehyde. <i>Tetrahedron Letters</i> , 2008, 49, 4953-4955.	0.7	18
314	Straightforward Synthesis of Chiral Silylated Amino Acids through Hydrosilylation. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3107-3112.	1.2	18
315	<i>cis</i> -Apa: A Practical Linker for the Microwave-Assisted Preparation of Cyclic Pseudopeptides via RCM Cyclative Cleavage. <i>Journal of Organic Chemistry</i> , 2011, 76, 766-772.	1.7	18
316	From protected trialkoxysilyl-peptide building blocks to bioorganic-silica hybrid materials. <i>Journal of Materials Chemistry B</i> , 2013, 1, 6510.	2.9	18
317	Involvement of PKA and ERK pathways in ghrelin-induced long-lasting potentiation of excitatory synaptic transmission in the CA1 area of rat hippocampus. <i>European Journal of Neuroscience</i> , 2015, 42, 2568-2576.	1.2	18
318	Copper-Containing Rod-Shaped Nanosized Silica Particles for Microwave-Assisted Synthesis of Triazoles in Aqueous Solution. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 2516-2525.	3.2	18
319	Systemic Delivery of Tumor-Targeted Bax-Derived Membrane-Active Peptides for the Treatment of Melanoma Tumors in a Humanized SCID Mouse Model. <i>Molecular Therapy</i> , 2017, 25, 534-546.	3.7	18
320	Cholecystokinin (pancreozymin). 5. Hormonally active desamino derivative of Tyr(SO ₃ H)-Met-Gly-Trp-Met-Asp-Phe-NH ₂ . <i>Journal of Medicinal Chemistry</i> , 1980, 23, 82-85.	2.9	17
321	Imaging Combinatorial Libraries by Mass Spectrometry: From Peptide to Organic-Supported Syntheses. <i>ACS Combinatorial Science</i> , 2003, 5, 102-109.	3.3	17
322	Parallel solid-phase synthesis and characterization of new sulfonamide and carboxamide proline derivatives as potential CNS agents. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 3029-3035.	1.4	17
323	Conformational studies of proline-, thiaproline- and dimethylsilaproline-containing diketopiperazines. <i>Journal of Peptide Science</i> , 2006, 12, 621-625.	0.8	17
324	Efficient one-pot microwave-assisted synthesis of 3-(thien-3-yl)imidazolidine-2,4-dione analogs. <i>Tetrahedron</i> , 2007, 63, 7538-7544.	1.0	17

#	ARTICLE	IF	CITATIONS
325	MSX-3D: a tool to validate 3D protein models using mass spectrometry. <i>Bioinformatics</i> , 2008, 24, 2782-2783.	1.8	17
326	Diagnostic value and prognostic significance of plasmatic proteasome level in patients with melanoma. <i>Experimental Dermatology</i> , 2010, 19, 1054-1059.	1.4	17
327	Coarse-Grained Prediction of Peptide Binding to G-Protein Coupled Receptors. <i>Journal of Chemical Information and Modeling</i> , 2017, 57, 562-571.	2.5	17
328	Microgels of silylated HPMC as a multimodal system for drug co-encapsulation. <i>International Journal of Pharmaceutics</i> , 2017, 532, 790-801.	2.6	17
329	Synthesis and some pharmacological properties of Z-Tyr(SO ₃ H)-Met-Gly-Trp-Met-Asp(Phe-NH ₂)-OH, a 32-beta-aspartyl analog of cholecystokinin (pancreozymin)-27-33. <i>Journal of Medicinal Chemistry</i> , 1982, 25, 589-593.	2.9	16
330	Correlation between phospholipid breakdown, intracellular calcium mobilization and enzyme secretion in rat pancreatic acini treated with Boc-[Nle ²⁸ , Nle ³¹]-CCK-7 and JMV180, two cholecystokinin analogues. <i>Cellular Signalling</i> , 1990, 2, 339-346.	1.7	16
331	Synthesis and activity of HIV protease inhibitors. <i>European Journal of Medicinal Chemistry</i> , 1998, 33, 423-436.	2.6	16
332	Highly selective intermolecular Heck reaction for the soluble polymer supported synthesis of glutamic acid analogues. <i>Tetrahedron</i> , 2001, 57, 9711-9718.	1.0	16
333	Solid-Phase Synthesis of Arginine-Containing Peptides and Fluorogenic Substrates Using a Side-Chain Anchoring Approach. <i>Journal of Organic Chemistry</i> , 2004, 69, 8394-8402.	1.7	16
334	Reactivity Study of 1H-Thieno[3,2-d][1,3]oxazine-2,4-dione toward the Synthesis of Bicyclic 3,4-Dihydro-1H-thieno[3,2-e][1,4]diazepine-2,5-dione Analogues. <i>Journal of Organic Chemistry</i> , 2007, 72, 2662-2665.	1.7	16
335	Synthesis of Novel Pyrrolo-[3,2-c]quinolines via Iron-Catalyzed Cross-Coupling Reaction of Grignard Reagents. <i>Synthetic Communications</i> , 2009, 39, 1583-1591.	1.1	16
336	SYNTHESIS OF ANALOGS OF THE SERUM THYMIC NONAPEPTIDE, "FACTEUR THYMIQUE SERIQUE"(FTS) Part II. <i>International Journal of Peptide and Protein Research</i> , 1980, 16, 267-279.	0.1	16
337	Direct Access to α -Azetidines- α -Carboxylic Acid. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 2729-2732.	1.2	16
338	The role of aspartyl-rich pentapeptides in comparative complexation of actinide(IV) and iron(III). Part 1. <i>New Journal of Chemistry</i> , 2009, 33, 976.	1.4	16
339	Functionalised mesoporous silica: a good opportunity for controlled peptide oligomerisation. <i>Journal of Materials Chemistry</i> , 2011, 21, 6321.	6.7	16
340	α -Tocopherol and α -tocopheryl phosphate interact with the cannabinoid system in the rodent hippocampus. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1643-1655.	1.3	16
341	Occurrence of C-Terminal Residue Exclusion in Peptide Fragmentation by ESI and MALDI Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2012, 23, 330-346.	1.2	16
342	Ultrasounds in Melted Poly(ethylene glycol) Promote Copper-Catalyzed Cyanation of Aryl Halides with $K_4[Fe(CN)_6]$. <i>ChemSusChem</i> , 2014, 7, 919-924.	3.6	16

#	ARTICLE	IF	CITATIONS
343	A New Way to Silicone-Based Peptide Polymers. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3778-3782.	7.2	16
344	Imidazopyridine-fused [1,3]-diazepinones part 2: Structure-activity relationships and antiproliferative activity against melanoma cells. <i>European Journal of Medicinal Chemistry</i> , 2017, 125, 1225-1234.	2.6	16
345	1,3-Diazepine: A privileged scaffold in medicinal chemistry. <i>Medicinal Research Reviews</i> , 2021, 41, 2247-2315.	5.0	16
346	1-Aminobicyclo[2.2.2]octane-2-carboxylic Acid and Derivatives As Chiral Constrained Bridged Scaffolds for Foldamers and Chiral Catalysts. <i>Accounts of Chemical Research</i> , 2021, 54, 685-696.	7.6	16
347	A new class of potent gastrin antagonists. <i>Regulatory Peptides</i> , 1984, 9, 259-262.	1.9	15
348	Synthesis of the C-terminal octapeptide of pig oxyntomodulin. Lys-Arg-Asn-Lys-Asn-Asn-Ile-Ala: a potent inhibitor of pentagastrin-induced acid secretion. <i>Journal of Medicinal Chemistry</i> , 1985, 28, 1529-1533.	2.9	15
349	Pharmacological characterization of new cholecystokinin analogues. <i>European Journal of Pharmacology</i> , 1992, 222, 233-240.	1.7	15
350	Efficient synthesis of functionalized α -aryl α -aminoesters via reaction of polyfunctional diarylzincs with a glycine cation equivalent. <i>Tetrahedron Letters</i> , 1997, 38, 3385-3386.	0.7	15
351	A synthetic glycine-extended bombesin analogue interacts with the GRP/bombesin receptor. <i>European Journal of Pharmacology</i> , 2000, 403, 17-25.	1.7	15
352	A new high-loading water-soluble scavenger for anhydrides, acid chlorides and isocyanates. <i>Tetrahedron Letters</i> , 2002, 43, 1693-1695.	0.7	15
353	Efficient solid-phase synthesis of 4,5-dihydro-1,2,4-triazin-6(1H)-ones. <i>Tetrahedron Letters</i> , 2003, 44, 459-462.	0.7	15
354	(S)-(3-Hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) acetic acid as a solid supported chiral auxiliary in the asymmetric synthesis of β -homoarylglycines. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1223-1228.	1.8	15
355	Stereocontrolled Synthesis of 2,4-Diamino-3-hydroxyacids Starting from Diketopiperazines: A New Route for the Preparation of Statine Analogues. <i>Organic Letters</i> , 2007, 9, 4833-4836.	2.4	15
356	The iodolactone approach to enantiopure oxiranes of constrained chiral cyclic β -amino acids. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2135-2139.	1.8	15
357	Solid-Phase Synthesis of 4-Methylcarboxy-1,4-benzodiazepine-2,5-diones. <i>ACS Combinatorial Science</i> , 2008, 10, 869-874.	3.3	15
358	SIDE REACTIONS IN PEPTIDE SYNTHESIS. <i>International Journal of Peptide and Protein Research</i> , 1979, 13, 22-27.	0.1	15
359	A new generation of cross-linkers for selective detection by MALDI MS. <i>Proteomics</i> , 2009, 9, 5384-5388.	1.3	15
360	Pharmacological evidences for DFK167-sensitive presenilin-independent β -secretase-like activity. <i>Journal of Neurochemistry</i> , 2009, 110, 275-283.	2.1	15

#	ARTICLE	IF	CITATIONS
361	Stereoselective synthesis of original spirolactams displaying promising folded structures. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 4719.	1.5	15
362	Turning Peptide Sequences into Ribbon Foldamers by a Straightforward Multicyclization Reaction. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 13966-13970.	7.2	15
363	JMV2894, a novel growth hormone secretagogue, accelerates body mass recovery in an experimental model of cachexia. <i>Endocrine</i> , 2017, 58, 106-114.	1.1	15
364	Synthesis and biological activity of some partially modified retro-inverso analogs of cholecystokinin. <i>Journal of Medicinal Chemistry</i> , 1989, 32, 2331-2339.	2.9	14
365	Characterization of the novel CCK analogs JMV-180, JMV-320, and JMV-332 in H345 cells. <i>Peptides</i> , 1992, 13, 1227-1232.	1.2	14
366	Asymmetric synthesis of (2S,3R,4R)-ethoxycarbonylcyclopropyl phosphonoglycine. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 2329-2332.	1.8	14
367	Stereoselective synthesis of allyl- and homoallylglycines. <i>Tetrahedron Letters</i> , 2001, 42, 3319-3321.	0.7	14
368	Synthesis of enantiomerically pure (3R,4R,5R)-4-hydroxy isoleucine lactone. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 2657-2661.	1.8	14
369	Preliminary study on application of impregnated synthetic peptide TLC stationary phases for the pre-screening of 5-HT1A ligands. <i>Biomedical Chromatography</i> , 2003, 17, 312-317.	0.8	14
370	Spiroimidazolidinone Library Derivatives on SynPhase Lanterns. <i>ACS Combinatorial Science</i> , 2003, 5, 356-361.	3.3	14
371	Synthesis of new triazole substituted pyroaminoadipic and pipercolic acid derivatives. <i>Tetrahedron Letters</i> , 2004, 45, 8905-8907.	0.7	14
372	Synthesis and Structure of Symmetrical Bicyclic Hexapeptides Bridged by Metathesis Reaction. <i>Organic Letters</i> , 2004, 6, 3449-3452.	2.4	14
373	(R)-(4-(Benzyloxycarbonylphenyl)-3-hydroxy-4,4-dimethyl-2-pyrrolidinone) acrylate derivative as a chiral dienophile for the synthesis of enantiopure 2-aminocyclohexane carboxylic acids. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 2173-2178.	1.8	14
374	Cross-interactions of Two p38 Mitogen-activated Protein (MAP) Kinase Inhibitors and Two Cholecystokinin (CCK) Receptor Antagonists with the CCK1 Receptor and P38 MAP Kinase. <i>Journal of Biological Chemistry</i> , 2005, 280, 21384-21393.	1.6	14
375	Sulfonamides with the N-alkyl-N ² -dialkylguanidine moiety as 5-HT7 receptor ligands. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4827-4831.	1.0	14
376	Involvement of tryptophan W276 and of two surrounding amino acid residues in the high constitutive activity of the ghrelin receptor GHS-R1a. <i>European Journal of Pharmacology</i> , 2010, 643, 153-161.	1.7	14
377	Noncationic Dipeptide Mimic Oligomers As Cell Penetrating Nonpeptides (CPNP). <i>Bioconjugate Chemistry</i> , 2010, 21, 1850-1854.	1.8	14
378	Asymmetric Synthesis of β -Tryptophan Analogues via Friedel-Crafts Alkylation of Indoles with a Chiral Nitroacrylate. <i>Journal of Organic Chemistry</i> , 2011, 76, 6116-6124.	1.7	14

#	ARTICLE	IF	CITATIONS
379	From Polyesters to Polyamides Via O _i N Acyl Migration: An Original Multi-Transfer Reaction. <i>Macromolecular Rapid Communications</i> , 2011, 32, 876-880.	2.0	14
380	Mixed Oligoureas Based on Constrained Bicyclic and Acyclic β -Amino Acids Derivatives: On the Significance of the Subunit Configuration for Folding. <i>Chemistry - A European Journal</i> , 2013, 19, 16963-16971.	1.7	14
381	A mechanochemical approach to access the proline-proline diketopiperazine framework. <i>Beilstein Journal of Organic Chemistry</i> , 2017, 13, 2169-2178.	1.3	14
382	Structure-Based Design and Optimization of FPPQ, a Dual-Acting 5-HT ₃ and 5-HT ₆ Receptor Antagonist with Antipsychotic and Procognitive Properties. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 13279-13298.	2.9	14
383	Synthesis and antitumor evaluation of some nitrosourea and nitrogen mustard amino acid derivatives. <i>Journal of Medicinal Chemistry</i> , 1984, 27, 1222-1225.	2.9	13
384	Reduction phenomenon in frit fast-atom bombardment mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1995, 9, 509-511.	0.7	13
385	Peptide Bond Formation Using Polymer-Bound BOP. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 1936-1939.	1.2	13
386	Toward Diels-Alder Reactions on a Solid Support Using Polymer Bound N-Substituted 3-Hydroxy-4,4-dimethyl-2-pyrrolidinone Acrylate Derivatives. <i>European Journal of Organic Chemistry</i> , 2004, 2004, 2441-2450.	1.2	13
387	The epimerization of peptide aldehydes—a systematic study. <i>Journal of Peptide Science</i> , 2006, 12, 497-501.	0.8	13
388	[15N]-Isotopic labeling: a suitable tool to study the reactivity of bis lactams. <i>Tetrahedron Letters</i> , 2008, 49, 906-909.	0.7	13
389	A New Highly Versatile Handle for Chemistry on a Solid Support: The Pipecolic Linker. <i>Chemistry - A European Journal</i> , 2010, 16, 7547-7553.	1.7	13
390	Highly Resolutive Separations of Hardly Soluble Synthetic Polypeptides by Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2010, 82, 394-399.	3.2	13
391	Amino acids as building blocks for the synthesis of substituted 1,2,4-triazoles. <i>Tetrahedron</i> , 2011, 67, 7042-7049.	1.0	13
392	Synthesis of new racemic and optically active α -phosphonoalkyl bicyclic β -amino acids via the Kabachnik-Fields reaction as potential biologically active compounds. <i>Heteroatom Chemistry</i> , 2012, 23, 123-130.	0.4	13
393	Synthesis of peptide-grafted comb polypeptides via polymerisation of NCA-peptides. <i>Chemical Communications</i> , 2013, 49, 409-411.	2.2	13
394	Anticonvulsant effect of a ghrelin receptor agonist in 6Hz corneally kindled mice. <i>Epilepsia</i> , 2016, 57, e195-9.	2.6	13
395	Stereoselective Synthesis of β -(5-Arylthiazolyl) β -Amino Acids and Use in Neurotensin Analogues. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 1017-1024.	1.2	13
396	N-Pyrrolidine-based β -peptides incorporating ABOC, a constrained bicyclic β -amino acid, for asymmetric aldol reaction catalysis. <i>Tetrahedron</i> , 2016, 72, 1706-1715.	1.0	13

#	ARTICLE	IF	CITATIONS
397	Hydrophobic β -Disubstituted Disilylated TESDpg Induces Incipient 3×10 -Helix in Short Tripeptide Sequence. <i>Organic Letters</i> , 2017, 19, 2937-2940.	2.4	13
398	Enhancing the Antimicrobial Activity of Alamethicin F50/5 by Incorporating N-terminal Hydrophobic Triazole Substituents.. <i>Chemistry - A European Journal</i> , 2017, 23, 17964-17972.	1.7	13
399	Biocompatible Glycine-Assisted Catalysis of the Sol-Gel Process: Development of Cell-Embedded Hydrogels. <i>ChemPlusChem</i> , 2019, 84, 1720-1729.	1.3	13
400	Design of PEGylated Three Ligands Silica Nanoparticles for Multi-Receptor Targeting. <i>Nanomaterials</i> , 2021, 11, 177.	1.9	13
401	Bottom-up strategies for the synthesis of peptide-based polymers. <i>Progress in Polymer Science</i> , 2021, 115, 101377.	11.8	13
402	Inorganic Sol-Gel Polymerization for Hydrogel Bioprinting. <i>ACS Omega</i> , 2020, 5, 2640-2647.	1.6	13
403	In vitro influence of gastrin, oestradiol and gonadotropin-releasing hormone on HCT-15 and LoVo human colorectal neoplastic cell proliferation. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1268-1274.	0.9	12
404	CholecystokininB Receptor from Human Jurkat Lymphoblastic T Cells Is Involved in Activator Protein-1-Responsive Gene Activation. <i>Molecular Pharmacology</i> , 1997, 52, 292-299.	1.0	12
405	Synthesis and biological activity of glutamic acid derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 127-132.	1.0	12
406	Efficient chemoenzymatic synthesis of enantiomerically pure β -heterocyclic amino acid derivatives. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 4719-4724.	1.8	12
407	Cyclic RGD peptide by ring-closing metathesis. <i>Tetrahedron Letters</i> , 2002, 43, 3765-3767.	0.7	12
408	Easy saponification by metal silanolates: application in SPPS and in (S)-5-hydroxynorvaline preparation. <i>Tetrahedron Letters</i> , 2005, 46, 1795-1797.	0.7	12
409	Solvent-Free Microwave-Assisted Suzuki-Miyaura Coupling Catalyzed by PEPPSI-IPr. <i>Synlett</i> , 2009, 2009, 1761-1764.	1.0	12
410	^1H n.m.r. conformational studies on the C-terminal octapeptide of oxyntomodulin, a β -turn locked by a salt bridge. <i>International Journal of Peptide and Protein Research</i> , 1989, 34, 268-276.	0.1	12
411	Electrophilic Iodo-Mediated Cyclization in PEG under Microwave Irradiation: Easy Access to Highly Functionalized Furans and Pyrroles. <i>Synlett</i> , 2012, 23, 1481-1484.	1.0	12
412	Cross-Claissen Condensation of β -Fmoc-Amino Acids - A Short Route to Heterocyclic β -Amino Acids. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 2262-2270.	1.2	12
413	Engineered Adhesion Peptides for Improved Silicon Adsorption. <i>Langmuir</i> , 2015, 31, 11868-11874.	1.6	12
414	Ribbon-like Foldamers for Cellular Uptake and Drug Delivery. <i>ChemBioChem</i> , 2017, 18, 2110-2114.	1.3	12

#	ARTICLE	IF	CITATIONS
415	Heteromultivalent targeting of integrin $\alpha_3\beta_1$ and neuropilin 1 promotes cell survival via the activation of the IGF-1/insulin receptors. <i>Biomaterials</i> , 2018, 155, 64-79.	5.7	12
416	Receptor-Ligand Interaction Measured by Inductively Coupled Plasma Mass Spectrometry and Selenium Labeling. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 10173-10184.	2.9	12
417	Chiral Sulfoxides as Building Blocks for Enantiopure 1,3-Diol Precursors in the Synthesis of Natural Products. <i>Current Organic Synthesis</i> , 2014, 10, 885-902.	0.7	12
418	Is the vasoactive intestinal peptide (VIP) a prohormone?. <i>Bioorganic Chemistry</i> , 1979, 8, 399-407.	2.0	11
419	ACE-like hydrolysis of gastrin analogs and CCK-8 by fundic mucosal cells of different species with release of the amidated C-terminal dipeptide. <i>BBA - Proteins and Proteomics</i> , 1990, 1039, 171-176.	2.1	11
420	Urethane N-Carboxyanhydrides from α -Amino Acids. <i>Journal of Organic Chemistry</i> , 2001, 66, 6541-6544.	1.7	11
421	Static secondary ion mass spectrometry to monitor solid-phase peptide synthesis. <i>Journal of the American Society for Mass Spectrometry</i> , 2001, 12, 1099-1105.	1.2	11
422	Glutamic acid as a new linker for attachment of alcohols to solid support. <i>Tetrahedron Letters</i> , 2002, 43, 9221-9223.	0.7	11
423	Synthesis of (R) and (S) enantiomers of Fmoc-protected 1,2,4-oxadiazole-containing α -amino acids from Fmoc-(R)- α -HAsp(OtBu)-OH. <i>Tetrahedron Letters</i> , 2003, 44, 6079-6082.	0.7	11
424	Optically pure α -substituted α -hydroxy aspartates as glutamate transporter blockers. <i>Organic and Biomolecular Chemistry</i> , 2003, 1, 1938-1942.	1.5	11
425	Asymmetric Baylis-Hillman reactions using (R)-4-(3-hydroxy-4,4-dimethyl-2-oxopyrrolidin-1-yl) benzoic acid acrylate derivatives in solution and on solid support. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 2179-2185.	1.8	11
426	Structural elucidation of the α -turn inducing (S)-[3-amino-4-oxo-2,3-dihydro-5H-benzo[b][1,4]thiazepin-5-yl] acetic acid (DBT) motif. <i>Tetrahedron Letters</i> , 2005, 46, 3733-3735.	0.7	11
427	Cell surface expression of melanocortin-1 receptor on HaCaT keratinocytes and α -melanocortin stimulation do not affect the formation and repair of UVB-induced DNA photoproducts. <i>Photochemical and Photobiological Sciences</i> , 2007, 6, 585-593.	1.6	11
428	Discrimination and Selective Enhancement of Signals in the MALDI Mass Spectrum of a Protein by Combining a Matrix-Based Label for Lysine Residues with a Neutral Matrix. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 5594-5597.	7.2	11
429	Parallel Synthesis of a Lipopeptide Library by Hydrazone-Based Chemical Ligation. <i>ACS Combinatorial Science</i> , 2007, 9, 973-981.	3.3	11
430	Asymmetric Diels-Alder Reaction of Aminodienes with a Nonracemic Acrylate Bound to Rink Resin: A Comparison of These Reactions with Their Solution-State Analogues. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 308-318.	1.2	11
431	Combinatorial Chemistry on Solid Support in the Search for Central Nervous System Agents. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2009, 12, 723-739.	0.6	11
432	From Thienodiazepinediones to Thienopyridinones: Flexible Synthesis of Substituted Thieno[3,2-e][1,4]diazepinones and 6-Aminothieno[3,2-b]pyridinones. <i>Journal of Organic Chemistry</i> , 2009, 74, 4975-4981.	1.7	11

#	ARTICLE	IF	CITATIONS
433	Oxyfold: A Simple and Efficient Solid-Supported Reagent for Disulfide Bond Formation. <i>Chemistry - an Asian Journal</i> , 2011, 6, 2382-2389.	1.7	11
434	Synthesis of enantiopure <i>trans</i> - α -Boc- β -aminobicyclo[2.2.2]octane-2-carboxylic acids and their bicyclic 1,3-amino alcohol derivatives via the [4+2] cycloaddition of 1,3-cyclohexadiene to a chiral β -nitroacrylate. <i>Chirality</i> , 2011, 23, 245-249.	1.3	11
435	Conformational restriction of G-proteins Coupled Receptors (GPCRs) upon complexation to G-proteins: A putative activation mode of GPCRs?. <i>FEBS Letters</i> , 2013, 587, 2656-2661.	1.3	11
436	Synthesis of homopolypeptides with PII structure. <i>Journal of Polymer Science Part A</i> , 2013, 51, 3103-3109.	2.5	11
437	Access to β , γ -Disubstituted Disilylated Amino Acids and Their Use in Solid-Phase Peptide Synthesis. <i>Organic Letters</i> , 2015, 17, 4498-4501.	2.4	11
438	Lewis Acid Induced Switch of Torquoselectivity in the Nazarov Cyclization of Activated Dienones Bearing a Chiral Sulfoxide. <i>Chemistry - A European Journal</i> , 2016, 22, 16770-16773.	1.7	11
439	Novel Hybrid Prins/Aza-Prins Oxocarbenium/ α -Acyliminium Cascade: Expedient Access to Complex Indolizidines. <i>Chemistry - A European Journal</i> , 2018, 24, 1278-1282.	1.7	11
440	A Collagen-Mimetic Organic-Inorganic Hydrogel for Cartilage Engineering. <i>Gels</i> , 2021, 7, 73.	2.1	11
441	Gastrin13 and the C-terminal octapeptide of cholecystokinin are differently coupled to G-proteins in guinea-pig brain membranes. <i>European Journal of Pharmacology</i> , 1994, 267, 297-305.	2.7	10
442	Synthesis of N-urethane protected β -alkyl- β -amino- α -keto-esters from urethane N-carboxyanhydrides (UNCAs). <i>Tetrahedron Letters</i> , 1998, 39, 1569-1572.	0.7	10
443	Post-synthesis modification of aspartyl or glutamyl residue side-chains on solid support. <i>Tetrahedron Letters</i> , 1999, 40, 5179-5182.	0.7	10
444	Neurotensin Modulates the Electrical Activity of Frog Pituitary Melanotropes via Activation of a G-Protein-Coupled Receptor Pharmacologically Related to Both the NTS1 and nts2 Receptors of Mammals. <i>Neuroendocrinology</i> , 2000, 72, 379-391.	1.2	10
445	Synthesis and Biological Evaluation of Bradykinin B1/B2 and Selective B1 Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 2382-2386.	2.9	10
446	Synthesis of Structurally Diversified β -Substituted α -Amino Acids and Derivatives via Conjugate Radical Additions and Heck Reactions. <i>Synlett</i> , 2001, 2001, 1467-1469.	1.0	10
447	Post-synthesis incorporation of a lipidic side chain into a peptide on solid support. <i>Journal of Peptide Science</i> , 2002, 8, 601-614.	0.8	10
448	Asymmetric Diels-Alder reaction using a new chiral β -nitroacrylate for enantiopure <i>trans</i> - β -norbornane amino acid preparation. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 2491-2496.	1.8	10
449	Synthesis of C5-tetrazole derivatives of 2-amino-adipic acid displaying NMDA glutamate receptor antagonism. <i>Amino Acids</i> , 2011, 40, 913-922.	1.2	10
450	A flexible synthesis of C33-C39 polyketide region of apratoxin: Synthesis of natural and unnatural analogues. <i>Comptes Rendus Chimie</i> , 2011, 14, 437-440.	0.2	10

#	ARTICLE	IF	CITATIONS
451	An efficient synthesis of pyrido-imidazodiazepinediones. <i>Tetrahedron Letters</i> , 2013, 54, 1364-1367.	0.7	10
452	How ligands and signalling proteins affect G-protein-coupled receptors' conformational landscape. <i>Biochemical Society Transactions</i> , 2013, 41, 144-147.	1.6	10
453	CHAPTER 6. Amino Acids and Peptides in Ball Milling. <i>RSC Green Chemistry</i> , 2014, , 114-150.	0.0	10
454	Straightforward strategy to substitute amide bonds by 1,2,3-triazoles in peptaibols analogs using <i>Aib</i> ⁿ [Tz] ⁿ Xaa dipeptides. <i>Biopolymers</i> , 2015, 104, 611-621.	1.2	10
455	Investigation of Elemental Mass Spectrometry in Pharmacology for Peptide Quantitation at Femtomolar Levels. <i>PLoS ONE</i> , 2016, 11, e0157943.	1.1	10
456	Application of the ring-closing metathesis to the formation of 2-aryl-1H-pyrrole-3-carboxylates as building blocks for biologically active compounds. <i>Tetrahedron</i> , 2016, 72, 7462-7469.	1.0	10
457	The GHR-R antagonist JMV 2959 neither induces malaise nor alters the malaise property of LiCl in the adult male rat. <i>Physiology and Behavior</i> , 2018, 183, 46-48.	1.0	10
458	The Third Intracellular Loop of the Rat and Mouse Cholecystokinin-A Receptors Is Responsible for Different Patterns of Gene Activation. <i>Molecular Pharmacology</i> , 2000, 58, 1381-1388.	1.0	10
459	Cholecystokinin and gastrin are not equally sensitive to GTP ^γ S at CCKB receptors: importance of the sulphated tyrosine. <i>European Journal of Pharmacology</i> , 1995, 290, 61-67.	2.7	9
460	Towards a selective Boc deprotection on acid cleavable Wang resin. <i>Tetrahedron Letters</i> , 2003, 44, 4757-4759.	0.7	9
461	Diastereoselective esterification of (±)-N-trifluoroacetyl pipercolic acid using (S)-1-methyl pantolactone: synthesis of (S)-N-Boc pipercolic acid and (S)-N-Boc-2-piperidinemethanol. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 1685-1689.	1.8	9
462	Regioselective and sequential reactivity of activated 2,5-diketopiperazines. <i>Journal of Peptide Science</i> , 2009, 15, 474-478.	0.8	9
463	Constitutive Expression of MC1R in HaCaT Keratinocytes Inhibits Basal and UVB-induced TNF ^α Production. <i>Photochemistry and Photobiology</i> , 2009, 85, 1440-1450.	1.3	9
464	Activated sulfahydantoin as Boc-glycine enolate equivalent: highly diastereoselective 1-hydroxyalkylation and application to the synthesis of aldopentionate analogues. <i>Tetrahedron Letters</i> , 2009, 50, 1100-1104.	0.7	9
465	Design, synthesis, and biological evaluation of 1,5-benzothiazepine-4-one derivatives targeting factor VIIa/tissue factor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 1386-1391.	1.0	9
466	A Straightforward Approach for Cellular Uptake Quantification. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 8240-8243.	7.2	9
467	Highly Enantioselective Access to 1,2-Dibenzylamino Ketones from Chiral Nonracemic 1-Bromo 1-Sulfinyl Ketones by Dynamic Kinetic Resolution: Synthesis of (2 <i>R</i> ,1 <i>S</i>)-2-(1-(Dibenzylamino)alkyl]oxiranes. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 1300-1309.	1.2	9
468	Enantiodivergent Transannular Rearrangement of 1,4-Benzodiazepine-2,5-dione by Memory of Chirality. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 2043-2047.	1.2	9

#	ARTICLE	IF	CITATIONS
469	Synthesis of Various Chiral 1,2,4-Triazole-Containing α -Amino Acids from Aspartic or Glutamic Acids. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 4293-4297.	1.2	9
470	Cyclic Peptides with a Diversely Substituted Guanidine Bridge: Solid-Phase Synthesis and Structural Analysis. <i>Chemistry - A European Journal</i> , 2011, 17, 2566-2570.	1.7	9
471	A New Highly Versatile Handle for Chemistry on a Solid Support: The Pipecolic Linker. <i>Chemistry - A European Journal</i> , 2012, 18, 11536-11540.	1.7	9
472	Structural recognition mechanisms between human Src homology domain 3 (SH3) and ALG-2-interacting protein X (Alix). <i>FEBS Letters</i> , 2012, 586, 1759-1764.	1.3	9
473	Microwave-Mediated Reduction of Disulfide Bridges with Supported (Tris(2-carboxyethyl)phosphine) as Resin-Bound Reducing Agent. <i>ACS Combinatorial Science</i> , 2013, 15, 169-173.	3.8	9
474	Synthesis of novel multi-cationic PEG-based ionic liquids. <i>New Journal of Chemistry</i> , 2014, 38, 6133-6138.	1.4	9
475	Synthesis of Thieno[3,2- <i>cd</i>][1,4]diazepinones: Application of an Uncatalysed Pictet-Spengler Reaction. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 7146-7153.	1.2	9
476	Structure-Activity Relationships of JMV4463, a Vectorized Cathepsin-D Inhibitor with Antiproliferative Properties: The Unique Role of the AMPA-Based Vector. <i>ChemMedChem</i> , 2016, 11, 302-308.	1.6	9
477	The novel nonapeptide acein targets angiotensin converting enzyme in the brain and induces dopamine release. <i>British Journal of Pharmacology</i> , 2016, 173, 1314-1328.	2.7	9
478	A General Approach to the Aza-Diketomorpholine Scaffold. <i>Organic Letters</i> , 2017, 19, 492-495.	2.4	9
479	C _{9/12} Ribbon-Like Structures in Hybrid Peptides Alternating α - and Thiazole-Based β -Amino Acids. <i>Chemistry - A European Journal</i> , 2017, 23, 17584-17591.	1.7	9
480	C ₁ -Symmetric 1,2-Diaminobicyclo[2.2.2]octane Ligands in Copper-Catalyzed Asymmetric Henry Reaction: Catalyst Development and DFT Studies. <i>European Journal of Organic Chemistry</i> , 2018, 2018, 178-187.	1.2	9
481	Combining sol-gel and microfluidics processes for the synthesis of protein-containing hybrid microgels. <i>Chemical Communications</i> , 2019, 55, 13112-13115.	2.2	9
482	Unexpected Reactivity of <i>N</i> -Acyl-Benzotriazoles with Aromatic Amines in Acidic Medium (ABAA) <small>Tj ETQq 0 0 rgBT Overlock</small>	1.2	9
483	2-Phenyl-1-H-pyrrole-3-carboxamide as a New Scaffold for Developing 5-HT ₆ Receptor Inverse Agonists with Cognition-Enhancing Activity. <i>ACS Chemical Neuroscience</i> , 2021, 12, 1228-1240.	1.7	9
484	Combining adoptive NK cell infusion with a dopamine-releasing peptide reduces senescent cells in aged mice. <i>Cell Death and Disease</i> , 2022, 13, 305.	2.7	9
485	Synthesis and some pharmacological properties of 8-L-methionine-oxytocin. <i>Journal of Medicinal Chemistry</i> , 1979, 22, 270-273.	2.9	8
486	New general strategy of dimerization of bioactive molecules. <i>Tetrahedron Letters</i> , 2001, 42, 1895-1897.	0.7	8

#	ARTICLE	IF	CITATIONS
487	AN IMPROVED SYNTHESIS OF (S)- OR (R)-N-Boc-PROTECTED 1,5-BENZOTHAZEPINE DERIVATIVES. <i>Organic Preparations and Procedures International</i> , 2002, 34, 405-415.	0.6	8
488	Synthesis of N-Boc-(R)-1-phenyl-3-aminobutyric acid using an in situ diastereoselective protonation strategy. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 293-296.	1.8	8
489	Synthesis of gem-diamino derivatives on solid support. <i>Tetrahedron Letters</i> , 2003, 44, 4797-4799.	0.7	8
490	Saponification of esters of chiral-1-amino acids anchored through their amine function on solid support. <i>Journal of Peptide Science</i> , 2004, 10, 326-328.	0.8	8
491	Synthesis of an 8-Benzyl-4-(p-substituted-benzyl)-1,4,8-triazaspiro[4.5]decan-2-one Library on SynPhase TMLanterns. <i>QSAR and Combinatorial Science</i> , 2004, 23, 56-60.	1.5	8
492	Synthesis and biological activities of some cholecystokinin analogues substituted in position 29 by a 2-allylalanine. <i>International Journal of Peptide and Protein Research</i> , 1989, 34, 394-404.	0.1	8
493	Sequencing Lys-N Proteolytic Peptides by ESI and MALDI Tandem Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2011, 22, 265-279.	1.2	8
494	An innovative strategy for sulfopeptides analysis using MALDI-TOF MS reflectron positive ion mode. <i>Proteomics</i> , 2012, 12, 2247-2257.	1.3	8
495	Cytotoxic activity of new racemic and optically active N-phosphonoalkyl bicyclic 2-amino acids against human malignant cell lines. <i>Amino Acids</i> , 2012, 43, 1445-1450.	1.2	8
496	A focus on the asymmetric synthesis of a novel threo-2-benzyl-2-hydroxy aspartate analogue. <i>Tetrahedron: Asymmetry</i> , 2012, 23, 94-99.	1.8	8
497	Switchable polymer-grafted mesoporous silica's: from polyesters to polyamides biosilica hybrid materials. <i>Tetrahedron</i> , 2013, 69, 7670-7674.	1.0	8
498	From Diketopiperazines to Hydantoins: An Unprecedented Rearrangement. <i>Synlett</i> , 2014, 25, 574-578.	1.0	8
499	N- and O-acetylation of threonine residues in the context of proteomics. <i>Journal of Proteomics</i> , 2014, 108, 369-372.	1.2	8
500	Mg ²⁺ -Mediated Chemoselective Cleavage of Protecting Groups: An Alternative to Conventional Deprotection Methodologies. <i>Chemistry - A European Journal</i> , 2015, 21, 11014-11016.	1.7	8
501	Turning peptides in comb silicone polymers. <i>Journal of Peptide Science</i> , 2015, 21, 243-247.	0.8	8
502	Indoloazepinone-Constrained Oligomers as Cell-Penetrating and Blood-Brain-Barrier-Permeating Compounds. <i>ChemBioChem</i> , 2018, 19, 696-705.	1.3	8
503	Study of the Tissue Distribution of TLQP-21 in Mice Using [18F]JMV5763, a Radiolabeled Analog Prepared via [18F]Aluminum Fluoride Chelation Chemistry. <i>Frontiers in Pharmacology</i> , 2018, 9, 1274.	1.6	8
504	Pain relief devoid of opioid side effects following central action of a silylated neurotensin analog. <i>European Journal of Pharmacology</i> , 2020, 882, 173174.	1.7	8

#	ARTICLE	IF	CITATIONS
505	N-acetyl oxyntomodulin ³⁰ 37: pharmacokinetics and activity on gastric acid secretion. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1992, 345, 57-63.	1.4	7
506	Diastereoselective synthesis of glycosyl- β -aminoacids. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 949-955.	1.8	7
507	Synthesis of cyanoketophosphoranes, precursors of β -amino- β -keto-esters from UNCAs. <i>Tetrahedron Letters</i> , 1998, 39, 6889-6890.	0.7	7
508	Synthesis of peptide aldehydes on solid support. <i>Reactive and Functional Polymers</i> , 1999, 41, 255-261.	2.0	7
509	C-Terminal Heptapeptide of Gastrin Inhibits Astrocytomas Motility by Interacting with a New Gastrin Binding Site. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 274-282.	1.3	7
510	Optimization of spiroimidazolidinone derivatives synthesis on solid phase using SynPhase [®] , Φ Lanterns. <i>Tetrahedron Letters</i> , 2003, 44, 4937-4939.	0.7	7
511	Solid phase synthesis of mono- or disubstituted arginine containing peptides from an isothiocitrulline precursor. <i>Tetrahedron Letters</i> , 2005, 46, 7349-7353.	0.7	7
512	A Novel Route to Pseudoproline (β -H,HPro)-Containing Dipeptides Building Blocks. <i>International Journal of Peptide Research and Therapeutics</i> , 2005, 11, 267-270.	0.9	7
513	Microwave-Assisted Copper-Catalyzed Sonogashira Reaction in PEG Solvent. <i>Synlett</i> , 2007, 2007, 1279-1283.	1.0	7
514	A C-terminal aldehyde analog of the insect kinins inhibits diuresis in the housefly. <i>Peptides</i> , 2007, 28, 146-152.	1.2	7
515	Synthesis of an IgG fragment decapeptide exhibiting phagocytosis stimulating activity of polymorphonuclear leucocytes. <i>International Journal of Peptide and Protein Research</i> , 1983, 22, 119-124.	0.1	7
516	Synthesis and biological activity of β -phenylethyl ester analogues of C-terminal heptapeptide of cholecystokinin modified in Trp 30 region. <i>International Journal of Peptide and Protein Research</i> , 1991, 38, 181-192.	0.1	7
517	The influence of an ethylene spacer on the 5-HT _{1A} and 5-HT _{2A} receptor affinity of arylpiperazine derivatives of amides with N-acylated amino acids and 3-differently substituted pyrrolidine-2,5-diones. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 800-808.	2.6	7
518	Cyclization of Peptides through a Urea Bond: Application to the Arg-Gly-Asp Tripeptide. <i>ChemBioChem</i> , 2010, 11, 1083-1092.	1.3	7
519	Microwave-Assisted Neat Procedure for the Petasis Reaction. <i>Synthesis</i> , 2010, 2010, 2063-2068.	1.2	7
520	A Route to α -allyl- α -ciscis-2-Methyl- α -substituted Piperidine- β -Alkaloids from α -syn-(2-R,1-S)- α -2-(1-Dibenzylaminomethyl)epoxide: Rapid Total Synthesis of (+)- α -Deoxocassine. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 62-65.	1.2	7
521	Supported oligomethionine sulfoxide and Ellman's reagent for cysteine bridges formation. <i>Amino Acids</i> , 2013, 44, 733-742.	1.2	7
522	Solid-Supported Synthesis and 5-HT ₇ /5-HT _{1A} Receptor Affinity of Arylpiperazinylbutyl Derivatives of 4,5-Dihydro-1,2,4-triazine-6-(1-H)-one. <i>Chemical Biology and Drug Design</i> , 2015, 86, 697-703.		7

#	ARTICLE	IF	CITATIONS
523	New trisubstituted 1,2,4-triazoles as ghrelin receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 20-24.	1.0	7
524	Helix Formation in 2:1 β -Hybrid Peptides Containing Bicyclo[2.2.2]octane Ring Constraints. <i>Chemistry - A European Journal</i> , 2016, 22, 11986-11990.	1.7	7
525	Quantitative MALDI-MS Binding Assays: An Alternative to Radiolabeling. <i>ChemMedChem</i> , 2016, 11, 2582-2587.	1.6	7
526	Selective homodimerization of unprotected peptides using hybrid hydroxydimethylsilane derivatives. <i>RSC Advances</i> , 2016, 6, 32905-32914.	1.7	7
527	Synthesis of Enantiopure 1,2-Diaminobicyclo[2.2.2]octane Derivatives, <i>C</i> ₁ -Symmetric Chiral 1,2-Diamines with a Rigid Bicyclic Backbone. <i>Journal of Organic Chemistry</i> , 2017, 82, 3144-3151.	1.7	7
528	The presence of PEG on nanoparticles presenting the c[RGDFK]- and/or ATWLPPR peptides deeply affects the RTKs-AKT-GSK3 β -eNOS signaling pathway and endothelial cells survival. <i>International Journal of Pharmaceutics</i> , 2019, 568, 118507.	2.6	7
529	Silicone grafted bioactive peptides and their applications. <i>Current Opinion in Chemical Biology</i> , 2019, 52, 125-135.	2.8	7
530	A simple and versatile method to synthesize N-acyl-benzotriazoles. <i>Tetrahedron Letters</i> , 2019, 60, 341-343.	0.7	7
531	Synthesis of β -Amino Acid <i>N</i> -Carboxyanhydrides. <i>Organic Letters</i> , 2021, 23, 6412-6416.	2.4	7
532	Changes in hypothalamic neuropeptide Y concentrations induced by cholecystokinin analogues. <i>European Journal of Pharmacology</i> , 1990, 187, 117-122.	1.7	6
533	Diastereoselective Synthesis of N-Protected β -Amino- β -hydroxyacids (Norstatines) from Urethane N-Carboxyanhydrides (UNCAs). <i>Journal of Chemical Research Synopses</i> , 1999, , 282-283.	0.3	6
534	A study on application of impregnated synthetic peptide TLC stationary phases for the screening of 5-HT1A ligands. Part 2. <i>Biomedical Chromatography</i> , 2004, 18, 542-549.	0.8	6
535	Palladium-Catalysed Cross-Coupling Reactions on Pyridazine Moieties. <i>Synlett</i> , 2006, 2006, 3185-3204.	1.0	6
536	¹ H and ¹³ C n.m.r. studies of pseudo-peptide analogues of the C-terminal tetrapeptide of gastrin. <i>International Journal of Peptide and Protein Research</i> , 1987, 30, 596-604.	0.1	6
537	Efficient Synthesis of Nicotianamine and Non-Natural Analogues. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6609-6617.	1.2	6
538	Recycling the Versatile Pipecolic Linker. <i>ACS Combinatorial Science</i> , 2010, 12, 747-753.	3.3	6
539	Laser desorption ionization mass spectrometry of peptides on a hybrid CHCA organic-inorganic matrix. <i>Analyst</i> , 2014, 139, 3748-3754.	1.7	6
540	New ligands of the ghrelin receptor based on the 1,2,4-triazole scaffold by introduction of a second chiral center. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 2408-2412.	1.0	6

#	ARTICLE	IF	CITATIONS
541	Conformationally Constrained Peptidomimetics as Inhibitors of the Protein Arginine Methyl Transferases. <i>Chemistry - A European Journal</i> , 2016, 22, 14022-14028.	1.7	6
542	Torquoselective Nazarov Cyclization Mediated by a Chiral Sulfoxide: First Enantioselective Synthesis of two Known Anticancer Agents. <i>Asian Journal of Organic Chemistry</i> , 2017, 6, 189-198.	1.3	6
543	Pharmacological activity of cholecystokinin analogues modified in the Met28-Gly29 region. <i>European Journal of Pharmacology</i> , 1990, 186, 213-222.	1.7	5
544	Conformationally readdressed CCK-B/?-opioid peptide ligands. <i>Biopolymers</i> , 1995, 36, 439-452.	1.2	5
545	Utilization of charge and mass labeling for the structural identification of heterocyclic quaternary salts by mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2002, 219, 391-401.	0.7	5
546	Synthesis of 2,6-Disubstituted Piperidine-Bearing $\hat{\pm}$ -Amino Acid Side-Chains. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 3139-3146.	1.2	5
547	Electrospray Mass Spectrometry of 2-Aminotroponimines and 2-Aminotropones. <i>European Journal of Mass Spectrometry</i> , 2003, 9, 403-407.	0.5	5
548	Synthesis of chiral $\hat{\pm}$ -amino aldehydes linked by their amine function to solid support. <i>Journal of Peptide Science</i> , 2004, 10, 531-534.	0.8	5
549	Kinetics, inhibition and oligomerization of Epstein-Barr virus protease. <i>FEBS Letters</i> , 2006, 580, 6570-6578.	1.3	5
550	Microwave-Assisted Copper-Catalyzed Heck Reaction in PEG Solvent. <i>Synlett</i> , 2006, 2006, 3029-3032.	1.0	5
551	Solid-Phase Synthesis of Aryl-Alkylamine Derivatives Using Protected Aminoalcohol Building Blocks on SynPhase TM Lanterns. <i>QSAR and Combinatorial Science</i> , 2007, 26, 215-219.	1.5	5
552	Synthesis of cyclooctapeptides: constraints analogues of the peptidic neurotoxin, $\hat{\pm}$ -agatoxine IVB ^{an} experimental point of view. <i>Journal of Peptide Science</i> , 2008, 14, 267-277.	0.8	5
553	Decreased expression of thymidine phosphorylase/platelet-derived endothelial cell growth factor in basal cell carcinomas. <i>Experimental Dermatology</i> , 2008, 17, 908-915.	1.4	5
554	Enantioselective Synthesis of N-Protected $\hat{\pm}$ -Amino Acid Hydrazides. <i>Synthesis</i> , 2009, 2009, 1180-1184.	1.2	5
555	$\hat{\pm}$ -Carba $\hat{\pm}$ -peptide bond surrogates Different approaches to Gly $\hat{\pm}$ (CH ₂) ₂ CH ₂ CH ₂ CH ₂ pseudo $\hat{\pm}$ dipeptide units. <i>International Journal of Peptide and Protein Research</i> , 1992, 39, 273-277.	1.1	5
556	The crystallographic structure of thermoNicotianamine synthase with a synthetic reaction intermediate highlights the sequential processing mechanism. <i>Chemical Communications</i> , 2011, 47, 5825.	2.2	5
557	Synthesis and analgesic effects of novel $\hat{\pm}$ -tryptophan hexapeptide analogs. <i>Amino Acids</i> , 2013, 45, 983-988.	1.2	5
558	Synthesis and changes in affinity for NOP and opioid receptors of novel hexapeptides containing $\hat{\pm}$ -tryptophan analogues. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 4052-4055.	1.0	5

#	ARTICLE	IF	CITATIONS
559	Substituted Glycines with Functional Side Chains for Peptoid Synthesis. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 8142-8147.	1.2	5
560	Silaproline, a Silicon-Containing Proline Surrogate. <i>Topics in Heterocyclic Chemistry</i> , 2015, , 27-50.	0.2	5
561	Expedient Synthesis of Fmoc-(S)- β -Fluoro-leucine and Late-Stage Fluorination of Peptides. <i>Synlett</i> , 2016, 27, 1403-1407.	1.0	5
562	Stereoselective divergent synthesis of 1,2-aminoalcohol-containing heterocycles from a common chiral nonracemic building block. <i>Tetrahedron: Asymmetry</i> , 2016, 27, 22-30.	1.8	5
563	Self-mineralization and assembly of a bis-silylated Phe-Phe pseudodipeptide to a structured bioorganic-inorganic material. <i>Materials Horizons</i> , 2019, 6, 2040-2046.	6.4	5
564	Contribution of the Proteasome to the β -Secretase Pathway in Alzheimer's Disease. <i>Advances in Experimental Medicine and Biology</i> , 1997, 421, 267-272.	0.8	5
565	Cholecystokinin Receptors in Cells of the Immune System. <i>Annals of the New York Academy of Sciences</i> , 1994, 713, 334-337.	1.8	4
566	Are C-terminal octapeptide of cholecystokinin and [Leu11]gastrin-(5-17) different in stimulating acid secretion in isolated rabbit gastric glands?. <i>European Journal of Pharmacology</i> , 1995, 294, 511-519.	1.7	4
567	Modification of receptor selectivity and functional activity of cyclic cholecystokinin analogues. <i>European Journal of Medicinal Chemistry</i> , 1998, 33, 171-180.	2.6	4
568	L-365,260 inhibits in vitro acid secretion by interacting with a PKA pathway. <i>British Journal of Pharmacology</i> , 1999, 127, 259-267.	2.7	4
569	First asymmetric synthesis of (R)- β -phenyl β -amino valeric acid. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 1263-1266.	1.8	4
570	Investigation into the enantioselective protonation of enolate Schiff bases with (R)-pantolactone. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 49-52.	1.8	4
571	Synthesis of Z-CCK-27-NH ₂ , Z-Tyr(So) ₃ -Met-Gly-Trp-Met-Asp-NH ₂ , a cholecystokinin receptor antagonist and an inhibitor of gastrin-induced acid secretion. <i>International Journal of Peptide and Protein Research</i> , 1985, 26, 294-298.	0.1	4
572	Fluorescence and mass spectrometry studies of the interaction between naproxen and synthetic pseudo-peptidic models in organic media. <i>Tetrahedron</i> , 2009, 65, 7801-7808.	1.0	4
573	A specific protein disorder catalyzer of HIV-1 Nef. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 7401-7406.	1.4	4
574	Concise Pathway to New Multifunctionalized Constrained Pentacin Derivatives by Means of Two Stereospecific Tandem Reactions. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 4519-4522.	1.2	4
575	A Divergent Synthetic Strategy Based on the Regioselective Reductive Ring-Opening of a Cyclic 1,2-p-Methoxybenzylidene Acetal. <i>Synthesis</i> , 2012, 44, 1247-1252.	1.2	4
576	Unprecedented directed oxidative cross-coupling of sulfahydantoins with aldehydes via a radical sulfonate-sulfinate conversion. <i>New Journal of Chemistry</i> , 2012, 36, 1560.	1.4	4

#	ARTICLE	IF	CITATIONS
577	New C-Glycosylated α -Amino Acid Synthesis by Addition Reaction of an Amino Acid Organozinc Reagent on Carbohydrate-Derived Aldehydes. <i>Synthetic Communications</i> , 2012, 42, 1461-1471.	1.1	4
578	The pipercolic linker as an acid-labile handle for derivatization of secondary amines on a solid-support. Part 3. <i>Tetrahedron Letters</i> , 2013, 54, 998-1002.	0.7	4
579	Synthesis and reactivity of pyrrolo[3,2-d][1,3]oxazine-2,4-dione. Access to new pyrrolo[3,2-e][1,4]diazepine-2,5-diones. <i>Tetrahedron</i> , 2014, 70, 4631-4639.	1.0	4
580	Turning peptides into bioactive nylons. <i>European Polymer Journal</i> , 2020, 135, 109886.	2.6	4
581	Potent Lys Patch-Containing Stapled Peptides Targeting PCSK9. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 10834-10848.	2.9	4
582	Gram-scale Synthesis of a Hexapeptide by Fragment Coupling in a Ball Mill. <i>European Journal of Organic Chemistry</i> , 0, , .	1.2	4
583	Neuropathic pain-alleviating activity of novel 5-HT ₆ receptor inverse agonists derived from 2-aryl-1H-pyrrole-3-carboxamide. <i>Bioorganic Chemistry</i> , 2021, 115, 105218.	2.0	4
584	Preliminary selection of 5-HT _{1A} receptor ligands by TLC on plates impregnated with synthetic peptides. <i>Journal of Planar Chromatography - Modern TLC</i> , 2002, 15, 38-41.	0.6	4
585	Synthesis and biological evaluation of C-terminal hydroxamide analogues of bombesin. <i>Journal of Peptide Science</i> , 1999, 5, 176-184.	0.8	3
586	Full stereochemical understanding in a new (2R,3R,4R)-4-hydroxyisoleucine synthesis. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 1415-1417.	0.4	3
587	REGIOSELECTIVE REACTION OF UNPROTECTED SUGARS WITH URETHANEN-CARBOXYANHYDRIDES FOR THE SYNTHESIS OF NEW SURFACTANTS. <i>Synthetic Communications</i> , 2002, 32, 181-187.	1.1	3
588	Cholecystokinin 1 receptor modulates the MEKK1-induced c-Jun trans-activation: structural requirements of the receptor. <i>British Journal of Pharmacology</i> , 2006, 147, 951-958.	2.7	3
589	Synthesis and Antibacterial Activity of tert-Butyl [1-benzyl-2[(4-aryl-2-thiazolyl)hydrazono]ethyl]carbamate Derivatives. <i>Archiv Der Pharmazie</i> , 2007, 340, 310-314.	2.1	3
590	Solid Phase Synthesis of a Hydroxypyrrolidine Derivative and its Use in Solid Phase Peptide Synthesis as Constrained Statine Mimic. <i>International Journal of Peptide Research and Therapeutics</i> , 2007, 13, 337-343.	0.9	3
591	Chiral synthetic pseudopeptidic derivatives as triplet excited state quenchers. <i>Tetrahedron Letters</i> , 2009, 50, 4859-4862.	0.7	3
592	Microwave-Assisted Hydantoins Synthesis on Solid Support. <i>Journal of Chemical Education</i> , 2010, 87, 640-642.	1.1	3
593	Solid-phase Cross-Linking (SPCL): A new tool for protein structure studies. <i>Proteomics</i> , 2011, 11, 1277-1286.	1.3	3
594	New 1,3-amino alcohols derived from enantiopure bridgehead β -aminobicyclo[2.2.2]oct-5-ene-2-carboxylic acids. <i>Amino Acids</i> , 2012, 43, 415-421.	1.2	3

#	ARTICLE	IF	CITATIONS
595	Further characterization of a putative serine protease contributing to the β -secretase cleavage of β -amyloid precursor protein. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 1018-1029.	1.4	3
596	A bicyclic unit reversal to stabilize the 12/14-helix in mixed homochiral oligoureases. <i>Chemical Communications</i> , 2020, 56, 7921-7924.	2.2	3
597	Original and General Strategy of Dimerization of Bioactive Molecules. , 2001, , 152-154.		3
598	Ghrelin Receptor Ligands: Design and Synthesis of Pseudopeptides and Peptidomimetics. <i>Current Chemical Biology</i> , 2014, 7, 254-270.	0.2	3
599	Two key chiral intermediates in a new 4-hydroxyisoleucine synthesis. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1037-1039.	0.4	2
600	Variations in Dystrophin Complex in Red and White Caudal Muscles from <i>Torpedo marmorata</i> . <i>Journal of Histochemistry and Cytochemistry</i> , 2001, 49, 857-865.	1.3	2
601	Synthesis of (S)-N-Boc-3-Amino-2-Arylpropanol from Optically Active β -Amino Esters. <i>Synthesis</i> , 2001, 2001, 1302-1304.	1.2	2
602	Parallel and Mixture Combined Approach: Rapid Cheap Synthesis and Characterization of a 4096-Tripeptides Library. <i>QSAR and Combinatorial Science</i> , 2003, 22, 646-651.	1.5	2
603	Synthesis of Chiral β -Amino-diazo ketones on Solid Support: An Access to β -Homologated Amino Acid Derivatives. <i>Synlett</i> , 2004, 2004, 2791-2793.	1.0	2
604	Synthesis of Substituted Imidazo[1,5-a]pyridines Starting from N-2-Pyridylmethylamides Using Lawesson's Reagent and Mercury(II) Acetate. <i>Synthesis</i> , 2007, 2007, 2667-2673.	1.2	2
605	Regio-Controlled Nucleophilic Attack of 3-Thiazotric Anhydride by β -Amino Acids: One-Pot Synthesis of 3-(2-Thienyl)imidazolidine-2,4-dione and 3,4-Substituted Thieno[2,3-e][1,4]diazepine-2,5-dione Analogues. <i>Synthesis</i> , 2009, 2009, 389-394.	1.2	2
606	Biological activity and three-dimensional structure of an agonist analog of bombesin. <i>Chemical Biology and Drug Design</i> , 1998, 51, 55-64.	1.2	2
607	Preparation of Some Thiazolyl Hydrazone Derivatives and Evaluation of Their Antibacterial Activities. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2009, 184, 2613-2623.	0.8	2
608	Arginine Binding to Human Inducible Nitric Oxide Synthase: An Antisymmetric Funnel Route toward Isoform-Specific Inhibitors?. <i>Journal of Chemical Information and Modeling</i> , 2011, 51, 1325-1335.	2.5	2
609	Solid-Phase Synthesis of Arylpiperazine Derivatives and Implementation of the Distributed Drug Discovery (D3) Project in the Search for CNS Agents. <i>Molecules</i> , 2011, 16, 4104-4121.	1.7	2
610	Dissociation of Membrane-Anchored Heterotrimeric G-Protein Induced by β Subunit Binding to GTP. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 3022-3027.	2.5	2
611	Synthesis and characterization of a cyclooctapeptide analogue of β -agatoxin IVB enhancing the activity of CaV2.1 calcium channels activity in cultured hippocampal neurons. <i>Neurochemistry International</i> , 2012, 61, 632-639.	1.9	2
612	Chemoenzymatic routes to enantiomerically pure 2-azatyrosine and 2-, 3- and 4-pyridylalanine derivatives. <i>Amino Acids</i> , 2012, 42, 1339-1348.	1.2	2

#	ARTICLE	IF	CITATIONS
613	A switchable stapled peptide. <i>Journal of Peptide Science</i> , 2016, 22, 143-148.	0.8	2
614	Joseph Rudinger memorial lecture: Unexpected functions of angiotensin converting enzyme, beyond its enzymatic activity. <i>Journal of Peptide Science</i> , 2017, 23, 741-748.	0.8	2
615	Mgl 2 -chemoselective cleavage for removal of amino acid protecting groups: A fresh vision for peptide synthesis. <i>Biopolymers</i> , 2017, 108, e22908.	1.2	2
616	Direct Synthesis of Peptide-Containing Silicones: A New Way to Bioactive Materials. <i>Chemistry - A European Journal</i> , 2020, 26, 12839-12845.	1.7	2
617	Data set describing the in vitro biological activity of JMV2009, a novel silylated neurotensin(8-13) analog. <i>Data in Brief</i> , 2020, 31, 105884.	0.5	2
618	Encapsulation of BSA in hybrid PEG hydrogels: stability and controlled release. <i>RSC Advances</i> , 2021, 11, 30887-30897.	1.7	2
619	Hybrid Silylated Peptides for the Design of Bio-functionalized Materials. <i>Springer Protocols</i> , 2020, , 69-92.	0.1	2
620	From JMV-1843 to Macrilen. <i>Australian Journal of Chemistry</i> , 2020, 73, 334.	0.5	2
621	Controlled Silylation of Polysaccharides: Attractive Building Blocks for Biocompatible Foams and Cell-Laden Hydrogels. <i>ACS Applied Polymer Materials</i> , 2022, 4, 4087-4097.	2.0	2
622	Comparative study of oxyntomodulin and its C-terminal octapeptide on the gastric acid secretion in rat. <i>Regulatory Peptides</i> , 1985, 10, S35.	1.9	1
623	On the significance of the C-terminal primary amide in cholecystokinin. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 851-854.	1.0	1
624	Poly(ethylene glycol) (PEG) as a new phasetransfer catalyst in the palladium-catalyzed Heck reaction: positive effect of the polymer in the supported synthesis of β -aminoesters. <i>Comptes Rendus De L'Academie Des Sciences - Series IIc: Chemistry</i> , 1998, 1, 777-780.	0.1	1
625	Synthesis of tritium labelled delta sleep-inducing peptide. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2001, 44, 501-508.	0.5	1
626	An intermediate in a new synthesis approach to β^2 -substituted β^2 -hydroxyaspartame. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o473-o475.	0.4	1
627	Parallel Synthesis of New β^2 -Amino Esters via Conjugate Nucleophilic Additions: <i>Synthesis</i> , 2003, 2003, 2165-2168.	1.2	1
628	Synthesis and TGF- β^2 Receptor Binding Inhibition of Multibranched Compounds. <i>QSAR and Combinatorial Science</i> , 2007, 26, 496-510.	1.5	1
629	Valuable Versatile Reactivity of Thiaisoic Anhydrides: Expedient Solid-Phase Synthesis of Thieno[1,4]diazepine-2,5-diones. <i>Synlett</i> , 2008, 2008, 2360-2364.	1.0	1
630	Fused Bis-lactams to Spirolactams: A New Member of the Family of Ring- Contraction Reaction. <i>Letters in Organic Chemistry</i> , 2018, 15, 1046-1055.	0.2	1

#	ARTICLE	IF	CITATIONS
631	12/10â€Helix in Mixed Î²â€Peptides Alternating Bicyclic and Acyclic Î²â€Amino Acids: Probing the Relationship between Bicyclic Side Chain and Helix Stability. <i>Chemistry - A European Journal</i> , 2018, 24, 18795-18800.	1.7	1
632	Solidâ€Phase Synthesis of Substrateâ€Based Dipeptides and Heterocyclic Pseudoâ€dipeptides as Potential NO Synthase Inhibitors. <i>ChemMedChem</i> , 2020, 15, 517-531.	1.6	1
633	Biological activities of cionin and some synthetic analogs. , 1992, , 474-475.		1
634	Is there a relationship between angiotensin converting enzyme and the mechanism of action of gastrin?. , 1991, , 712-715.		1
635	Synthesis and biological activities of peptidomimetic analogues of compound A71623, a potent and selective CCK-A receptor agonist. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 235-239.	0.1	0
636	Reactivity of UNCAs with Grignard reagents. <i>International Journal of Peptide Research and Therapeutics</i> , 1997, 4, 241-244.	0.1	0
637	Different highly selective gastrin-releasing peptide receptor (GRPR) peptide antagonists interact with different receptor domains. <i>Gastroenterology</i> , 2000, 118, A310.	0.6	0
638	Deprotective activity of nanosized globular partially quaternized poly(tertiary amine)s in peptide synthesis. <i>E-Polymers</i> , 2002, 2, .	1.3	0
639	Quality Control of Solid-Phase Synthesis by Mass Spectrometry. , 2002, 201, 15-22.		0
640	Quality Control of Solid-Phase Synthesis by Mass Spectrometry. <i>ChemInform</i> , 2003, 34, no.	0.1	0
641	New Soluble-Polymer Bound Ruthenium Carbene Catalysts: Synthesis, Characterization, and Application to Ring-Closing Metathesis.. <i>ChemInform</i> , 2003, 34, no.	0.1	0
642	[2-(tert-Butylcarbonylmethylamino)phenyl]acetic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o4-o6.	0.2	0
643	Automated vs Manual Profiling of Peptide Libraries by Mass Spectrometry. , 2004, 251, 377-386.		0
644	Mass Spectrometry and Soluble Polymeric Support. , 2004, , 125-135.		0
645	A new key intermediate in the synthesis of 6-oxopiperidine-2-carboxylate derivatives. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1038-o1039.	0.2	0
646	Parallel Synthesis of New Î²-Amino Esters via Conjugate Nucleophilic Additions.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
647	Palladium-Catalyzed Cascade Allylation/Carbopalladation/Cross Coupling: A Novel Three-Component Reaction for the Synthesis of 3,3-Disubstituted-2,3-dihydrobenzofurans.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
648	Automated versus Manual Profiling of Peptide Libraries by Mass Spectrometry. <i>ChemInform</i> , 2004, 35, no.	0.1	0

#	ARTICLE	IF	CITATIONS
649	Synthesis and Biological Activity of Nicotianamine and Analogues. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 555-557.	0.8	0
650	Synthesis and Biological Evaluation of New CRH Analogues. <i>Bioinorganic Chemistry and Applications</i> , 2010, 2010, 1-8.	1.8	0
651	Diastereospecific synthesis of new 4-substituted l-theanine derivatives. <i>Tetrahedron: Asymmetry</i> , 2014, 25, 690-696.	1.8	0
652	Oxa α -diketopiperazines: Access and Conformational Analysis of Potential Turn Inducers. <i>ChemistrySelect</i> , 2017, 2, 5824-5827.	0.7	0
653	Efficient monoacylation of symmetrical secondary alkanediamines and synthesis of unsymmetrical diacylated alkanediamines. A new L-proline-based organocatalyst. <i>Arkivoc</i> , 2020, 2019, 336-349.	0.3	0
654	Towards a Selective Boc Deprotection on Acid Cleavable Resin. , 2001, , 83-84.		0
655	A Novel Series of Growth Hormone Secretagogues. , 2001, , 748-749.		0
656	Synthesis and in Vivo pharmacological profile of dimeric HOE 140 bradykinin antagonists. , 2002, , 100-102.		0
657	Solid-phase synthesis of dipeptidic and pseudo-dipeptidic potential NOS inhibitors through a side-chain anchoring approach. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 133-134.	0.8	0
658	Spectroscopic analysis of synthetic PrP helix2-binding peptide constructs. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 75-76.	0.8	0
659	Thieno[3,2-e]diazepinediones and 3-Thienylimidazolidinediones Syntheses: Regio-Controlled Ring Opening of Thiazatoic Anhydride by α -Amino Acids.. <i>Advances in Experimental Medicine and Biology</i> , 2009, 611, 9-10.	0.8	0
660	Bactericidal activity of tuftsin. , 1981, , 123-136.		0
661	Novel Cathepsin D Inhibitors Prevent the β -Secretase-Derived Intracellular Formation of a 12 kDa Potentially Amyloidogenic Product in Human Cells. , 1997, , 67-73.		0
662	Diastereoselective Synthesis of α -Protected β -Amino- α -hydroxyacids (Norstatines) from Urethane α -Carboxyanhydrides (UNCAs). <i>Journal of Chemical Research</i> , 1999, 23, 282-283.	0.6	0
663	Solid phase synthesis of peptide aldehydes. , 2002, , 8-13.		0
664	Synthesis and pharmacological evaluation of a new series of bombesin analogs. , 2002, , 636-638.		0