

Paul A Moore

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4576300/publications.pdf>

Version: 2024-02-01

87
papers

2,845
citations

172457

29
h-index

189892

50
g-index

89
all docs

89
docs citations

89
times ranked

1462
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of amino acid concentrations on foraging and feeding in the rusty crayfish <i>Faxonius rusticus</i> (Girard, 1852) (Decapoda: Astacidea: Cambaridae), assayed in flow-through mesocosms. <i>Journal of Crustacean Biology</i> , 2022, 42, .	0.8	0
2	Spatial, but not temporal, aspects of orientation are controlled by the fine-scale distribution of chemical cues in turbulent odor plumes. <i>Journal of Experimental Biology</i> , 2021, 224, .	1.7	6
3	Parasites differentially impact crayfish personality in different contexts. <i>Behaviour</i> , 2021, 158, 921-943.	0.8	2
4	Running away or running to? Do prey make decisions solely based on the landscape of fear or do they also include stimuli from a landscape of safety?. <i>Journal of Experimental Biology</i> , 2021, 224, .	1.7	7
5	Exposure paradigm of fluoxetine impacted the <i>Faxonius virilis</i> agonistic behavior differently. <i>Science of the Total Environment</i> , 2020, 699, 134300.	8.0	8
6	Mapping Dynamic Exposure: Constructing GIS Models of Spatiotemporal Heterogeneity in Artificial Stream Systems. <i>Archives of Environmental Contamination and Toxicology</i> , 2020, 78, 230-244.	4.1	2
7	Big and bad: how relative predator size and dietary information influence rusty crayfish (<i>Faxonius</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	1.0	1
8	Comparative analysis of the boundary layer filtering of odor signals in the amblypygid (whip spider) species <i>Paraphrynus laevifrons</i> and <i>Phrynus marginemaculatus</i> . <i>Journal of Insect Physiology</i> , 2020, 120, 103984.	2.0	0
9	Fine-tuned responses to chemical landscapes: crayfish use predator odors to assess threats based on relative size ratios. <i>Ecosphere</i> , 2020, 11, e03188.	2.2	6
10	Serotonergic-linked alterations of aggression of the crayfish. <i>Marine and Freshwater Behaviour and Physiology</i> , 2020, 53, 215-229.	0.9	3
11	Analysis and description of burrow structure in four species of freshwater crayfishes (Decapoda:) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Biology</i> , 2019, 39, 711-719.	0.8	9
12	The role of social and/or ecological contexts influences assessment strategy use in <i>Tilapia</i> . <i>Ethology</i> , 2019, 125, 821-831.	1.1	2
13	Bt Proteins Exacerbate Negative Growth Effects in Juvenile Rusty (<i>F. rusticus</i>) Crayfish Fed Corn Diet. <i>Archives of Environmental Contamination and Toxicology</i> , 2019, 77, 452-460.	4.1	2
14	The intensity and spectrum of artificial light at night alters crayfish interactions. <i>Marine and Freshwater Behaviour and Physiology</i> , 2019, 52, 131-150.	0.9	9
15	Variable Background Flow on Aquatic Toxicant Exposure Alters Foraging Patterns on Crayfish. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019, 103, 663-669.	2.7	3
16	Express yourself: Individuals with bold personalities exhibit increased behavioral sensitivity to dynamic herbicide exposure. <i>Ecotoxicology and Environmental Safety</i> , 2019, 179, 272-281.	6.0	4
17	Examination of Homing Behaviors in Two Species of Crayfish Following Translational Displacements. <i>Integrative Organismal Biology</i> , 2019, 1, obz008.	1.8	2
18	Linking phenotypic correlations from a diverse set of laboratory tests to field behaviors in the crayfish, <i>Orconectes virilis</i> . <i>Ethology</i> , 2018, 124, 311-330.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Exposure to Sublethal Ammonia Concentrations Alters the Duration and Intensity of Agonistic Interactions in the Crayfish, <i>Orconectes rusticus</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 2018, 100, 189-194.	2.7	8
20	Scaling to the Organism: An Innovative Model of Dynamic Exposure Hotspots in Stream Systems. <i>Archives of Environmental Contamination and Toxicology</i> , 2018, 74, 372-394.	4.1	9
21	The role of sensory modalities in producing nonconsumptive effects for a crayfishâ€“bass predatorâ€“prey system. <i>Canadian Journal of Zoology</i> , 2018, 96, 680-691.	1.0	9
22	Sensory signals and the reaction space in predatorâ€“prey interactions. <i>Hydrobiologia</i> , 2018, 816, 137-152.	2.0	14
23	Feeding in fear: Indirect effects of predatory fish on macrophyte communities mediated by altered crayfish foraging behaviour. <i>Freshwater Biology</i> , 2018, 63, 1523-1533.	2.4	22
24	Exposure Through Runoff and Ground Water Contamination Differentially Impact Behavior and Physiology of Crustaceans in Fluvial Systems. <i>Archives of Environmental Contamination and Toxicology</i> , 2018, 75, 436-448.	4.1	15
25	Predator recognition of chemical cues in crayfish: diet and experience influence the ability to detect predation threats. <i>Behaviour</i> , 2018, 155, 505-530.	0.8	11
26	Homing behavior following shelter displacement in two crayfishes, <i>Creaserinus fodiens</i> (Cottle, 1863) and <i>Faxonius rusticus</i> (Girard, 1852) (Decapoda: Astacidea: Cambaridae). <i>Journal of Crustacean Biology</i> , 2018, 38, 531-538.	0.8	2
27	The Degree of Impairment of Foraging in Crayfish (<i>Orconectes virilis</i>) due to Insecticide Exposure is Dependent upon Turbulence Dispersion. <i>Archives of Environmental Contamination and Toxicology</i> , 2017, 72, 281-293.	4.1	10
28	Mimicking natural systems: Changes in behavior as a result of dynamic exposure to naproxen. <i>Ecotoxicology and Environmental Safety</i> , 2017, 135, 347-357.	6.0	26
29	Chapter 6. Crayfish: An Experimental Model for Examining Exposure to Environmental Contamination. <i>Issues in Toxicology</i> , 2017, , 124-156.	0.1	6
30	Chemical Orientation Strategies of the Crayfish are Influenced by the Hydrodynamics of their Native Environment. <i>American Midland Naturalist</i> , 2015, 173, 17-29.	0.4	15
31	Behaviorally-selective chemoreceptor lesions reveal two different chemically mediated orientation strategies in the rusty crayfish, <i>Orconectes rusticus</i> . <i>Journal of Crustacean Biology</i> , 2015, 35, 753-762.	0.8	8
32	Evidence for assessment disappears in mixed-sex contests of the crayfish, <i>Orconectes virilis</i> . <i>Behaviour</i> , 2015, 152, 995-1018.	0.8	20
33	Fine-Scale Chemical Exposure Differs in Point and Nonpoint Source Plumes. <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 68, 729-744.	4.1	5
34	The Effects of Biodiesel and Crude Oil on the Foraging Behavior of Rusty Crayfish, <i>Orconectes rusticus</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2015, 69, 557-565.	4.1	6
35	Olfactory Sampling Recovery Following Sublethal Copper Exposure in the Rusty Crayfish, <i>Orconectes rusticus</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 2015, 95, 441-446.	2.7	13
36	Comparative Homing Behaviors in Two Species of Crayfish, <i>Fallicambarus Fodiens</i> and <i>Orconectes Rusticus</i> . <i>Ethology</i> , 2015, 121, 775-784.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Sublethal copper toxicity impairs chemical orientation in the crayfish, <i>Orconectes rusticus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2015, 113, 369-377.	6.0	31
38	Behavioral decisions in sensory landscapes: crayfish use chemical signals to make habitat use choices. <i>Journal of Crustacean Biology</i> , 2014, 34, 559-564.	0.8	10
39	The Effects of Sublethal Levels of 2,4-Dichlorophenoxyacetic Acid Herbicide (2,4-D) on Feeding Behaviors of the Crayfish <i>O. rusticus</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 234-244.	4.1	27
40	The Effects of Bt Corn on Rusty Crayfish (<i>Orconectes Rusticus</i>) Growth and Survival. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 436-443.	4.1	4
41	Real Exposure: Field Measurement of Chemical Plumes in Headwater Streams. <i>Archives of Environmental Contamination and Toxicology</i> , 2014, 67, 413-425.	4.1	18
42	The impact of odor and ambient flow speed on the kinematics of the crayfish antennular flick: implications for sampling turbulent odor plumes. <i>Journal of Crustacean Biology</i> , 2013, 33, 772-783.	0.8	8
43	The influence of reproductive state on the agonistic interactions between male and female crayfish (<i>Orconectes rusticus</i>). <i>Behaviour</i> , 2010, 147, 1309-1325.	0.8	19
44	The role of the major chelae in the localization and sampling of female odours by male crayfish, <i>Orconectes rusticus</i> (Girard, 1852). <i>Crustaceana</i> , 2009, 82, 653-668.	0.3	16
45	Dissolved organic matter from elevated-CO ₂ detritus and its impact on the orientation of crayfish (<i>Orconectes virilis</i>) to a fish food source. <i>Journal of the North American Benthological Society</i> , 2009, 28, 638-648.	3.1	4
46	Chemosensory signals in stream habitats: implications for ecological interactions. <i>Journal of the North American Benthological Society</i> , 2009, 28, 560-571.	3.1	14
47	The Effects of the Herbicide Metolachlor on Agonistic Behavior in the Crayfish, <i>Orconectes rusticus</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2008, 55, 94-102.	4.1	53
48	Social spacing of crayfish in natural habitats: what role does dominance play?. <i>Behavioral Ecology and Sociobiology</i> , 2008, 62, 1119-1125.	1.4	51
49	The Influence of Dominance on Shelter Preference and Eviction Rates in the Crayfish, <i>Orconectes rusticus</i> . <i>Ethology</i> , 2008, 114, 351-360.	1.1	38
50	Elevated CO ₂ alters leaf-litter-derived dissolved organic carbon: effects on stream periphyton and crayfish feeding preference. <i>Journal of the North American Benthological Society</i> , 2007, 26, 663-672.	3.1	21
51	Male-Female Communication in the Crayfish <i>Orconectes rusticus</i> : The Use of Urinary Signals in Reproductive and Non-Reproductive Pairings. <i>Ethology</i> , 2007, 113, 740-754.	1.1	25
52	Field Observations of Agonism in the Crayfish, <i>Orconectes rusticus</i> : Shelter Use in a Natural Environment. <i>Ethology</i> , 2007, 113, 1192-1201.	1.1	38
53	Agonistic Behavior in Freshwater Crayfish. , 2007, , 90-114.		48
54	The use of the major chelae by reproductive male crayfish (<i>Orconectes rusticus</i>) for discrimination of female odours. <i>Behaviour</i> , 2006, 143, 713-731.	0.8	36

#	ARTICLE	IF	CITATIONS
55	The impacts of flow on chemical communication strategies and fight dynamics of crayfish. <i>Marine and Freshwater Behaviour and Physiology</i> , 2006, 39, 245-258.	0.9	21
56	Effects of CO ₂ -altered detritus on growth and chemically mediated decisions in crayfish (<i>Procambarus clarkii</i>). <i>Journal of the North American Benthological Society</i> , 2005, 24, 330-345.	3.1	12
57	Prolonged exposure to social odours alters subsequent social interactions in crayfish (<i>Orconectes</i>). <i>Tj ETQq1 1 0.784314 rgBT /Overlo</i>	1.9	65
58	Control of information flow through the influence of mechanical and chemical signals during agonistic encounters by the crayfish, <i>Orconectes rusticus</i> . <i>Animal Behaviour</i> , 2005, 70, 485-496.	1.9	43
59	The Smell of Success and Failure: the Role of Intrinsic and Extrinsic Chemical Signals on the Social Behavior of Crayfish. <i>Integrative and Comparative Biology</i> , 2005, 45, 650-657.	2.0	50
60	The Role of Chemical Signals in the Social Behavior of Crayfish. <i>Chemical Senses</i> , 2005, 30, i305-i306.	2.0	21
61	Odor landscapes and animal behavior: tracking odor plumes in different physical worlds. <i>Journal of Marine Systems</i> , 2004, 49, 55-64.	2.1	118
62	Spatial Arrangement of Odor Sources Modifies the Temporal Aspects of Crayfish Search Strategies. <i>Journal of Chemical Ecology</i> , 2004, 30, 501-517.	1.8	39
63	Changes in Odour Intermittency Influence the Success and Search Behaviour During Orientation in the Crayfish (<i>Orconectes Rusticus</i>). <i>Marine and Freshwater Behaviour and Physiology</i> , 2003, 36, 97-110.	0.9	26
64	Temporal dynamics and communication of winner-effects in the crayfish, <i>orconectes rusticus</i> . <i>Behaviour</i> , 2003, 140, 805-825.	0.8	123
65	Field Observations of Intraspecific Agonistic Behavior of Two Crayfish Species, <i>Orconectes rusticus</i> and <i>Orconectes virilis</i> , in Different Habitats. <i>Biological Bulletin</i> , 2003, 205, 26-35.	1.8	173
66	Atmospheric CO ₂ enrichment alters leaf detritus: impacts on foraging decisions of crayfish (<i>Orconectes virilis</i>). <i>Journal of the North American Benthological Society</i> , 2003, 22, 410-422.	3.1	24
67	Effects of the herbicide metolachlor on the perception of chemical stimuli by <i>Orconectes rusticus</i> . <i>Journal of the North American Benthological Society</i> , 2002, 21, 457-467.	3.1	40
68	Bilateral and Unilateral Antennal Lesions Alter Orientation Abilities of the Crayfish, <i>Orconectes rusticus</i> . <i>Chemical Senses</i> , 2002, 27, 49-55.	2.0	40
69	Previous Experiences Alter the Outcome of Aggressive Interactions Between Males in the Crayfish, <i>Procambarus Clarkii</i> . <i>Marine and Freshwater Behaviour and Physiology</i> , 2002, 35, 139-148.	0.9	86
70	Chemical orientation of brown bullheads, <i>Ameiurus nebulosus</i> , under different flow conditions. , 2001, 27, 2301-2318.		13
71	Lobster Sniffing: Antennule Design and Hydrodynamic Filtering of Information in an Odor Plume. <i>Science</i> , 2001, 294, 1948-1951.	12.6	157
72	Orientation in complex chemical landscapes: Spatial arrangement of chemical sources influences crayfish food-finding efficiency in artificial stream. <i>Limnology and Oceanography</i> , 2001, 46, 238-247.	3.1	42

#	ARTICLE	IF	CITATIONS
73	Foraging in complex odor landscapes: chemical orientation strategies during stimulation by conflicting chemical cues. <i>Journal of the North American Benthological Society</i> , 2001, 20, 211-222.	3.1	43
74	INDIVIDUAL AND STATUS RECOGNITION IN THE CRAYFISH, <i>ORCONECTES RUSTICUS</i> : THE EFFECTS OF URINE RELEASE ON FIGHT DYNAMICS. <i>Behaviour</i> , 2001, 138, 137-153.	0.8	139
75	Habitat-specific Signal Structure for Olfaction: An Example from Artificial Streams. <i>Journal of Chemical Ecology</i> , 2000, 26, 565-584.	1.8	34
76	Context-specific behavior: crayfish size influences crayfishâ€“fish interactions. <i>Journal of the North American Benthological Society</i> , 2000, 19, 344-351.	3.1	23
77	An electrical circuit model of chemoreceptor cells based on adaptation and disadaptation time constants: implications for temporal filtering. <i>Materials Science and Engineering C</i> , 1999, 7, 149-160.	7.3	7
78	Chemical orientation to food by the crayfish <i>Orconectes rusticus</i> : influence of hydrodynamics. <i>Animal Behaviour</i> , 1999, 58, 953-963.	1.9	132
79	Recognition of Dominance Status By Chemoreception in the Red Swamp Crayfish, <i>Procambarus clarkii</i> . <i>Journal of Chemical Ecology</i> , 1999, 25, 781-794.	1.8	96
80	Effects of ontogeny and odors on behavior: The influence of crayfish size and fish odors on crayfish movement. <i>Marine and Freshwater Behaviour and Physiology</i> , 1999, 33, 35-50.	0.9	20
81	Physical constraints of chemoreception in foraging copepods. <i>Limnology and Oceanography</i> , 1999, 44, 166-177.	3.1	56
82	Antennal morphology as a physical filter of olfaction: temporal tuning of the antennae of the honeybee, <i>Apis mellifera</i> . <i>Journal of Insect Physiology</i> , 1998, 44, 677-684.	2.0	13
83	Spatial distribution of odors in simulated benthic boundary layer flows. <i>Journal of Chemical Ecology</i> , 1994, 20, 255-279.	1.8	73
84	Chemical orientation of lobsters, <i>homarus americanus</i> , in turbulent odor plumes. <i>Journal of Chemical Ecology</i> , 1991, 17, 1293-1307.	1.8	147
85	Fluid dynamics and microscale chemical movement in the chemosensory appendages of the lobster, <i>Homarus americanus</i> . <i>Chemical Senses</i> , 1991, 16, 663-674.	2.0	73
86	High resolution spatio-temporal analysis of aquatic chemical signals using microelectrochemical electrodes. <i>Chemical Senses</i> , 1989, 14, 829-840.	2.0	70
87	A Model of a Temporal Filter in Chemoreception to Extract Directional Information From a Turbulent Odor Plume. <i>Biological Bulletin</i> , 1988, 174, 355-363.	1.8	68