D M Hessler

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4582729/publications.pdf

Version: 2024-02-01

94433 102487 4,766 79 37 66 h-index citations g-index papers 83 83 83 4212 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Diabetes Distress but Not Clinical Depression or Depressive Symptoms Is Associated With Glycemic Control in Both Cross-Sectional and Longitudinal Analyses. Diabetes Care, 2010, 33, 23-28.	8.6	523
2	When Is Diabetes Distress Clinically Meaningful?. Diabetes Care, 2012, 35, 259-264.	8.6	461
3	Effects of Social Needs Screening and In-Person Service Navigation on Child Health. JAMA Pediatrics, 2016, 170, e162521.	6.2	284
4	REDEEM: A Pragmatic Trial to Reduce Diabetes Distress. Diabetes Care, 2013, 36, 2551-2558.	8.6	206
5	The Impact of Continuous Glucose Monitoring on Markers of Quality of Life in Adults With Type 1 Diabetes: Further Findings From the DIAMOND Randomized Clinical Trial. Diabetes Care, 2017, 40, 736-741.	8.6	205
6	Predicting diabetes distress in patients with Type 2 diabetes: a longitudinal study. Diabetic Medicine, 2009, 26, 622-627.	2.3	178
7	Part II: A Qualitative Study of Social Risk Screening Acceptability in Patients and Caregivers. American Journal of Preventive Medicine, 2019, 57, S38-S46.	3.0	139
8	Diabetes distress in adults with type 1 diabetes: Prevalence, incidence and change over time. Journal of Diabetes and Its Complications, 2016, 30, $1123-1128$.	2.3	126
9	Addressing diabetes distress in clinical care: a practical guide. Diabetic Medicine, 2019, 36, 803-812.	2.3	124
10	Health Coaching by Medical Assistants to Improve Control of Diabetes, Hypertension, and Hyperlipidemia in Low-Income Patients: A Randomized Controlled Trial. Annals of Family Medicine, 2015, 13, 130-138.	1.9	118
11	Part I: A Quantitative Study of Social Risk Screening Acceptability in Patients and Caregivers. American Journal of Preventive Medicine, 2019, 57, S25-S37.	3.0	106
12	Effective interventions for reducing diabetes distress: systematic review and meta-analysis. International Diabetes Nursing, 2015 , 12 , $40-55$.	0.1	104
13	Diabetes distress is linked with worsening diabetes management over time in adults with Type 1 diabetes. Diabetic Medicine, 2017, 34, 1228-1234.	2.3	99
14	Development and implementation of a pediatric adverse childhood experiences (ACEs) and other determinants of health questionnaire in the pediatric medical home: A pilot study. PLoS ONE, 2018, 13, e0208088.	2.5	92
15	What Are the Quality of Life-Related Benefits and Losses Associated with Real-Time Continuous Glucose Monitoring? A Survey of Current Users. Diabetes Technology and Therapeutics, 2013, 15, 295-301.	4.4	90
16	Stress and A1c Among People with Diabetes Across the Lifespan. Current Diabetes Reports, 2016, 16, 67.	4.2	90
17	Reductions in Regimen Distress Are Associated With Improved Management and Glycemic Control Over Time. Diabetes Care, 2014, 37, 617-624.	8.6	81
18	The early impact of the COVID-19 pandemic on adults with type 1 or type 2 diabetes: A national cohort study. Journal of Diabetes and Its Complications, 2020, 34, 107748.	2.3	77

#	Article	IF	Citations
19	Minimal intervention needed for change: definition, use, and value for improving health and health research. Translational Behavioral Medicine, 2014, 4, 26-33.	2.4	7 5
20	Prevalence of depression in Type 1 diabetes and the problem of overâ€diagnosis. Diabetic Medicine, 2016, 33, 1590-1597.	2.3	74
21	Investigating Hypoglycemic Confidence in Type 1 and Type 2 Diabetes. Diabetes Technology and Therapeutics, $2017,19,131\text{-}136.$	4.4	68
22	T1-REDEEM: A Randomized Controlled Trial to Reduce Diabetes Distress Among Adults With Type 1 Diabetes. Diabetes Care, 2018, 41, 1862-1869.	8.6	63
23	Physician Burnout and Higher Clinic Capacity to Address Patients' Social Needs. Journal of the American Board of Family Medicine, 2019, 32, 69-78.	1.5	61
24	Effects of In-Person Assistance vs Personalized Written Resources About Social Services on Household Social Risks and Child and Caregiver Health. JAMA Network Open, 2020, 3, e200701.	5.9	59
25	Development of a patient-reported measure of the interpersonal quality of family planning care. Contraception, 2018, 97, 34-40.	1.5	58
26	Identifying the worries and concerns about hypoglycemia in adults with type 2 diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1171-1176.	2.3	57
27	Effects of In-Person Navigation to Address Family Social Needs on Child Health Care Utilization. JAMA Network Open, 2020, 3, e206445.	5.9	55
28	The Impact of Health Coaching on Medication Adherence in Patients With Poorly Controlled Diabetes, Hypertension, and/or Hyperlipidemia: A Randomized Controlled Trial. Journal of the American Board of Family Medicine, 2015, 28, 38-45.	1.5	52
29	Development of the Person-Centered Contraceptive Counseling scale (PCCC), a short form of the Interpersonal Quality of Family Planning care scale. Contraception, 2021, 103, 310-315.	1.5	52
30	Does health coaching change patients' trust in their primary care provider?. Patient Education and Counseling, 2014, 96, 135-138.	2.2	49
31	Understanding the Areas and Correlates of Diabetes-Related Distress in Parents of Teens With Type 1 Diabetes. Journal of Pediatric Psychology, 2016, 41, 750-758.	2.1	49
32	Assessment of Social Risk Factors and Interest in Receiving Health Care–Based Social Assistance Among Adult Patients and Adult Caregivers of Pediatric Patients. JAMA Network Open, 2020, 3, e2021201.	5.9	49
33	Can the Routine Use of Patient-Reported Outcome Measures Improve the Delivery of Person-Centered Diabetes Care? A Review of Recent Developments and a Case Study. Current Diabetes Reports, 2019, 19, 84.	4.2	48
34	Higher Perceived Clinic Capacity to Address Patients' Social Needs Associated with Lower Burnout in Primary Care Providers. Journal of Health Care for the Poor and Underserved, 2018, 29, 415-429.	0.8	47
35	Pediatrics adverse childhood experiences and related life events screener (PEARLS) and health in a safety-net practice. Child Abuse and Neglect, 2020, 108, 104685.	2.6	47
36	A practical framework for encouraging and supporting positive behaviour change in diabetes. Diabetic Medicine, 2017, 34, 1658-1666.	2.3	45

#	Article	IF	Citations
37	AASAP: A program to increase recruitment and retention in clinical trials. Patient Education and Counseling, 2012, 86, 372-377.	2.2	43
38	Bringing Social Context into Diabetes Care: Intervening on Social Risks versus Providing Contextualized Care. Current Diabetes Reports, 2019, 19, 30.	4.2	41
39	Psychosocial Impact of the Bionic Pancreas During Summer Camp. Journal of Diabetes Science and Technology, 2016, 10, 840-844.	2.2	39
40	Evaluating the Accountable Health Communities Demonstration Project. Journal of General Internal Medicine, 2017, 32, 345-349.	2.6	39
41	Impact of baseline patient characteristics on interventions to reduce diabetes distress: the role of personal conscientiousness and diabetes selfâ€efficacy. Diabetic Medicine, 2014, 31, 739-746.	2.3	34
42	Emotion regulation contributes to the development of diabetes distress among adults with type 1 diabetes. Patient Education and Counseling, 2018, 101, 124-131.	2.2	31
43	Development and Validation of the Clientâ€Reported Quality of Contraceptive Counseling Scale to Measure Quality and Fulfillment of Rights in Family Planning Programs. Studies in Family Planning, 2019, 50, 137-158.	1.8	29
44	The impact of non-severe hypoglycemia on quality of life in patients with type 2 diabetes. Journal of Diabetes and Its Complications, 2018, 32, 373-378.	2.3	24
45	Descriptions of diabetes burnout from individuals with Type 1 diabetes: an analysis of YouTube videos. Diabetic Medicine, 2020, 37, 1344-1351.	2.3	24
46	High rates of elevated diabetes distress in research populations: A systematic review and meta-analysis. International Diabetes Nursing, 2015, 12, 93-107.	0.1	22
47	Causal and bidirectional linkages over time between depression and diabetes regimen distress in adults with type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 108, 360-366.	2.8	21
48	Two for one? Effects of a couples intervention on partners of persons with Type 2 diabetes: a randomized controlled trial. Diabetic Medicine, 2019, 36, 473-481.	2.3	20
49	Self-management support for chronic disease in primary care: frequency of patient self-management problems and patient reported priorities, and alignment with ultimate behavior goal selection. BMC Family Practice, 2019, 20, 120.	2.9	17
50	Burnout, distress, and depressive symptoms in adults with type 1 diabetes. Journal of Diabetes and Its Complications, 2020, 34, 107608.	2.3	17
51	Toward a more comprehensive understanding of the emotional side of type 2 diabetes: A re-envisioning of the assessment of diabetes distress. Journal of Diabetes and Its Complications, 2022, 36, 108103.	2.3	17
52	Health coaching to improve self-management and quality of life for low income patients with chronic obstructive pulmonary disease (COPD): protocol for a randomized controlled trial. BMC Pulmonary Medicine, 2017, 17, 90.	2.0	15
53	CE: Original Research: Experiences of Diabetes Burnout: A Qualitative Study Among People with Type 1 Diabetes. American Journal of Nursing, 2019, 119, 22-31.	0.4	14
54	New insights into diabetes burnout and its distinction from diabetes distress and depressive symptoms: A qualitative study. Diabetes Research and Clinical Practice, 2020, 169, 108446.	2.8	14

#	Article	IF	Citations
55	Lay Health Coaching to Increase Appropriate Inhaler Use in COPD: A Randomized Controlled Trial. Annals of Family Medicine, 2020, 18, 5-14.	1.9	14
56	Cross-national comparison of psychosocial well-being and diabetes outcomes in adults with type 1 diabetes during the COVID-19 pandemic in US, Brazil, and Iran. Diabetology and Metabolic Syndrome, 2021, 13, 63.	2.7	14
57	Impact of an Automated Bihormonal Delivery System on Psychosocial Outcomes in Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2017, 19, 723-729.	4.4	13
58	There is value in treating elevated levels of diabetes distress: the clinical impact of targeted interventions in adults with Type 1 diabetes. Diabetic Medicine, 2020, 37, 71-74.	2.3	12
59	Are Low-Income Peer Health Coaches Able to Master and Utilize Evidence-Based Health Coaching?. Annals of Family Medicine, 2015, 13, S36-S41.	1.9	11
60	A new perspective on diabetes distress using the type 2 diabetes distress assessment system (T2-DDAS): Prevalence and change over time. Journal of Diabetes and Its Complications, 2022, 36, 108256.	2.3	11
61	Toward effective interventions to reduce diabetes distress among adults with type 1 diabetes: Enhancing Emotion regulation and cognitive skills. Patient Education and Counseling, 2019, 102, 1499-1505.	2.2	10
62	Panel management, team culture, and worklife experience Families, Systems and Health, 2015, 33, 231-241.	0.6	9
63	The Value of Measuring Diabetes Burnout. Current Diabetes Reports, 2021, 21, 25.	4.2	9
64	Are acute care settings amenable to addressing patient social needs: A sub-group analysis. American Journal of Emergency Medicine, 2018, 36, 2108-2109.	1.6	8
65	Worries and concerns about hypoglycemia in adults with type 1 diabetes: An examination of the reliability and validity of the Hypoglycemic Attitudes and Behavior Scale (HABS). Journal of Diabetes and Its Complications, 2020, 34, 107606.	2.3	8
66	Using Electronic Health Record–Based Clinical Decision Support to Provide Social Risk–Informed Care in Community Health Centers: Protocol for the Design and Assessment of a Clinical Decision Support Tool. JMIR Research Protocols, 2021, 10, e31733.	1.0	8
67	Development and validation of a scale to measure diabetes burnout. Journal of Clinical and Translational Endocrinology, 2021, 23, 100251.	1.4	7
68	Reductions in Management Distress Following a Randomized Distress Intervention Are Associated With Improved Diabetes Behavioral and Glycemic Outcomes Over Time. Diabetes Care, 2021, 44, 1472-1479.	8.6	7
69	ONBOARD: A Feasibility Study of a Telehealth-Based Continuous Glucose Monitoring Adoption Intervention for Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2021, 23, 818-827.	4.4	7
70	Help when you need it: Perspectives of adults with T1D on the support and training they would have wanted when starting CGM. Diabetes Research and Clinical Practice, 2021, 180, 109048.	2.8	7
71	Identifying Relative Changes in Social Risk Factors. Medical Care, 2021, 59, e9-e15.	2.4	7
72	Salivary cytokine cluster moderates the association between caregivers perceived stress and emotional functioning in youth. Brain, Behavior, and Immunity, 2021, 94, 125-137.	4.1	6

#	Article	IF	CITATION
73	Association of 2 Social Needs Interventions With Child Emergency Department Use and Hospitalizations. JAMA Pediatrics, 2022, 176, 716.	6.2	5
74	Applying Lessons From Behavioral Health Integration to Social Care Integration in Primary Care. Annals of Family Medicine, 2021, 19, 356-361.	1.9	4
75	Perceived Benefits, Barriers, and Facilitators of a Digital Patient-Reported Outcomes Tool for Routine Diabetes Care: Protocol for a National, Multicenter, Mixed Methods Implementation Study. JMIR Research Protocols, 2021, 10, e28391.	1.0	4
76	Cross-Sectional Associations: Social Risks and Diabetes Care Quality, Outcomes. American Journal of Preventive Medicine, 2022, 63, 392-402.	3.0	4
77	Economic costs of implementing group interventions to reduce diabetes distress in adults with type 1 diabetes mellitus in the T1-REDEEM trial. Journal of Diabetes and Its Complications, 2019, 33, 107416.	2.3	3
78	A Systematic Approach to Working With Medical Learners in Difficulty: A Faculty Development Workshop. MedEdPORTAL: the Journal of Teaching and Learning Resources, 2020, 16, 10872.	1.2	2
79	Examining Variations in Action Plan Quality Among Adults With Type 2 Diabetes in Primary Care. Journal of the American Board of Family Medicine, 2021, 34, 608-617.	1.5	1