

D M Hessler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4582729/publications.pdf>

Version: 2024-02-01

79
papers

4,766
citations

94433

37
h-index

102487

66
g-index

83
all docs

83
docs citations

83
times ranked

4212
citing authors

#	ARTICLE	IF	CITATIONS
1	Toward a more comprehensive understanding of the emotional side of type 2 diabetes: A re-envisioning of the assessment of diabetes distress. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108103.	2.3	17
2	Association of 2 Social Needs Interventions With Child Emergency Department Use and Hospitalizations. <i>JAMA Pediatrics</i> , 2022, 176, 716.	6.2	5
3	Cross-Sectional Associations: Social Risks and Diabetes Care Quality, Outcomes. <i>American Journal of Preventive Medicine</i> , 2022, 63, 392-402.	3.0	4
4	A new perspective on diabetes distress using the type 2 diabetes distress assessment system (T2-DDAS): Prevalence and change over time. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108256.	2.3	11
5	Development and validation of a scale to measure diabetes burnout. <i>Journal of Clinical and Translational Endocrinology</i> , 2021, 23, 100251.	1.4	7
6	Development of the Person-Centered Contraceptive Counseling scale (PCCC), a short form of the Interpersonal Quality of Family Planning care scale. <i>Contraception</i> , 2021, 103, 310-315.	1.5	52
7	Examining Variations in Action Plan Quality Among Adults With Type 2 Diabetes in Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 608-617.	1.5	1
8	Salivary cytokine cluster moderates the association between caregivers perceived stress and emotional functioning in youth. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 125-137.	4.1	6
9	Reductions in Management Distress Following a Randomized Distress Intervention Are Associated With Improved Diabetes Behavioral and Glycemic Outcomes Over Time. <i>Diabetes Care</i> , 2021, 44, 1472-1479.	8.6	7
10	The Value of Measuring Diabetes Burnout. <i>Current Diabetes Reports</i> , 2021, 21, 25.	4.2	9
11	Cross-national comparison of psychosocial well-being and diabetes outcomes in adults with type 1 diabetes during the COVID-19 pandemic in US, Brazil, and Iran. <i>Diabetology and Metabolic Syndrome</i> , 2021, 13, 63.	2.7	14
12	ONBOARD: A Feasibility Study of a Telehealth-Based Continuous Glucose Monitoring Adoption Intervention for Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 818-827.	4.4	7
13	Applying Lessons From Behavioral Health Integration to Social Care Integration in Primary Care. <i>Annals of Family Medicine</i> , 2021, 19, 356-361.	1.9	4
14	Using Electronic Health Record-Based Clinical Decision Support to Provide Social Risk-Informed Care in Community Health Centers: Protocol for the Design and Assessment of a Clinical Decision Support Tool. <i>JMIR Research Protocols</i> , 2021, 10, e31733.	1.0	8
15	Perceived Benefits, Barriers, and Facilitators of a Digital Patient-Reported Outcomes Tool for Routine Diabetes Care: Protocol for a National, Multicenter, Mixed Methods Implementation Study. <i>JMIR Research Protocols</i> , 2021, 10, e28391.	1.0	4
16	Help when you need it: Perspectives of adults with T1D on the support and training they would have wanted when starting CGM. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109048.	2.8	7
17	Identifying Relative Changes in Social Risk Factors. <i>Medical Care</i> , 2021, 59, e9-e15.	2.4	7
18	Descriptions of diabetes burnout from individuals with Type 1 diabetes: an analysis of YouTube videos. <i>Diabetic Medicine</i> , 2020, 37, 1344-1351.	2.3	24

#	ARTICLE	IF	CITATIONS
19	There is value in treating elevated levels of diabetes distress: the clinical impact of targeted interventions in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2020, 37, 71-74.	2.3	12
20	The early impact of the COVID-19 pandemic on adults with type 1 or type 2 diabetes: A national cohort study. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107748.	2.3	77
21	New insights into diabetes burnout and its distinction from diabetes distress and depressive symptoms: A qualitative study. <i>Diabetes Research and Clinical Practice</i> , 2020, 169, 108446.	2.8	14
22	Pediatrics adverse childhood experiences and related life events screener (PEARLS) and health in a safety-net practice. <i>Child Abuse and Neglect</i> , 2020, 108, 104685.	2.6	47
23	Effects of In-Person Assistance vs Personalized Written Resources About Social Services on Household Social Risks and Child and Caregiver Health. <i>JAMA Network Open</i> , 2020, 3, e200701.	5.9	59
24	Assessment of Social Risk Factors and Interest in Receiving Health Care–Based Social Assistance Among Adult Patients and Adult Caregivers of Pediatric Patients. <i>JAMA Network Open</i> , 2020, 3, e2021201.	5.9	49
25	Effects of In-Person Navigation to Address Family Social Needs on Child Health Care Utilization. <i>JAMA Network Open</i> , 2020, 3, e206445.	5.9	55
26	Worries and concerns about hypoglycemia in adults with type 1 diabetes: An examination of the reliability and validity of the Hypoglycemic Attitudes and Behavior Scale (HABS). <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107606.	2.3	8
27	Lay Health Coaching to Increase Appropriate Inhaler Use in COPD: A Randomized Controlled Trial. <i>Annals of Family Medicine</i> , 2020, 18, 5-14.	1.9	14
28	Burnout, distress, and depressive symptoms in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107608.	2.3	17
29	A Systematic Approach to Working With Medical Learners in Difficulty: A Faculty Development Workshop. <i>MedEdPORTAL: the Journal of Teaching and Learning Resources</i> , 2020, 16, 10872.	1.2	2
30	Can the Routine Use of Patient-Reported Outcome Measures Improve the Delivery of Person-Centered Diabetes Care? A Review of Recent Developments and a Case Study. <i>Current Diabetes Reports</i> , 2019, 19, 84.	4.2	48
31	Self-management support for chronic disease in primary care: frequency of patient self-management problems and patient reported priorities, and alignment with ultimate behavior goal selection. <i>BMC Family Practice</i> , 2019, 20, 120.	2.9	17
32	Economic costs of implementing group interventions to reduce diabetes distress in adults with type 1 diabetes mellitus in the T1-REDEEM trial. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 107416.	2.3	3
33	Physician Burnout and Higher Clinic Capacity to Address Patients' Social Needs. <i>Journal of the American Board of Family Medicine</i> , 2019, 32, 69-78.	1.5	61
34	Development and Validation of the Client-Reported Quality of Contraceptive Counseling Scale to Measure Quality and Fulfillment of Rights in Family Planning Programs. <i>Studies in Family Planning</i> , 2019, 50, 137-158.	1.8	29
35	Addressing diabetes distress in clinical care: a practical guide. <i>Diabetic Medicine</i> , 2019, 36, 803-812.	2.3	124
36	Bringing Social Context into Diabetes Care: Intervening on Social Risks versus Providing Contextualized Care. <i>Current Diabetes Reports</i> , 2019, 19, 30.	4.2	41

#	ARTICLE	IF	CITATIONS
37	Toward effective interventions to reduce diabetes distress among adults with type 1 diabetes: Enhancing emotion regulation and cognitive skills. <i>Patient Education and Counseling</i> , 2019, 102, 1499-1505.	2.2	10
38	Part I: A Quantitative Study of Social Risk Screening Acceptability in Patients and Caregivers. <i>American Journal of Preventive Medicine</i> , 2019, 57, S25-S37.	3.0	106
39	Part II: A Qualitative Study of Social Risk Screening Acceptability in Patients and Caregivers. <i>American Journal of Preventive Medicine</i> , 2019, 57, S38-S46.	3.0	139
40	CE: Original Research: Experiences of Diabetes Burnout: A Qualitative Study Among People with Type 1 Diabetes. <i>American Journal of Nursing</i> , 2019, 119, 22-31.	0.4	14
41	Two for one? Effects of a couples intervention on partners of persons with Type 2 diabetes: a randomized controlled trial. <i>Diabetic Medicine</i> , 2019, 36, 473-481.	2.3	20
42	The impact of non-severe hypoglycemia on quality of life in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 373-378.	2.3	24
43	Emotion regulation contributes to the development of diabetes distress among adults with type 1 diabetes. <i>Patient Education and Counseling</i> , 2018, 101, 124-131.	2.2	31
44	Development of a patient-reported measure of the interpersonal quality of family planning care. <i>Contraception</i> , 2018, 97, 34-40.	1.5	58
45	Are acute care settings amenable to addressing patient social needs: A sub-group analysis. <i>American Journal of Emergency Medicine</i> , 2018, 36, 2108-2109.	1.6	8
46	Development and implementation of a pediatric adverse childhood experiences (ACEs) and other determinants of health questionnaire in the pediatric medical home: A pilot study. <i>PLoS ONE</i> , 2018, 13, e0208088.	2.5	92
47	T1-REDEEM: A Randomized Controlled Trial to Reduce Diabetes Distress Among Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2018, 41, 1862-1869.	8.6	63
48	Higher Perceived Clinic Capacity to Address Patients' Social Needs Associated with Lower Burnout in Primary Care Providers. <i>Journal of Health Care for the Poor and Underserved</i> , 2018, 29, 415-429.	0.8	47
49	A practical framework for encouraging and supporting positive behaviour change in diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1658-1666.	2.3	45
50	Diabetes distress is linked with worsening diabetes management over time in adults with Type 1 diabetes. <i>Diabetic Medicine</i> , 2017, 34, 1228-1234.	2.3	99
51	The Impact of Continuous Glucose Monitoring on Markers of Quality of Life in Adults With Type 1 Diabetes: Further Findings From the DIAMOND Randomized Clinical Trial. <i>Diabetes Care</i> , 2017, 40, 736-741.	8.6	205
52	Investigating Hypoglycemic Confidence in Type 1 and Type 2 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 131-136.	4.4	68
53	Evaluating the Accountable Health Communities Demonstration Project. <i>Journal of General Internal Medicine</i> , 2017, 32, 345-349.	2.6	39
54	Impact of an Automated Bihormonal Delivery System on Psychosocial Outcomes in Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 723-729.	4.4	13

#	ARTICLE	IF	CITATIONS
55	Health coaching to improve self-management and quality of life for low income patients with chronic obstructive pulmonary disease (COPD): protocol for a randomized controlled trial. BMC Pulmonary Medicine, 2017, 17, 90.	2.0	15
56	Psychosocial Impact of the Bionic Pancreas During Summer Camp. Journal of Diabetes Science and Technology, 2016, 10, 840-844.	2.2	39
57	Effects of Social Needs Screening and In-Person Service Navigation on Child Health. JAMA Pediatrics, 2016, 170, e162521.	6.2	284
58	Prevalence of depression in Type 1 diabetes and the problem of overdiagnosis. Diabetic Medicine, 2016, 33, 1590-1597.	2.3	74
59	Diabetes distress in adults with type 1 diabetes: Prevalence, incidence and change over time. Journal of Diabetes and Its Complications, 2016, 30, 1123-1128.	2.3	126
60	Stress and A1c Among People with Diabetes Across the Lifespan. Current Diabetes Reports, 2016, 16, 67.	4.2	90
61	Understanding the Areas and Correlates of Diabetes-Related Distress in Parents of Teens With Type 1 Diabetes. Journal of Pediatric Psychology, 2016, 41, 750-758.	2.1	49
62	Effective interventions for reducing diabetes distress: systematic review and meta-analysis. International Diabetes Nursing, 2015, 12, 40-55.	0.1	104
63	Panel management, team culture, and worklife experience.. Families, Systems and Health, 2015, 33, 231-241.	0.6	9
64	High rates of elevated diabetes distress in research populations: A systematic review and meta-analysis. International Diabetes Nursing, 2015, 12, 93-107.	0.1	22
65	Are Low-Income Peer Health Coaches Able to Master and Utilize Evidence-Based Health Coaching?. Annals of Family Medicine, 2015, 13, S36-S41.	1.9	11
66	The Impact of Health Coaching on Medication Adherence in Patients With Poorly Controlled Diabetes, Hypertension, and/or Hyperlipidemia: A Randomized Controlled Trial. Journal of the American Board of Family Medicine, 2015, 28, 38-45.	1.5	52
67	Health Coaching by Medical Assistants to Improve Control of Diabetes, Hypertension, and Hyperlipidemia in Low-Income Patients: A Randomized Controlled Trial. Annals of Family Medicine, 2015, 13, 130-138.	1.9	118
68	Causal and bidirectional linkages over time between depression and diabetes regimen distress in adults with type 2 diabetes. Diabetes Research and Clinical Practice, 2015, 108, 360-366.	2.8	21
69	Identifying the worries and concerns about hypoglycemia in adults with type 2 diabetes. Journal of Diabetes and Its Complications, 2015, 29, 1171-1176.	2.3	57
70	Reductions in Regimen Distress Are Associated With Improved Management and Glycemic Control Over Time. Diabetes Care, 2014, 37, 617-624.	8.6	81
71	Does health coaching change patients' trust in their primary care provider?. Patient Education and Counseling, 2014, 96, 135-138.	2.2	49
72	Minimal intervention needed for change: definition, use, and value for improving health and health research. Translational Behavioral Medicine, 2014, 4, 26-33.	2.4	75

#	ARTICLE	IF	CITATIONS
73	Impact of baseline patient characteristics on interventions to reduce diabetes distress: the role of personal conscientiousness and diabetes self-efficacy. <i>Diabetic Medicine</i> , 2014, 31, 739-746.	2.3	34
74	What Are the Quality of Life-Related Benefits and Losses Associated with Real-Time Continuous Glucose Monitoring? A Survey of Current Users. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 295-301.	4.4	90
75	REDEEM: A Pragmatic Trial to Reduce Diabetes Distress. <i>Diabetes Care</i> , 2013, 36, 2551-2558.	8.6	206
76	When Is Diabetes Distress Clinically Meaningful?. <i>Diabetes Care</i> , 2012, 35, 259-264.	8.6	461
77	AASAP: A program to increase recruitment and retention in clinical trials. <i>Patient Education and Counseling</i> , 2012, 86, 372-377.	2.2	43
78	Diabetes Distress but Not Clinical Depression or Depressive Symptoms Is Associated With Glycemic Control in Both Cross-Sectional and Longitudinal Analyses. <i>Diabetes Care</i> , 2010, 33, 23-28.	8.6	523
79	Predicting diabetes distress in patients with Type 2 diabetes: a longitudinal study. <i>Diabetic Medicine</i> , 2009, 26, 622-627.	2.3	178