Corina Benjet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4583152/publications.pdf

Version: 2024-02-01

206 papers 69,396 citations

70 h-index 214 g-index

223 all docs $\begin{array}{c} 223 \\ \text{docs citations} \end{array}$

223 times ranked 80990 citing authors

#	Article	IF	CITATIONS
1	Stress management interventions for college students in the context of the COVID-19 pandemic Clinical Psychology: Science and Practice, 2023, 30, 448-449.	0.9	15
2	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. Psychological Medicine, 2023, 53, 875-886.	4. 5	50
3	Diagnostic profiles in adolescence and emerging adulthood: Transition patterns and risk factors. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 42-50.	1.8	1
4	Validity and reliability of the short version of the UPPS-P impulsive Behavior Scale in patients with substance use disorders. Journal of Substance Use, 2023, 28, 721-729.	0.7	1
5	A risk algorithm that predicts alcohol use disorders among college students. European Child and Adolescent Psychiatry, 2022, 31, 1-11.	4.7	5
6	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1591-1601.	3.1	5
7	Comparison of suicide attempts among nationally representative samples of Mexican adolescents 12 months before and after the outbreak of the Covid-19 pandemic. Journal of Affective Disorders, 2022, 298, 65-68.	4.1	18
8	ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). Journal of Attention Disorders, 2022, 26, 1078-1096.	2.6	17
9	Dropout from treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 168-179.	4.1	8
10	Barriers to treatment for mental disorders in six countries of the Americas: A regional report from the World Mental Health Surveys. Journal of Affective Disorders, 2022, 303, 273-285.	4.1	9
11	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16
12	Study protocol for pragmatic trials of Internet-delivered guided and unguided cognitive behavior therapy for treating depression and anxiety in university students of two Latin American countries: the Yo Puedo Sentirme Bien study. Trials, 2022, 23, .	1.6	1
13	What can we learn about polytrauma typologies by comparing population-representative to trauma-exposed samples: A Nepali example. Journal of Affective Disorders, 2022, , .	4.1	1
14	Predictors of transitions across stages of alcohol use and disorders in an adult population with heterogeneous ethnic restrictions regarding drinking. Addiction, 2021, 116, 809-818.	3.3	4
15	Suicide thought and behaviors, non-suicidal self-injury, and perceived life stress among sexual minority Mexican college students. Journal of Affective Disorders, 2021, 281, 891-898.	4.1	16
16	COVID-19 mental health impact and responses in low-income and middle-income countries: reimagining global mental health. Lancet Psychiatry,the, 2021, 8, 535-550.	7.4	455
17	Prevalence of 12-month mental and substance use disorders in sexual minority college students in Mexico. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 247-257.	3.1	7
18	Comparative Analysis of Lifetime Suicide Attempts among Mexican Adolescents, over the Past 12 Years. International Journal of Environmental Research and Public Health, 2021, 18, 5419.	2.6	6

#	Article	IF	CITATIONS
19	European Depression Polygenic Risk Score Predicts Suicide Behavior in Mexicans. Biological Psychiatry, 2021, 89, S236.	1.3	0
20	Suicidal ideation and planning among Mexican adolescents are associated with depression polygenic risk scores. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2021, 186, 476-484.	1.7	6
21	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
22	The burden of mental disorders in Mexico, 1990-2019: Mental and neurological disorders, substance use, suicides, and related somatic disorders. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	0
23	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	7.4	455
24	Traumatic life-events and suicidality among Mexican adolescents as they grow up: A longitudinal community survey. Journal of Psychiatric Research, 2021, 142, 171-178.	3.1	4
25	Traumatic life-events and alcohol and drug use disorders among Mexican adolescents: Bidirectional associations over 8 years. Drug and Alcohol Dependence, 2021, 228, 109051.	3.2	4
26	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	13.7	92
27	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
28	Differential Effects of Cognitive Reserve on the Neurocognitive Functioning of Polysubstance Users: an Exploratory Analysis Using Mixture Regression. International Journal of Mental Health and Addiction, 2020, 18, 500-514.	7.4	4
29	Twelve-month mental health service use in six countries of the Americas: A regional report from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2020, 29, e53.	3.9	24
30	Incidence and recurrence of depression from adolescence to early adulthood: A longitudinal follow-up of the Mexican Adolescent Mental Health Survey. Journal of Affective Disorders, 2020, 263, 540-546.	4.1	27
31	Binge eating and purging in firstâ€year college students: Prevalence, psychiatric comorbidity, and academic performance. International Journal of Eating Disorders, 2020, 53, 339-348.	4.0	33
32	Global burden of 87 risk factors in 204 countries and territories, 1990â€"2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	13.7	3,928
33	Depression polygenic scores are associated with major depressive disorder diagnosis and depressive episode in Mexican adolescents. Journal of Affective Disorders Reports, 2020, 2, 100028.	1.7	4
34	Treatment Delivery Preferences Associated With Type of Mental Disorder and Perceived Treatment Barriers Among Mexican University Students. Journal of Adolescent Health, 2020, 67, 232-238.	2.5	11
35	Patients' quality of life: Validation of the functional assessment of cancer therapy-bone marrow transplant (FACT-BMT) instrument for the Mexican population. Palliative and Supportive Care, 2020, 18, 557-568.	1.0	4
36	The importance of physical and mental health in explaining health-related academic role impairment among college students. Journal of Psychiatric Research, 2020, 123, 54-61.	3.1	36

3

#	Article	IF	Citations
37	Exploring the prevalence of substance-induced neurocognitive disorder among polysubstance users, adding subjective and objective evidence of cognitive impairment. Psychiatry Research, 2020, 288, 112944.	3.3	5
38	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	2.4	44
39	Exposure to Armed Conflict in Childhood vs Older Ages and Subsequent Onset of Major Depressive Disorder. JAMA Network Open, 2020, 3, e2019848.	5.9	12
40	Multidimensional Patterns of Sexual Risk Behavior and Psychiatric Disorders in Men with Substance Use Disorders. Archives of Sexual Behavior, 2019, 48, 599-607.	1.9	9
41	Chronic childhood adversity and speed of transition through stages of alcohol involvement. Drug and Alcohol Dependence, 2019, 205, 107669.	3.2	5
42	Associations between neighborhood-level violence and individual mental disorders: Results from the World Mental Health surveys in five Latin American cities. Psychiatry Research, 2019, 282, 112607.	3.3	14
43	Testing whether cognitive reserve as measured by self-rating of stimulating activities moderates the association of polysubstance use and neurocognitive disorder. Cognitive Neuropsychiatry, 2019, 24, 421-433.	1.3	4
44	Introduction to the special issue: The WHO World Mental Health International College Student (WMHâ€ICS) initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1762.	2.1	40
45	The World Health Organization World Mental Health International College Student initiative: An overview. International Journal of Methods in Psychiatric Research, 2019, 28, e1761.	2.1	88
46	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
47	A life-course approach to early-onset of diabetes mellitus: Probable contribution of collective violence in Mexico. Advances in Life Course Research, 2019, 40, 30-42.	1.4	1
48	The relationship between social inequalities, substance use and violence in border and non-border cities of northern Mexico. Drug and Alcohol Dependence, 2019, 200, 1-5.	3.2	5
49	DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. Journal of Behavioral Addictions, 2019, 8, 714-724.	3.7	16
50	The relationship between neighborhood-level socioeconomic characteristics and individual mental disorders in five cities in Latin America: multilevel models from the World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 157-170.	3.1	7
51	Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1752.	2.1	80
52	Variation in incidence of type 2 diabetes mellitus: time series of Mexican adolescents. Annals of Epidemiology, 2019, 30, 15-21.	1.9	1
53	Twelve-month utilization rates and adequacy of treatment for mental health and substance use disorders in Argentina. Revista Brasileira De Psiquiatria, 2019, 41, 238-244.	1.7	8
54	Delays in making initial treatment contact after the first onset of mental health disorders in the Argentinean Study of Mental Health Epidemiology. Epidemiology and Psychiatric Sciences, 2019, 28, 240-250.	3.9	15

#	Article	lF	CITATIONS
55	Lifetime prevalence and age-of-onset of mental disorders in adults from the Argentinean Study of Mental Health Epidemiology. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 341-350.	3.1	41
56	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
57	Association between attempted suicide and academic performance indicators among middle and high school students in Mexico: results from a national survey. Child and Adolescent Psychiatry and Mental Health, 2018, 12, 9.	2.5	27
58	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
59	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
60	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
61	Twelve-month prevalence rates of mental disorders and service use in the Argentinean Study of Mental Health Epidemiology. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 121-129.	3.1	21
62	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
63	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
64	Prevalence and correlates of arrests or stops for drunk driving on both sides of the U.SMexico border. Journal of Ethnicity in Substance Abuse, 2018, 17, 478-500.	0.9	5
65	Emerging adults not in education, employment or training (NEET): socio-demographic characteristics, mental health and reasons for being NEET. BMC Public Health, 2018, 18, 1201.	2.9	25
66	The association between psychotic experiences and health-related quality of life: a cross-national analysis based on World Mental Health Surveys. Schizophrenia Research, 2018, 201, 46-53.	2.0	20
67	A longitudinal study of reciprocal risk between mental and substance use disorders among Mexican youth. Journal of Psychiatric Research, 2018, 105, 45-53.	3.1	7
68	Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.	13.7	2,005
69	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders Journal of Abnormal Psychology, 2018, 127, 623-638.	1.9	1,140
70	Adolescent Predictors of Incidence and Persistence of Suicideâ€Related Outcomes in Young Adulthood: A Longitudinal Study of Mexican Youth. Suicide and Life-Threatening Behavior, 2018, 48, 755-766.	1.9	14
71	Psychopathology and self-harm among incoming first-year students in six Mexican universities. Salud Publica De Mexico, 2018, 61, 16.	0.4	25
72	Suicide ideation and behavior in Mexico: Encodat 2016. Salud Publica De Mexico, 2018, 61, 6.	0.4	24

#	Article	IF	Citations
73	Wanting and Getting Help for Substance Problems on Both Sides of the US-Mexico Border. Journal of Immigrant and Minority Health, 2017, 19, 1174-1185.	1.6	5
74	How Mental Health Interviews Conducted Alone, in the Presence of an Adult, a Child or Both Affects Adolescents' Reporting of Psychological Symptoms and Risky Behaviors. Journal of Youth and Adolescence, 2017, 46, 417-428.	3 . 5	11
75	Alcohol, cannabis and other drugs and subsequent suicide ideation and attempt among young Mexicans. Journal of Psychiatric Research, 2017, 91, 74-82.	3.1	67
76	Area-level disadvantage and alcohol use disorder in northern Mexico. Drug and Alcohol Dependence, 2017, 175, 219-226.	3.2	10
77	Fear and distress disorders as predictors of heart disease: A temporal perspective. Journal of Psychosomatic Research, 2017, 96, 67-75.	2.6	13
78	Posttraumatic stress disorder in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 2260-2274.	4.5	675
79	The cross-national epidemiology of specific phobia in the World Mental Health Surveys. Psychological Medicine, 2017, 47, 1744-1760.	4.5	148
80	Non-suicidal self-injury in Mexican young adults: Prevalence, associations with suicidal behavior and psychiatric disorders, and DSM-5 proposed diagnostic criteria. Journal of Affective Disorders, 2017, 215, 1-8.	4.1	44
81	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
82	The growth of suicide ideation, plan and attempt among young adults in the Mexico City metropolitan area. Epidemiology and Psychiatric Sciences, 2017, 26, 635-643.	3.9	13
83	Childhood adversities and post-traumatic stress disorder: evidence for stress sensitisation in the World Mental Health Surveys. British Journal of Psychiatry, 2017, 211, 280-288.	2.8	118
84	NEET adolescents grown up: eight-year longitudinal follow-up of education, employment and mental health from adolescence to early adulthood in Mexico City. European Child and Adolescent Psychiatry, 2017, 26, 1459-1469.	4.7	37
85	Trauma and PTSD in the WHO World Mental Health Surveys. Högre Utbildning, 2017, 8, 1353383.	3.0	801
86	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
87	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	5 . 5	258
88	Persistence of Specific Phobia From Adolescence to Early Adulthood. Journal of Clinical Psychiatry, 2017, 78, 340-346.	2.2	10
89	Developmental Psychopathology and the Epidemiology and Expression of Psychopathology from Infancy Through Early Adulthood. Autism and Child Psychopathology Series, 2017, , 11-23.	0.2	0
90	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777

#	Article	IF	Citations
91	Factors Explaining Variation in Alcohol Use Disorder Prevalence Across Border and Nonborder Communities in Texas. Alcoholism: Clinical and Experimental Research, 2016, 40, 1707-1716.	2.4	18
92	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	13.7	1,612
93	Dissonant health transition in the states of Mexico, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 388, 2386-2402.	13.7	130
94	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	4.5	866
95	Eight-year incidence of psychiatric disorders and service use from adolescence to early adulthood: longitudinal follow-up of the Mexican Adolescent Mental Health Survey. European Child and Adolescent Psychiatry, 2016, 25, 163-173.	4.7	51
96	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	6.2	479
97	The Bidirectional Associations Between Psychotic Experiences and DSM-IV Mental Disorders. American Journal of Psychiatry, 2016, 173, 997-1006.	7.2	176
98	Do Childhood Adversities Predict Suicidality? Findings from the General Population of the Metropolitan Area of São Paulo, Brazil. PLoS ONE, 2016, 11, e0155639.	2.5	20
99	The Influence of Parental Psychopathology on Offspring Suicidal Behavior across the Lifespan. PLoS ONE, 2015, 10, e0134970.	2.5	20
100	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	13.7	4,951
101	Border effects on DSM-5 alcohol use disorders on both sides of the U.S.–Mexico border. Drug and Alcohol Dependence, 2015, 148, 172-179.	3.2	29
102	Psychometric properties of the Zarit Burden Interview in Mexican caregivers of cancer patients. Psycho-Oncology, 2015, 24, 612-615.	2.3	13
103	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	7.2	100
104	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	13.7	1,544
105	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	13.7	2,184
106	Global, regional, and national age–sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 385, 117-171.	13.7	5,847
107	Subthreshold Posttraumatic Stress Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2015, 77, 375-384.	1.3	197
108	Efectos de intervenciones psicol \tilde{A}^3 gicas en sobrevivientes de c \tilde{A}_1 ncer: una revisi \tilde{A}^3 n Psicooncologia, 2014, 11, .	0.3	2

#	Article	IF	CITATIONS
109	<scp>BDNF</scp> Met66 modulates the cumulative effect of psychosocial childhood adversities on major depression in adolescents. Brain and Behavior, 2014, 4, 290-297.	2.2	25
110	Posttraumatic Stress Disorder in a Nationally Representative Mexican Community Sample. Journal of Traumatic Stress, 2014, 27, 323-330.	1.8	14
111	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2014, 23, 27-41.	3.9	46
112	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
113	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58
114	Adolescent alcohol use and alcohol use disorders in Mexico City. Drug and Alcohol Dependence, 2014, 136, 43-50.	3.2	21
115	Suicide risk and psychopathology in immigrants: a multi-group confirmatory factor analysis. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1105-1114.	3.1	16
116	Parental Psychopathology and Offspring Suicidality in Mexico. Archives of Suicide Research, 2013, 17, 123-135.	2.3	9
117	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	1.3	1,025
118	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	2.6	20
119	Chronic childhood adversity and stages of substance use involvement in adolescents. Drug and Alcohol Dependence, 2013, 131, 85-91.	3.2	40
120	Association of the catechol-O-methyltransferase gene and attention deficit hyperactivity disorder. Psychiatric Genetics, 2013, 23, 90-91.	1.1	4
121	DSM-5 Criteria for Substance Use Disorders: Recommendations and Rationale. American Journal of Psychiatry, 2013, 170, 834-851.	7.2	1,113
122	Physical activity and reduced risk of depression: Results of a longitudinal study of Mexican adults Health Psychology, 2013, 32, 609-615.	1.6	32
123	A Cross-National Study on Prevalence of Mental Disorders, Service Use, and Adequacy of Treatment Among Mexican and Mexican American Populations. American Journal of Public Health, 2013, 103, 1610-1618.	2.7	25
124	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	1.7	76
125	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. PLoS ONE, 2013, 8, e80573.	2.5	119
126	Estudio de la variabilidad genética del DRD4 y del DAT1 en individuos habitantes de la Ciudad de México. Salud Mental, 2013, 36, 189.	0.3	2

#	Article	IF	Citations
127	La carga de enfermedad, lesiones, factores de riesgo y desafÃos para el sistema de salud en México. Salud Publica De Mexico, 2013, 55, 580.	0.4	75
128	Mexico–United States Migration and the Prevalence of Obesity: A Transnational Perspective. Archives of Internal Medicine, 2012, 172, 1760.	3.8	14
129	Role of common mental and physical disorders in partial disability around the world. British Journal of Psychiatry, 2012, 200, 454-461.	2.8	77
130	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	2.8	201
131	A Transnational Study of Migration and Smoking Behavior in the Mexican-Origin Population. American Journal of Public Health, 2012, 102, 2116-2122.	2.7	16
132	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	13.7	9,397
133	Mexican immigration to the US and alcohol and drug use opportunities: Does it make a difference in alcohol and/or drug use?. Drug and Alcohol Dependence, 2012, 125, S4-S11.	3.2	34
134	Depression, gender, and the treatment gap in Mexico. Journal of Affective Disorders, 2012, 138, 165-169.	4.1	36
135	Change in binge eating and binge eating disorder associated with migration from Mexico to the US. Journal of Psychiatric Research, 2012, 46, 31-37.	3.1	30
136	Youth who neither study nor work: mental health, education and employment. Salud Publica De Mexico, 2012, 54, 410-417.	0.4	75
137	Epidemiology of Fears and Specific Phobia in Adolescence. Journal of Clinical Psychiatry, 2012, 73, 152-158.	2.2	19
138	Exposure to alcohol, drugs and tobacco and the risk of subsequent suicidality: Findings from the Mexican Adolescent Mental Health Survey. Drug and Alcohol Dependence, 2011, 113, 110-117.	3.2	57
139	Health Selection among Migrants from Mexico to the U.S.: Childhood Predictors of Adult Physical and Mental Health. Public Health Reports, 2011, 126, 361-370.	2.5	30
140	Migration from Mexico to the United States and Subsequent Risk for Depressive and Anxiety Disorders. Archives of General Psychiatry, 2011, 68, 428.	12.3	88
141	Migration From Mexico to the United States and Conduct Disorder. Archives of General Psychiatry, 2011, 68, 1284.	12.3	38
142	Depressed mood and antisocial behavior problems as correlates for suicide-related behaviors in Mexico. Journal of Psychiatric Research, 2011, 45, 596-602.	3.1	24
143	Mexican migration experiences to the US and risk for anxiety and depressive symptoms. Journal of Affective Disorders, 2011, 130, 83-91.	4.1	46
144	The association of chronic adversity with psychiatric disorder and disorder severity in adolescents. European Child and Adolescent Psychiatry, 2011, 20, 459-468.	4.7	34

#	Article	IF	Citations
145	Development of Lifetime Comorbidity in the World Health Organization World Mental Health Surveys. Archives of General Psychiatry, 2011, 68, 90.	12.3	410
146	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. Archives of General Psychiatry, 2011, 68, 838.	12.3	281
147	Influence of mental disorders on school dropout in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2011, 30, 477-83.	1.1	9
148	Alcohol and drug use in suicidal behaviour. Current Opinion in Psychiatry, 2010, 23, 195-204.	6.3	115
149	Childhood adversities of populations living in low-income countries: prevalence, characteristics, and mental health consequences. Current Opinion in Psychiatry, 2010, 23, 356-362.	6.3	86
150	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	2.8	278
151	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	2.8	156
152	Chronic childhood adversity and onset of psychopathology during three life stages: Childhood, adolescence and adulthood. Journal of Psychiatric Research, 2010, 44, 732-740.	3.1	189
153	Service use among Mexico City adolescents with suicidality. Journal of Affective Disorders, 2010, 120, 32-39.	4.1	21
154	Psychiatric disorders, comorbidity, and suicidality in Mexico. Journal of Affective Disorders, 2010, 124, 98-107.	4.1	37
155	Subtyping social anxiety disorder in developed and developing countries. Depression and Anxiety, 2010, 27, 390-403.	4.1	52
156	5â€HTTLPR moderates the effect of relational peer victimization on depressive symptoms in adolescent girls. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2010, 51, 173-179.	5.2	71
157	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2.5	273
158	Childhood adversities and adult psychopathology in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2010, 197, 378-385.	2.8	1,854
159	Lifetime Prevalence of Mental Disorders in U.S. Adolescents: Results from the National Comorbidity Survey Replication–Adolescent Supplement (NCS-A). Journal of the American Academy of Child and Adolescent Psychiatry, 2010, 49, 980-989.	0.5	4,750
160	Body mass index and its relationship to mental disorders in the Mexican Adolescent Mental Health Survey. Salud Publica De Mexico, 2010, 52, 103-10.	0.4	9
161	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
162	Youth mental health in a populous city of the developing world: results from the Mexican Adolescent Mental Health Survey. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 386-395.	5.2	123

#	Article	IF	Citations
163	Descriptive Epidemiology of Chronic Childhood Adversity in Mexican Adolescents. Journal of Adolescent Health, 2009, 45, 483-489.	2.5	53
164	Immigration and Suicidal Behavior Among Mexicans and Mexican Americans. American Journal of Public Health, 2009, 99, 728-733.	2.7	61
165	DSM–IV personality disorders in the WHO World Mental Health Surveys. British Journal of Psychiatry, 2009, 195, 46-53.	2.8	260
166	Association of headache with childhood adversity and mental disorder: cross-national study. British Journal of Psychiatry, 2009, 194, 111-116.	2.8	33
167	Traumatic events and suicide-related outcomes among Mexico City adolescents. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 654-666.	5.2	56
168	Risk factors for the incidence and persistence of suicide-related outcomes: A 10-year follow-up study using the National Comorbidity Surveys. Journal of Affective Disorders, 2008, 105, 25-33.	4.1	267
169	Suicide and Suicidal Behavior. Epidemiologic Reviews, 2008, 30, 133-154.	3.5	1,947
170	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
171	Suicide Ideation, Plan, and Attempt in the Mexican Adolescent Mental Health Survey. Journal of the American Academy of Child and Adolescent Psychiatry, 2008, 47, 41-52.	0.5	93
172	Treatment of mental disorders for adolescents in Mexico City. Bulletin of the World Health Organization, 2008, 86, 757-764.	3.3	24
173	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. Psychological Medicine, 2008, 38, 1639-1650.	4.5	81
174	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	2.0	91
175	DSM-IV personality disorders in Mexico: results from a general population survey. Revista Brasileira De Psiquiatria, 2008, 30, 227-234.	1.7	14
176	Comorbidity: Depression and Substance Abuse. Issues in Children's and Families' Lives, 2008, , 73-91.	0.2	7
177	Traumatic life events and posttraumatic stress disorder among Mexican adolescents: results from a survey. Salud Publica De Mexico, 2008, 50, S29-37.	0.4	20
178	Alcohol Use and Alcohol Use Disorders in Mexico. Contemporary Drug Problems, 2007, 34, 389-410.	1.6	6
179	Delay of First Treatment of Mental and Substance Use Disorders in Mexico. American Journal of Public Health, 2007, 97, 1638-1643.	2.7	61
180	The Effect of Migration to the United States on Substance Use Disorders Among Returned Mexican Migrants and Families of Migrants. American Journal of Public Health, 2007, 97, 1847-1851.	2.7	75

#	Article	IF	CITATIONS
181	Drug use opportunities and the transition to drug use among adolescents from the Mexico City Metropolitan Area. Drug and Alcohol Dependence, 2007, 90, 128-134.	3.2	49
182	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
183	The Epidemiology of Suicideâ€Related Outcomes in Mexico. Suicide and Life-Threatening Behavior, 2007, 37, 627-640.	1.9	34
184	Psychiatric disorders in Mexico: Lifetime prevalence in a nationally representative sample. British Journal of Psychiatry, 2007, 190, 521-528.	2.8	102
185	Prevalence and socioâ€demographic correlates of drug use among adolescents: results from the Mexican Adolescent Mental Health Survey. Addiction, 2007, 102, 1261-1268.	3.3	49
186	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
187	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. Journal of Affective Disorders, 2007, 103, 113-120.	4.1	414
188	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
189	Treatment and Adequacy of Treatment of Mental Disorders Among Respondents to the Mexico National Comorbidity Survey. American Journal of Psychiatry, 2006, 163, 1371-1378.	7.2	46
190	A risk index for 12-month suicide attempts in the National Comorbidity Survey Replication (NCS-R). Psychological Medicine, 2006, 36, 1747-1757.	4.5	207
191	Prevalence and correlates of drug use disorders in Mexico. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2006, 19, 265-76.	1.1	45
192	Prevalence, service use, and demographic correlates of 12-month DSM-IV psychiatric disorders in Mexico: results from the Mexican National Comorbidity Survey. Psychological Medicine, 2005, 35, 1773-1783.	4.5	159
193	Trends in Suicide Ideation, Plans, Gestures, and Attempts in the United States, 1990-1992 to 2001-2003. JAMA - Journal of the American Medical Association, 2005, 293, 2487.	7.4	876
194	The relationship of tobacco smoking with depressive symptomatology in the Third Mexican National Addictions Survey. Psychological Medicine, 2004, 34, 881-888.	4.5	42
195	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
196	Spanking children: the controversies, findings, and new directions. Clinical Psychology Review, 2003, 23, 197-224.	11.4	130
197	Spanking Children. Current Directions in Psychological Science, 2003, 12, 99-103.	5.3	28
198	Evaluating the parental fitness of psychiatrically diagnosed individuals: Advocating a functional-contextual analysis of parenting Journal of Family Psychology, 2003, 17, 238-251.	1.3	78

#	ARTICLE	IF	CITATIONS
199	PSYCHOMETRIC PROPERTIES AND CONSTRUCT VALIDITY OF A SPANISH LANGUAGE SCALE FOR SCREENING ANTISOCIAL PERSONALITY. Social Behavior and Personality, 2002, 30, 223-234.	0.6	3
200	A Short-Term Longitudinal Study of Pubertal Change, Gender, and Psychological Well-Being of Mexican Early Adolescents. Journal of Youth and Adolescence, 2002, 31, 429-442.	3.5	60
201	Parental Involvement, Needs and Drug-Related Service Utilization Among Mexican Middle and High School Students. Journal of Family Social Work, 2001, 6, 79-95.	0.2	1
202	Prevalence of and Risk Factors for Lifetime Suicide Attempts in the National Comorbidity Survey. Archives of General Psychiatry, 1999, 56, 617.	12.3	2,115
203	Comorbidity of substance use disorders with mood and anxiety disorders. Addictive Behaviors, 1998, 23, 893-907.	3.0	674
204	Predictors of parent involvement in children's schooling Journal of Educational Psychology, 1997, 89, 538-548.	2.9	340
205	Child maltreatment and termination of parental rights: Can behavioral research help solomon?. Behavior Therapy, 1995, 26, 599-623.	2.4	39
206	A cognitive perspective on ethnicity, race, and termination of parental rights Law and Human Behavior, 1994, 18, 249-268.	0.7	43