

Michael R Gold

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4587699/publications.pdf>

Version: 2024-02-01

181
papers

10,064
citations

53794

45
h-index

37204

96
g-index

183
all docs

183
docs citations

183
times ranked

6402
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomized Trial of Cardiac Resynchronization in Mildly Symptomatic Heart Failure Patients and in Asymptomatic Patients With Left Ventricular Dysfunction and Previous Heart Failure Symptoms. <i>Journal of the American College of Cardiology</i> , 2008, 52, 1834-1843.	2.8	1,060
2	Temporal Relationship Between Subclinical Atrial Fibrillation and Embolic Events. <i>Circulation</i> , 2014, 129, 2094-2099.	1.6	579
3	Safety and Efficacy of a Totally Subcutaneous Implantable-Cardioverter Defibrillator. <i>Circulation</i> , 2013, 128, 944-953.	1.6	486
4	Safety and Efficacy of the Totally Subcutaneous Implantable Defibrillator. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1605-1615.	2.8	458
5	Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. <i>European Heart Journal</i> , 2017, 38, 1339-1344.	2.2	428
6	An individual patient meta-analysis of five randomized trials assessing the effects of cardiac resynchronization therapy on morbidity and mortality in patients with symptomatic heart failure. <i>European Heart Journal</i> , 2013, 34, 3547-3556.	2.2	410
7	Primary Results From the SmartDelay Determined AV Optimization: A Comparison to Other AV Delay Methods Used in Cardiac Resynchronization Therapy (SMART-AV) Trial. <i>Circulation</i> , 2010, 122, 2660-2668.	1.6	366
8	The relationship between ventricular electrical delay and left ventricular remodelling with cardiac resynchronization therapy. <i>European Heart Journal</i> , 2011, 32, 2516-2524.	2.2	305
9	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management. <i>Heart Rhythm</i> , 2012, 9, 1524-1576.	0.7	300
10	Vagus Nerve Stimulation for the Treatment of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2016, 68, 149-158.	2.8	283
11	Effect of QRS Duration and Morphology on Cardiac Resynchronization Therapy Outcomes in Mild Heart Failure. <i>Circulation</i> , 2012, 126, 822-829.	1.6	279
12	Head-to-Head Comparison of Arrhythmia Discrimination Performance of Subcutaneous and Transvenous ICD Arrhythmia Detection Algorithms: The START Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 359-366.	1.7	192
13	Amplatzer Amulet Left Atrial Appendage Occluder Versus Watchman Device for Stroke Prophylaxis (Amulet IDE): A Randomized, Controlled Trial. <i>Circulation</i> , 2021, 144, 1543-1552.	1.6	190
14	Role of Microvolt T-Wave Alternans in Assessment of Arrhythmia Vulnerability Among Patients With Heart Failure and Systolic Dysfunction. <i>Circulation</i> , 2008, 118, 2022-2028.	1.6	174
15	Left bundle branch pacing for symptomatic bradycardia: Implant success rate, safety, and pacing characteristics. <i>Heart Rhythm</i> , 2019, 16, 1758-1765.	0.7	154
16	Sites of left and right ventricular lead implantation and response to cardiac resynchronization therapy observations from the REVERSE trial. <i>European Heart Journal</i> , 2012, 33, 2662-2671.	2.2	152
17	Left Bundle Branch Pacing. <i>Journal of the American College of Cardiology</i> , 2019, 74, 3039-3049.	2.8	150
18	Subcutaneous implantable cardioverter-defibrillator Post-Approval Study: Clinical characteristics and perioperative results. <i>Heart Rhythm</i> , 2017, 14, 1456-1463.	0.7	137

#	ARTICLE	IF	CITATIONS
19	Primary Results From the Understanding Outcomes With the S-ICD in Primary Prevention Patients With Low Ejection Fraction (UNTOUCHED) Trial. <i>Circulation</i> , 2021, 143, 7-17.	1.6	132
20	Efficacy and Temporal Stability of Reduced Safety Margins for Ventricular Defibrillation. <i>Circulation</i> , 2002, 105, 2043-2048.	1.6	129
21	HRS/ACC/AHA Expert Consensus Statement on the Use of Implantable Cardioverter-Defibrillator Therapy in Patients Who Are Not Included or Not Well Represented in Clinical Trials. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1143-1177.	2.8	118
22	A New Algorithm to Reduce Inappropriate Therapy in the S-ICD System. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 417-423.	1.7	107
23	The impact of cardiac resynchronization therapy on the incidence of ventricular arrhythmias in mild heart failure. <i>Heart Rhythm</i> , 2011, 8, 679-684.	0.7	106
24	HRS/ACC/AHA Expert Consensus Statement on the Use of Implantable Cardioverter-Defibrillator Therapy in Patients Who Are Not Included or Not Well Represented in Clinical Trials. <i>Circulation</i> , 2014, 130, 94-125.	1.6	102
25	A Prospective Comparison of AV Delay Programming Methods for Hemodynamic Optimization during Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2007, 18, 490-496.	1.7	99
26	Comparison of stimulation sites within left ventricular veins on the acute hemodynamic effects of cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2005, 2, 376-381.	0.7	93
27	Evaluation of subcutaneous ICD early performance in hypertrophic cardiomyopathy from the pooled EFFORTLESS and IDE cohorts. <i>Heart Rhythm</i> , 2016, 13, 1066-1074.	0.7	92
28	Subcutaneous Versus Transvenous Implantable Defibrillator Therapy. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1475-1483.	3.2	91
29	Beta-blocker therapy for long QT syndrome and catecholaminergic polymorphic ventricular tachycardia: Are all beta-blockers equivalent?. <i>Heart Rhythm</i> , 2017, 14, e41-e44.	0.7	91
30	Progression of Device-Detected Subclinical Atrial Fibrillation and the Risk of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2603-2611.	2.8	91
31	Use of a discrimination algorithm to reduce inappropriate shocks with a subcutaneous implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2014, 11, 1352-1358.	0.7	86
32	The effect of reverse remodeling on long-term survival in mildly symptomatic patients with heart failure receiving cardiac resynchronization therapy: Results of the REVERSE study. <i>Heart Rhythm</i> , 2015, 12, 524-530.	0.7	85
33	The interaction of sex, height, and QRS duration on the effects of cardiac resynchronization therapy on morbidity and mortality: an individual-patient data meta-analysis. <i>European Journal of Heart Failure</i> , 2018, 20, 780-791.	7.1	81
34	Full-Body MRI in Patients With an Implantable Cardioverter-Defibrillator. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2581-2588.	2.8	75
35	Rationale and Design of the Left Atrial Pressure Monitoring to Optimize Heart Failure Therapy Study (LAPTOP-HF). <i>Journal of Cardiac Failure</i> , 2015, 21, 479-488.	1.7	69
36	Safety and Efficacy of the Subcutaneous Implantable Defibrillator. <i>Journal of the American College of Cardiology</i> , 2016, 67, 445-454.	2.8	64

#	ARTICLE	IF	CITATIONS
37	Comparison of Left Bundle Branch and His Bundle Pacing in Bradycardia Patients. JACC: Clinical Electrophysiology, 2020, 6, 1291-1299.	3.2	64
38	Advanced Rhythm Discrimination for Implantable Cardioverter Defibrillators Using Electrogram Vector Timing and Correlation. Journal of Cardiovascular Electrophysiology, 2002, 13, 1092-1097.	1.7	60
39	Evaluation, Management, and Outcomes of Patients Poorly Responsive to Cardiac Resynchronization Device Therapy. Journal of the American College of Cardiology, 2019, 74, 2588-2603.	2.8	60
40	Impact of atrial prevention pacing on atrial fibrillation burden: Primary results of the Study of Atrial Fibrillation Reduction (SAFARI) trial. Heart Rhythm, 2009, 6, 295-301.	0.7	57
41	Positive Psychotherapy to Improve Autonomic Function and Mood in ICD Patients (PAM-ICD): Rationale and Design of an RCT Currently Underway. PACE - Pacing and Clinical Electrophysiology, 2016, 39, 458-470.	1.2	57
42	Prospective comparison of discrimination algorithms to prevent inappropriate ICD therapy: Primary results of the Rhythm ID Going Head to Head Trial. Heart Rhythm, 2012, 9, 370-377.	0.7	55
43	Reduced appropriate implantable cardioverter-defibrillator therapy after cardiac resynchronization therapy-induced left ventricular function recovery: a meta-analysis and systematic review. European Heart Journal, 2015, 36, 2780-2789.	2.2	55
44	Implantable Defibrillators Improve Survival in Patients With Mildly Symptomatic Heart Failure Receiving Cardiac Resynchronization Therapy. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 1163-1168.	4.8	51
45	Image Quality of Cardiac Magnetic Resonance Imaging in Patients With an Implantable Cardioverter Defibrillator System Designed for the Magnetic Resonance Imaging Environment. Circulation: Cardiovascular Imaging, 2016, 9, .	2.6	48
46	Understanding Outcomes with the EMBLEM S-ICD in Primary Prevention Patients with Low EF Study (UNTOUCHED): Clinical characteristics and perioperative results. Heart Rhythm, 2019, 16, 1636-1644.	0.7	48
47	Reduced Mortality Associated With Quadripolar Compared to Bipolar Left Ventricular Leads in Cardiac Resynchronization Therapy. JACC: Clinical Electrophysiology, 2016, 2, 426-433.	3.2	41
48	Comparison of Defibrillation Efficacy and Survival Associated With Right Versus Left Pectoral Placement for Implantable Defibrillators. American Journal of Cardiology, 2007, 100, 243-246.	1.6	40
49	Who Should Receive the Subcutaneous Implanted Defibrillator?. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 1236-1245.	4.8	40
50	Atrial Support Pacing in Heart Failure: Results from the Multicenter PEGASUS CRT Trial. Journal of Cardiovascular Electrophysiology, 2012, 23, 1317-1325.	1.7	39
51	Novel measure of electrical dyssynchrony predicts response in cardiac resynchronization therapy: Results from the SMART-AV Trial. Heart Rhythm, 2015, 12, 2402-2410.	0.7	39
52	The effect of left ventricular electrical delay on AV optimization for cardiac resynchronization therapy. Heart Rhythm, 2013, 10, 988-993.	0.7	38
53	Interventricular Electrical Delay Is Predictive of Response to Cardiac Resynchronization Therapy. JACC: Clinical Electrophysiology, 2016, 2, 438-447.	3.2	37
54	The role of interventricular conduction delay to predict clinical response with cardiac resynchronization therapy. Heart Rhythm, 2017, 14, 1748-1755.	0.7	37

#	ARTICLE	IF	CITATIONS
55	Anesthesia for subcutaneous implantable cardioverter-defibrillator implantation: Perspectives from the clinical experience of a U.S. panel of physicians. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 807-816.	1.2	35
56	Optimization of superior vena cava coil position and usage for transvenous defibrillation. <i>Heart Rhythm</i> , 2008, 5, 394-399.	0.7	34
57	Left Ventricular Architecture, Long-Term Reverse Remodeling, and Clinical Outcome in Mild Heart Failure With Cardiac Resynchronization. <i>JACC: Heart Failure</i> , 2017, 5, 169-178.	4.1	34
58	Rationale and design of the AdaptResponse trial: a prospective randomized study of cardiac resynchronization therapy with preferential adaptive left ventricular only pacing. <i>European Journal of Heart Failure</i> , 2017, 19, 950-957.	7.1	33
59	Factors Associated With High-Voltage Impedance and Subcutaneous Implantable Defibrillator Ventricular Fibrillation Conversion Success. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e006665.	4.8	33
60	Redefining the Classifications of Response to Cardiac Resynchronization Therapy. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 871-880.	3.2	33
61	Safety of a Single Successful Conversion of Ventricular Fibrillation Before the Implantation of Cardioverter Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2003, 26, 483-486.	1.2	32
62	Sudden cardiac death: The role of risk stratification. <i>American Heart Journal</i> , 2007, 153, 25-33.	2.7	31
63	Performance of the subcutaneous implantable cardioverter-defibrillator in patients with a primary prevention indication with and without a reduced ejection fraction versus patients with a secondary prevention indication. <i>Heart Rhythm</i> , 2017, 14, 367-375.	0.7	30
64	Rationale and design for AMPLATZER Amulet Left Atrial Appendage Occluder IDE randomized controlled trial (Amulet IDE Trial). <i>American Heart Journal</i> , 2019, 211, 45-53.	2.7	30
65	Economic Value and Cost-Effectiveness of Cardiac Resynchronization Therapy Among Patients With Mild Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 204-212.	4.1	30
66	The role of AV and VV optimization for CRT. <i>Journal of Arrhythmia</i> , 2013, 29, 153-161.	1.2	29
67	Contrast-enhanced image-guided lead deployment for left bundle branch pacing. <i>Heart Rhythm</i> , 2021, 18, 1318-1325.	0.7	29
68	The Effect of Left Ventricular Electrical Delay on the Acute Hemodynamic Response with Cardiac Resynchronization Therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2014, 25, 624-630.	1.7	27
69	Predictors of short-term clinical response to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2017, 19, 1056-1063.	7.1	27
70	Competitive athletes with implantable cardioverter-defibrillators—How to program? Data from the Implantable Cardioverter-Defibrillator Sports Registry. <i>Heart Rhythm</i> , 2019, 16, 581-587.	0.7	27
71	Stroke type and severity in patients with subclinical atrial fibrillation: An analysis from the Asymptomatic Atrial Fibrillation and Stroke Evaluation in Pacemaker Patients and the Atrial Fibrillation Reduction Atrial Pacing Trial (ASSERT). <i>American Heart Journal</i> , 2018, 201, 160-163.	2.7	26
72	Bilateral Bundle Branch Area Pacing to Achieve Physiological Conduction System Activation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008267.	4.8	25

#	ARTICLE	IF	CITATIONS
73	Acute Hemodynamic Effects of Atrial Pacing with Cardiac Resynchronization Therapy. Journal of Cardiovascular Electrophysiology, 2009, 20, 894-900.	1.7	24
74	1-Year Prospective Evaluation of Clinical Outcomes and Shocks. JACC: Clinical Electrophysiology, 2020, 6, 1537-1550.	3.2	24
75	Effects of Cardiac Resynchronization Therapy on Cardiac Remodeling and Contractile Function: Results From Resynchronization Reverses Remodeling in Systolic Left Ventricular Dysfunction (REVERSE). Journal of the American Heart Association, 2015, 4, e002054.	3.7	23
76	Design and rationale for the Stimulation Of the Left Ventricular Endocardium for Cardiac Resynchronization Therapy in non-responders and previously untreatable patients (SOLVE-CRT) trial. American Heart Journal, 2019, 217, 13-22.	2.7	23
77	Comparison of measures of ventricular delay on cardiac resynchronization therapy response. Heart Rhythm, 2020, 17, 615-620.	0.7	23
78	The Design of the Understanding Outcomes with the Sâ€œCD in Primary Prevention Patients with Low EF Study (UNTOUCHED). PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1-8.	1.2	22
79	Use of antibiotic envelopes to prevent cardiac implantable electronic device infections: A metaâ€œanalysis. Journal of Cardiovascular Electrophysiology, 2018, 29, 609-615.	1.7	22
80	Relationship of paced left bundle branch pacing morphology with anatomic location and physiological outcomes. Heart Rhythm, 2021, 18, 946-953.	0.7	21
81	Electromagnetic interference from left ventricular assist devices in patients with subcutaneous implantable cardioverterâ€œdefibrillators. Journal of Cardiovascular Electrophysiology, 2020, 31, 1195-1201.	1.7	20
82	European Society of Cardiology Quality Indicators for the care and outcomes of cardiac pacing: developed by the Working Group for Cardiac Pacing Quality Indicators in collaboration with the European Heart Rhythm Association of the European Society of Cardiology. Europace, 2022, 24, 165-172.	1.7	20
83	A prospective, randomized comparison of the acute hemodynamic effects of biventricular and left ventricular pacing with cardiac resynchronization therapy. Heart Rhythm, 2011, 8, 685-691.	0.7	19
84	Interactions between a Left Ventricular Assist Device and Implantable Cardioverterâ€œDefibrillator. PACE - Pacing and Clinical Electrophysiology, 2012, 35, e272-3.	1.2	19
85	Permanent His Bundle Pacing Implantation Facilitated by Visualization of the Tricuspid Valve Annulus. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008370.	4.8	19
86	Effect of Interventricular Electrical Delay on Atrioventricular Optimization for Cardiac Resynchronization Therapy. Circulation: Arrhythmia and Electrophysiology, 2018, 11, e006055.	4.8	18
87	Preclinical evaluation of implantable cardioverter-defibrillator developed for magnetic resonance imaging use. Heart Rhythm, 2015, 12, 631-638.	0.7	17
88	Research Opportunities in Autonomic Neural Mechanisms of CardiopulmonaryÂˆRegulation. JACC Basic To Translational Science, 2022, 7, 265-293.	4.1	17
89	HRS/ACC/AHA Expert Consensus Statement on the Use of Implantable Cardioverter-Defibrillator Therapy in Patients Who Are Not Included or Not Well Represented in Clinical Trials. Heart Rhythm, 2014, 11, 1270-1303.	0.7	16
90	Prophylactic pulmonary vein isolation during cavotricuspid isthmus ablation for atrial flutter: A metaâ€œanalysis. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 493-498.	1.2	16

#	ARTICLE	IF	CITATIONS
91	Real-world outcomes of ventricular tachycardia catheter ablation with versus without intracardiac echocardiography. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 417-422.	1.7	16
92	Are Leadless Pacemakers a Niche or the Future of Device Therapy?—. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1505-1508.	2.8	14
93	Clinical experience with subcutaneous implantable cardioverter-defibrillators. <i>Nature Reviews Cardiology</i> , 2015, 12, 398-405.	13.7	14
94	The Subcutaneous ICD: A Review of the UNTOUCHED and PRAETORIAN Trials. <i>Arrhythmia and Electrophysiology Review</i> , 2021, 10, 108-112.	2.4	14
95	Defibrillation Testing at ICD Implantation: Are We Asking the Wrong Question?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2009, 32, 567-569.	1.2	13
96	Comparison of Fixed Tilt and Tuned Defibrillation Waveforms: The PROMISE Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 323-327.	1.7	13
97	Future research prioritization in cardiac resynchronization therapy. <i>American Heart Journal</i> , 2020, 223, 48-58.	2.7	13
98	The Importance of Early Evaluation after Cardiac Resynchronization Therapy to Redefine Response: Pooled Individual Patient Analysis from Five Prospective Studies. <i>Heart Rhythm</i> , 2021, , .	0.7	13
99	Estimated incidence of previously undetected atrial fibrillation on a 14-day continuous electrocardiographic monitor and associated risk of stroke. <i>Europace</i> , 2022, , .	1.7	13
100	The Effect of Chronic Kidney Disease on Mortality with Cardiac Resynchronization Therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 863-869.	1.2	12
101	The Role of Atrioventricular and Interventricular Optimization for Cardiac Resynchronization Therapy. <i>Heart Failure Clinics</i> , 2017, 13, 209-223.	2.1	11
102	Development of a biomarker panel to predict cardiac resynchronization therapy response: Results from the SMART-AV trial. <i>Heart Rhythm</i> , 2019, 16, 743-753.	0.7	11
103	Rationale and design of a randomized clinical trial to assess the role of overdrive and triggered prevention pacing therapies in reducing atrial fibrillation: The Study of Atrial Fibrillation Reduction (SAFARI). <i>American Heart Journal</i> , 2006, 152, 231-236.	2.7	10
104	Cardiac Resynchronization Therapy in Mild Heart Failure: A Review of the REVERSE and MADIT-CRT Trials. <i>Current Cardiology Reports</i> , 2010, 12, 367-373.	2.9	10
105	Long-Term Extrapolation of Clinical Benefits Among Patients With Mild Heart Failure Receiving Cardiac Resynchronization Therapy. <i>JACC: Heart Failure</i> , 2015, 3, 691-700.	4.1	10
106	Treatment of Subclinical Atrial Fibrillation. <i>Circulation</i> , 2018, 137, 217-218.	1.6	10
107	Acute biventricular hemodynamic effects of cardiac resynchronization therapy in right bundle branch block. <i>Heart Rhythm</i> , 2018, 15, 1525-1532.	0.7	10
108	The cost of non-response to cardiac resynchronization therapy: characterizing heart failure events following cardiac resynchronization therapy. <i>Europace</i> , 2021, 23, 1586-1595.	1.7	10

#	ARTICLE	IF	CITATIONS
109	Same-day discharge after catheter ablation in patients with atrial fibrillation in a large nationwide administrative claims database. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2432-2440.	1.7	10
110	Vagal nerve stimulation for heart failure: new pieces to the puzzle?. <i>European Journal of Heart Failure</i> , 2015, 17, 125-127.	7.1	9
111	Differences in clinical characteristics and reported quality of life of men and women undergoing cardiac resynchronization therapy. <i>ESC Heart Failure</i> , 2020, 7, 2972-2982.	3.1	9
112	Outcomes of subcutaneous implantable cardioverter-defibrillator in dialysis patients: Results from the S-ICD post-approval study. <i>Heart Rhythm</i> , 2020, 17, 1566-1574.	0.7	9
113	Modified design of stimulation of the left ventricular endocardium for cardiac resynchronization therapy in nonresponders, previously untreatable and high-risk upgrade patients (SOLVE-CRT) trial. <i>American Heart Journal</i> , 2021, 235, 158-162.	2.7	9
114	Healthcare utilization and cost in patients with atrial fibrillation and heart failure undergoing catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3166-3175.	1.7	8
115	Meta-analysis comparing outcomes of catheter ablation for ventricular arrhythmia in ischemic versus nonischemic cardiomyopathy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 54-62.	1.2	8
116	T wave alternans for ventricular arrhythmia risk stratification. <i>Current Opinion in Cardiology</i> , 2003, 18, 1-5.	1.8	7
117	The Subcutaneous Defibrillator. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2012, 14, 550-557.	0.9	7
118	Newer Indications for ICD and CRT. <i>Cardiology Clinics</i> , 2014, 32, 181-190.	2.2	7
119	Impact of magnetic resonance imaging on ventricular tachyarrhythmia sensing: Results of the Evera MRI Study. <i>Heart Rhythm</i> , 2016, 13, 1631-1635.	0.7	7
120	The ECG Belt for CRT response trial: Design and clinical protocol. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1063-1071.	1.2	7
121	Outcomes of two versus three incision techniques: Results from the subcutaneous ICD post-approval study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 792-801.	1.7	7
122	Acute Hemodynamic Effects of Cardiac Resynchronization Therapy Versus Alternative Pacing Strategies in Patients With Left Ventricular Assist Devices. <i>Journal of the American Heart Association</i> , 2021, 10, e018127.	3.7	7
123	Developments in Cardiac Resynchronisation Therapy. <i>Arrhythmia and Electrophysiology Review</i> , 2015, 04, 122.	2.4	7
124	Epicardial mapping and ablation of ventricular tachycardia from the coronary venous system in post-coronary bypass patients. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2023, 66, 145-151.	1.3	7
125	The Role of I-123 Metaiodobenzylguanidine Imaging in Management of Patients With Heart Failure. <i>American Journal of Cardiology</i> , 2015, 116, S1-S9.	1.6	6
126	Impact of Renal Function on Survival After Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2017, 120, 262-266.	1.6	6

#	ARTICLE	IF	CITATIONS
127	Complex Left Atrial Appendage Morphology Is an Independent Risk Factor for Cryptogenic Ischemic Stroke. <i>Frontiers in Cardiovascular Medicine</i> , 2018, 5, 131.	2.4	6
128	The rationale and design of the SMART CRT trial. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1212-1216.	1.2	6
129	A Survey of Current Anesthesia Trends for Electrophysiology Procedures. <i>Anesthesia and Analgesia</i> , 2018, 127, 46-53.	2.2	6
130	Predicting complete heart block after alcohol septal ablation for hypertrophic cardiomyopathy using a risk stratification model and clinical tool. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, 393-400.	1.7	6
131	Device-Detected Atrial Fibrillation Before and After Hospitalisation for Noncardiac Surgery or Medical Illness: Insights From ASSERT. <i>Canadian Journal of Cardiology</i> , 2021, 37, 803-809.	1.7	6
132	CRT Efficacy in "Mid-Range" QRS Duration Among Asians Contrasted to Non-Asians, and Influence of Height. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 211-221.	3.2	6
133	Use of Traditional and Biventricular Implantable Cardiac Devices for Primary and Secondary Prevention of Sudden Death. <i>Cardiology Clinics</i> , 2008, 26, 419-431.	2.2	5
134	Economic Implications and Cost-effectiveness of Implantable Cardioverter Defibrillator and Cardiac Resynchronization Therapy. <i>Heart Failure Clinics</i> , 2011, 7, 241-250.	2.1	5
135	The Impact of the PR Interval in Patients Receiving Cardiac Resynchronization Therapy. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 818-826.	3.2	5
136	Intracardiac echocardiography use and outcomes after catheter ablation of ventricular tachycardia. <i>Journal of Comparative Effectiveness Research</i> , 2020, 9, 375-385.	1.4	5
137	Racial difference in atrial size and extracellular matrix homeostatic response to hypertension: Is this a potential mechanism of reduced atrial fibrillation in African Americans?. <i>Heart Rhythm O2</i> , 2021, 2, 37-45.	1.7	5
138	Evaluating outcomes of same-day discharge after catheter ablation for atrial fibrillation in a real-world cohort. <i>Heart Rhythm O2</i> , 2021, 2, 333-340.	1.7	5
139	Lack of Benefit of an Active Pectoral Pulse Generator on Atrial Defibrillation Thresholds. <i>Journal of Cardiovascular Electrophysiology</i> , 2002, 13, 332-335.	1.7	4
140	Relationship of Shock Energy to Impedance During Subcutaneous Implantable Cardioverter-Defibrillator Testing. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020, 13, e008631.	4.8	4
141	Electrical delays in quadripolar leads with cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 2498-2503.	1.7	4
142	Temporal Association of Atrial Fibrillation With Cardiac Implanted Electronic Device Detected Heart Failure Status. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 182-193.	3.2	4
143	A Comparison of the Electrophysiological and Anatomic Characteristics of Pacing Different Branches of the Left Bundle Conduction System. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 781845.	2.4	4
144	Temporal stability of defibrillation thresholds with cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2011, 8, 1008-1013.	0.7	3

#	ARTICLE	IF	CITATIONS
145	The Post-Myocardial Infarction Pacing Remodeling Prevention Therapy (PRomPT) Trial: Design and Rationale. <i>Journal of Cardiac Failure</i> , 2015, 21, 601-607.	1.7	3
146	The Role of Atrioventricular and Interventricular Optimization for Cardiac Resynchronization Therapy. <i>Cardiac Electrophysiology Clinics</i> , 2015, 7, 765-779.	1.7	3
147	Effectiveness of Rapid Atrial Pacing for Termination of Drug Refractory Atrial Fibrillation: Results of a Dual Chamber Implantable Cardioverter Defibrillator Trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 7, 341-344.	1.0	2
148	Acute Performance of a Right Ventricular Automatic Pacing Threshold Algorithm for Implantable Defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 259-268.	1.2	2
149	Biventricular Pacemaker/Defibrillators Versus Biventricular Pacemakers in Patients with Non-ischemic Cardiomyopathy. <i>Cardiac Electrophysiology Clinics</i> , 2015, 7, 455-459.	1.7	2
150	The effect of posture, exercise, and atrial pacing on atrioventricular conduction in systolic heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2892-2899.	1.7	2
151	Pigment nephropathy associated with percutaneous hemodynamic support during ventricular tachycardia ablation. <i>HeartRhythm Case Reports</i> , 2020, 6, 720-723.	0.4	2
152	Impact of age on catheter ablation of premature ventricular contractions. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1077-1084.	1.7	2
153	The problematic lag between FDA approval of medical devices and CMS coverage. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1801-1802.	1.7	2
154	A novel screening test for inappropriate shocks due to myopotentials from the subcutaneous implantable cardioverter-defibrillator. <i>Heart Rhythm O2</i> , 2020, 1, 27-34.	1.7	2
155	Cardiac resynchronization therapy for heart failure. <i>Current Cardiology Reports</i> , 2006, 8, 314-315.	2.9	1
156	Response to Letters Regarding Article, "Role of Microvolt T-Wave Alternans in Assessment of Arrhythmia Vulnerability Among Patients With Heart Failure and Systolic Dysfunction: Primary Results From the T-Wave Alternans Sudden Cardiac Death in Heart Failure Trial Substudy". <i>Circulation</i> , 2009, 120, .	1.6	1
157	Role of cardiac resynchronization therapy in asymptomatic and mildly symptomatic heart failure. <i>Current Heart Failure Reports</i> , 2009, 6, 44-48.	3.3	1
158	Expanding the Boundaries of Heart Failure Care with Interventional and Device Therapy. <i>Heart Failure Clinics</i> , 2015, 11, xiii.	2.1	1
159	Magnetic Resonance Imaging-Conditional External Cardiac Defibrillator. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	2.6	1
160	Treadmill exercise is good for the heart but not to prevent shocks. <i>Heart Rhythm</i> , 2017, 14, 1440-1441.	0.7	1
161	Computer Modeling. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2018, 11, e006104.	4.8	1
162	Response by Gold to Letter Regarding Article, "Treatment of Subclinical Atrial Fibrillation: Does One Plus One Always Equal Two?". <i>Circulation</i> , 2018, 138, 124-124.	1.6	1

#	ARTICLE	IF	CITATIONS
163	Plasticity of left ventricular function with cardiac resynchronization therapy. Journal of Interventional Cardiac Electrophysiology, 2020, 57, 289-294.	1.3	1
164	Economic implications of adding a novel algorithm to optimize cardiac resynchronization therapy: rationale and design of economic analysis for the AdaptResponse trial. Journal of Medical Economics, 2020, 23, 1401-1408.	2.1	1
165	Active-Fixation Atrial Leads and the Risk of Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2020, 13, e008655.	4.8	1
166	Complications associated with implantable cardioverter defibrillator replacements associated with recalls. Current Cardiology Reports, 2006, 8, 313-313.	2.9	0
167	Catheter ablation for chronic atrial fibrillation. Current Cardiology Reports, 2006, 8, 313-314.	2.9	0
168	Response to Letter Regarding Article "Temporal Relationship Between Subclinical Atrial Fibrillation and Embolic Events". Circulation, 2015, 131, e337-8.	1.6	0
169	ICD Utilization. JACC: Clinical Electrophysiology, 2017, 3, 299-301.	3.2	0
170	Predicting cardiac resynchronization therapy outcomes: It is more than just left bundle branch block. Heart Rhythm, 2018, 15, 1673-1674.	0.7	0
171	Electrocardiogram in Cardiac Resynchronization Therapy. Journal of the American College of Cardiology, 2019, 73, 3100-3101.	2.8	0
172	Optimization of Cardiac Resynchronization Therapy. JACC: Clinical Electrophysiology, 2019, 5, 1026-1027.	3.2	0
173	Â. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 1075-1075.	1.2	0
174	A Substernal Defibrillator Lead With Pacing Capability. JACC: Clinical Electrophysiology, 2019, 5, 197-198.	3.2	0
175	Editorial commentary: The subcutaneous ICD: An expanding niche or the future of implantable defibrillators?. Trends in Cardiovascular Medicine, 2020, 30, 385-386.	4.9	0
176	The role of electrophysiologic study in high-risk patients with new-onset conduction disturbances following alcohol septal ablation for hypertrophic obstructive cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2020, 31, 2522-2525.	1.7	0
177	Estimating Left Ventricular Electrical Delay From the Right Ventricular Lead Electrogram. JACC: Clinical Electrophysiology, 2021, 7, 1195-1196.	3.2	0
178	Is left bundle area pacing the future of pacing for bradycardia?. Heart Rhythm, 2022, 19, 12.	0.7	0
179	Update on Cardiac Resynchronisation Therapy for Heart Failure. European Cardiology Review, 2014, 9, 100.	2.2	0
180	The Role of Subcutaneous ICDs in the Prevention of Sudden Cardiac Death. US Cardiology Review, 0, 15,	0.5	0

#	ARTICLE	IF	CITATIONS
181	Can We Treat an Older Patient With a New Trick?. Journal of the American College of Cardiology, 2022, 79, 1060-1062.	2.8	0