

Catherine Crane

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4587721/publications.pdf>

Version: 2024-02-01

72
papers

7,078
citations

109321

35
h-index

76900

74
g-index

76
all docs

76
docs citations

76
times ranked

6205
citing authors

#	ARTICLE	IF	CITATIONS
1	Autobiographical memory specificity and emotional disorder.. Psychological Bulletin, 2007, 133, 122-148.	6.1	1,269
2	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. JAMA Psychiatry, 2016, 73, 565.	11.0	558
3	Home practice in Mindfulness-Based Cognitive Therapy and Mindfulness-Based Stress Reduction: A systematic review and meta-analysis of participants' mindfulness practice and its association with outcomes. Behaviour Research and Therapy, 2017, 95, 29-41.	3.1	370
4	A systematic review of mechanisms of change in mindfulness-based cognitive therapy in the treatment of recurrent major depressive disorder. Clinical Psychology Review, 2015, 37, 26-39.	11.4	345
5	Mindfulness-based cognitive therapy for preventing relapse in recurrent depression: A randomized dismantling trial.. Journal of Consulting and Clinical Psychology, 2014, 82, 275-286.	2.0	307
6	Research Review: The effects of mindfulness-based interventions on cognition and mental health in children and adolescents – a meta-analysis of randomized controlled trials. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 244-258.	5.2	294
7	Mindfulness-based cognitive therapy as a treatment for chronic depression: A preliminary study. Behaviour Research and Therapy, 2009, 47, 366-373.	3.1	286
8	Examining the factor structure of the 39-item and 15-item versions of the Five Facet Mindfulness Questionnaire before and after mindfulness-based cognitive therapy for people with recurrent depression.. Psychological Assessment, 2016, 28, 791-802.	1.5	255
9	Suicide prevention by limiting access to methods: A review of theory and practice. Social Science and Medicine, 2010, 70, 1626-1632.	3.8	224
10	Problem Solving Deteriorates Following Mood Challenge in Formerly Depressed Patients With a History of Suicidal Ideation.. Journal of Abnormal Psychology, 2005, 114, 421-431.	1.9	203
11	Clinical and social outcomes of adolescent self harm: population based birth cohort study. BMJ, The, 2014, 349, g5954-g5954.	6.0	200
12	Mindfulness-Based cognitive therapy for prevention of recurrence of suicidal behavior. Journal of Clinical Psychology, 2006, 62, 201-210.	1.9	178
13	Imagery about suicide in depression – “Flash-forwards”? Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 423-434.	1.2	175
14	Effects of mindfulness on meta-awareness and specificity of describing prodromal symptoms in suicidal depression.. Emotion, 2010, 10, 34-42.	1.8	165
15	Doing no harm in mindfulness-based programs: Conceptual issues and empirical findings. Clinical Psychology Review, 2019, 71, 101-114.	11.4	152
16	The effects of amount of home meditation practice in Mindfulness Based Cognitive Therapy on hazard of relapse to depression in the Staying Well after Depression Trial. Behaviour Research and Therapy, 2014, 63, 17-24.	3.1	131
17	Differences in risk factors for self-harm with and without suicidal intent: Findings from the ALSPAC cohort. Journal of Affective Disorders, 2014, 168, 407-414.	4.1	114
18	State Effects of Two Forms of Meditation on Prefrontal EEG Asymmetry in Previously Depressed Individuals. Mindfulness, 2010, 1, 21-27.	2.8	87

#	ARTICLE	IF	CITATIONS
19	Factors Associated with Attrition from Mindfulness-Based Cognitive Therapy in Patients with a History of Suicidal Depression. <i>Mindfulness</i> , 2010, 1, 10-20.	2.8	86
20	Suicidal imagery in a previously depressed community sample. <i>Clinical Psychology and Psychotherapy</i> , 2012, 19, 57-69.	2.7	76
21	Mindfulness for pregnancy: A randomised controlled study of online mindfulness during pregnancy. <i>Midwifery</i> , 2018, 65, 51-57.	2.3	76
22	Retrieval of autobiographical memories: The mechanisms and consequences of truncated search. <i>Cognition and Emotion</i> , 2006, 20, 351-382.	2.0	74
23	Mindfulness-Based Cognitive Therapy and Self-Discrepancy in Recovered Depressed Patients with a History of Depression and Suicidality. <i>Cognitive Therapy and Research</i> , 2008, 32, 775-787.	1.9	70
24	Reflection, brooding, and suicidality: A preliminary study of different types of rumination in individuals with a history of major depression. <i>British Journal of Clinical Psychology</i> , 2007, 46, 497-504.	3.5	64
25	Effectiveness and cost-effectiveness of universal school-based mindfulness training compared with normal school provision in reducing risk of mental health problems and promoting well-being in adolescence: the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 99-109.	4.5	62
26	Social learning, affective state and passive coping in irritable bowel syndrome and inflammatory bowel disease. <i>General Hospital Psychiatry</i> , 2004, 26, 50-58.	2.4	59
27	Cue self-relevance affects autobiographical memory specificity in individuals with a history of major depression. <i>Memory</i> , 2007, 15, 312-323.	1.7	59
28	40,000 memories in young teenagers: Psychometric properties of the Autobiographical Memory Test in a UK cohort study. <i>Memory</i> , 2012, 20, 300-320.	1.7	56
29	The effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 194.	1.6	54
30	Mindfulness-based cognitive therapy (MBCT) reduces the association between depressive symptoms and suicidal cognitions in patients with a history of suicidal depression.. <i>Journal of Consulting and Clinical Psychology</i> , 2015, 83, 1013-1020.	2.0	52
31	The effects of analytical and experiential rumination on autobiographical memory specificity in individuals with a history of major depression. <i>Behaviour Research and Therapy</i> , 2007, 45, 3077-3087.	3.1	51
32	Mindfulness-based cognitive therapy may reduce thought suppression in previously suicidal participants: Findings from a preliminary study. <i>British Journal of Clinical Psychology</i> , 2009, 48, 209-215.	3.5	51
33	Mindfulness Training in UK Secondary Schools: a Multiple Case Study Approach to Identification of Cornerstones of Implementation. <i>Mindfulness</i> , 2019, 10, 376-389.	2.8	47
34	Self-Compassion and Cultural Values: A Cross-Cultural Study of Self-Compassion Using a Multitrait-Multimethod (MTMM) Analytical Procedure. <i>Frontiers in Psychology</i> , 2018, 9, 2638.	2.1	46
35	School-based mindfulness training in early adolescence: what works, for whom and how in the MYRIAD trial?. <i>Evidence-Based Mental Health</i> , 2022, 25, 117-124.	4.5	45
36	The Effectiveness of Mindfulness-Based Cognitive Therapy (MBCT) in Real-World Healthcare Services. <i>Mindfulness</i> , 2020, 11, 279-290.	2.8	41

#	ARTICLE	IF	CITATIONS
37	Failures to retrieve specific memories in previously depressed individuals: Random errors or content-related?. <i>Behaviour Research and Therapy</i> , 2007, 45, 1859-1869.	3.1	36
38	Effects of Mindfulness-Based Cognitive Therapy on Specificity of Life Goals. <i>Cognitive Therapy and Research</i> , 2012, 36, 182-189.	1.9	34
39	Frequency of Self-reported Unpleasant Events and Harm in a Mindfulness-Based Program in Two General Population Samples. <i>Mindfulness</i> , 2021, 12, 763-774.	2.8	34
40	Staying well after depression: trial design and protocol. <i>BMC Psychiatry</i> , 2010, 10, 23.	2.6	33
41	An evaluation of mindfulness-based childbirth and parenting courses for pregnant women and prospective fathers/partners within the UK NHS (MBCP-4-NHS). <i>Midwifery</i> , 2018, 64, 1-10.	2.3	31
42	The Role of Schools in Early Adolescents' Mental Health: Findings From the MYRIAD Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1467-1478.	0.5	31
43	Comfort from suicidal cognition in recurrently depressed patients. <i>Journal of Affective Disorders</i> , 2014, 155, 241-246.	4.1	29
44	Dispositional Mindfulness, Meditation, and Conditional Goal Setting. <i>Mindfulness</i> , 2010, 1, 204-214.	2.8	27
45	Universal Mindfulness Training in Schools for Adolescents: a Scoping Review and Conceptual Model of Moderators, Mediators, and Implementation Factors. <i>Prevention Science</i> , 2022, 23, 934-953.	2.6	26
46	The relationship between pain and suicidal vulnerability in adolescence: a systematic review. <i>The Lancet Child and Adolescent Health</i> , 2019, 3, 899-916.	5.6	22
47	Understanding suicidal ideation and behaviour in individuals with chronic pain: a review of the role of novel transdiagnostic psychological factors. <i>Lancet Psychiatry</i> , 2020, 7, 282-290.	7.4	22
48	Overgeneral autobiographical memory and age of onset of childhood sexual abuse in patients with recurrent suicidal behaviour. <i>British Journal of Clinical Psychology</i> , 2009, 48, 93-100.	3.5	21
49	Pre-adult onset and patterns of suicidality in patients with a history of recurrent depression. <i>Journal of Affective Disorders</i> , 2012, 138, 173-179.	4.1	21
50	Teachers 'finding peace in a frantic world': An experimental study of self-taught and instructor-led mindfulness program formats on acceptability, effectiveness, and mechanisms. <i>Journal of Educational Psychology</i> , 2021, 113, 1689-1708.	2.9	21
51	The Mental Health and Wellbeing of University Students: Acceptability, Effectiveness, and Mechanisms of a Mindfulness-Based Course. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6023.	2.6	20
52	Memory specificity and mindfulness jointly moderate the effect of reflective pondering on depressive symptoms in individuals with a history of recurrent depression. <i>Journal of Abnormal Psychology</i> , 2015, 124, 246-255.	1.9	19
53	Adolescent over-general memory, life events and mental health outcomes: Findings from a UK cohort study. <i>Memory</i> , 2016, 24, 348-363.	1.7	18
54	Effectiveness of universal school-based mindfulness training compared with normal school provision on teacher mental health and school climate: results of the MYRIAD cluster randomised controlled trial. <i>Evidence-Based Mental Health</i> , 2022, 25, 125-134.	4.5	18

#	ARTICLE	IF	CITATIONS
55	Childhood traumatic events and adolescent overgeneral autobiographical memory: Findings in a UK cohort. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 330-338.	1.2	17
56	Dispositional self-compassion and responses to mood challenge in people at risk for depressive relapse/recurrence. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 621-633.	2.7	17
57	Principles for a Responsible Integration of Mindfulness in Individual Therapy. <i>Mindfulness</i> , 2019, 10, 799-811.	2.8	17
58	The Association between Life Events and Suicide Intent in Self-Harmers with and without a History of Deliberate Self-Harm: A Preliminary Study. <i>Suicide and Life-Threatening Behavior</i> , 2007, 37, 367-378.	1.9	16
59	Training School Teachers to Deliver a Mindfulness Program: Exploring Scalability, Acceptability, Effectiveness, and Cost-effectiveness. <i>Global Advances in Health and Medicine</i> , 2020, 9, 216495612096473.	1.6	16
60	Does Depression Influence Symptom Severity in Irritable Bowel Syndrome? Case Study of a Patient With Irritable Bowel Syndrome and Bipolar Disorder. <i>Psychosomatic Medicine</i> , 2003, 65, 919-923.	2.0	15
61	The relationship between dispositional mindfulness and conditional goal setting in depressed patients. <i>British Journal of Clinical Psychology</i> , 2010, 49, 281-290.	3.5	15
62	Differential correlates of autobiographical memory specificity to affective and self-discrepant cues. <i>Memory</i> , 2014, 22, 655-668.	1.7	14
63	Trait Mindfulness as a Limiting Factor for Residual Depressive Symptoms: An Explorative Study Using Quantile Regression. <i>PLoS ONE</i> , 2014, 9, e100022.	2.5	13
64	Gradually Getting Better: Trajectories of Change in Rumination and Anxious Worry in Mindfulness-Based Cognitive Therapy for Prevention of Relapse to Recurrent Depression. <i>Mindfulness</i> , 2015, 6, 1088-1094.	2.8	13
65	Changes in disengagement coping mediate changes in affect following mindfulness-based cognitive therapy in a non-clinical sample. <i>British Journal of Psychology</i> , 2016, 107, 434-447.	2.3	13
66	Update to the effectiveness and cost-effectiveness of a mindfulness training programme in schools compared with normal school provision (MYRIAD): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 254.	1.6	12
67	Illness-Related Parenting in Mothers with Functional Gastrointestinal Symptoms. <i>American Journal of Gastroenterology</i> , 2004, 99, 694-702.	0.4	11
68	Does depression moderate the relationship between pain and suicidality in adolescence? A moderated network analysis. <i>Journal of Affective Disorders</i> , 2021, 292, 667-677.	4.1	8
69	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. <i>BMJ Open</i> , 2020, 10, e033892.	1.9	5
70	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. <i>Clinical Psychological Science</i> , 2023, 11, 59-76.	4.0	5
71	Exploring the relationship between pain and self-harm thoughts and behaviours in young people using network analysis. <i>Psychological Medicine</i> , 2022, 52, 3560-3569.	4.5	3
72	Autobiographical memory style and clinical outcomes following mindfulness-based cognitive therapy (MBCT): An individual patient data meta-analysis. <i>Behaviour Research and Therapy</i> , 2022, 151, 104048.	3.1	3