

# Lei Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/458890/publications.pdf>

Version: 2024-02-01

105  
papers

1,993  
citations

279798

23  
h-index

315739

38  
g-index

110  
all docs

110  
docs citations

110  
times ranked

2866  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Angiographic quantitative flow ratio-guided coronary intervention (FAVOR III China): a multicentre, randomised, sham-controlled trial. <i>Lancet, The</i> , 2021, 398, 2149-2159.  | 13.7 | 175       |
| 2  | MiR-451 is decreased in hypertrophic cardiomyopathy and regulates autophagy by targeting <i>TSC1</i> . <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 2266-2274.  | 3.6  | 112       |
| 3  | Quantification of left atrial function in patients with non-obstructive hypertrophic cardiomyopathy by cardiovascular magnetic resonance feature tracking imaging: a feasibility and reproducibility study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 1. | 3.3  | 86        |
| 4  | Clinical Manifestations and Longterm Outcome for Patients with Takayasu Arteritis in China. <i>Journal of Rheumatology</i> , 2014, 41, 2439-2446.  | 2.0  | 83        |
| 5  | Atorvastatin Enhance Efficacy of Mesenchymal Stem Cells Treatment for Swine Myocardial Infarction via Activation of Nitric Oxide Synthase. <i>PLoS ONE</i> , 2013, 8, e65702.  | 2.5  | 72        |
| 6  | MRI T1 Mapping in Hypertrophic Cardiomyopathy: Evaluation in Patients Without Late Gadolinium Enhancement and Hemodynamic Obstruction. <i>Radiology</i> , 2020, 294, 275-286.  | 7.3  | 67        |
| 7  | Effect of spironolactone on patients with resistant hypertension and obstructive sleep apnea. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 464-468.   | 1.3  | 64        |
| 8  | Mutations profile in Chinese patients with hypertrophic cardiomyopathy. <i>Clinica Chimica Acta</i> , 2005, 351, 209-216.  | 1.1  | 62        |
| 9  | Malignant effects of multiple rare variants in sarcomere genes on the prognosis of patients with hypertrophic cardiomyopathy. <i>European Journal of Heart Failure</i> , 2014, 16, 950-957.  | 7.1  | 53        |
| 10 | Female Sex Is Associated with Worse Prognosis in Patients with Hypertrophic Cardiomyopathy in China. <i>PLoS ONE</i> , 2014, 9, e102969.   | 2.5  | 48        |
| 11 | Prevalence of Liddle Syndrome Among Young Hypertension Patients of Undetermined Cause in a Chinese Population. <i>Journal of Clinical Hypertension</i> , 2015, 17, 902-907.  | 2.0  | 46        |
| 12 | Rare Variants in Genes Encoding MuRF1 and MuRF2 Are Modifiers of Hypertrophic Cardiomyopathy. <i>International Journal of Molecular Sciences</i> , 2014, 15, 9302-9313.  | 4.1  | 39        |
| 13 | Implications of N-terminal pro-B-type natriuretic peptide in patients with three-vessel disease. <i>European Heart Journal</i> , 2019, 40, 3397-3405.  | 2.2  | 39        |
| 14 | Clinical course and prognostic factors of childhood Takayasu's arteritis: over 15-year comprehensive analysis of 101 patients. <i>Arthritis Research and Therapy</i> , 2019, 21, 31.   | 3.5  | 38        |
| 15 | Selective stent placement versus balloon angioplasty for renovascular hypertension caused by Takayasu arteritis: Two-year results. <i>International Journal of Cardiology</i> , 2016, 205, 117-123.  | 1.7  | 35        |
| 16 | Value of a Machine Learning Approach for Predicting Clinical Outcomes in Young Patients With Hypertension. <i>Hypertension</i> , 2020, 75, 1271-1278.  | 2.7  | 35        |
| 17 | Mutation profile of <i>FLNC</i> gene and its prognostic relevance in patients with hypertrophic cardiomyopathy. <i>Molecular Genetics &amp; Genomic Medicine</i> , 2018, 6, 1104-1113.   | 1.2  | 34        |
| 18 | Prognostic Significance of Plasma High-Sensitivity C-Reactive Protein in Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2017, 6, .  | 3.7  | 31        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Predictive value of in-hospital white blood cell count in Chinese patients with triple-vessel coronary disease. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 872-882.   | 1.8 | 31        |
| 20 | Implications of Periprocedural Myocardial Biomarker Elevations and Commonly Used MI Definitions After Left Main PCI. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1623-1634.   | 2.9 | 27        |
| 21 | Association of PEAR1 genetic variants with platelet reactivity in response to dual antiplatelet therapy with aspirin and clopidogrel in the Chinese patient population after percutaneous coronary intervention. <i>Thrombosis Research</i> , 2016, 141, 28-34. | 1.7 | 26        |
| 22 | Myocardial extracellular volume fraction quantified by cardiovascular magnetic resonance is increased in hypertension and associated with left ventricular remodeling. <i>European Radiology</i> , 2017, 27, 4620-4630.   | 4.5 | 26        |
| 23 | Relationship Between ABCB1 Polymorphisms, Thromboelastography and Risk of Bleeding Events in Clopidogrel-Treated Patients With ST-Elevation Myocardial Infarction. <i>Thrombosis Research</i> , 2014, 134, 970-975.   | 1.7 | 25        |
| 24 | Plasma level of big endothelin-1 predicts the prognosis in patients with hypertrophic cardiomyopathy. <i>International Journal of Cardiology</i> , 2017, 243, 283-289.  | 1.7 | 25        |
| 25 | Patterns of Replacement Fibrosis in Hypertrophic Cardiomyopathy. <i>Radiology</i> , 2022, 302, 298-306.   | 7.3 | 25        |
| 26 | Cardiac Valve Involvement in Takayasu Arteritis Is Common: A Retrospective Study of 1,069 Patients Over 25 Years. <i>American Journal of the Medical Sciences</i> , 2018, 356, 357-364.   | 1.1 | 24        |
| 27 | Deep learning algorithm to improve hypertrophic cardiomyopathy mutation prediction using cardiac cine images. <i>European Radiology</i> , 2021, 31, 3931-3940.  | 4.5 | 24        |
| 28 | Percutaneous Transluminal Angioplasty for Symptomatic Pulmonary Stenosis in Takayasu Arteritis. <i>Journal of Rheumatology</i> , 2014, 41, 1856-1862.   | 2.0 | 22        |
| 29 | The presentation and management of hypertension in a large cohort of Takayasu arteritis. <i>Clinical Rheumatology</i> , 2018, 37, 2781-2788.  | 2.2 | 22        |
| 30 | Association of Acute Procedural Results With Long-Term Outcomes After CTO PCI. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 278-288.   | 2.9 | 22        |
| 31 | Predictors of Outcome After Alcohol Septal Ablation for Hypertrophic Obstructive Cardiomyopathy. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, e002675.   | 3.9 | 21        |
| 32 | N-terminal pro-brain natriuretic peptide and sudden cardiac death in hypertrophic cardiomyopathy. <i>Heart</i> , 2021, 107, 1576-1583.  | 2.9 | 19        |
| 33 | Titin-Truncating Variants Increase the Risk of Cardiovascular Death in Patients With Hypertrophic Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1292-1297.  | 1.7 | 18        |
| 34 | Effect of platelet receptor gene polymorphisms on outcomes in ST-elevation myocardial infarction patients after percutaneous coronary intervention. <i>Platelets</i> , 2016, 27, 75-79.   | 2.3 | 17        |
| 35 | Plasma Uric Acid as a Prognostic Marker in Patients With Hypertrophic Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2015, 31, 1252-1258.  | 1.7 | 16        |
| 36 | Apparent mineralocorticoid excess caused by novel compound heterozygous mutations in HSD11B2 and characterized by early-onset hypertension and hypokalemia. <i>Endocrine</i> , 2020, 70, 607-615.   | 2.3 | 15        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Post-PCI outcomes predicted by pre-intervention simulation of residual quantitative flow ratio using augmented reality. <i>International Journal of Cardiology</i> , 2022, 352, 33-39.   | 1.7 | 15        |
| 38 | Implications of Hyperuricemia in Severe Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2019, 123, 558-564.   | 1.6 | 14        |
| 39 | Pediatric Liddle Syndrome Caused by a Novel <i>SCNN1G</i> Variant in a Chinese Family and Characterized by Early-Onset Hypertension. <i>American Journal of Hypertension</i> , 2020, 33, 670-675.  | 2.0 | 14        |
| 40 | Improvement in sudden cardiac death risk prediction by the enhanced American College of Cardiology/American Heart Association strategy in Chinese patients with hypertrophic cardiomyopathy. <i>Heart Rhythm</i> , 2020, 17, 1658-1663.  | 0.7 | 14        |
| 41 | Novel Biomarkers for the Precise Diagnosis and Activity Classification of Takayasu Arteritis. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002080.   | 3.6 | 13        |
| 42 | Head to Head Comparison of Two Point-of-care Platelet Function Tests Used for Assessment of On-clopidogrel Platelet Reactivity in Chinese Acute Myocardial Infarction Patients Undergoing Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2016, 129, 2269-2274. | 2.3 | 12        |
| 43 | A Novel Method of Adrenal Venous Sampling via an Antecubital Approach. <i>CardioVascular and Interventional Radiology</i> , 2017, 40, 388-393.   | 2.0 | 12        |
| 44 | A New Risk Factor Profile for Contrast-Induced Acute Kidney Injury in Patients Who Underwent an Emergency Percutaneous Coronary Intervention. <i>Angiology</i> , 2018, 69, 523-531.  | 1.8 | 12        |
| 45 | Truncating variants are associated with heart failure events in patients with left ventricular non-compaction cardiomyopathy. <i>Clinical Cardiology</i> , 2019, 42, 530-535.  | 1.8 | 11        |
| 46 | East Asian-Specific Common Variant in <i>TNNI3</i> Predisposes to Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2020, 142, 2086-2089.  | 1.6 | 11        |
| 47 | Variant Spectrum of Formin Homology 2 Domain-Containing 3 Gene in Chinese Patients With Hypertrophic Cardiomyopathy. <i>Journal of the American Heart Association</i> , 2021, 10, e018236.   | 3.7 | 10        |
| 48 | Thinner Strut Sirolimus-Eluting BRS Versus EES in Patients With Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1450-1462.  | 2.9 | 10        |
| 49 | Prevalence and Risk Factors for Hypertension in Adolescents Aged 12 to 17 Years: A School-Based Study in China. <i>Hypertension</i> , 2021, 78, 1577-1585.   | 2.7 | 10        |
| 50 | Outcomes of quantitative flow ratio-based percutaneous coronary intervention in an all-comers study. <i>EuroIntervention</i> , 2022, 17, 1240-1251.  | 3.2 | 10        |
| 51 | Effects of diabetes mellitus on post-intervention coronary physiological assessment derived by quantitative flow ratio in patients with coronary artery disease underwent percutaneous coronary intervention. <i>Diabetes Research and Clinical Practice</i> , 2022, 186, 109839.    | 2.8 | 10        |
| 52 | Simultaneous Bilateral vs Unilateral Carotid Artery Stenting. <i>Journal of Endovascular Therapy</i> , 2016, 23, 258-266.  | 1.5 | 9         |
| 53 | Clinical Course, Management, and Outcomes of Pediatric Takayasu Arteritis Initially Presenting With Hypertension: A 16-year overview. <i>American Journal of Hypertension</i> , 2019, 32, 1021-1029.   | 2.0 | 9         |
| 54 | Prognostic Value of Plasma Big Endothelin-1 Level among Patients with Three-Vessel Disease: A Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 959-969.  | 2.0 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Surgical Treatment in Patients With Aortic Regurgitation Due to Takayasu Arteritis. <i>Annals of Thoracic Surgery</i> , 2020, 110, 165-171.  | 1.3 | 9         |
| 56 | Strengthening effects of bone marrow mononuclear cells with intensive atorvastatin in acute myocardial infarction. <i>Open Heart</i> , 2020, 7, e001139.   | 2.3 | 9         |
| 57 | Liddle syndrome misdiagnosed as primary aldosteronism resulting from a novel frameshift mutation of SCNN1B. <i>Endocrine Connections</i> , 2018, 7, 1528-1534.   | 1.9 | 9         |
| 58 | Validation of Predictive Value of Patterns of Nonadherence to Antiplatelet Regimen in Stented Patients Thrombotic Risk Score in Chinese Population Undergoing Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2018, 131, 2699-2704. | 2.3 | 8         |
| 59 | Impact of Lipoprotein(a) on Long-Term (Mean 6.2 Years) Outcomes in Patients With Three-Vessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2020, 125, 528-533.   | 1.6 | 8         |
| 60 | Superselective adrenal arterial embolization for idiopathic hyperaldosteronism: 12-month results from a proof-of-principle trial. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 976-981.   | 1.7 | 8         |
| 61 | Tuberculosis in Takayasu arteritis: a retrospective study in 1105 Chinese patients. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 648-655.  | 0.2 | 8         |
| 62 | Metabolic characterization of hypertrophic cardiomyopathy in human heart. , 2022, 1, 445-461.  |     | 8         |
| 63 | Subclavian artery stenting for coronary-subclavian steal syndrome. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 601-608.  | 1.7 | 7         |
| 64 | Hypertension and Brachydactyly Syndrome Associated With Vertebral Artery Malformation Caused by a PDE3A Missense Mutation. <i>American Journal of Hypertension</i> , 2020, 33, 190-197.  | 2.0 | 7         |
| 65 | Premature Stroke Secondary to Severe Hypertension Results from Liddle Syndrome Caused by a Novel SCNN1B Mutation. <i>Kidney and Blood Pressure Research</i> , 2020, 45, 603-611.   | 2.0 | 7         |
| 66 | Body mass index and mortality in patients with severe coronary artery diseases: A cohort study from China. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 448-454.   | 2.6 | 7         |
| 67 | Real-world outcomes of different treatment strategies in patients with diabetes and three-vessel coronary disease: a mean follow-up 6.3 years study from China. <i>Cardiovascular Diabetology</i> , 2021, 20, 16.  | 6.8 | 7         |
| 68 | Heart-specific DNA methylation analysis in plasma for the investigation of myocardial damage. <i>Journal of Translational Medicine</i> , 2022, 20, 36.   | 4.4 | 7         |
| 69 | Single Nucleotide Polymorphism rs10919543 in FCGR2A/FCGR3A Region Confers Susceptibility to Takayasu Arteritis in Chinese Population. <i>Chinese Medical Journal</i> , 2016, 129, 854-859.   | 2.3 | 6         |
| 70 | Prevalence and risk factors associated with hypertension in the Chinese Qiang population. <i>Clinical and Experimental Hypertension</i> , 2018, 40, 427-433.   | 1.3 | 6         |
| 71 | Long-term blood pressure outcomes of patients with adrenal venous sampling-proven unilateral primary aldosteronism. <i>Journal of Human Hypertension</i> , 2020, 34, 440-447.  | 2.2 | 6         |
| 72 | Clinical Scenario and Long-term Outcome of Childhood Takayasu Arteritis Undergoing 121 Endovascular Interventions: The Largest Cohort over a 15-year Period. <i>Arthritis Care and Research</i> , 2020, 73, 1678-1688.                                   | 3.4 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | MRI Characteristics, Prevalence, and Outcomes of Hypertrophic Cardiomyopathy with Restrictive Phenotype. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e190158.  | 2.5 | 6         |
| 74 | Platelet microRNA-15b protects against high platelet reactivity in patients undergoing percutaneous coronary intervention through Bcl-2-mediated platelet apoptosis. <i>Annals of Translational Medicine</i> , 2020, 8, 364-364.   | 1.7 | 6         |
| 75 | Deleterious Rare Desmosomal Variants Contribute to Hypertrophic Cardiomyopathy and Are Associated With Distinctive Clinical Features. <i>Canadian Journal of Cardiology</i> , 2022, 38, 41-48.   | 1.7 | 6         |
| 76 | Lack of association between polymorphisms in interleukin (IL)-12, IL-12R, IL-23, IL-23R genes and Takayasu arteritis in a Chinese population. <i>Inflammation Research</i> , 2016, 65, 543-550.  | 4.0 | 5         |
| 77 | A Novel Frameshift Mutation of SCNN1G Causing Liddle Syndrome with Normokalemia. <i>American Journal of Hypertension</i> , 2019, 32, 752-758.  | 2.0 | 5         |
| 78 | 18F-FDG PET/CT plays a unique role in the management of Takayasu arteritis patients with atypical manifestations. <i>Clinical Rheumatology</i> , 2021, 40, 625-633.  | 2.2 | 5         |
| 79 | Association of <i>NPC1L1</i> and <i>HMGR</i> Gene Polymorphisms with Major Adverse Cardiac and Cerebrovascular Events in Patients with Three-Vessel Disease. <i>Human Gene Therapy</i> , 2021, 32, 581-588.  | 2.7 | 5         |
| 80 | Integrated transcriptomics and epigenomics reveal chamber-specific and species-specific characteristics of human and mouse hearts. <i>PLoS Biology</i> , 2021, 19, e3001229.   | 5.6 | 5         |
| 81 | Truncating Variants in <i>OBSCN</i> Gene Associated With Disease-Onset and Outcomes of Hypertrophic Cardiomyopathy. <i>Circulation Genomic and Precision Medicine</i> , 2021, 14, e003401.   | 3.6 | 5         |
| 82 | Effect of NPC1L1 and HMGR Genetic Variants With Premature Triple-Vessel Coronary Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 704501.   | 2.4 | 5         |
| 83 | Identification of heart failure with preserved ejection fraction helps risk stratification for hypertrophic cardiomyopathy. <i>BMC Medicine</i> , 2022, 20, 21.  | 5.5 | 5         |
| 84 | Prognostic Value of NT-proBNP in Stable Coronary Artery Disease in Chinese Patients after Percutaneous Coronary Intervention in the Drug-eluting Stent Era. <i>Biomedical and Environmental Sciences</i> , 2018, 31, 859-866.  | 0.2 | 5         |
| 85 | Familial hypertrophic cardiomyopathy caused by a de novo Gly716Arg mutation of the $\beta$ -myosin heavy chain. <i>Cardiology in the Young</i> , 2017, 27, 467-472.  | 0.8 | 4         |
| 86 | Evaluation of the Patterns of Non-Adherence to Anti-Platelet Regimens in Stented Patients Bleeding Score for Predicting the Long-term Out-of-hospital Bleeding Risk in Chinese Patients after Percutaneous Coronary Intervention. <i>Chinese Medical Journal</i> , 2018, 131, 1406-1411. | 2.3 | 4         |
| 87 | Truncated Epithelial Sodium Channel $\beta$ Subunit Responsible for Liddle Syndrome in a Chinese Family. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 942-949.  | 2.0 | 4         |
| 88 | Clinical characteristics and outcomes of chronic heart failure in adult Takayasu arteritis: A cohort study of 163 patients. <i>International Journal of Cardiology</i> , 2021, 325, 103-108.   | 1.7 | 4         |
| 89 | Evaluation of CRUSADE and ACUITY-HORIZONS Scores for Predicting Long-term Out-of-Hospital Bleeding after Percutaneous Coronary Interventions. <i>Chinese Medical Journal</i> , 2018, 131, 262-267.   | 2.3 | 3         |
| 90 | mTOR pathway in human cardiac hypertrophy caused by LEOPARD syndrome: a different role compared with animal models?. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 252.   | 2.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Association of symptom status, myocardial viability, and clinical/anatomic risk on long-term outcomes after chronic total occlusion percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 996-1008.                       | 1.7 | 3         |
| 92  | A Chinese pedigree with glucocorticoid remediable aldosteronism. <i>Hypertension Research</i> , 2021, 44, 1428-1433.  | 2.7 | 3         |
| 93  | Impact of Periprocedural Myocardial Injury and Infarction Definitions on Long-Term Mortality After Chronic Total Occlusion Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010923.  | 3.9 | 3         |
| 94  | Effect of Cis-Compound Variants in MYH7 on Hypertrophic Cardiomyopathy With a Mild Phenotype. <i>American Journal of Cardiology</i> , 2022, 167, 104-110.   | 1.6 | 3         |
| 95  | Effect of Coronary Calcification Severity on Measurements and Diagnostic Performance of CT-FFR With Computational Fluid Dynamics: Results From CT-FFR CHINA Trial. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 810625.   | 2.4 | 3         |
| 96  | Implications of structural right ventricular involvement in patients with hypertrophic cardiomyopathy. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2022, 9, 34-41.  | 4.0 | 3         |
| 97  | The interval between carotid artery stenting and open heart surgery is related to perioperative complications. <i>Catheterization and Cardiovascular Interventions</i> , 2016, 87, 564-569.   | 1.7 | 2         |
| 98  | Steroid metabolism gene variants and their genotype-phenotype correlations in Chinese early-onset hypertension patients. <i>Hypertension Research</i> , 2019, 42, 1536-1543.  | 2.7 | 2         |
| 99  | The era of clinical application of gene diagnosis in cardiovascular diseases is coming. <i>Chronic Diseases and Translational Medicine</i> , 2019, 5, 214-220.  | 1.2 | 2         |
| 100 | Clinical predictors of the presence of obstructive sleep apnea in patients with hypertrophic cardiomyopathy. <i>Scientific Reports</i> , 2021, 11, 13528.   | 3.3 | 2         |
| 101 | Anemia in patients with Takayasu arteritis: prevalence, clinical features, and treatment. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 689-694.   | 0.2 | 2         |
| 102 | Prognostic Values of Serum Chloride and Sodium Levels in Patients with Three-vessel Disease. <i>Biomedical and Environmental Sciences</i> , 2019, 32, 250-259.  | 0.2 | 2         |
| 103 | Precision cardiovascular medicine in China. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 638-641.   | 0.2 | 1         |
| 104 | One-year outcomes of percutaneous renal denervation for the treatment of resistant hypertension: the first Chinese experience. <i>Chinese Medical Journal</i> , 2014, 127, 1003-7.  | 2.3 | 1         |
| 105 | Angiographic characteristics and long-term outcomes of single-vessel chronic total occlusion percutaneous coronary intervention in patients with and without previous myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 1089-1096. | 1.7 | 0         |