

Mir W Hosseini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4593298/publications.pdf>

Version: 2024-02-01

307
papers

12,549
citations

28190

55
h-index

38300

95
g-index

338
all docs

338
docs citations

338
times ranked

7892
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of Porphyrins Di- and Tetra- functionalized with Nucleobases. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 483-494.	1.2	1
2	Construction of hydrogen bonding and coordination networks based on ethynylpyridine-appended nucleobases. <i>CrystEngComm</i> , 2021, 23, 944-954.	1.3	2
3	Halogen-bonded one-dimensional chains of functionalized ditopic bipyridines co-crystallized with mono-, di-, and triiodofluorobenzenes. <i>CrystEngComm</i> , 2021, 23, 4247-4251.	1.3	3
4	Coordination assemblies based on a flexible tetrathiafulvalene derivative. <i>Polyhedron</i> , 2021, 198, 115047.	1.0	1
5	Structural Transformation of Surface-Confined Porphyrin Networks by Addition of Co Atoms. <i>Chemistry - A European Journal</i> , 2021, 27, 12430-12436.	1.7	6
6	Luminescent 1D heterometallic (Ir,Cd) coordination polymers based on bis-cyclometalated Ir(III) metallatectons and trinuclear Cd(II) dianionic nodes. <i>Dalton Transactions</i> , 2021, 50, 15924-15934.	1.6	2
7	Heterometallic coordination polymers based on homo- and heteroleptic Au(III) dithiolene complexes. <i>CrystEngComm</i> , 2020, 22, 5760-5767.	1.3	4
8	Mixed Tb/Dy coordination ladders based on tetra(carboxymethyl)thiacalix[4]arene: a new avenue towards luminescent molecular nanomagnets. <i>RSC Advances</i> , 2020, 10, 11755-11765.	1.7	8
9	Sequencing and Welding of Molecular Single-Crystal Optical Waveguides. <i>Advanced Functional Materials</i> , 2020, 30, 2003443.	7.8	30
10	Interdigitated conducting tetrathiafulvalene-based coordination networks. <i>Chemical Communications</i> , 2020, 56, 2407-2410.	2.2	14
11	Crystal formation of 1D coordination polymers based on chiral, achiral and racemic 1,2-cyclohexane scaffolds. <i>CrystEngComm</i> , 2020, 22, 1746-1753.	1.3	2
12	Molecular tectonics: Self-assembly of pyridyl bearing nucleobases. <i>Tetrahedron</i> , 2020, 76, 130966.	1.0	3
13	Variations around 1D coordination polymers built from the triarylamine scaffold and Hg(II) or Cd(II). <i>Inorganica Chimica Acta</i> , 2020, 503, 119427.	1.2	0
14	Tetrathiopyridyl-tetrathiafulvalene-based Cd(II) coordination polymers: one ligand, one metal cation, many possibilities. <i>New Journal of Chemistry</i> , 2019, 43, 14291-14298.	1.4	8
15	Molecular tectonics: enantiomerically pure chiral crystals based on trans-1,2-cyclohexanediol. <i>CrystEngComm</i> , 2019, 21, 5129-5136.	1.3	1
16	Molecular tectonics: from a rigid achiral organic tecton to 3D chiral Co and Fe coordination networks. <i>Chemical Communications</i> , 2019, 55, 91-94.	2.2	12
17	Control of dimensionality in Manganese Coordination Polymers using rigid tetrahedral-shaped [1.1.1]metacyclophane ligands bearing benzoate coordinating sites: From homochiral 1D to 3D diamond-like structures. <i>Inorganic Chemistry Communication</i> , 2019, 106, 197-201.	1.8	10
18	Restriction of the rotational relaxation of a butadiyne-bridged porphyrin dimer in ultrathin films. <i>New Journal of Chemistry</i> , 2019, 43, 11419-11425.	1.4	3

#	ARTICLE	IF	CITATIONS
19	Synthesis, crystal structure and optical properties of a series of dipyrrens bearing peripheral coordinating groups and their BODIPYs and Zn(II) complexes. <i>Inorganica Chimica Acta</i> , 2019, 494, 216-222.	1.2	4
20	Molecular tectonics: homochiral 1D and 2D cadmium based coordination networks. <i>CrystEngComm</i> , 2019, 21, 2534-2540.	1.3	4
21	Strapping a benzaldehyde-appended 2,2'-bis-dipyrin Zn(II) double-stranded helicate using imine bond formation. <i>Dalton Transactions</i> , 2019, 48, 4105-4108.	1.6	8
22	Chemical and Electrochemical Alkali Cations Intercalation/Release in an Ionic Hydrogen Bonded Network. <i>Inorganic Chemistry</i> , 2019, 58, 1541-1547.	1.9	1
23	Structural phase diagrams and isomerism inflexible honeycomb-like 2D hydrogen bonded solid solutions. <i>CrystEngComm</i> , 2018, 20, 1853-1861.	1.3	0
24	Synthesis of four new carboxylic derivatives based on the [1.1.1]metacyclophane backbone blocked in 1,3-Alternate conformation. <i>Tetrahedron Letters</i> , 2018, 59, 1377-1381.	0.7	3
25	Symmetrical and dissymmetrical 2,2'-bis-dipyrin ligands and Zn(II) binuclear helicates. <i>New Journal of Chemistry</i> , 2018, 42, 6997-7004.	1.4	8
26	A pyridyl-benzimidazole based molecular luminescent turnstile. <i>New Journal of Chemistry</i> , 2018, 42, 7810-7815.	1.4	6
27	Molecular brakes based on the Zn(II) porphyrin dimer. <i>New Journal of Chemistry</i> , 2018, 42, 7816-7822.	1.4	3
28	Molecular tectonics: high dimensional coordination networks based on methylenecarboxylate-appended tetramercaptothiacalix[4]arene in the 1,3-alternate conformation. <i>CrystEngComm</i> , 2018, 20, 1130-1140.	1.3	4
29	Box-like gel capsules from heterostructures based on a core-shell MOF as a template of crystal crosslinking. <i>Chemical Communications</i> , 2018, 54, 1437-1440.	2.2	36
30	Molecular tectonics: control of crystalline sequences. <i>CrystEngComm</i> , 2018, 20, 2233-2236.	1.3	11
31	Partially Reversible Thermal-Induced Oxidation During a Dehydration Process in an H-bonded Supramolecular System. <i>ChemPhysChem</i> , 2018, 19, 3219-3225.	1.0	3
32	Hydrogen bonded networks based on hexarhenium(III) chalcocyanide cluster complexes: structural and photophysical characterization. <i>New Journal of Chemistry</i> , 2018, 42, 11888-11895.	1.4	2
33	AzaBODIPY based coordination polymers. <i>CrystEngComm</i> , 2017, 19, 897-900.	1.3	8
34	Molecular tectonics: hierarchical organization of heterobimetallic coordination networks into heterotrimetallic core-shell crystals. <i>Chemical Communications</i> , 2017, 53, 3587-3590.	2.2	11
35	Synthesis of multivalent oxamate ligands based on calix[4]arene and thiacalix[4]arene backbones in 1,3-Alternate conformation. <i>Tetrahedron</i> , 2017, 73, 4259-4264.	1.0	4
36	Molecular tectonics: gas adsorption and chiral uptake of L- and D-tryptophan by homochiral porous coordination polymers. <i>Chemical Communications</i> , 2017, 53, 5740-5743.	2.2	27

#	ARTICLE	IF	CITATIONS
37	Molecular tectonics: from a binuclear metallamacrocyclic to a 1D isostructural coordination network based on tetracyanomethyl[1.1.1.1]metacyclophane and a silver cation. <i>Mendeleev Communications</i> , 2017, 27, 260-262.	0.6	6
38	Synthesis of para- and meta-imino- or -amino-methyl pyridyl-appended p-tert-butyl-calix[4]arene or p-tert-butyl-thiacalix[4]arene in 1,3-alternate conformation. <i>New Journal of Chemistry</i> , 2017, 41, 6334-6339.	1.4	5
39	Discrete Di- and Tetranuclear Silver Complexes Based on <i>ortho</i> - or <i>ortho</i> -Amino-methylpyridyl-Appended <i>para</i> -Butylcalix[4]arene or <i>para</i> -Butylthiacalix[4]arene in 1,3-Alternate Conformation. <i>European Journal of Inorganic Chemistry</i> , 2017, 2017, 3327-3336.	1.0	10
40	Symmetrical or non-symmetrical luminescent turnstiles based on hydroquinone stators and rotors bearing pyridyl or p-dimethylaminopyridyl coordinating units. <i>Dalton Transactions</i> , 2017, 46, 14897-14906.	1.6	11
41	A Ni-2,2'-bis(dipyrrinato) complex as a potential sensitizer: synthesis and photoelectrochemical characterization. <i>New Journal of Chemistry</i> , 2017, 41, 15021-15026.	1.4	3
42	Solvent and anion effects on the organization of a luminescent [2 + 2] BODIPY/Ag metallamacrocyclic in the crystalline state. <i>CrystEngComm</i> , 2017, 19, 4393-4400.	1.3	16
43	Tuning photochemical properties of phosphorus(V) porphyrin photosensitizers. <i>Chemical Communications</i> , 2017, 53, 9918-9921.	2.2	32
44	Molecular Tectonics: Manganese(II), Copper(II) and Zinc(II) 1D Coordination Polymers Based on Tetramercaptothiacalix[4]arene Bearing Benzoate Coordinating Groups. <i>Macrocyclics</i> , 2017, 10, 147-153.	0.9	3
45	Molecular tectonics: homochiral coordination polymers based on pyridyl-substituted cyclic tetrapeptides. <i>CrystEngComm</i> , 2016, 18, 7685-7689.	1.3	1
46	Pre-organization of clefts for Ag ^I interactions in Zn(II) bis(dipyrrin) helicates for the construction of heterometallic networks. <i>Chemical Communications</i> , 2016, 52, 13000-13003.	2.2	21
47	Molecular tectonics: tetracarboxythiacalix[4]arene derivatives as tectons for the formation of hydrogen-bonded networks. <i>CrystEngComm</i> , 2016, 18, 8622-8630.	1.3	5
48	Phosphorus(V) Porphyrin-Based Molecular Turnstiles. <i>Inorganic Chemistry</i> , 2016, 55, 10774-10782.	1.9	32
49	Amidinium-Containing 2D [MnCr] Dimetallic Oxalate-Based Networks – The Influence on Structure and Magnetism Explored by Combining Experience and Theory. <i>European Journal of Inorganic Chemistry</i> , 2016, 2016, 4185-4193.	1.0	4
50	Influence of the supramolecular order on the electrical properties of 1D coordination polymers based materials. <i>Nanoscale</i> , 2016, 8, 2386-2394.	2.8	8
51	Molecular tectonics: dimensionality and geometry control of silver coordination networks based on pyrazolyl appended thiacalixarenes. <i>CrystEngComm</i> , 2016, 18, 691-703.	1.3	18
52	Molecular Tectonics: 1D Tubular Type and 3D Diamond Like Mercury(II) Coordination Polymers Based on Pyridyl Appended p-tert-Butyltetrathiacalix[4]arene. <i>Macrocyclics</i> , 2016, 9, 17-22.	0.9	3
53	Molecular tectonics: silver coordination networks based on tetramercaptothiacalix[4]arene in 1,3-alternate conformation bearing four nitrile groups. <i>Russian Chemical Bulletin</i> , 2015, 64, 1955-1962.	0.4	11
54	Assembly, Disassembly, and Reassembly: Conversion of Homometallic Coordination Networks into Mixed Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2015, 54, 2032-2039.	1.9	32

#	ARTICLE	IF	CITATIONS
55	On Zn(ii) 2,2- β -bisdipyrrin circular helicenes. <i>Chemical Communications</i> , 2015, 51, 5906-5909.	2.2	32
56	Nanopatterning of Surfaces with Monometallic and Heterobimetallic 1D Coordination Polymers: A Molecular Tectonics Approach at the Solid/Liquid Interface. <i>Journal of the American Chemical Society</i> , 2015, 137, 8450-8459.	6.6	32
57	A bi-stable Pt(II) based molecular turnstile. <i>Chemical Communications</i> , 2015, 51, 12486-12489.	2.2	15
58	Molecular tectonics: heterometallic coordination networks based on a Pt(ii) organometallic metallatecton. <i>Dalton Transactions</i> , 2015, 44, 14204-14207.	1.6	4
59	Molecular Tectonics: Design of Enantiopure Luminescent Heterometallic Ir(III)-Cd(II) Coordination Network. <i>Inorganic Chemistry</i> , 2015, 54, 10429-10439.	1.9	23
60	Molecular tectonics: heterometallic (Ir,Cu) grid-type coordination networks based on cyclometallated Ir(III) chiral metallatectons. <i>Chemical Communications</i> , 2015, 51, 14785-14788.	2.2	8
61	From hydrogen bonding to metal coordination and back: Porphyrin-based networks on Ag(111). <i>Journal of Chemical Physics</i> , 2015, 142, 101926.	1.2	19
62	Welding Molecular Crystals. <i>Journal of the American Chemical Society</i> , 2015, 137, 15390-15393.	6.6	35
63	Molecular Tectonics: Grid and Porous Coordination Networks Based on Combinations of Iron Thiocyanate and Pyridyl Appended Derivatives of Tetrathiacalix[4]arene and Tetramercaptotetrathiacalix[4]arene. <i>Macrocyclic Chemistry</i> , 2015, 8, 113-119.	0.9	5
64	Organometallic turnstiles: acid and base locking and unlocking. <i>Dalton Transactions</i> , 2014, 43, 152-157.	1.6	17
65	Molecular tectonics: generation of grid and porous diamondoid coordination networks by calixarene based tectons. <i>CrystEngComm</i> , 2014, 16, 3765-3772.	1.3	13
66	Rigid yet flexible heteroleptic Co(III) dipyrin complexes for the construction of heterometallic 1- and 2-D coordination polymers. <i>CrystEngComm</i> , 2014, 16, 4973-4980.	1.3	16
67	Optical reading of the open and closed states of a molecular turnstile. <i>Chemical Communications</i> , 2014, 50, 5040-5042.	2.2	21
68	Molecular tectonics: anion control of dimensionality and connectivity in meta-pyridyl appended tetramercaptotetrathiacalix[4]arene based silver coordination networks. <i>Dalton Transactions</i> , 2014, 43, 158-165.	1.6	19
69	Molecular tectonics: enantiomerically pure 1D stair-type mercury coordination networks based on rigid bismonodentate C2-chiral organic tectons. <i>Dalton Transactions</i> , 2014, 43, 166-172.	1.6	8
70	Molecular tectonics: homochiral coordination networks based on combinations of a chiral neutral tecton with Hg(II), Cu(II) or Ni(II) neutral complexes as metallatectons. <i>Dalton Transactions</i> , 2014, 43, 2000-2006.	1.6	10
71	A luminescent molecular turnstile. <i>Dalton Transactions</i> , 2014, 43, 15779-15784.	1.6	12
72	Molecular tectonics based nanopatterning of interfaces with 2D metal-organic frameworks (MOFs). <i>Chemical Communications</i> , 2014, 50, 12250-12253.	2.2	40

#	ARTICLE	IF	CITATIONS
73	Phase transition of a perovskite strongly coupled to the vacuum field. <i>Nanoscale</i> , 2014, 6, 7243-7248.	2.8	50
74	A Silver Bite: Crystalline Heterometallic Architectures Based on Ag ⁺ Interactions with a Bis ²⁻ Dipyrrin Zinc Helicate. <i>Chemistry - A European Journal</i> , 2014, 20, 2449-2453.	1.7	44
75	Template Synthesis of Tetrakis-triazolylthiacalix[4]arene in the Cone Conformation and Supramolecular Structure of Its Hexanuclear Complex with Ag(I). <i>Macroheterocycles</i> , 2014, 7, 189-195.	0.9	6
76	Ni(II) dipyrin complexes bearing peripheral pyridyl or imidazolyl groups self-assemble into 2- and 3-D coordination polymers. <i>CrystEngComm</i> , 2013, 15, 5980.	1.3	15
77	Molecular tectonics: from crystals to crystals of crystals. <i>Chemical Communications</i> , 2013, 49, 11209.	2.2	14
78	From Sequential to One-Pot Synthesis of Dipyrrin Based Grid-Type Mixed Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2013, 52, 14439-14448.	1.9	40
79	Molecular tectonics: pyridyl containing thiacalix[4]arene based tectons for the generation of 2- and 3-D silver coordination networks. <i>Dalton Transactions</i> , 2013, 42, 116-126.	1.6	29
80	A platinum turnstile with a palladium lock. <i>Dalton Transactions</i> , 2013, 42, 9740.	1.6	20
81	Molecular tectonics: chiral 1- and 2-D zinc coordination networks based on chiral porphyrins bearing pyridyl and ethynylpyridyl appended units. <i>New Journal of Chemistry</i> , 2013, 37, 3549.	1.4	16
82	Molecular tectonics: tuning the dimensionality and topology of extended cyanocuprate networks using a bisamidinium cation. <i>Dalton Transactions</i> , 2013, 42, 11661.	1.6	11
83	The odd association of a C _{3h} trisamidinium cation and tosylate anion with a series of linear oxalate-bridged trinuclear heterometallic complexes. <i>Dalton Transactions</i> , 2013, 42, 4704.	1.6	12
84	Luminescent Coordination Polymers Based on Self-Assembled Cadmium Dipyrrin Complexes. <i>Chemistry - A European Journal</i> , 2013, 19, 3215-3223.	1.7	42
85	From discrete tricyanovinylene appended 7-azaindole copper(II) paddlewheel to an infinite 1D network: Synthesis, crystal structure and magnetic properties. <i>Polyhedron</i> , 2013, 52, 1329-1335.	1.0	6
86	A platinum based organometallic turnstile. <i>Chemical Communications</i> , 2013, 49, 3637.	2.2	24
87	Molecular tectonics: homochiral 3D cuboid coordination networks based on enantiomerically pure organic tectons and ZnSiF ₆ . <i>Chemical Communications</i> , 2013, 49, 4468.	2.2	20
88	Molecular tectonics: p-H-thiacalix[4]arene pyridyl appended positional isomers as tectons for the formation of 1D and 2D mercury coordination networks. <i>Dalton Transactions</i> , 2013, 42, 9946.	1.6	14
89	Molecular Tectonics: Control of the Dimensionality in Tetramercaptothiacalixarenes Based Coordination Networks. <i>Inorganic Chemistry</i> , 2013, 52, 6776-6778.	1.9	19
90	Zinc ²⁺ and palladium ²⁺ porphyrin based turnstiles. <i>New Journal of Chemistry</i> , 2013, 37, 112-118.	1.4	16

#	ARTICLE	IF	CITATIONS
91	Molecular tectonics: zinc coordination networks based on centric and acentric porphyrins bearing pyridyl units. Dalton Transactions, 2012, 41, 14683.	1.6	19
92	Stepwise construction of grid-type Cu(ii)-Cd(ii) heterometallic MOFs based on an imidazole-appended dipyrin ligand. Chemical Communications, 2012, 48, 10313.	2.2	37
93	Porphyrin lanthanide complexes for NIR emission. Coordination Chemistry Reviews, 2012, 256, 1468-1478.	9.5	93
94	Giant Core-Shell Nanospherical Clusters Composed of 32 Co or 32 Ni Atoms Held by 6 <i>p</i> -tert-Butylthiacalix[4]arene Units. Inorganic Chemistry, 2012, 51, 5481-5486.	1.9	38
95	Heterometallic coordination polymers incorporating dipyrin based heteroleptic copper and cobalt complexes: to Ag-Fe or not?. Dalton Transactions, 2012, 41, 7227.	1.6	58
96	Excited State Properties and Energy Transfer within Dipyrin-Based Binuclear Iridium/Platinum Dyads: The Effect of <i>ortho</i> -Methylation on the Spacer. Chemistry - A European Journal, 2012, 18, 4041-4050.	1.7	55
97	Strapped Porphyrin-Based Molecular Turnstiles. Chemistry - A European Journal, 2012, 18, 10419-10426.	1.7	32
98	Sensitisation of the Near-Infrared Emission of Nd ^{III} from the Singlet State of Porphyrins Bearing Four 8-Hydroxyquinolinylamide Chelates. ChemPhysChem, 2012, 13, 3163-3171.	1.0	14
99	An oscillating molecular turnstile. Dalton Transactions, 2011, 40, 5244.	1.6	19
100	Molecular tectonics: control of packing of luminescent networks formed upon combining bisamidinium tectons with dicyanometallates. CrystEngComm, 2011, 13, 1922-1930.	1.3	16
101	From insertion of rhodium acetate paddlewheels into functionalized 7-azaindole hydrogen-bonded dimers to infinite architectures. Dalton Transactions, 2011, 40, 7403.	1.6	10
102	Dipyrin based silver [2 + 2] metallamacrocycles. Dalton Transactions, 2011, 40, 437-445.	1.6	24
103	From tectons to luminescent supramolecular ionic liquid crystals. Chemical Communications, 2011, 47, 734-736.	2.2	31
104	Molecular tectonics: control of interpenetration in cuboid 3-D coordination networks. CrystEngComm, 2011, 13, 776-778.	1.3	34
105	Molecular tectonics: design of enantiomerically pure helical tubular crystals with controlled channel size and orientation. Chemical Communications, 2011, 47, 7635.	2.2	13
106	Open and closed states of a porphyrin based molecular turnstile. Dalton Transactions, 2011, 40, 3517.	1.6	30
107	Synthesis and Structural Analysis of Porphyrin-Based Polynucleating Ligands Bearing 8-Methoxy- and 8-(Allyloxy)quinoline Units. European Journal of Organic Chemistry, 2011, 2011, 2531-2541.	1.2	7
108	Porphyrin-Based Switchable Molecular Turnstiles. Chemistry - A European Journal, 2011, 17, 6443-6452.	1.7	35

#	ARTICLE	IF	CITATIONS
109	Sensitization of the NIR emission of Nd(^{III}) by the Λ_4 atropoisomer of a meso-tetraphenyl porphyrin bearing four 8-hydroxyquinolinyllamide chelates. <i>Chemical Communications</i> , 2010, 46, 619-621.	2.2	31
110	Dipyrrin based luminescent cyclometallated palladium and platinum complexes. <i>Dalton Transactions</i> , 2010, 39, 180-184.	1.6	87
111	Porphyrin based molecular turnstiles. <i>Chemical Communications</i> , 2010, 46, 3508.	2.2	52
112	Design and Synthesis of Sn-Porphyrin Based Molecular Gates. <i>Inorganic Chemistry</i> , 2010, 49, 1872-1883.	1.9	42
113	Molecular tectonics: crystal engineering of mixed valence Fe(II)/Fe(III) solid solutions. <i>Chemical Communications</i> , 2010, 46, 868-870.	2.2	11
114	Carboxylic Acid Appended Dipyrrin for the Formation of a Hexanuclear Iridium/Copper Paddlewheel Complex. <i>Inorganic Chemistry</i> , 2010, 49, 8659-8661.	1.9	47
115	Heterometallic Architectures Based on the Combination of Heteroleptic Copper and Cobalt Complexes with Silver Salts. <i>Inorganic Chemistry</i> , 2010, 49, 11231-11239.	1.9	54
116	Assembly of Heteroleptic Copper Complexes with Silver Salts: From Discrete Trinuclear Complexes to Infinite Networks. <i>Inorganic Chemistry</i> , 2010, 49, 331-338.	1.9	63
117	Amidinium based ionic liquids. <i>New Journal of Chemistry</i> , 2010, 34, 1184.	1.4	12
118	Molecular tectonics: tubular crystals with controllable channel size and orientation. <i>Chemical Communications</i> , 2010, 46, 112-114.	2.2	27
119	Molecular tectonics: from 1-D interwoven racemic chains to quadruple-stranded helices. <i>Chemical Communications</i> , 2010, 46, 115-117.	2.2	17
120	Molecular tectonics: chaining cages into a 1-D coordination network. <i>CrystEngComm</i> , 2010, 12, 67-69.	1.3	8
121	Molecular tectonics: formation and structural studies on a 2-D directional coordination network based on a non-centric metacyclophane based tecton and zinc cation. <i>Dalton Transactions</i> , 2010, 39, 2137.	1.6	13
122	Combination of hydrogen and coordination bonding for the construction of one-dimensional networks based on a 7-azaindole appended dipyrrin. <i>CrystEngComm</i> , 2010, 12, 2238.	1.3	35
123	Molecular Tectonics at the Solid/Liquid Interface: Controlling the Nanoscale Geometry, Directionality, and Packing of 1D Coordination Networks on Graphite Surfaces. <i>Advanced Materials</i> , 2009, 21, 1131-1136.	11.1	42
124	Microscopic Topography of Heterocrystal Interfaces. <i>Crystal Growth and Design</i> , 2009, 9, 2841-2847.	1.4	11
125	Molecular tectonics: modulation of size and shape of cuboid 3-D coordination networks. <i>CrystEngComm</i> , 2009, 11, 189-191.	1.3	50
126	Playing with isostructurality: from tectons to molecular alloys and composite crystals. <i>Chemical Communications</i> , 2009, , 1559.	2.2	38

#	ARTICLE	IF	CITATIONS
127	Molecular tectonics: 3-D organisation of decanuclear silver nanoclusters. <i>Chemical Communications</i> , 2009, , 2514.	2.2	29
128	Molecular tectonics: design of 2-D networks by simultaneous use of charge-assisted hydrogen and coordination bonds. <i>Chemical Communications</i> , 2009, , 6786.	2.2	25
129	In situ reduction of Fe(iii) into Fe(ii): an example of post-crystallisation transformation. <i>Chemical Communications</i> , 2009, , 6798.	2.2	9
130	Combination of primary amide and dipyrin for the elaboration of extended architectures built upon both coordination and hydrogen bonding. <i>CrystEngComm</i> , 2009, 11, 1245.	1.3	48
131	Synthesis and structural studies of metallamacrotricycles based on a metacyclophane in 1,3-alternate conformation bearing four imidazolyl units. <i>Dalton Transactions</i> , 2009, , 2552.	1.6	11
132	Molecular tectonics: generation and structural studies on 1- and 2D coordination networks based on a meta-cyclophane in 1,3-alternate conformation bearing four pyrazolyl units and cobalt, zinc and copper cations. <i>Dalton Transactions</i> , 2009, , 6309.	1.6	10
133	Molecular tectonics: ribbon type coordination networks based on porphyrins bearing two pyridine or two pyridine N-oxide units. <i>New Journal of Chemistry</i> , 2008, 32, 99-104.	1.4	28
134	Molecular tectonics: control of pore size and polarity in 3-D hexagonal coordination networks based on porphyrins and a zinc cation. <i>Chemical Communications</i> , 2008, , 5104.	2.2	28
135	Direct synthesis and structural characterisation of tri- and tetra-nuclear silver metallaknotanes by self-assembly approach. <i>Chemical Communications</i> , 2008, , 6191.	2.2	27
136	Molecular tectonics: design and generation of charge-assisted, H-bonded, hybrid molecular networks based on amidinium cations and thio- or isothio-cyanatometallates. <i>Dalton Transactions</i> , 2008, , 615-619.	1.6	11
137	Modular construction of a series of heteronuclear metallamacrocycles. <i>Chemical Communications</i> , 2008, , 4558.	2.2	19
138	Molecular Tectonics: Control of Reversible Water Release in Porous Charge-Assisted H-Bonded Networks. <i>Journal of the American Chemical Society</i> , 2008, 130, 17106-17113.	6.6	82
139	Many Faces of Dipyrrins: from Hydrogen-Bonded Networks to Homo- and Heteronuclear Metallamacrocycles. <i>Inorganic Chemistry</i> , 2008, 47, 766-768.	1.9	68
140	A stepwise approach to the formation of heterometallic discrete complexes and infinite architectures. <i>Dalton Transactions</i> , 2007, , 1129.	1.6	22
141	Molecular tectonics: generation of 1-D interdigitated and 2-D interwoven helical silver coordination networks by oligoethylene glycol based tectons bearing two benzonitrile moieties. <i>New Journal of Chemistry</i> , 2007, 31, 25-32.	1.4	37
142	Molecular tectonics: polymorphism and enhancement of network dimensionality by a combination of primary and secondary hydrogen bond sites. <i>Chemical Communications</i> , 2007, , 4626.	2.2	28
143	Arranging up to six ferrocene carboxamides around metal centres. <i>Dalton Transactions</i> , 2007, , 565-569.	1.6	14
144	Heterobimetallic coordination networks based on metallaporphyrins bearing four pyridine N-oxide groups as coordinating sites. <i>Dalton Transactions</i> , 2007, , 4126.	1.6	18

#	ARTICLE	IF	CITATIONS
145	Investigations on crystalline interface within a molecular composite crystal by microscopic techniques. <i>Journal of Materials Chemistry</i> , 2007, 17, 1559-1562.	6.7	31
146	Molecular tectonics: on the formation of 1-D silver coordination networks by thiacalixarenes bearing nitrile groups. <i>Dalton Transactions</i> , 2007, , 5126.	1.6	43
147	A molecular gate based on a porphyrin and a silver lock. <i>Chemical Communications</i> , 2007, , 2935.	2.2	41
148	Beyond classical coordination: silver-π interactions in metal dipyrin complexes. <i>Chemical Communications</i> , 2007, , 2252-2254.	2.2	74
149	Molecular Tectonics on Surfaces: Bottom-Up Fabrication of 1D Coordination Networks That Form 1D and 2D Arrays on Graphite. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 245-249.	7.2	110
150	Sequential Generation of One-Dimensional Networks Based on a Differentiated Bichelate-Type Ligand Bearing Both 4,5-Diazafluorene and Dithiolene Units. <i>Inorganic Chemistry</i> , 2006, 45, 5260-5262.	1.9	42
151	Molecular tectonics: generation of 2-D molecular networks by combination of coordination and hydrogen bonds. <i>New Journal of Chemistry</i> , 2006, 30, 71-76.	1.4	47
152	Porphyrin based metallamacrocycles. <i>New Journal of Chemistry</i> , 2006, 30, 1289.	1.4	23
153	Orthogonal packing of enantiomerically pure helical silver coordination networks. <i>Chemical Communications</i> , 2006, , 3078.	2.2	28
154	Molecular tectonics: control of packing of hybrid 1-D and 2-D H-bonded molecular networks formed between bisamidinium dication and cyanometallate anions. <i>New Journal of Chemistry</i> , 2006, 30, 1403.	1.4	35
155	Molecular tectonics: generation and packing of 1-D coordination networks formed between dibromofluorene based tectons bearing two pyridines and metal halides. <i>CrystEngComm</i> , 2006, 8, 883.	1.3	14
156	Octanuclear Cu(i) cubic complex decorated with six peripheral chelates. <i>New Journal of Chemistry</i> , 2006, 30, 1083.	1.4	19
157	Molecular tectonics: on the formation of tubular coordination networks. <i>New Journal of Chemistry</i> , 2006, 30, 1340.	1.4	16
158	Molecular tectonics: generation of 1- and 2-D copper coordination networks by positional isomeric tectons based on a phenylenediamine backbone bearing two isonicotinoyl moieties. <i>New Journal of Chemistry</i> , 2006, 30, 683.	1.4	33
159	Reversible single-crystal-to-single-crystal guest exchange in a 3-D coordination network based on a zinc porphyrin. <i>Chemical Communications</i> , 2005, , 3906.	2.2	107
160	Self-assembly and generation of complexity. <i>Chemical Communications</i> , 2005, , 5825.	2.2	133
161	Molecular tectonics: on the role of counter-ions in the dimensionality of silver coordination networks. <i>CrystEngComm</i> , 2005, 7, 624.	1.3	57
162	Molecular tectonics: design of coordinating tectons based on diazamacrocycles bearing pyridine units and formation of 1D copper coordination networks. <i>New Journal of Chemistry</i> , 2005, 29, 343.	1.4	16

#	ARTICLE	IF	CITATIONS
163	Molecular tectonics: coordination networks based on porphyrins bearing pyridine N-oxide groups as coordinating sites. <i>New Journal of Chemistry</i> , 2005, 29, 1508.	1.4	19
164	Alkoxo-bridged copper(ii) complexes as nodes in designing solid-state architectures. The interplay of coordinative and d10â€“d10metalâ€“metal interactions in sustaining supramolecular solid-state architectures. <i>Dalton Transactions</i> , 2005, , 1195-1202.	1.6	55
165	From Tectons to Composite Crystals. <i>Crystal Growth and Design</i> , 2005, 5, 2310-2312.	1.4	39
166	Structural Transference and Regulation of Bimodal Assembly of Charge-Assisted Hydrogen-Bonded Networks. <i>Crystal Growth and Design</i> , 2005, 5, 995-1003.	1.4	16
167	Molecular Tectonics:â€‰ From Simple Tectons to Complex Molecular Networks. <i>Accounts of Chemical Research</i> , 2005, 38, 313-323.	7.6	724
168	Molecular Networks Forming Crystalline and Liquid Crystalline Phases by Combined Hydrogen-Bonding and Ionic Interactions. <i>Collection of Czechoslovak Chemical Communications</i> , 2004, 69, 1161-1168.	1.0	2
169	Molecular tectonics: design and structural analysis of enantiomerically pure tectons and helical coordination networks. <i>Comptes Rendus Chimie</i> , 2004, 7, 189-196.	0.2	16
170	Molecular tectonics: design of luminescent H-bonded molecular networks. <i>Chemical Communications</i> , 2004, , 2270.	2.2	45
171	Molecular tectonics: geometry and energy based analysis of coordination networks. <i>New Journal of Chemistry</i> , 2004, 28, 897.	1.4	41
172	Reflexion on molecular tectonics. <i>CrystEngComm</i> , 2004, 6, 318.	1.3	172
173	Molecular tectonics: from molecular recognition of anions to molecular networks. <i>Coordination Chemistry Reviews</i> , 2003, 240, 157-166.	9.5	230
174	Metallacrown ethers: synthesis and structural investigation of silver metallamacrocycles. <i>Tetrahedron Letters</i> , 2003, 44, 1457-1460.	0.7	22
175	Molecular tectonics: design, synthesis and structural analysis of thiacalixarene-based tectons. <i>Comptes Rendus Chimie</i> , 2003, 6, 565-572.	0.2	14
176	A molecular tectonicsâ€“crystal engineering approach for building organicâ€“inorganic composites. Potential application to the growth control of hydroxyapatite crystals. <i>Journal of Materials Chemistry</i> , 2003, 13, 2521-2524.	6.7	8
177	Gradual increase in the dimensionality of cobalt and mercury coordination networks based on conformation of tetradentate tectons. <i>New Journal of Chemistry</i> , 2003, 27, 793-797.	1.4	33
178	Molecular tectonics: design of coordinating tectons based on fluorene bearing pyridines and structural analysis of their coordination networks generated in the presence of mercury and cobalt salts. <i>New Journal of Chemistry</i> , 2003, 27, 1806.	1.4	17
179	Charge assisted chiral hybrid H-bonded molecular networks Electronic supplementary information (ESI) available: synthetic details. See http://www.rsc.org/suppdata/cc/b3/b301467n/ . <i>Chemical Communications</i> , 2003, , 1224-1225.	2.2	33
180	Molecular tectonics: from enantiomerically pure sugars to enantiomerically pure triple stranded helical coordination network. <i>Chemical Communications</i> , 2003, , 1336-1337.	2.2	86

#	ARTICLE	IF	CITATIONS
181	Molecular tectonics: infinite cationic double stranded helical coordination networks. <i>Chemical Communications</i> , 2003, , 472-473.	2.2	76
182	Molecular tectonics: design of enantiomerically pure single-stranded helical H-bonded molecular networks. <i>CrystEngComm</i> , 2003, 5, 414.	1.3	15
183	Molecular tectonics: structural and magnetic properties of a discrete copper binuclear complex and a 1-D coordination network. <i>New Journal of Chemistry</i> , 2003, 27, 1801-1805.	1.4	11
184	Design, synthesis, structural analysis and atropisomerisation studies of polynucleating ligands based on porphyrins bearing catechol units Dedicated to H. B. Kagan on the occasion of his 71st birthday.. <i>New Journal of Chemistry</i> , 2002, 26, 43-57.	1.4	49
185	Molecular Tectonics: Abiotic Control of Hydroxyapatite Crystals Morphology. <i>Crystal Growth and Design</i> , 2002, 2, 489-492.	1.4	13
186	Design of 3-D coordination networks: topology and metrics. <i>Chemical Communications</i> , 2002, , 218-219.	2.2	37
187	Koils from thiophiles: mercury(ii) clusters from thiacalixarenes. <i>Chemical Communications</i> , 2002, , 1042-1043.	2.2	61
188	Molecular tectonics and supramolecular chirality: rational design of hybrid 1-D and 2-D H-bonded molecular networks based on bis-amidinium dication and metal cyanide anions. <i>CrystEngComm</i> , 2002, 4, 447-453.	1.3	54
189	Coordination polymers based on porphyrin and copper: the influence of the crystallization solvents on the dimensionality of the network. <i>New Journal of Chemistry</i> , 2002, , .	1.4	5
190	Non-centrosymmetric packing of 1-D coordination networks based on chirality. <i>Chemical Communications</i> , 2002, , 1898-1899.	2.2	67
191	Second sphere supramolecular chirality: racemic hybrid H-bonded 2-D molecular networks. <i>Chemical Communications</i> , 2002, , 702-703.	2.2	65
192	Tetramercaptotetrathiacalix[4]arene the Most Sulfur Enriched Ligand: Synthesis and Structural Analysis. <i>Journal of Supramolecular Chemistry</i> , 2002, 2, 21-28.	0.4	18
193	Molecular tectonics: design and structural analysis of 1-D and 2-D self-inclusion molecular networks in the crystalline state. <i>Comptes Rendus Chimie</i> , 2002, 5, 481-486.	0.2	4
194	Design, synthesis and solid state structural characterisation of a metallacyclophane formed by a diazadioxamacrocyclic bearing two pyridines and silver(I) cation. <i>Journal of Organometallic Chemistry</i> , 2002, 643-644, 376-380.	0.8	12
195	Molecular baskets based on tetramercaptotetrathiacalix[4]arene and tetrathiacalix[4]arene. <i>Tetrahedron Letters</i> , 2002, 43, 8975-8979.	0.7	13
196	Photophysical, electrochemical and electrochromic properties of copper-bis(4,4'-dimethyl-6,6'-diphenyl-2,2'-bipyridine) complexes. <i>Coordination Chemistry Reviews</i> , 2002, 9, 5230, 253-261.	9.5	68
197	Controlling the formation of discrete complexes or a 1-D directional coordination network by the binding ability of anions. <i>Chemical Communications</i> , 2001, , 1114-1115.	2.2	44
198	Design and structural analysis of interpenetrated 3-D co-ordination networks formed by self-assembly using tetrapyrrolinecyclophane and silver cations. <i>New Journal of Chemistry</i> , 2001, 25, 207-209.	1.4	53

#	ARTICLE	IF	CITATIONS
199	Double stranded interwound infinite linear silver coordination network. <i>Chemical Communications</i> , 2001, , 1242-1243.	2.2	54
200	Systematic Structural Coordination Chemistry of p-tert-Butyltetrathiacalix[4]arene: 1. Group 1 Elements and Congeners. <i>Inorganic Chemistry</i> , 2001, 40, 672-686.	1.9	107
201	Design of 2-D hydrogen bonded molecular networks using pyromellitate dianion and cyclic bisamidinium dication as complementary tectons. <i>Solid State Sciences</i> , 2001, 3, 789-793.	1.5	26
202	Thia-, Mercapto-, and Thiamercapto-Calix[4]arenes. , 2001, , 110-129.		5
203	Synthesis and solid state structural analysis of 1,3-alternate conformer of tetrathiacalix[4]arene tetra-ester, -acid and -ether derivatives. <i>Tetrahedron Letters</i> , 2000, 41, 3601-3606.	0.7	39
204	Synthesis and solid state structural analysis exo-bisbidentate ligands based on [1.1.1.1]metacyclophane in 1,3-alternate conformation bearing 2,2'-bipyridine or bisquinoline chelates. <i>Tetrahedron Letters</i> , 2000, 41, 9043-9047.	0.7	15
205	Crystal engineering of 2-D hydrogen bonded molecular networks based on the self-assembly of anionic and cationic modules. <i>Chemical Communications</i> , 2000, , 281-282.	2.2	45
206	Synthesis and Structural Analysis of Thiacalixarene Derivatives. <i>ACS Symposium Series</i> , 2000, , 296-312.	0.5	9
207	Bipyridine: The Most Widely Used Ligand. A Review of Molecules Comprising at Least Two 2,2'-Bipyridine Units. <i>Chemical Reviews</i> , 2000, 100, 3553-3590.	23.0	1,042
208	Charge-assisted N-H(+) and O-H(+) hydrogen bonds control the supramolecular aggregation of ferrocenedicarboxylic acid and bis-amidines. <i>New Journal of Chemistry</i> , 2000, 24, 547-553.	1.4	88
209	Directional 1-D inclusion networks: self-assembly of unsymmetrical coilands into directional coilates in the crystalline phase. <i>Dalton Transactions RSC</i> , 2000, , 3791-3795.	2.3	8
210	Design, synthesis and structural investigation of a 2-D coordination network based on the self-assembly of the tetracarboxylate derivative of tetrathiacalix[4]arene and silver cation. <i>Chemical Communications</i> , 2000, , 2219-2220.	2.2	67
211	Metallatubulane: synthesis and structural analysis of an infinite tubular coordination network formed by the self-assembly of a tetracyanocyclophane and silver cations. <i>Chemical Communications</i> , 2000, , 239-240.	2.2	69
212	Design, synthesis and structural investigation of a 1-D directional coordination network based on the self-assembly of an unsymmetrical mono-tridentate ligand and cobalt cation. <i>Chemical Communications</i> , 2000, , 1863-1864.	2.2	30
213	Metallacyclophanes formed by a tetrapyrazolyl ligand and copper(ii) cation. <i>Chemical Communications</i> , 2000, , 2085-2086.	2.2	22
214	A Unique Rare-Earth Cluster within a Calixarene Sandwich: Parallels in the Chemistry of Cyclosiloxanes and Calixarenes. <i>Australian Journal of Chemistry</i> , 2000, 53, 895.	0.5	47
215	Differential Effects of Cyclopolyamines on the Stability and Conformation of Triplex DNA. <i>Oligonucleotides</i> , 1999, 9, 13-23.	4.4	4
216	Synthesis and solid state structural analysis of conformers of tetrakis((ethoxycarbonyl)methoxy)tetrathiacalix[4]arene. <i>Tetrahedron Letters</i> , 1999, 40, 2113-2116.	0.7	74

#	ARTICLE	IF	CITATIONS
217	Synthesis, structural, EPR and magnetic analysis of nitronyl-nitroxide labelled isophthalic acid. Tetrahedron Letters, 1999, 40, 2943-2946.	0.7	14
218	Tetrasulfinylcalix[4]arenes: Synthesis and solid state structural analysis. Tetrahedron Letters, 1999, 40, 1129-1132.	0.7	69
219	Additives for the crystallization of proteins and nucleic acids. Journal of Crystal Growth, 1999, 196, 365-376.	0.7	56
220	Self-Assembly of Pyrazolyl Based Ligands and Silver Cation into Metallamacrocycles and Tubular Coordination Networks. European Journal of Inorganic Chemistry, 1999, 1999, 1981-1985.	1.0	53
221	Self-assembly of a bis-tridentate Py ₂ S ₄ ligand and cadmium cation into 1- and 2-D coordination networks. Chemical Communications, 1999, , 603-604.	2.2	26
222	Molecular braids: quintuple helical hydrogen bonded molecular network. Chemical Communications, 1999, , 2313-2314.	2.2	45
223	Diastereoisomerism and inter-metallic electronic communication: synthesis and structural analysis of a fully conjugated macrocyclic exo-ditopic ligand bearing two 2,2'-bipyridine units and of its binuclear osmium diastereoisomers. Chemical Communications, 1999, , 2155-2156.	2.2	7
224	Thiacalixarenes as cluster keepers: synthesis and structural analysis of a magnetically coupled tetracopper(II) square. Chemical Communications, 1999, , 373-374.	2.2	92
225	Synthesis and structural analysis of mercaptothiacalix[4]arene. Chemical Communications, 1999, , 2169-2170.	2.2	56
226	Molecular Tectonics: An Approach to Organic Networks. , 1999, , 209-219.		2
227	An Approach to the Crystal Engineering of Coordination Networks. , 1999, , 181-208.		1
228	Hydrogen Bonds in Organised Monolayers. , 1999, , 87-96.		0
229	Cryptands revisited. Coordination Chemistry Reviews, 1998, 178-180, 1193-1209.	9.5	20
230	Synthesis and Structural Analysis of a Helical Coordination Polymer Formed by the Self-Assembly of a 2,2'-Bipyridine-Based exo-Ditopic Macrocyclic Ligand and Silver Cations. Angewandte Chemie - International Edition, 1998, 37, 920-922.	7.2	191
231	Thiacalixarenes: Synthesis and structural analysis of thiacalix[4]arene and of p-tert-butylthiacalix[4]arene. Tetrahedron Letters, 1998, 39, 2311-2314.	0.7	197
232	Deuterium labelled borocryptands: synthesis, structural analysis and binding studies. Tetrahedron Letters, 1998, 39, 3501-3504.	0.7	7
233	Exo-ligands based on two p-aminopyridine interconnection by tuneable alkyl chains: design, synthesis and structural analysis of silver and palladium metallamacrocycles. Chemical Communications, 1998, , 1625-1626.	2.2	74
234	Design, synthesis and cleaving activity of an abiotic nuclease based on a manganese(III) porphyrin complex bearing two acridine moieties. Chemical Communications, 1998, , 1343-1344.	2.2	9

#	ARTICLE	IF	CITATIONS
235	Molecular tectonics VIII: formation of 1D and 3D networks based on the simultaneous use of hydrogen bonding and ionic interactions,. <i>New Journal of Chemistry</i> , 1998, 22, 1389-1393.	1.4	29
236	Sulfone-calixarenes: a new class of molecular building block. <i>Chemical Communications</i> , 1998, , 1345-1346.	2.2	70
237	Crystal engineering: molecular networks based on inclusion phenomena. <i>Chemical Communications</i> , 1998, , 727-734.	2.2	67
238	Molecular tectonics: design, synthesis and structural analysis of a molecular network based on inclusion processes using a doubly fused p-isopropylcalix[4]arene. <i>Journal of Materials Chemistry</i> , 1998, 8, 2331-2333.	6.7	11
239	Synthesis and structural analysis of an infinite linear coordination network formed by the self-assembly of tetracyanocalix[4]arene ligands and silver cations. <i>Chemical Communications</i> , 1998, , 2545-2546.	2.2	67
240	Design, synthesis and structural studies on polynucleating ligands based on atropisomerism of catechol bearing porphyrins. <i>Chemical Communications</i> , 1998, , 689-690.	2.2	11
241	NMR in a liquid crystal solvent: study of the chirality of borocryptates. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1998, 95, 341-349.	0.2	6
242	Molecular Tectonics: An Approach to Organic Networks. , 1998, , 117-122.		0
243	Probing peristatic chirality of alkaline cations: NMR study of alkaline borocryptates. <i>Chemical Communications</i> , 1997, , 1459-1460.	2.2	17
244	Synthesis and structural analysis of a exo-ditopic macrocyclic ligand bearing 2,2'-bipyridine units interconnected by silane spacers and of its binuclear ruthenium complex. <i>Chemical Communications</i> , 1997, , 2229-2230.	2.2	11
245	Molecular tectonics IV: Molecular networks based on hydrogen bonding and electrostatic interactions. <i>Tetrahedron Letters</i> , 1997, 38, 1755-1758.	0.7	26
246	Molecular tectonics V: Molecular recognition in the formation of molecular networks based on hydrogen bonding and electrostatic interactions. <i>Tetrahedron Letters</i> , 1997, 38, 1933-1936.	0.7	27
247	Design and Synthesis of Porphyrins Bearing Catechols. <i>Tetrahedron Letters</i> , 1997, 38, 2993-2996.	0.7	20
248	Bipyridine based exoditopic ligands: Synthesis and structural analysis of homobinuclear ruthenium complexes. <i>Tetrahedron Letters</i> , 1997, 38, 3901-3904.	0.7	21
249	Design, synthesis and structural analysis of exoditopic macrocyclic ligands based on bipyridine units. <i>Tetrahedron Letters</i> , 1997, 38, 4389-4392.	0.7	21
250	Multicavitands V: Synthesis and X-ray analysis of unsymmetrical linear koilands based on double fusion of two different calix[4]arenes by two silicon atoms. <i>Tetrahedron Letters</i> , 1997, 38, 4555-4558.	0.7	15
251	Borocryptands : Synthesis and Structural Analysis of a Lithium Borocryptate. <i>Tetrahedron Letters</i> , 1997, 38, 7539-7542.	0.7	21
252	The Simultaneous Use of H-Bonding and Coulomb Interactions for the Self-Assembly of Fumaric Acid and Cyclic Bisamidine into One- and Two-Dimensional Molecular Networks. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 102-104.	4.4	97

#	ARTICLE	IF	CITATIONS
253	Self-Assembly of Convex and Concave Molecular Tectons to Form a Linear Molecular Array in the Solid State. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 1760-1762.	4.4	33
254	Selbstorganisation von Fumarsäure und einem cyclischen Bisamidin zu ein- und zweidimensionalen molekularen Netzwerken durch Nutzung von Wasserstoffbrücken und Coulomb-Wechselwirkungen. <i>Angewandte Chemie</i> , 1997, 109, 83-85.	1.6	11
255	Molecular Recognition of NADP(H) and ATP by Macrocyclic Polyamines Bearing Acridine Groups. <i>Helvetica Chimica Acta</i> , 1997, 80, 786-803.	1.0	82
256	Molecular tectonics II: Synthesis of molecular sheets by self-assembly of complementary molecular units in the solid state. <i>Tetrahedron Letters</i> , 1996, 37, 1405-1408.	0.7	41
257	Molecular tectonics I: The first synthesis and X-ray analysis of a linear koilate obtained by self-assembly of linear koilands and hexadiyne. <i>Tetrahedron Letters</i> , 1996, 37, 1401-1404.	0.7	54
258	Multicavitands IV: Synthesis of linear koilands obtained by fusion of calix[4]arene derivatives by silicon atoms. <i>Tetrahedron Letters</i> , 1996, 37, 1409-1412.	0.7	25
259	Synthesis of an exo-ditopic receptor based on calix[4]arene and catechol. <i>Tetrahedron Letters</i> , 1996, 37, 4503-4506.	0.7	29
260	An approach to electronic communication through transannular hydrogen bond: Synthesis of cyclic diamines bearing donor and acceptor groups. <i>Tetrahedron Letters</i> , 1996, 37, 4721-4724.	0.7	5
261	Molecular Tectonics. , 1996, , 159-180.		4
262	Molecular Tectonics: Self-Assembly of Charged Molecular Tectons into One- and Two-Dimensional Solids. , 1996, , 129-142.		3
263	Binding of Boron and Alkali Metal Cations by a Pseudocryptand. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1115-1117.	4.4	35
264	One-pot synthesis and X-ray studies on cyclic oligobipyridines and one of their dinuclear ruthenium complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1445.	2.0	14
265	Synthesis and structural studies on p-tert-butyl-1,3-dihydroxy-2,4-disulfanylcalix[4]arene and its mercury complex. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 609.	2.0	40
266	Simultaneous binding of boron and ammonium cation by a pseudocryptand: synthesis, X-ray analysis and solution studies by NMR spectroscopy. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1505.	2.0	18
267	Synthetic polyamines stimulate in vitro transcription by T7 RNA polymerase. <i>Nucleic Acids Research</i> , 1994, 22, 2784-2790.	6.5	55
268	Synthesis of macrocyclic ditopic receptors designed for simultaneous binding of alkaline and transition metal cations. <i>Tetrahedron Letters</i> , 1994, 35, 7779-7782.	0.7	17
269	Exoditopic receptors II: Synthesis and x-ray crystal structure of a disilamacrocycle bearing two bipyridine units. <i>Tetrahedron Letters</i> , 1994, 35, 7233-7236.	0.7	34
270	Multicavitands III: Synthesis and NMR studies of a tri-directional koiland composed of three p-tert-butylcalix[4]arene units fused by two silicon atoms. <i>Tetrahedron Letters</i> , 1994, 35, 1711-1714.	0.7	36

#	ARTICLE	IF	CITATIONS
271	Cyclopolyamines: Synthesis of cyclospemidines and cyclospemines, analogues of spermidine and spermine. <i>Tetrahedron Letters</i> , 1994, 35, 8609-8612.	0.7	15
272	Exoditopic receptors I: synthesis and structural studies on p-tert-butyltetramercaptocalix[4]arene and its mercury complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 1579.	2.0	55
273	A molecular approach to solid-state synthesis: prediction and synthesis of self-assembled infinite rods. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 2135.	2.0	69
274	Silacrown ethers: Synthesis of macrocyclic diphenylpolyethyleneglycol mono- and disilanes. <i>Tetrahedron Letters</i> , 1993, 34, 7413-7416.	0.7	18
275	Multicavitands II: Synthesis of a non centrosymmetric hollow molecular unit (koiland) based on fusion of two p-tert-butylcalix[4]arenes by both silicon and titanium atoms. <i>Tetrahedron Letters</i> , 1993, 34, 7561-7564.	0.7	49
276	Synthesis of a 1,3-alternate tetramercapto [1.1.1.1]metacyclophane. <i>Tetrahedron Letters</i> , 1993, 34, 8111-8112.	0.7	31
277	Multicavitands I: Synthesis and X-ray crystal structure of a bis p-tert-butylcalix[4]arene fused by two silicon atoms. <i>Tetrahedron Letters</i> , 1993, 34, 3285-3288.	0.7	51
278	Supramolecular Catalysis of Phosphoryl Transfer Processes. <i>Bioorganic Chemistry Frontiers</i> , 1993, , 67-112.	1.2	9
279	Synthesis of Selectively Substituted Lipocyclopolyamines. <i>Helvetica Chimica Acta</i> , 1992, 75, 721-728.	1.0	11
280	Supramolecular catalysis of adenosine triphosphate synthesis in aqueous solution mediated by a macrocyclic polyamine and divalent metal cations. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 451.	2.0	34
281	Ferric ion sequestering agents. 22. Synthesis and characterization of macrobicyclic iron(III) sequestering agents. <i>Journal of the American Chemical Society</i> , 1991, 113, 2965-2977.	6.6	129
282	Structural and Anion Coordination Features of Macrocyclic Polyammonium Cations in the Solid, Solution and Computational Phases. <i>Journal of Coordination Chemistry</i> , 1991, 23, 113-135.	0.8	33
283	Multiple molecular recognition and catalysis. A multifunctional anion receptor bearing an anion binding site, an intercalating group, and a catalytic site for nucleotide binding and hydrolysis. <i>Journal of the American Chemical Society</i> , 1990, 112, 3896-3904.	6.6	273
284	Anodic oxidation of mercury in the presence of monocyclic ligands in propylene carbonate. <i>Electroanalysis</i> , 1989, 1, 493-499.	1.5	2
285	Synthesis of Polyaza Macrocyclic Ligands Incorporating Pyridine Units. <i>Helvetica Chimica Acta</i> , 1989, 72, 1066-1077.	1.0	23
286	Chloride Binding by Polyammonium Receptor Molecules: ³⁵ Cl-NMR Studies. <i>Helvetica Chimica Acta</i> , 1989, 72, 1078-1083.	1.0	23
287	Supramolecular catalysis: polyammonium macrocycles as enzyme mimics for phosphoryl transfer in ATP hydrolysis. <i>Journal of the American Chemical Society</i> , 1989, 111, 6330-6335.	6.6	99
288	Anion-receptor molecules: Macrocyclic and macrobicyclic effects on anion binding by polyammonium receptor molecules. <i>Helvetica Chimica Acta</i> , 1988, 71, 749-756.	1.0	87

#	ARTICLE	IF	CITATIONS
289	Mechanisms of the ATPase-like activity of the macrocyclic polyamine receptor molecule [24]N6O2. <i>Bioorganic Chemistry</i> , 1988, 16, 418-428.	2.0	18
290	Comparative study of the copper(II) cryptates of C-BISTREN and O-BISTREN. Protonation constants, formation constants, and secondary anion bridging by fluoride and hydroxide. <i>Inorganic Chemistry</i> , 1988, 27, 3630-3636.	1.9	62
291	Supramolecular catalysis: substrate phosphorylations and adenosine triphosphate synthesis with acetylphosphate catalysed by a macrocycle polyamine. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 397.	2.0	26
292	Multiple molecular recognition and catalysis. Nucleotide binding and ATP hydrolysis by a receptor molecule bearing an anion binding site, an intercalator group, and a catalytic site. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 596.	2.0	37
293	Supramolecular catalysis of phosphoryl transfer: cocatalysis of pyrophosphate synthesis from acetyl phosphate mediated by macrocyclic polyamines. <i>Journal of the American Chemical Society</i> , 1987, 109, 7047-7058.	6.6	67
294	Ferric ion sequestering agents. 17. Macrobicyclic iron(III) sequestering agents. <i>Journal of the American Chemical Society</i> , 1987, 109, 7196-7198.	6.6	76
295	Synthesis of mono- and difunctionalized ditopic [24]N6O2 macrocyclic receptor molecules. <i>Journal of Organic Chemistry</i> , 1987, 52, 1662-1666.	1.7	63
296	Supramolecular catalysis in the hydrolysis of ATP facilitated by macrocyclic polyamines: mechanistic studies. <i>Journal of the American Chemical Society</i> , 1987, 109, 537-544.	6.6	123
297	Evidence for a protophosphatase catalysed cleavage of adenosine triphosphate by a dissociative-type mechanism within a receptor-substrate complex. <i>Tetrahedron Letters</i> , 1987, 28, 2779-2782.	0.7	29
298	Binding of AMP, ADP, and ATP Nucleotides by Polyammonium Macrocycles. <i>Helvetica Chimica Acta</i> , 1987, 70, 1312-1319.	1.0	111
299	Anion Coreceptor Molecules. Linear Molecular Recognition in the Selective Binding of Dicarboxylate Substrates by Ditopic Polyammonium Macrocycles. <i>Helvetica Chimica Acta</i> , 1986, 69, 587-603.	1.0	152
300	'Superpolyamines'. Macrocyclic polyamines induce highly efficient actin polymerization. <i>FEBS Journal</i> , 1985, 151, 557-559.	0.2	15
301	Synthesis of Macrobicyclic Polyamines by Direct Macrobicyclisation via Tripode-Tripode Coupling. <i>Helvetica Chimica Acta</i> , 1985, 68, 289-299.	1.0	76
302	Cocatalysis: pyrophosphate synthesis from acetylphosphate catalysed by a macrocyclic polyamine. <i>Journal of the Chemical Society Chemical Communications</i> , 1985, , 1155.	2.0	30
303	Control of the photochemical reactivity of coordination compounds by formation of supramolecular structures: the case of the hexacyanocobaltate(III) anion associated with polyammonium macrocyclic receptors. <i>Journal of the American Chemical Society</i> , 1985, 107, 6888-6892.	6.6	65
304	Efficient Molecular Catalysis of ATP-Hydrolysis by Protonated Macrocyclic Polyamines. <i>Helvetica Chimica Acta</i> , 1983, 66, 2454-2466.	1.0	149
305	Anion receptor molecules. Chain length dependent selective binding of organic and biological dicarboxylate anions by ditopic polyammonium macrocycles. <i>Journal of the American Chemical Society</i> , 1982, 104, 3525-3527.	6.6	196
306	Redox properties and stability constants of anion complexes. An electrochemical study of the complexation of metal hexacyanide anions by polyammonium macrocyclic receptor molecules. <i>Journal of the Chemical Society Chemical Communications</i> , 1981, , 1067.	2.0	37

#	ARTICLE	IF	CITATIONS
307	Anion receptor molecules. Synthesis and anion-binding properties of polyammonium macrocycles. Journal of the American Chemical Society, 1981, 103, 1282-1283.	6.6	320