

Yossef S Ben-Porath

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4596556/publications.pdf>

Version: 2024-02-01

203
papers

6,050
citations

76326

40
h-index

110387

64
g-index

210
all docs

210
docs citations

210
times ranked

2312
citing authors

#	ARTICLE	IF	CITATIONS
1	The Meaning and Clinical Implications of Low MMPI-3 Self-Importance Scores. <i>Journal of Personality Assessment</i> , 2023, 105, 227-237.	2.1	1
2	Examination of the MMPI-3 over-reporting scales in a forensic disability sample. <i>Clinical Neuropsychologist</i> , 2022, 36, 1878-1901.	2.3	18
3	Examining the Psychometric Equivalency of MMPI-3 Scale Scores Derived From the MMPI-3 and the MMPI-2-RF-EX. <i>Assessment</i> , 2022, 29, 842-853.	3.1	19
4	Evidence for the comparability of local and remote administrations of the MMPI-2-RF in police candidate evaluations.. <i>Psychological Assessment</i> , 2022, 34, 98-104.	1.5	5
5	Reliability and validity of Minnesota Multiphasic Personality Inventory-3 (MMPI-3) scale scores among patients seeking spine surgery.. <i>Psychological Assessment</i> , 2022, 34, 379-389.	1.5	5
6	Using the MMPI-3 in Forensic Psychological Assessments. , 2022, , 515-537.		1
7	A Comment on Krishnamurthy et al.'s (2022) Professional Practice Guidelines for Personality Assessment. <i>Journal of Personality Assessment</i> , 2022, 104, 17-18.	2.1	1
8	Using the MMPI-3 in Legal Settings. <i>Journal of Personality Assessment</i> , 2022, 104, 162-178.	2.1	6
9	Psychometric properties of Spanish-language MMPI-3 scores in a Puerto Rican parental fitness evaluation setting.. <i>Psychological Assessment</i> , 2022, 34, 803-809.	1.5	1
10	Further Examining the Construct Validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Personality Disorder Spectra Scales. <i>Journal of Personality Assessment</i> , 2021, 103, 443-454.	2.1	3
11	External Correlates of the MMPI-2-Restructured Form across a National Sample of Veterans. <i>Journal of Personality Assessment</i> , 2021, 103, 19-26.	2.1	2
12	Construct Validity of DSM-5 Level 2 Assessments (PROMIS Depression, Anxiety, and Anger): Evidence From the MMPI-2-RF. <i>Assessment</i> , 2021, 28, 788-795.	3.1	9
13	Evaluating the Measurement Invariance of MMPI-2-RF Restructured Clinical Scale 4 (Antisocial) Tj ETQq1 1 0.784314 rgBT /Overlock 1 Affecting Item Responding. <i>Journal of Personality Assessment</i> , 2021, 103, 465-475.	2.1	1
14	Psychosocial Functioning of Bariatric Surgery Patients 6-Years Postoperative. <i>Obesity Surgery</i> , 2021, 31, 712-724.	2.1	9
15	An Investigation of the Eating Concerns Scale of the Minnesota Multiphasic Personality Inventory-3 (MMPI-3) in a Postoperative Bariatric Surgery Sample. <i>Obesity Surgery</i> , 2021, 31, 2335-2338.	2.1	14
16	Examining the Validity of the Multidimensional Personality Questionnaire in the Assessment of Police Candidates. <i>Assessment</i> , 2021, 28, 295-309.	3.1	7
17	Examining the Association Between the MMPI-2-RF Triarchic Psychopathy Scales and Suicidality in a Criminal Defendant Sample. <i>Journal of Personality Disorders</i> , 2021, 35, 336-354.	1.4	5
18	A comparison of the MMPI-2-RF and PAI overreporting indicators in a civil forensic sample with emphasis on the Response Bias Scale (RBS) and the Cognitive Bias Scale (CBS).. <i>Psychological Assessment</i> , 2021, 33, 71-83.	1.5	16

#	ARTICLE	IF	CITATIONS
19	Psychometric properties of the Minnesota Multiphasic Personality Inventory-3 (MMPI-3) in a clinical neuropsychology setting.. Psychological Assessment, 2021, 33, 142-155.	1.5	19
20	Distinctiveness of the MMPI-3 Self-Importance and Self-Doubt Scales. Journal of Personality Assessment, 2021, 103, 613-620.	2.1	8
21	Utility of the MMPI-3 validity scales for detecting overreporting and underreporting and their effects on substantive scale validity: A simulation study.. Psychological Assessment, 2021, 33, 411-426.	1.5	17
22	Six-year bariatric surgery outcomes: the predictive and incremental validity of presurgical psychological testing. Surgery for Obesity and Related Diseases, 2021, 17, 1008-1016.	1.2	17
23	Criterion validity of MMPI-3 scores in preemployment evaluations of public safety candidates.. Psychological Assessment, 2021, 33, 1169-1180.	1.5	9
24	A cautionary note on Key et al.'s (2020) recommendations for using the MMPI-2 in parental competency evaluations.. Professional Psychology: Research and Practice, 2021, 52, 635-638.	1.0	0
25	Reliability and Validity of the Minnesota Multiphasic Personality Inventory " 2 " Restructured Form (MMPI-2-RF) in Spine Surgery and Spinal Cord Stimulator Samples. Journal of Personality Assessment, 2020, 102, 22-35.	2.1	8
26	Comparing MMPI-2-Restructured Form Scores by Service Era for Veterans Assessed Within the Veteran Affairs Healthcare System. Journal of Clinical Psychology in Medical Settings, 2020, 27, 366-375.	1.4	5
27	Associations among eating disorder symptoms and the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in college students. Eating and Weight Disorders, 2020, 25, 1311-1320.	2.5	6
28	The Construct Validity of Distress Intolerance: Is it Distinct from Demoralization and Negative Emotionality?. Journal of Psychopathology and Behavioral Assessment, 2020, 42, 340-353.	1.2	3
29	The TriPM and MMPI-2-RF Tri-Scales: a Direct Construct Validity Comparison. Journal of Psychopathology and Behavioral Assessment, 2020, 42, 666-676.	1.2	0
30	Using the MMPI-2-RF to Assess Risk of Nonsuicidal Self-Injury among College Students. Journal of Personality Assessment, 2020, 103, 1-10.	2.1	0
31	Construct validity of Minnesota Multiphasic Personality Inventory" 2 "Restructured Form scale scores in correctional settings. Personality and Mental Health, 2020, 14, 319-335.	1.2	0
32	Predictive Validity of Minnesota Multiphasic Personality Inventory-2-Restructured Form Scale Scores in an Intimate Partner Violence Intervention Program. Criminal Justice and Behavior, 2020, 47, 978-995.	1.8	1
33	Elucidating somatization in a dimensional model of psychopathology across medical settings.. Journal of Abnormal Psychology, 2020, 129, 162-176.	1.9	20
34	Practical guidance on the use of the MMPI instruments in remote psychological testing.. Professional Psychology: Research and Practice, 2020, 51, 199-204.	1.0	21
35	Patterns of MMPI-2-Restructured Form (MMPI-2-RF) validity scale scores observed across Veteran Affairs settings.. Psychological Services, 2020, 17, 355-362.	1.5	23
36	Uses and Misuses of Ted Kaczynski's MMPI. Journal of Personality Assessment, 2019, 101, 117-122.	2.1	3

#	ARTICLE	IF	CITATIONS
37	Patient Activation Mediates the Association Between Psychosocial Risk Factors and Spine Surgery Results. <i>Journal of Clinical Psychology in Medical Settings</i> , 2019, 26, 123-130.	1.4	13
38	Using the preoperative psychological evaluation to determine psychosocial risk factors for CPAP nonadherence among bariatric surgery candidates. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 2115-2120.	1.2	1
39	Descriptive Profiles of the MMPI-2-Restructured Form (MMPI-2-RF) across a National Sample of Four Veteran Affairs Treatment Settings. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2019, 41, 329-340.	1.2	5
40	Time savings and accuracy of a simulated flexible and conditional administration of the MMPI-2-RF in presurgical psychological evaluations of bariatric surgery candidates. <i>Surgery for Obesity and Related Diseases</i> , 2019, 15, 732-738.	1.2	1
41	Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF). , 2019, , 208-230.		4
42	Development and validation of a Burden Transfer Inventory for predicting veterinarian stress related to client behavior. <i>Journal of the American Veterinary Medical Association</i> , 2019, 254, 133-144.	0.5	35
43	Using the Minnesota Multiphasic Personality Inventory-2-Restructured Form Cutoffs to Predict Lack of Pre-surgical Exercise. <i>Journal of Clinical Psychology in Medical Settings</i> , 2019, 26, 302-312.	1.4	2
44	Of Fallacies and Errors, New and Repeated: A Rejoinder to Butcher et Al. (2018). <i>Journal of Personality Assessment</i> , 2019, 101, 129-139.	2.1	1
45	Validation of a Psychological Screening Algorithm for Predicting Spine Surgery Outcomes. <i>Assessment</i> , 2019, 26, 915-928.	3.1	16
46	Distinguishing Levels of Suicide Risk in Depressed Male Veterans: The Role of Internalizing and Externalizing Psychopathology as Measured by the MMPI-2-RF. <i>Assessment</i> , 2019, 26, 85-98.	3.1	6
47	Predicting Postprobationary Job Performance of Police Officers Using CPI and MMPI-2-RF Test Data Obtained During Preemployment Psychological Screening. <i>Journal of Personality Assessment</i> , 2019, 101, 544-555.	2.1	10
48	Equivalence of Laptop and Tablet Administrations of the Minnesota Multiphasic Personality Inventory-2 Restructured Form. <i>Assessment</i> , 2019, 26, 661-669.	3.1	12
49	Methodological considerations for developing and evaluating response bias indicators.. <i>Psychological Assessment</i> , 2019, 31, 1497-1511.	1.5	20
50	Prospective Comparison of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) and MMPI-2-Restructured Form (MMPI-2-RF) in Predicting Treatment Outcomes Among Patients with Chronic Low Back Pain. <i>Journal of Clinical Psychology in Medical Settings</i> , 2018, 25, 66-79.	1.4	12
51	Assessment of Sex Offenders With the Minnesota Multiphasic Personality Inventory-2-Restructured Form. <i>Sexual Abuse: Journal of Research and Treatment</i> , 2018, 30, 413-437.	1.3	9
52	Thursday, September 27, 2018 1:05 PM-2:05 PM Understanding Anxiety and Depression when Performing Spine Surgery. <i>Spine Journal</i> , 2018, 18, S59-S60.	1.3	0
53	Risks associated with overcontrolled behavior in police officer recruits.. <i>Psychological Assessment</i> , 2018, 30, 1691-1702.	1.5	13
54	Associations Between Pre-Implant Psychosocial Factors and Spinal Cord Stimulation Outcome. <i>Assessment</i> , 2017, 24, 60-70.	3.1	47

#	ARTICLE	IF	CITATIONS
55	The Generalizability of Overreporting Across Self-Report Measures: An Investigation With the Minnesota Multiphasic Personality Inventoryâ€™2â€™Restructured Form and the Personality Assessment Inventory in a Civil Disability Sample. <i>Assessment</i> , 2017, 24, 555-574.	3.1	10
56	Utility of the MMPI-2-RF Validity Scales in Detection of Simulated Underreporting: Implications of Incorporating a Manipulation Check. <i>Assessment</i> , 2017, 24, 853-864.	3.1	18
57	Examining Current Conceptualizations of Psychopathology With the MMPIâ€™2/MMPIâ€™2â€™RF Restructured Clinical Scales: Preliminary Findings From a Cross-Cultural Study. <i>Journal of Personality Assessment</i> , 2017, 99, 375-383.	2.1	3
58	Examining gender as moderating the association between psychopathy and substance abuse. <i>Psychology, Crime and Law</i> , 2017, 23, 376-390.	1.0	26
59	Using the presurgical psychological evaluation to predict 5-year weight loss outcomes in bariatric surgery patients. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 514-521.	1.2	70
60	Associations between psychological test results and failure to proceed with bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 507-513.	1.2	13
61	Examination of the feasibility and utility of flexible and conditional administration of the Minnesota Multiphasic Personality Inventory-2-Restructured Form.. <i>Psychological Assessment</i> , 2017, 29, 1337-1348.	1.5	5
62	Using the Pre-Surgical Psychological Evaluation to Predict Suboptimal Weight Loss Outcomes 5-Years Following a Roux-en-Y Gastric Bypass. <i>Surgery for Obesity and Related Diseases</i> , 2016, 12, S45-S46.	1.2	2
63	Associations between MMPI-2-RF (Restructured Form) and Inwald Personality Inventory (IPI) Scale Scores in a Law Enforcement Preemployment Screening Sample. <i>Journal of Police and Criminal Psychology</i> , 2016, 31, 81-95.	1.9	11
64	Psychometric Examination, Adaptation, and Evaluation of the Hebrew Translation of the MMPIâ€™2â€™RF VRIN-r and TRIN-r Validity Scales. <i>Journal of Personality Assessment</i> , 2016, 98, 608-615.	2.1	0
65	A Prorating Method for Estimating MMPI-2-RF Scores From MMPI Responses. <i>Assessment</i> , 2016, 23, 173-190.	3.1	17
66	Mapping the MMPIâ€™2/MMPIâ€™2â€™RF Restructured Clinical Scales Onto Mood Markers in an Israeli Sample. <i>Journal of Personality Assessment</i> , 2016, 98, 430-434.	2.1	0
67	Psychological predictors of body image concerns 3 months after bariatric surgery. <i>Surgery for Obesity and Related Diseases</i> , 2016, 12, 188-193.	1.2	21
68	The Effect of Response Bias on the Personality Inventory for DSMâ€™5 (PIDâ€™5). <i>Journal of Personality Assessment</i> , 2016, 98, 51-61.	2.1	19
69	â€™False feignersâ€™ Examining the impact of non-content-based invalid responding on the Minnesota Multiphasic Personality Inventory-2 Restructured Form content-based invalid responding indicators.. <i>Psychological Assessment</i> , 2016, 28, 458-470.	1.5	19
70	Presurgical Psychological Testing: Incremental Contribution to Predicting Failure to Follow through with Bariatric Surgery. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, S157-S159.	1.2	0
71	Using presurgical psychological testing to predict 1-year appointment adherence and weight loss in bariatric surgery patients: predictive validity and methodological considerations. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1171-1181.	1.2	66
72	Minnesota Multiphasic Personality Inventoryâ€™2â€™Restructured Form (MMPI-2-RF) Predictors of Police Officer Problem Behavior. <i>Assessment</i> , 2015, 22, 116-132.	3.1	35

#	ARTICLE	IF	CITATIONS
73	Premature termination from psychotherapy and internalizing psychopathology: The role of demoralization. <i>Journal of Affective Disorders</i> , 2015, 174, 549-555.	4.1	18
74	Replication and evaluation of a proposed two-factor Binge Eating Scale (BES) structure in a sample of bariatric surgery candidates. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 659-665.	1.2	16
75	Reliability and validity of the Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) in evaluations of chronic low back pain patients.. <i>Psychological Assessment</i> , 2015, 27, 433-446.	1.5	23
76	The Minnesota Multiphasic Personality Inventoryâ€™2â€™Restructured Form (MMPI-2-RF): Incremental validity in predicting early postoperative outcomes in spine surgery candidates.. <i>Psychological Assessment</i> , 2015, 27, 114-124.	1.5	36
77	Dichotomous versus polytomous response options in psychopathology assessment: Method or meaningful variance?. <i>Psychological Assessment</i> , 2015, 27, 184-193.	1.5	27
78	Validity of Minnesota Multiphasic Personality Inventory â€™ 2 â€™ Restructured Form (MMPI-2-RF) scores as a function of gender, ethnicity, and age of bariatric surgery candidates. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 627-634.	1.2	19
79	Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Scores Generated From the MMPI-2 and MMPI-2-RF Test Booklets. <i>Assessment</i> , 2015, 22, 188-197.	3.1	34
80	Criterion Validity and Practical Utility of the Minnesota Multiphasic Personality Inventoryâ€™2â€™Restructured Form (MMPIâ€™2â€™RF) in Assessments of Police Officer Candidates. <i>Journal of Personality Assessment</i> , 2015, 97, 382-394.	2.1	23
81	Use of Prehire Minnesota Multiphasic Personality Inventory-2â€™Restructured Form (MMPI-2-RF) Police Candidate Scores to Predict Supervisor Ratings of Posthire Performance. <i>Assessment</i> , 2015, 22, 411-428.	3.1	24
82	Dementia does not Preclude Very Reliable Responding on the MMPI-2 RF: A Case Report. <i>Clinical Neuropsychologist</i> , 2014, 28, 1019-1029.	2.3	2
83	Minnesota Multiphasic Personality Inventory-2â€™Restructured Form (MMPI-2-RF) predictors of violating probation after felonious crimes.. <i>Psychological Assessment</i> , 2014, 26, 1375-1380.	1.5	20
84	Associations Between <sc>M</sc>innesota Multiphasic Personality Inventoryâ€™2â€™Restructured Form (<sc>MMPI</sc>â€™2â€™<sc>RF</sc>) Scores, Workers' Compensation Status, and Spine Surgery Outcome. <i>Journal of Applied Biobehavioral Research</i> , 2014, 19, 248-267.	2.0	13
85	Elevation discrepancies between MMPI-2 clinical and MMPI-2-RF restructured clinical (RC) scales in people with seizure disorders. <i>Epilepsy and Behavior</i> , 2014, 34, 92-98.	1.7	13
86	Impact of using DSMâ€™5 criteria for diagnosing binge eating disorder in bariatric surgery candidates: Change in prevalence rate, demographic characteristics, and scores on the minnesota multiphasic personality inventory â€™ 2 restructured form (MMPIâ€™2â€™RF). <i>International Journal of Eating Disorders</i> , 2014, 47, 553-557.	4.0	33
87	Minnesota multiphasic personality inventoryâ€™2 restructured form (MMPIâ€™2â€™RF) scale score differences in bariatric surgery candidates diagnosed with binge eating disorder versus BMIâ€™matched controls. <i>International Journal of Eating Disorders</i> , 2014, 47, 315-319.	4.0	33
88	Distinguishing Personality Psychopathology Five (PSYâ€™5) Characteristics Associated With Violent and Nonviolent Juvenile Delinquency. <i>Journal of Personality Assessment</i> , 2014, 96, 158-165.	2.1	9
89	Predicting One and Three Month Postoperative Somatic Concerns, Psychological Distress, and Maladaptive Eating Behaviors in Bariatric Surgery Candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). <i>Obesity Surgery</i> , 2014, 24, 631-639.	2.1	41
90	Further development and construct validation of MMPI-2-RF indices of global psychopathy, fearless-dominance, and impulsive-antisociality in a sample of incarcerated women.. <i>Law and Human Behavior</i> , 2014, 38, 34-46.	0.7	27

#	ARTICLE	IF	CITATIONS
91	Assessing Psychosocial Functioning of Bariatric Surgery Candidates with the Minnesota Multiphasic Personality Inventory-2 Restructured Form (MMPI-2-RF). <i>Obesity Surgery</i> , 2013, 23, 1864-1873.	2.1	52
92	Associations Between MMPI-2-RF Validity Scale Scores and Extra-Test Measures of Personality and Psychopathology. <i>Assessment</i> , 2013, 20, 448-461.	3.1	38
93	Reliability, validity, and utility of the Minnesota Multiphasic Personality Inventory's "2" Restructured Form (MMPI-2-RF) in assessments of bariatric surgery candidates.. <i>Psychological Assessment</i> , 2013, 25, 1179-1194.	1.5	41
94	Use of the MMPI-2-RF Suicidal/Death Ideation and Substance Abuse scales in screening bariatric surgery candidates.. <i>Psychological Assessment</i> , 2013, 25, 1384-1389.	1.5	22
95	Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Normative Elevation Rates: Comparisons With Epidemiological Prevalence Rates. <i>Clinical Neuropsychologist</i> , 2013, 27, 1106-1120.	2.3	4
96	Association Between the MMPI-2 Restructured Form (MMPI-2-RF) and Malingered Neurocognitive Dysfunction Among Non-Head Injury Disability Claimants. <i>Clinical Neuropsychologist</i> , 2013, 27, 313-335.	2.3	43
97	Concurrent and predictive validity of psychopathy in a batterers' intervention sample.. <i>Law and Human Behavior</i> , 2013, 37, 145-154.	0.7	49
98	Examining the Impact of Unscorable Item Responses on the Validity and Interpretability of MMPI-2/MMPI-2-RF Restructured Clinical (RC) Scale Scores. <i>Assessment</i> , 2012, 19, 101-113.	3.1	10
99	Predicting drug court treatment completion using the MMPI-2-RF.. <i>Psychological Assessment</i> , 2012, 24, 937-943.	1.5	30
100	The MMPI-2 computerized adaptive version (MMPI-2-CA) in a Veterans Administration medical outpatient facility.. <i>Psychological Assessment</i> , 2012, 24, 628-639.	1.5	11
101	Addressing Challenges to MMPI-2-RF-Based Testimony: Questions and Answers. <i>Archives of Clinical Neuropsychology</i> , 2012, 27, 691-705.	0.5	24
102	Butcher and Williams's (This Issue) Critique of the MMPI-2-RF Is Slanted and Misleading. <i>Journal of Child Custody</i> , 2012, 9, 223-232.	1.1	11
103	Empirical Correlates of Low Scores on MMPI-2/MMPI-2-RF Restructured Clinical Scales in a Sample of University Students. <i>Assessment</i> , 2012, 19, 388-393.	3.1	6
104	Development and construct validation of MMPI-2-RF indices of global psychopathy, fearless-dominance, and impulsive-antisociality.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2012, 3, 17-38.	1.3	56
105	Differentiating PTSD symptomatology with the MMPI-2-RF (Restructured Form) in a forensic disability sample. <i>Psychiatry Research</i> , 2012, 197, 172-179.	3.3	35
106	Workers'™ Compensation Versus Non-Workers'™ Compensation Patients: Are There Personality Differences?. <i>Spine Journal</i> , 2012, 12, S33-S34.	1.3	0
107	Psychosocial Factors and Expectancy Contribute Separately to Spine Surgery Outcome. <i>Spine Journal</i> , 2012, 12, S106-S107.	1.3	1
108	ASSESSMENT INSTRUMENT SELECTION SHOULD BE GUIDED BY VALIDITY ANALYSIS NOT PROFESSIONAL PLEBISCITE: RESPONSE TO A FLAWED SURVEY. <i>Family Court Review</i> , 2012, 50, 502-507.	0.4	4

#	ARTICLE	IF	CITATIONS
109	Associations Between Symptom Validity Test Failure and Scores on the MMPI-2-RF Validity and Substantive Scales. <i>Journal of Personality Assessment</i> , 2011, 93, 508-517.	2.1	42
110	Presurgical Psychological Screening: A New Algorithm, Including the MMPI-2-RF, for Predicting Surgery Results. <i>Spine Journal</i> , 2011, 11, S137-S138.	1.3	7
111	Psychometric functioning of the MMPI-2-RF VRIN-r and TRIN-r scales with varying degrees of randomness, acquiescence, and counter-acquiescence.. <i>Psychological Assessment</i> , 2010, 22, 87-95.	1.5	51
112	Further validation of the MMPI-2 and MMPI-2-RF Response Bias Scale: Findings from disability and criminal forensic settings.. <i>Psychological Assessment</i> , 2010, 22, 745-756.	1.5	82
113	The MMPI-2 Symptom Validity Scale (FBS) is an Empirically-Validated Measure of Over-reporting in Personal Injury Litigants and Claimants: reply to William et al. (2009). <i>Psychological Injury and Law</i> , 2010, 3, 77-80.	1.6	16
114	The Impact of Overreporting on MMPI-2-RF Substantive Scale Score Validity. <i>Assessment</i> , 2010, 17, 497-516.	3.1	35
115	Incremental Validity of the MMPI-2-RF Over-reporting Scales and RBS in Assessing the Veracity of Memory Complaints. <i>Archives of Clinical Neuropsychology</i> , 2010, 25, 274-284.	0.5	100
116	Examination of the MMPI-2 Restructured Form (MMPI-2-RF) Validity Scales in Civil Forensic Settings: Findings from Simulation and Known Group Samples. <i>Archives of Clinical Neuropsychology</i> , 2009, 24, 671-680.	0.5	75
117	Empirical Correlates and Interpretation of the MMPI-2-RF Cognitive Complaints (COG) Scale. <i>Clinical Neuropsychologist</i> , 2009, 23, 996-1015.	2.3	29
118	The MMPI-2 Symptom Validity Scale (FBS) Is an Empirically Validated Measure of Overreporting in Personal Injury Litigants and Claimants: Reply to Butcher et al. (2008). <i>Psychological Injury and Law</i> , 2009, 2, 62-85.	1.6	35
119	Correlates of MMPI-2 Scales in Acute Psychiatric and Forensic Samples. <i>Journal of Personality Assessment</i> , 2009, 91, 288-300.	2.1	19
120	Construct Validity of the MMPI-2 Restructured Clinical (RC) Scales: Reply to Rouse, Greene, Butcher, Nichols, and Williams. <i>Journal of Personality Assessment</i> , 2009, 91, 211-221.	2.1	35
121	Validation of the MMPI-2 Computerized Adaptive version (MMPI-2-CA) in a correctional intake facility.. <i>Psychological Services</i> , 2009, 6, 279-292.	1.5	15
122	Empirical Correlates of the MMPI-2 Restructured Clinical (RC) Scales in Psychiatric Inpatients. <i>Journal of Personality Assessment</i> , 2008, 90, 122-128.	2.1	51
123	Empirical Correlates of the MMPI-2 Restructured Clinical (RC) Scales in a Nonclinical Setting. <i>Journal of Personality Assessment</i> , 2008, 90, 136-141.	2.1	19
124	Empirical Correlates of the MMPI-2 Restructured Clinical (RC) Scales in Mental Health, Forensic, and Nonclinical Settings: An Introduction. <i>Journal of Personality Assessment</i> , 2008, 90, 119-121.	2.1	32
125	Predictive Validity of the MMPI-2 Restructured Clinical (RC) Scales in a Batterers' Intervention Program. <i>Journal of Personality Assessment</i> , 2008, 90, 129-135.	2.1	47
126	Personality and Psychopathology: Mapping the MMPI-2 Restructured Clinical (RC) Scales onto the Five Factor Model of Personality. <i>Journal of Personality Disorders</i> , 2008, 22, 291-312.	1.4	71

#	ARTICLE	IF	CITATIONS
127	Differential sensitivity of the Response Bias Scale (RBS) and MMPI-2 validity scales to memory complaints. <i>Clinical Neuropsychologist</i> , 2008, 22, 1061-1079.	2.3	81
128	Announcement of Affiliation Between Section IX of Division 12 of the American Psychological Association and <i>Assessment</i>. <i>Assessment</i> , 2008, 15, 3-3.	3.1	8
129	On the hierarchical structure of mood and anxiety disorders: Confirmatory evidence and elaboration of a model of temperament markers.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 576-590.	1.9	116
130	Interpreting low Personality Psychopathology-Five Aggressiveness scores on the MMPI-2: Graphical, robust, and resistant data analysis.. <i>Psychological Assessment</i> , 2008, 20, 403-408.	1.5	3
131	Detecting Comorbid Axis-II Status Among Inpatients Using the MMPI-2 Restructured Clinical Scales. <i>European Journal of Psychological Assessment</i> , 2008, 24, 157-164.	3.0	11
132	Development and Validation of a Response Bias Scale (RBS) for the MMPI-2. <i>Assessment</i> , 2007, 14, 196-208.	3.1	188
133	A comparison of MMPI-2 measures of psychopathic deviance in a forensic setting.. <i>Psychological Assessment</i> , 2007, 19, 430-436.	1.5	35
134	Computerized adaptive personality testing: A review and illustration with the MMPI-2 computerized adaptive version.. <i>Psychological Assessment</i> , 2007, 19, 14-24.	1.5	58
135	The relation between symptom validity testing and MMPI-2 scores as a function of forensic evaluation contextâˆ†. <i>Archives of Clinical Neuropsychology</i> , 2007, 22, 489-499.	0.5	71
136	Identifying Mmpi-2 Predictors of Police Officer Integrity and Misconduct. <i>Criminal Justice and Behavior</i> , 2007, 34, 985-1004.	1.8	95
137	Examination of the MMPI-2 Restructured Clinical (RC) Scales in a Sample of Bariatric Surgery Candidates. <i>Journal of Clinical Psychology in Medical Settings</i> , 2007, 14, 197-205.	1.4	36
138	A comparison of the MMPI-2 restructured clinical (RC) and clinical scales in a substance abuse treatment sample.. <i>Psychological Services</i> , 2007, 4, 46-58.	1.5	41
139	Correlates of the MMPIâ€™2 Restructured Clinical (RC) Scales in a College Counseling Setting. <i>Journal of Personality Assessment</i> , 2006, 86, 88-99.	2.1	27
140	Further Evidence on the Validity of the MMPIâ€™2 Restructured Clinical (RC) Scales: Addressing Questions Raised by Rogers, Sewell, Harrison, and Jordan and Nichols. <i>Journal of Personality Assessment</i> , 2006, 87, 148-171.	2.1	68
141	The ability of the MMPI-2 to detect feigned PTSD within the context of compensation seeking.. <i>Psychological Services</i> , 2006, 3, 249-261.	1.5	36
142	Elevation Differences Between MMPI-2 Clinical and Restructured Clinical (RC) Scales. <i>Assessment</i> , 2006, 13, 430-441.	3.1	22
143	Susceptibility of the MMPI-2 Clinical, Restructured Clinical (RC), and Content Scales to Overreporting and Underreporting. <i>Assessment</i> , 2005, 12, 79-85.	3.1	17
144	Mapping the MMPIâ€™2 Restructured Clinical Scales Onto Normal Personality Traits: Evidence of Construct Validity. <i>Journal of Personality Assessment</i> , 2005, 85, 179-187.	2.1	79

#	ARTICLE	IF	CITATIONS
145	Assessing Psychopathic Personality Traits With the MMPI-2. <i>Journal of Personality Assessment</i> , 2005, 85, 334-343.	2.1	55
146	Using the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) to Detect Psychological Distress and Dysfunction in a State Correctional Setting. <i>Criminal Justice and Behavior</i> , 2004, 31, 734-751.	1.8	18
147	Construct Validity of the MMPI-2 College Maladjustment (Mt) Scale. <i>Assessment</i> , 2004, 11, 251-262.	3.1	4
148	Refinement of the MMPI-2 F(p) Scale is Not Necessary. <i>Assessment</i> , 2003, 10, 123-128.	3.1	6
149	Correlates of the Minnesota Multiphasic Personality Inventory-2 (MMPI-2) Personality Psychopathology Five (PSY-5) Scales in a Forensic Assessment Setting. <i>Assessment</i> , 2003, 10, 393-399.	3.1	18
150	MMPI-2 Validity Scale Characteristics in a Correctional Sample. <i>Assessment</i> , 2003, 10, 288-298.	3.1	10
151	Empirical Correlates of Common MMPI-2 Two-Point Codes in Male Psychiatric Inpatients. <i>Assessment</i> , 2003, 10, 237-247.	3.1	18
152	Use of the TOMM in a Criminal Court Forensic Assessment Setting. <i>Assessment</i> , 2003, 10, 370-381.	3.1	28
153	Incremental Validity of the MMPI-A Content Scales in a Residential Treatment Facility. <i>Assessment</i> , 2003, 10, 191-202.	3.1	10
154	Psychological Assessment in Asia: Introduction to the Special Section.. <i>Psychological Assessment</i> , 2003, 15, 243-247.	1.5	24
155	The Appropriateness of the MMPI-2 K Correction. <i>Assessment</i> , 2002, 9, 219-229.	3.1	21
156	Identifying faking bad on the Minnesota Multiphasic Personality Inventory-2 Adolescent with Mexican Adolescents. <i>Assessment</i> , 2002, 9, 62-69.	3.1	11
157	Assessing General Maladjustment With the MMPI-2. <i>Journal of Personality Assessment</i> , 2002, 78, 334-347.	2.1	17
158	A comparison of MMPI-2 validity in African American and Caucasian psychiatric inpatients.. <i>Psychological Assessment</i> , 2002, 14, 3-15.	1.5	14
159	A comparison of sexually abused and non-sexually abused adolescents in a clinical treatment facility using the MMPI-A. <i>Child Abuse and Neglect</i> , 2000, 24, 557-568.	2.6	12
160	The perceived function of eating for bulimic, subclinical bulimic, and non-eating disordered women. <i>Behavior Therapy</i> , 2000, 31, 777-793.	2.4	32
161	The use of the minnesota multiphasic personality inventory-2 in the psychological assessment of persons with TBI: Correction factors and other clinical caveats and conundrums. <i>NeuroRehabilitation</i> , 1999, 13, 117-125.	1.3	15
162	Incremental validity of the MMPI-2 content scales in an outpatient mental health setting.. <i>Psychological Assessment</i> , 1999, 11, 39-47.	1.5	25

#	ARTICLE	IF	CITATIONS
163	Using the MMPI-2 to detect substance abuse in an outpatient mental health setting.. Psychological Assessment, 1999, 11, 94-100.	1.5	17
164	Computerized adaptive assessment with the MMPI-2 in a clinical setting.. Psychological Assessment, 1999, 11, 369-380.	1.5	25
165	An Empirical Examination of the Correlates of Well-Defined and Not Defined MMPI-2 Code Types. Journal of Personality Assessment, 1998, 71, 393-410.	2.1	7
166	The ability of Minnesota Multiphasic Personality Inventory--2 validity scales to detect fake-bad responses in psychiatric inpatients.. Psychological Assessment, 1998, 10, 221-228.	1.5	58
167	Selected MMPI-2 Scales' Ability to Predict Premature Termination and Outcome From Psychotherapy. Journal of Personality Assessment, 1997, 69, 127-144.	2.1	38
168	Inmate Views About the Purpose and Use of the MMPI-2 at the Time of Correctional Intake. Criminal Justice and Behavior, 1997, 24, 360-369.	1.8	8
169	Characteristics of the MMPI-2 F(p) scale as a function of diagnosis in an inpatient sample of veterans.. Psychological Assessment, 1997, 9, 102-105.	1.5	47
170	Empirical correlates of low scores on MMPI-2 scales in an outpatient mental health setting.. Psychological Assessment, 1997, 9, 386-391.	1.5	13
171	Comparative validity of MMPI-2 scores of African American and Caucasian mental health center clients.. Psychological Assessment, 1997, 9, 464-470.	1.5	36
172	Assessing the Personality Psychopathology Five (PSY-5) in adolescents: New MMPI-A Scales.. Psychological Assessment, 1997, 9, 250-259.	1.5	24
173	Use of personality assessment instruments in empirically guided treatment planning.. Psychological Assessment, 1997, 9, 361-367.	1.5	23
174	Evaluating the Similarity of MMPI-2 and MMPI Profiles: Reply to Dahlstrom and Humphrey. Journal of Personality Assessment, 1996, 66, 640-644.	2.1	8
175	Methodological problems and issues in MMPI, MMPI-2, and MMPI-A research.. Psychological Assessment, 1995, 7, 320-329.	1.5	125
176	An MMPI-2 infrequent response scale for use with psychopathological populations: The Infrequency-Psychopathology Scale, F(p).. Psychological Assessment, 1995, 7, 424-431.	1.5	262
177	A Cross-Cultural Study of Personality with the Multidimensional Personality Questionnaire. Journal of Cross-Cultural Psychology, 1995, 26, 360-373.	1.6	31
178	MMPI-2 and Race in a Forensic Diagnostic Sample. Criminal Justice and Behavior, 1995, 22, 19-32.	1.8	18
179	How (Not) to Evaluate the Comparability of MMPI and MMPI-2 Profile Configurations: A Reply to Humphrey and Dahlstrom. Journal of Personality Assessment, 1995, 65, 52-58.	2.1	9
180	Comparability and Validity of Computerized Adaptive Testing With the MMPI-2. Journal of Personality Assessment, 1995, 65, 358-371.	2.1	50

#	ARTICLE	IF	CITATIONS
181	The Personality Psychopathology Five (PSY-5): Constructs and MMPI-2 scales.. Psychological Assessment, 1995, 7, 104-114.	1.5	272
182	Item Level Improvements for Use of the MMPI With Adolescents. Journal of Personality Assessment, 1994, 63, 284-293.	2.1	6
183	Gender and coping: The dual-axis model of coping. American Journal of Community Psychology, 1994, 22, 49-82.	2.5	221
184	The ethical dilemma of coached malingering research.. Psychological Assessment, 1994, 6, 14-15.	1.5	29
185	Incremental Validity of the MMPI-2 Content Scales in the Assessment of Personality and Psychopathology by Self-Report. Journal of Personality Assessment, 1993, 61, 557-575.	2.1	58
186	Code-Type Comparability of the MMPI and MMPI-2: Analysis of Recent Findings and Criticisms. Journal of Personality Assessment, 1993, 61, 489-500.	2.1	33
187	New Measures for Assessing Alcohol and Drug Abuse With the MMPI-2: The APS and AAS. Journal of Personality Assessment, 1992, 58, 389-404.	2.1	126
188	The new uniform T scores for the MMPI-2: Rationale, derivation, and appraisal.. Psychological Assessment, 1992, 4, 145-155.	1.5	45
189	"Normal" personality inventories in clinical assessment: General requirements and the potential for using the NEO Personality Inventory.. Psychological Assessment, 1992, 4, 14-19.	1.5	101
190	Mood changes during the menstrual cycle and their relation to the use of oral contraceptive. Journal of Psychosomatic Research, 1991, 35, 721-728.	2.6	29
191	Resolutions to interpretive dilemmas created by the minnesota multiphasic personality inventory 2 (MMPI-2): A reply to Strassberg. Journal of Psychopathology and Behavioral Assessment, 1991, 13, 173-179.	1.2	5
192	MMPI-2 Profiles of Women at Risk for Child Abuse. Journal of Personality Assessment, 1991, 57, 254-263.	2.1	28
193	Comparability of Computerized Adaptive and Conventional Testing With the MMPI-2. Journal of Personality Assessment, 1991, 57, 278-290.	2.1	33
194	Code-Type Congruence Between MMPI and MMPI-2: Separating Fact From Artifact. Journal of Personality Assessment, 1991, 57, 205-215.	2.1	63
195	Failure of Wiener and Harmon Minnesota Multiphasic Personality Inventory (MMPI) subtle scales as personality descriptors and as validity indicators.. Psychological Assessment, 1990, 2, 281-285.	1.5	55
196	Coping Patterns and Current Functioning in a Group of Vietnam and Vietnam-Era Nurses. Journal of Social and Clinical Psychology, 1990, 9, 334-353.	0.5	6
197	A Place for Traits in Stress Research. Psychological Inquiry, 1990, 1, 14-17.	0.9	30
198	External Validity of the New Devereux Adolescent Behavior Rating Scales. Journal of Personality Assessment, 1990, 55, 73-85.	2.1	1

#	ARTICLE	IF	CITATIONS
199	Psychometric Stability of Rewritten MMPI Items. <i>Journal of Personality Assessment</i> , 1989, 53, 645-653.	2.1	61
200	Personality characteristics, mood, and coping patterns in a successful north pole expedition team. <i>Journal of Research in Personality</i> , 1989, 23, 162-179.	1.7	56
201	The Two-Factor Model of Self-Reported Mood: A Cross-Cultural Replication. <i>Journal of Personality Assessment</i> , 1989, 53, 10-21.	2.1	66
202	A reevaluation of the relationship between psychotherapeutic orientation and perceived personality characteristics.. <i>Psychotherapy</i> , 1989, 26, 218-226.	1.2	13
203	Computers in personality assessment: A brief past, an ebullient present, and an expanding future. <i>Computers in Human Behavior</i> , 1986, 2, 167-182.	8.5	27