

Elizabeth Ann Littlewood

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4600812/publications.pdf>

Version: 2024-02-01

24
papers

1,946
citations

567281

15
h-index

642732

23
g-index

26
all docs

26
docs citations

26
times ranked

2385
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of Self-guided Internet-Based Cognitive Behavioral Therapy in the Treatment of Depressive Symptoms. <i>JAMA Psychiatry</i> , 2017, 74, 351.	11.0	560
2	Internet-Based Cognitive Behavioral Therapy for Depression. <i>JAMA Psychiatry</i> , 2021, 78, 361.	11.0	398
3	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq1 1,0,784314,rgBT /C 6.0 318	6.0	318
4	Is self-guided internet-based cognitive behavioural therapy (iCBT) harmful? An individual participant data meta-analysis. <i>Psychological Medicine</i> , 2018, 48, 2456-2466.	4.5	106
5	Dismantling, optimising, and personalising internet cognitive behavioural therapy for depression: a systematic review and component network meta-analysis using individual participant data. <i>Lancet Psychiatry</i> , 2021, 8, 500-511.	7.4	105
6	Telephone-supported computerised cognitive behavioural therapy: REEACT-2 large-scale pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 362-367.	2.8	94
7	Patient experience of computerised therapy for depression in primary care. <i>BMJ Open</i> , 2015, 5, e008581.	1.9	65
8	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015, 19, 1-174.	2.8	55
9	The second Randomised Evaluation of the Effectiveness, cost-effectiveness and Acceptability of Computerised Therapy (REEACT-2) trial: does the provision of telephone support enhance the effectiveness of computer-delivered cognitive behaviour therapy? A randomised controlled trial. <i>Health Technology Assessment</i> , 2016, 20, 1-64.	2.8	31
10	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
11	Socioeconomic Indicators of Treatment Prognosis for Adults With Depression. <i>JAMA Psychiatry</i> , 2022, 79, 406.	11.0	30
12	The contribution of depressive disorder characteristics to determinations of prognosis for adults with depression: an individual patient data meta-analysis. <i>Psychological Medicine</i> , 2021, 51, 1068-1081.	4.5	28
13	Social Stories in mainstream schools for children with autism spectrum disorder: a feasibility randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e011748.	1.9	21
14	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1016-1024.	5.0	18
15	Heterogeneity in Patient-Reported Outcomes following Low-Intensity Mental Health Interventions: A Multilevel Analysis. <i>PLoS ONE</i> , 2014, 9, e99658.	2.5	16
16	Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaNDA) study. <i>BMJ Open</i> , 2016, 6, e011223.	1.9	16
17	Mitigating the impacts of COVID-19: where are the mental health trials?. <i>Lancet Psychiatry</i> , 2021, 8, 647-650.	7.4	15
18	Autism Spectrum Social Stories In Schools Trial (ASSSIST): study protocol for a feasibility randomised controlled trial analysing clinical and cost-effectiveness of Social Stories in mainstream schools. <i>BMJ Open</i> , 2014, 4, e005952-e005952.	1.9	10

#	ARTICLE	IF	CITATIONS
19	A Patient Stratification Approach to Identifying the Likelihood of Continued Chronic Depression and Relapse Following Treatment for Depression. <i>Journal of Personalized Medicine</i> , 2021, 11, 1295.	2.5	10
20	Cognitive or behavioural interventions (or both) to prevent or mitigate loneliness in adolescents, adults, and older adults. <i>The Cochrane Library</i> , 0, , .	2.8	8
21	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	2.5	7
22	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4
23	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluationâ€”the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> . 2022. 8. 27.	1.2	3
24	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2