

# Tahmeed Ahmed

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4601465/publications.pdf>

Version: 2024-02-01

266  
papers

9,535  
citations

66343

42  
h-index

49909

87  
g-index

273  
all docs

273  
docs citations

273  
times ranked

10350  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of nutrition counselling with a digital job aid on child dietary diversity: Analysis of secondary outcomes from a cluster randomised controlled trial in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2022, 18, e13267.	3.0	6
2	Full breastfeeding protection against common enteric bacteria and viruses: results from the MAL-ED cohort study. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 759-769.	4.7	13
3	Effect of maternal prenatal and postpartum vitamin D supplementation on offspring bone mass and muscle strength in early childhood: follow-up of a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 770-780.	4.7	6
4	Evaluation of SIMESON, a training program to improve access to quality health care for pregnant women and newborn in different healthcare facilities of northern Bangladesh. <i>Nursing Open</i> , 2022, 9, 801-815.	2.4	3
5	Invasive Fungal Infections in Under-Five Diarrheal Children: Experience from an Urban Diarrheal Disease Hospital. <i>Life</i> , 2022, 12, 94.	2.4	1
6	Effect of maternal vitamin D supplementation on nasal pneumococcal acquisition, carriage dynamics and carriage density in infants in Dhaka, Bangladesh. <i>BMC Infectious Diseases</i> , 2022, 22, 52.	2.9	0
7	Different Doses, Forms, and Frequencies of Zinc Supplementation for the Prevention of Diarrhea and Promotion of Linear Growth among Young Bangladeshi Children: A Six-Arm, Randomized, Community-Based Efficacy Trial. <i>Journal of Nutrition</i> , 2022, 152, 1306-1315.	2.9	11
8	Characteristics of severely malnourished under-five children immunized with Bacillus Calmette-Guérin following Expanded Programme on Immunization schedule and their outcomes during hospitalization at an urban diarrheal treatment centre, Bangladesh. <i>PLoS ONE</i> , 2022, 17, e0262391.	2.5	0
9	Exchangeable Zinc Pool Size Reflects Form of Zinc Supplementation in Young Children and Is Not Associated with Markers of Inflammation. <i>Nutrients</i> , 2022, 14, 481.	4.1	3
10	Different Features of Cholera in Malnourished and Non-Malnourished Children: Analysis of 20 Years of Surveillance Data from a Large Diarrheal Disease Hospital in Urban Bangladesh. <i>Children</i> , 2022, 9, 137.	1.5	0
11	Health and nutritional status of children hospitalized during the COVID-19 pandemic, Bangladesh. <i>Bulletin of the World Health Organization</i> , 2022, 100, 98-107.	3.3	4
12	Type of terrain and infant and young child feeding practices: cross-sectional study findings on children below 2 years of age from northern Bangladesh. <i>BMJ Open</i> , 2022, 12, e056593.	1.9	1
13	Factors associated with mortality in severely malnourished hospitalized children who developed septic shock. <i>Journal of Infection in Developing Countries</i> , 2022, 16, 339-345.	1.2	4
14	Inadequate Vitamin C Intake and Intestinal Inflammation Are Associated with Multiple Micronutrient Deficiency in Young Children: Results from a Multi-Country Birth Cohort Study. <i>Nutrients</i> , 2022, 14, 1408.	4.1	3
15	Physical Quality of Life of Sepsis Survivor Severely Malnourished Children after Hospital Discharge: Findings from a Retrospective Chart Analysis. <i>Life</i> , 2022, 12, 379.	2.4	0
16	New formulation zinc sulphate acceptability and adherence in children with acute diarrhoea: A prospective, open-label, interventional study in Bangladesh. <i>Journal of Paediatrics and Child Health</i> , 2022, . .	0.8	1
17	Risk Factors for Norovirus Infections and Their Association with Childhood Growth: Findings from a Multi-Country Birth Cohort Study. <i>Viruses</i> , 2022, 14, 647.	3.3	5
18	Sunlight, dietary habits, genetic polymorphisms and vitamin D deficiency in urban and rural infants of Bangladesh. <i>Scientific Reports</i> , 2022, 12, 3623.	3.3	5

#	ARTICLE	IF	CITATIONS
19	Association between Mother's Education and Infant and Young Child Feeding Practices in South Asia. <i>Nutrients</i> , 2022, 14, 1514.	4.1	8
20	The Effects of Deworming and Multiple Micronutrients on Anaemia in Preschool Children in Bangladesh: Analysis of Five Cross-Sectional Surveys. <i>Nutrients</i> , 2022, 14, 150.	4.1	3
21	Factors Associated with Congenital Heart Disease in Severely Malnourished Children under Five and Their Outcomes at an Urban Hospital, Bangladesh. <i>Children</i> , 2022, 9, 1.	1.5	4
22	Plasma Kynurenine to Tryptophan Ratio Is Not Associated with Undernutrition in Adults but Reduced after Nutrition Intervention: Results from a Community-Based Study in Bangladesh. <i>Nutrients</i> , 2022, 14, 1708.	4.1	1
23	<i>Bifidobacterium infantis</i> treatment promotes weight gain in Bangladeshi infants with severe acute malnutrition. <i>Science Translational Medicine</i> , 2022, 14, eabk1107.	12.4	61
24	Associations of Enteric Protein Loss, Vaccine Response, Micronutrient Deficiency, and Maternal Depressive Symptoms with Deviance in Childhood Linear Growth: Results from a Multicountry Birth Cohort Study. <i>American Journal of Tropical Medicine and Hygiene</i> , 2022, 106, 1732-1740.	1.4	1
25	Exploratory Analysis of Selected Components of the mTOR Pathway Reveals Potentially Crucial Associations with Childhood Malnutrition. <i>Nutrients</i> , 2022, 14, 1612.	4.1	0
26	Burden, Clinical Characteristics, Risk Factors, and Seasonality of Adenovirus 40/41 Diarrhea in Children in Eight Low-Resource Settings. <i>Open Forum Infectious Diseases</i> , 2022, 9, .	0.9	3
27	Gut microbiome development and childhood undernutrition. <i>Cell Host and Microbe</i> , 2022, 30, 617-626.	11.0	9
28	The effect of electronic job aid assisted one-to-one counselling to support exclusive breastfeeding among 5-month-old infants in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2022, 18, e13377.	3.0	2
29	Seroprevalence of SARS-CoV-2 infection and associated factors among Bangladeshi slum and non-slum dwellers in pre-COVID-19 vaccination era: October 2020 to February 2021. <i>PLoS ONE</i> , 2022, 17, e0268093.	2.5	9
30	Evaluating the impact of a countrywide, market-based roll-out of multiple micronutrient supplementation on low birth weight in Bangladesh: protocol for a two-arm, quasi-experimental and mixed-methods evaluation study. <i>BMJ Open</i> , 2022, 12, e060230.	1.9	0
31	COVID-19 among staff and their family members of a healthcare research institution in Bangladesh between March 2020 and April 2021: a test-negative case-control study. <i>BMJ Open</i> , 2022, 12, e058074.	1.9	1
32	Chronic Kidney Disease Awareness Campaign and Mobile Health Education to Improve Knowledge, Quality of Life, and Motivation for a Healthy Lifestyle Among Patients With Chronic Kidney Disease in Bangladesh: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2022, 24, e37314.	4.3	6
33	The influence of demographic and meteorological factors on temporal patterns of rotavirus infection in Dhaka, Bangladesh. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .	2.6	2
34	Role of home visits by volunteer community health workers: to improve the coverage of micronutrient powders in rural Bangladesh. <i>Public Health Nutrition</i> , 2021, 24, s48-s58.	2.2	13
35	Use of concurrent evaluation to improve implementation of a home fortification programme in Bangladesh: a methodological innovation. <i>Public Health Nutrition</i> , 2021, 24, s37-s47.	2.2	13
36	Factors associated with home visits by volunteer community health workers to implement a home-fortification intervention in Bangladesh: a multilevel analysis. <i>Public Health Nutrition</i> , 2021, 24, s23-s36.	2.2	14

#	ARTICLE	IF	CITATIONS
37	Developing a conceptual framework for implementation science to evaluate a nutrition intervention scaled-up in a real-world setting. <i>Public Health Nutrition</i> , 2021, 24, s7-s22.	2.2	21
38	Cost-effectiveness of a market-based home fortification of food with micronutrient powder programme in Bangladesh. <i>Public Health Nutrition</i> , 2021, 24, s59-s70.	2.2	10
39	Higher Energy and Zinc Intakes from Complementary Feeding Are Associated with Decreased Risk of Undernutrition in Children from South America, Africa, and Asia. <i>Journal of Nutrition</i> , 2021, 151, 170-178.	2.9	7
40	Single-step RT-PCR assay for dual genotyping of GI and GII norovirus strains. <i>Journal of Clinical Virology</i> , 2021, 134, 104689.	3.1	34
41	Unintended consequences of programmatic changes to infant and young child feeding practices in Bangladesh. <i>Maternal and Child Nutrition</i> , 2021, 17, e13077.	3.0	11
42	Asymptomatic Duodenitis and <i>Helicobacter pylori</i> associated Dyspepsia in 2-Year-Old Chronic Malnourished Bangladeshi Slum-Dwelling Children: A Cross-Sectional Study. <i>Journal of Tropical Pediatrics</i> , 2021, 67, .	1.5	4
43	Early management of hypokalaemia in severely malnourished children under five could help to reduce deaths in developing countries. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 1658-1664.	1.5	4
44	Antibiotic exposure among young infants suffering from diarrhoea in Bangladesh. <i>Journal of Paediatrics and Child Health</i> , 2021, 57, 395-402.	0.8	4
45	Community-based screening to determine the prevalence, health and nutritional status of patients with CKD in rural and peri-urban Bangladesh. <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110352.	2.5	6
46	Nutrition and Food Security in Bangladesh: Achievements, Challenges, and Impact of the COVID-19 Pandemic. <i>Journal of Infectious Diseases</i> , 2021, 224, S901-S909.	4.0	7
47	Changing trends in nutritional status of adolescent females: a cross-sectional study from urban and rural Bangladesh. <i>BMJ Open</i> , 2021, 11, e044339.	1.9	4
48	Household economic burden of childhood severe pneumonia in Bangladesh: a cost-of-illness study. <i>Archives of Disease in Childhood</i> , 2021, 106, 539-546.	1.9	10
49	Do Early Infant Feeding Practices and Modifiable Household Behaviors Contribute to Age-Specific Interindividual Variations in Infant Linear Growth? Evidence from a Birth Cohort in Dhaka, Bangladesh. <i>Current Developments in Nutrition</i> , 2021, 5, nzab077.	0.3	5
50	A Microbiota-Directed Food Intervention for Undernourished Children. <i>New England Journal of Medicine</i> , 2021, 384, 1517-1528.	27.0	145
51	Improvement in appetite among stunted children receiving nutritional intervention in Bangladesh: results from a community-based study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 1359-1367.	2.9	5
52	Determinants of maternal low mid-upper arm circumference and its association with child nutritional status among poor and very poor households in rural Bangladesh. <i>Maternal and Child Nutrition</i> , 2021, 17, e13217.	3.0	8
53	Characteristics of Distinct Dietary Patterns in Rural Bangladesh: Nutrient Adequacy and Vulnerability to Shocks. <i>Nutrients</i> , 2021, 13, 2049.	4.1	3
54	Institute of Medicine Recommendations on the Rate of Gestational Weight Gain and Perinatal Outcomes in Rural Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6519.	2.6	5

#	ARTICLE	IF	CITATIONS
55	Effect of topical applications of sunflower seed oil on systemic fatty acid levels in under-two children under rehabilitation for severe acute malnutrition in Bangladesh: a randomized controlled trial. <i>Nutrition Journal</i> , 2021, 20, 51.	3.4	4
56	Effects of Maternal Vitamin D Supplementation During Pregnancy and Lactation on Infant Acute Respiratory Infections: Follow-up of a Randomized Trial in Bangladesh. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2021, 10, 901-909.	1.3	4
57	Temporal shifts in antibiotic resistance elements govern phage-pathogen conflicts. <i>Science</i> , 2021, 373, .	12.6	93
58	Antibiotic-Resistant Bacteremia in Young Children Hospitalized With Pneumonia in Bangladesh Is Associated With a High Mortality Rate. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab260.	0.9	8
59	Association of lipocalin-2 and low-density lipoprotein receptor-related protein-1 (LRP1) with biomarkers of environmental enteric dysfunction (EED) among under 2 children in Bangladesh: results from a community-based intervention study. <i>BMJ Paediatrics Open</i> , 2021, 5, e001138.	1.4	5
60	Infection with <i>Blastocystis</i> spp. and its association with enteric infections and environmental enteric dysfunction among slum-dwelling malnourished adults in Bangladesh. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009684.	3.0	7
61	The large-scale community-based programme 'Suchana'™ improved maternal healthcare practices in north-eastern Bangladesh: Findings from a cluster randomized pre-post study. <i>Maternal and Child Nutrition</i> , 2021, , e13258.	3.0	7
62	Viral etiology of acute gastroenteritis among Forcibly Displaced Myanmar Nationals and adjacent host population in Bangladesh. <i>Journal of Infectious Diseases</i> , 2021, , .	4.0	2
63	Barriers to seeking timely treatment for severe childhood pneumonia in rural Bangladesh. <i>Archives of Disease in Childhood</i> , 2021, , archdischild-2021-321993.	1.9	2
64	Use of TaqMan Array Cards to investigate the etiological agents of diarrhea among young infants with severe acute malnutrition. <i>Tropical Medicine and International Health</i> , 2021, 26, 1659-1667.	2.3	2
65	Effect of hypertonic saline in the management of elevated intracranial pressure in children with cerebral edema: A systematic review and meta-analysis. <i>SAGE Open Medicine</i> , 2021, 9, 205031212110048.	1.8	1
66	Alterations in the histological features of the intestinal mucosa in malnourished adults of Bangladesh. <i>Scientific Reports</i> , 2021, 11, 2355.	3.3	8
67	Association of plasma low-density lipoprotein receptor-related protein-1 (LRP1) with undernutrition: a case-control study in Bangladeshi adults. <i>Biomarkers</i> , 2021, 26, 625-631.	1.9	2
68	The Utility of Bedside Assessment Tools and Associated Factors to Avoid Antibiotic Overuse in an Urban PICU of a Diarrheal Disease Hospital in Bangladesh. <i>Antibiotics</i> , 2021, 10, 1255.	3.7	1
69	The Human-Milk Oligosaccharide Profile of Lactating Women in Dhaka, Bangladesh. <i>Current Developments in Nutrition</i> , 2021, 5, nzab137.	0.3	6
70	Taking care of a diarrhea epidemic in an urban hospital in Bangladesh: Appraisal of putative causes, presentation, management, and deaths averted. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009953.	3.0	8
71	Intravenous Amoxicillin Plus Intravenous Gentamicin for Children with Severe Pneumonia in Bangladesh: An Open-Label, Randomized, Non-Inferiority Controlled Trial. <i>Life</i> , 2021, 11, 1299.	2.4	3
72	Association of Household Food Insecurity with Nutritional Status and Mental Health of Pregnant Women in Rural Bangladesh. <i>Nutrients</i> , 2021, 13, 4303.	4.1	2

#	ARTICLE	IF	CITATIONS
73	Health Education Through a Campaign and mHealth to Enhance Knowledge and Quality of Life Among Patients With Chronic Kidney Disease in Bangladesh: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2021, 10, e30191.	1.0	7
74	Caregiver perceived barriers to the use of micronutrient powder for children aged 6â€“59 months in Bangladesh. <i>PLoS ONE</i> , 2021, 16, e0260773.	2.5	1
75	Effect of 3 Days of Oral Azithromycin on Young Children With Acute Diarrhea in Low-Resource Settings. <i>JAMA Network Open</i> , 2021, 4, e2136726.	5.9	16
76	Anthropometric Indices of Giardia-Infected Under-Five Children Presenting with Moderate-to-Severe Diarrhea and Their Healthy Community Controls: Data from the Global Enteric Multicenter Study. <i>Children</i> , 2021, 8, 1186.	1.5	6
77	Daily Supplementation With Egg, Cow Milk, and Multiple Micronutrients Increases Linear Growth of Young Children with Short Stature. <i>Journal of Nutrition</i> , 2020, 150, 394-403.	2.9	16
78	Effects of Water, Sanitation, Handwashing, and Nutritional Interventions on Environmental Enteric Dysfunction in Young Children: A Cluster-randomized, Controlled Trial in Rural Bangladesh. <i>Clinical Infectious Diseases</i> , 2020, 70, 738-747.	5.8	25
79	General and advanced methods for the detection and measurement of aflatoxins and aflatoxin metabolites: a review. <i>Toxin Reviews</i> , 2020, 39, 123-137.	3.4	19
80	Early childhood development and stunting: Findings from the MALâ€ED birth cohort study in Bangladesh. <i>Maternal and Child Nutrition</i> , 2020, 16, e12864.	3.0	42
81	Lower mortality among exclusively breastâ€fed children hospitalised for severe pneumonia than those without exclusive breast feeding. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 419-421.	1.5	1
82	Efficacy of F-100, diluted F-100, and infant formula as rehabilitation diet for infants agedâ€%&lt;â€%6Âmonths with severe acute malnutrition: a randomized clinical trial. <i>European Journal of Nutrition</i> , 2020, 59, 2183-2193.	3.9	6
83	Evidence of gut enteropathy and factors associated with undernutrition among slum-dwelling adults in Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 657-666.	4.7	8
84	Tube Well Use as Protection Against Rotavirus Infection During the Monsoons in an Urban Setting. <i>Journal of Infectious Diseases</i> , 2020, 221, 238-242.	4.0	4
85	Duodenal Microbiota in Stunted Undernourished Children with Enteropathy. <i>New England Journal of Medicine</i> , 2020, 383, 321-333.	27.0	105
86	Factors associated with head circumference and indices of cognitive development in early childhood. <i>BMJ Global Health</i> , 2020, 5, e003427.	4.7	14
87	Gender disparity in care-seeking behaviours and treatment outcomes for dehydrating diarrhoea among under-5 children admitted to a diarrhoeal disease hospital in Bangladesh: an analysis of hospital-based surveillance data. <i>BMJ Open</i> , 2020, 10, e038730.	1.9	8
88	Factors associated with moderate wasting among marginalized 6 to 23-month aged children in Bangladesh: Findings of the Suchana program baseline survey data. <i>PLoS ONE</i> , 2020, 15, e0236786.	2.5	2
89	Associations between Household-Level Exposures and All-Cause Diarrhea and Pathogen-Specific Enteric Infections in Children Enrolled in Five Sentinel Surveillance Studies. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8078.	2.6	18
90	Pathogenâ€specific risk of seizure in children with moderateâ€toâ€severe diarrhoea: Case control study with followâ€up. <i>Tropical Medicine and International Health</i> , 2020, 25, 1032-1042.	2.3	4

#	ARTICLE	IF	CITATIONS
91	Genome Dynamics of <i>Vibrio cholerae</i> Isolates Linked to Seasonal Outbreaks of Cholera in Dhaka, Bangladesh. <i>MBio</i> , 2020, 11, .	4.1	39
92	<i>Campylobacter</i> infection and household factors are associated with childhood growth in urban Bangladesh: An analysis of the MAL-ED study. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008328.	3.0	9
93	Topical emollient therapy in the management of severe acute malnutrition in children under two: A randomized controlled clinical trial in Bangladesh. <i>Journal of Global Health</i> , 2020, 10, 010414.	2.7	7
94	Effect of Maternal Exposure to Seasons during the Second and Third Trimesters of Pregnancy on Infant Birth Weight in Rural Bangladesh. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa016.	0.3	2
95	Dietary Magnesium, Vitamin D, and Animal Protein Intake and Their Association to the Linear Growth Trajectory of Children from Birth to 24 Months of Age: Results From MAL-ED Birth Cohort Study Conducted in Dhaka, Bangladesh. <i>Food and Nutrition Bulletin</i> , 2020, 41, 200-210.	1.4	5
96	A novel histological index for evaluation of environmental enteric dysfunction identifies geographic-specific features of enteropathy among children with suboptimal growth. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0007975.	3.0	34
97	Impact of early-onset persistent stunting on cognitive development at 5 years of age: Results from a multi-country cohort study. <i>PLoS ONE</i> , 2020, 15, e0227839.	2.5	52
98	Protection From Natural Immunity Against Enteric Infections and Etiology-Specific Diarrhea in a Longitudinal Birth Cohort. <i>Journal of Infectious Diseases</i> , 2020, 222, 1858-1868.	4.0	27
99	Pathogen-Specific Impacts of the 2011â€“2012 La NiÃ±a-Associated Floods on Enteric Infections in the MAL-ED Peru Cohort: A Comparative Interrupted Time Series Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 487.	2.6	26
100	Viral etiology of pneumonia among severely malnourished under-five children in an urban hospital, Bangladesh. <i>PLoS ONE</i> , 2020, 15, e0228329.	2.5	15
101	Metabolic maturation in the first 2 years of life in resource-constrained settings and its association with postnatal growth. <i>Science Advances</i> , 2020, 6, eaay5969.	10.3	22
102	<i>Helicobacter pylori</i> infection is associated with fecal biomarkers of environmental enteric dysfunction but not with the nutritional status of children living in Bangladesh. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008243.	3.0	9
103	Factors Affecting Food Security in Women Enrolled in a Program for Vulnerable Group Development. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa037.	0.3	9
104	Diarrhoeal children with concurrent severe wasting and stunting compared to severe wasting or severe stunting. <i>Tropical Medicine and International Health</i> , 2020, 25, 928-935.	2.3	4
105	Acute food insecurity and short-term coping strategies of urban and rural households of Bangladesh during the lockdown period of COVID-19 pandemic of 2020: report of a cross-sectional survey. <i>BMJ Open</i> , 2020, 10, e043365.	1.9	46
106	The evaluation of Suchana, a large-scale development program to prevent chronic undernutrition in north-eastern Bangladesh. <i>BMC Public Health</i> , 2020, 20, 744.	2.9	12
107	Proof-of-concept study of the efficacy of a microbiota-directed complementary food formulation (MDCF) for treating moderate acute malnutrition. <i>BMC Public Health</i> , 2020, 20, 242.	2.9	20
108	Clinical and laboratory characteristics of children under five hospitalized with diarrhea and bacteremia. <i>PLoS ONE</i> , 2020, 15, e0243128.	2.5	4

#	ARTICLE	IF	CITATIONS
109	Achieving Optimal Gestational Weight Gain, Birth Weight, and Perinatal Outcomes Among Pregnant Women at Risk of Hypertension: Protocol for a Pilot Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e16676.	1.0	4
110	Questing functions and structures of hypothetical proteins from Campylobacter jejuni: a computer-aided approach. Bioscience Reports, 2020, 40, .	2.4	6
111	Linkages of agroecosystems producing farmed seafood on food security, nutritional status and adolescent health in Bangladesh. Maternal and Child Nutrition, 2020, 16, e13017.	3.0	4
112	Efficacy of a Green Bananaâ€“Mixed Diet in the Management of Persistent Diarrhea: Protocol for an Open-Labelled, Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15759.	1.0	4
113	Injectable Amoxicillin Versus Injectable Ampicillin Plus Gentamicin in the Treatment of Severe Pneumonia in Children Aged 2 to 59 Months: Protocol for an Open-Label Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e17735.	1.0	4
114	Title is missing!. , 2020, 14, e0007975.		0
115	Title is missing!. , 2020, 14, e0007975.		0
116	Title is missing!. , 2020, 14, e0007975.		0
117	Title is missing!. , 2020, 14, e0008243.		0
118	Title is missing!. , 2020, 14, e0008243.		0
119	Title is missing!. , 2020, 14, e0008243.		0
120	Title is missing!. , 2020, 14, e0008243.		0
121	Title is missing!. , 2020, 15, e0227839.		0
122	Title is missing!. , 2020, 15, e0227839.		0
123	Title is missing!. , 2020, 15, e0227839.		0
124	Title is missing!. , 2020, 15, e0227839.		0
125	Severe malnutrition in infants aged <math>\leq 6\text{ months}</math>â€“Outcomes and risk factors in Bangladesh: A prospective cohort study. Maternal and Child Nutrition, 2019, 15, e12642.	3.0	16
126	Measurement of intestinal permeability using lactulose and mannitol with conventional five hours and shortened two hours urine collection by two different methods: HPAE-PAD and LC-MSMS. PLoS ONE, 2019, 14, e0220397.	2.5	32



#	ARTICLE	IF	CITATIONS
127	Early Life Child Micronutrient Status, Maternal Reasoning, and a Nurturing Household Environment have Persistent Influences on Child Cognitive Development at Age 5 years: Results from MAL-ED. <i>Journal of Nutrition</i> , 2019, 149, 1460-1469.	2.9	20
128	Enteric dysfunction and other factors associated with attained size at 5 years: MAL-ED birth cohort study findings. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 131-138.	4.7	47
129	Effects of microbiota-directed foods in gnotobiotic animals and undernourished children. <i>Science</i> , 2019, 365, .	12.6	305
130	A sparse covarying unit that describes healthy and impaired human gut microbiota development. <i>Science</i> , 2019, 365, .	12.6	136
131	Impact of Routine Counseling on Breastfeeding Status in Hospitalized Infants Below 6 Months: Observation From a Large Diarrheal Disease Hospital in Bangladesh. <i>Global Pediatric Health</i> , 2019, 6, 2333794X1985494.	0.7	2
132	Validation and Application of Biocrates AbsoluteIDQ <sup>®</sup> p180 Targeted Metabolomics Kit Using Human Milk. <i>Nutrients</i> , 2019, 11, 1733.	4.1	15
133	Home Fortification of Rice With Lime: A Novel Potential Way to Reduce Calcium Deficiency in Bangladesh. <i>Food and Nutrition Bulletin</i> , 2019, 40, 357-368.	1.4	3
134	Impact of negative tuberculin skin test on growth among disadvantaged Bangladeshi children. <i>PLoS ONE</i> , 2019, 14, e0224752.	2.5	2
135	Effectiveness of micronutrient-fortified rice consumption on anaemia and zinc status among vulnerable women in Bangladesh. <i>PLoS ONE</i> , 2019, 14, e0210501.	2.5	20
136	Factors associated with cerebral edema in children under 5 years of age admitted in an intensive care unit and their outcome. <i>SAGE Open Medicine</i> , 2019, 7, 205031211987462.	1.8	2
137	Intestinal permeability and inflammation mediate the association between nutrient density of complementary foods and biochemical measures of micronutrient status in young children: results from the MAL-ED study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1015-1025.	4.7	27
138	Association of vitamin D nutrition with neuro-developmental outcome of infants of slums in Bangladesh. <i>PLoS ONE</i> , 2019, 14, e0221805.	2.5	5
139	Use of earth observation-derived hydrometeorological variables to model and predict rotavirus infection (MAL-ED): a multisite cohort study. <i>Lancet Planetary Health</i> , The, 2019, 3, e248-e258.	11.4	22
140	Evaluating the use of job aids and user instructions to improve adherence for the treatment of childhood pneumonia using amoxicillin dispersible tablets in a low-income setting: a mixed-method study. <i>BMJ Open</i> , 2019, 9, e024978.	1.9	6
141	Effectiveness of Workplace Nutrition Programs on Anemia Status among Female Readymade Garment Workers in Bangladesh: A Program Evaluation. <i>Nutrients</i> , 2019, 11, 1259.	4.1	13
142	Factors affecting low coverage of the vitamin A supplementation program among young children admitted in an urban diarrheal treatment facility in Bangladesh. <i>Global Health Action</i> , 2019, 12, 1588513.	1.9	9
143	Relation of childhood diarrheal morbidity with the type of tube well used and associated factors of <i>Shigella sonnei</i> diarrhea in rural Bangladesh site of the Global Enteric Multicenter Study. <i>Tropical Medicine and Health</i> , 2019, 47, 29.	2.8	7
144	Day clinic vs hospital care of pneumonia and severe malnutrition in children under five: a randomised trial. <i>Tropical Medicine and International Health</i> , 2019, 24, 922-931.	2.3	7

#	ARTICLE	IF	CITATIONS
145	Plasma Fibroblast Growth Factor 21 Is Associated with Subsequent Growth in a Cohort of Underweight Children in Bangladesh. <i>Current Developments in Nutrition</i> , 2019, 3, nzz024.	0.3	5
146	Inadequate maternal weight gain in the third trimester increases the risk of intrauterine growth restriction in rural Bangladesh. <i>PLoS ONE</i> , 2019, 14, e0212116.	2.5	22
147	Development and validation of a tool to assess appetite of children in low income settings. <i>Appetite</i> , 2019, 134, 182-192.	3.7	7
148	Relative contributions of the correlates of stunting in explaining the mean length-for-age z-score difference between 24-month-old stunted and non-stunted children living in a slum of Dhaka, Bangladesh: results from a decomposition analysis. <i>BMJ Open</i> , 2019, 9, e025439.	1.9	12
149	Prevalence and sociodemographic determinants of household-level double burden of malnutrition in Bangladesh. <i>Public Health Nutrition</i> , 2019, 22, 1425-1432.	2.2	38
150	<i>Ascaris lumbricoides</i> infection: Still a threat for iron deficiency anaemia in 2-year-old Bangladeshi slum-dwelling children. <i>Journal of Infection in Developing Countries</i> , 2019, 13, 933-938.	1.2	7
151	Impact of Small Intestine Bacterial Overgrowth on Response to a Nutritional Intervention in Bangladeshi Children from an Urban Community. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 222-225.	1.4	5
152	Impact of negative tuberculin skin test on growth among disadvantaged Bangladeshi children. , 2019, 14, e0224752.		0
153	Impact of negative tuberculin skin test on growth among disadvantaged Bangladeshi children. , 2019, 14, e0224752.		0
154	Impact of negative tuberculin skin test on growth among disadvantaged Bangladeshi children. , 2019, 14, e0224752.		0
155	Impact of negative tuberculin skin test on growth among disadvantaged Bangladeshi children. , 2019, 14, e0224752.		0
156	Children living in the slums of Bangladesh face risks from unsafe food and water and stunted growth is common. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1230-1239.	1.5	12
157	Clinical profile, antibiotic susceptibility pattern of bacterial isolates and factors associated with complications in culture-proven typhoid patients admitted to an urban hospital in Bangladesh. <i>Tropical Medicine and International Health</i> , 2018, 23, 359-366.	2.3	10
158	Role of PCR method using IS6110 primer in detecting <i>Mycobacterium tuberculosis</i> among the clinically diagnosed childhood tuberculosis patients at an urban hospital in Dhaka, Bangladesh. <i>International Journal of Infectious Diseases</i> , 2018, 68, 108-114.	3.3	10
159	Relationship between growth and illness, enteropathogens and dietary intakes in the first 2 years of life: findings from the MAL-ED birth cohort study. <i>BMJ Global Health</i> , 2018, 2, e000370.	4.7	88
160	Challenges and opportunities of integration of community based Management of Acute Malnutrition into the government health system in Bangladesh: a qualitative study. <i>BMC Health Services Research</i> , 2018, 18, 256.	2.2	9
161	Epidemiology and Risk Factors for Cryptosporidiosis in Children From 8 Low-income Sites: Results From the MAL-ED Study. <i>Clinical Infectious Diseases</i> , 2018, 67, 1660-1669.	5.8	41
162	The management of persistent diarrhoea at Dhaka Hospital of the International Centre for Diarrhoeal Disease and Research: a clinical chart review. <i>Paediatrics and International Child Health</i> , 2018, 38, 87-96.	1.0	11

#	ARTICLE	IF	CITATIONS
163	Pneumonia mortality and healthcare utilization in young children in rural Bangladesh: a prospective verbal autopsy study. <i>Tropical Medicine and Health</i> , 2018, 46, 17.	2.8	19
164	Use of quantitative molecular diagnostic methods to assess the aetiology, burden, and clinical characteristics of diarrhoea in children in low-resource settings: a reanalysis of the MAL-ED cohort study. <i>The Lancet Global Health</i> , 2018, 6, e1309-e1318.	6.3	251
165	Perceptions of Acute Malnutrition and Its Management in Infants Under 6 Months of Age: A Qualitative Study in Rural Bangladesh. <i>Clinical Medicine Insights Pediatrics</i> , 2018, 12, 117955651877169.	1.4	8
166	Examining the relationship between blood lead level and stunting, wasting and underweight- A cross-sectional study of children under 2 years-of-age in a Bangladeshi slum. <i>PLoS ONE</i> , 2018, 13, e0197856.	2.5	13
167	Effect of seasons on household food insecurity in Bangladesh. <i>Food and Energy Security</i> , 2018, 7, e00136.	4.3	14
168	Mortality rates from severe acute malnutrition requiring hospitalisation is higher in the children of working mothers in Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 2214-2215.	1.5	2
169	Genetic Diversity of Noroviruses Circulating in a Pediatric Cohort in Bangladesh. <i>Journal of Infectious Diseases</i> , 2018, 218, 1937-1942.	4.0	13
170	Study Protocol for a Randomized, Double-Blind, Community-Based Efficacy Trial of Various Doses of Zinc in Micronutrient Powders or Tablets in Young Bangladeshi Children. <i>Nutrients</i> , 2018, 10, 132.	4.1	8
171	Risk factors of stunting among children living in an urban slum of Bangladesh: findings of a prospective cohort study. <i>BMC Public Health</i> , 2018, 18, 197.	2.9	47
172	Association of intestinal pathogens with faecal markers of environmental enteric dysfunction among slum-dwelling children in the first 2 years of life in Bangladesh. <i>Tropical Medicine and International Health</i> , 2018, 23, 1242-1250.	2.3	30
173	Magnitude and determinants of inadequate third-trimester weight gain in rural Bangladesh. <i>PLoS ONE</i> , 2018, 13, e0196190.	2.5	14
174	Vitamin D Supplementation in Pregnancy and Lactation and Infant Growth. <i>New England Journal of Medicine</i> , 2018, 379, 535-546.	27.0	159
175	Evaluating meteorological data from weather stations, and from satellites and global models for a multi-site epidemiological study. <i>Environmental Research</i> , 2018, 165, 91-109.	7.5	62
176	Micronutrient adequacy is poor, but not associated with stunting between 12-24 months of age: A cohort study findings from a slum area of Bangladesh. <i>PLoS ONE</i> , 2018, 13, e0195072.	2.5	25
177	Association of Fecal Markers of Environmental Enteric Dysfunction with Zinc and Iron Status among Children at First Two Years of Life in Bangladesh. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 99, 489-494.	1.4	22
178	Factors associated with child hunger among food insecure households in Bangladesh. <i>BMC Public Health</i> , 2017, 17, 205.	2.9	19
179	Improving case detection of tuberculosis among children in Bangladesh: lessons learned through an implementation research. <i>BMC Public Health</i> , 2017, 17, 131.	2.9	18
180	Rotavirus Infection and Disease in a Multisite Birth Cohort: Results From the MAL-ED Study. <i>Journal of Infectious Diseases</i> , 2017, 216, 305-316.	4.0	34

#	ARTICLE	IF	CITATIONS
181	Age and Sex Normalization of Intestinal Permeability Measures for the Improved Assessment of Enteropathy in Infancy and Early Childhood. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017, 65, 31-39.	1.8	41
182	Hypoxaemia and septic shock were independent risk factors for mechanical ventilation in Bangladeshi children hospitalised for diarrhoea. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1159-1164.	1.5	9
183	Clinical risk factors, bacterial aetiology, and outcome of urinary tract infection in children hospitalized with diarrhoea in Bangladesh. <i>Epidemiology and Infection</i> , 2017, 145, 1018-1024.	2.1	9
184	Efficacy of World Health Organization guideline in facility-based reduction of mortality in severely malnourished children from low and middle income countries: A systematic review and meta-analysis. <i>Journal of Paediatrics and Child Health</i> , 2017, 53, 474-479.	0.8	37
185	Hunger and microbiology: is a low gastric acid-induced bacterial overgrowth in the small intestine a contributor to malnutrition in developing countries?. <i>Microbial Biotechnology</i> , 2017, 10, 1025-1030.	4.2	20
186	Persistent diarrhea: a persistent infection with enteropathogens or a gut commensal dysbiosis?. <i>Environmental Microbiology</i> , 2017, 19, 3789-3801.	3.8	17
187	Bangladesh Environmental Enteric Dysfunction (BEED) study: protocol for a community-based intervention study to validate non-invasive biomarkers of environmental enteric dysfunction. <i>BMJ Open</i> , 2017, 7, e017768.	1.9	47
188	Factors Influencing the Prevalence of Stunting Among Children Aged Below Five Years in Bangladesh. <i>Food and Nutrition Bulletin</i> , 2017, 38, 291-301.	1.4	50
189	Prevalence and risk factors of vitamin D insufficiency and deficiency among 6-24-month-old underweight and normal-weight children living in an urban slum of Bangladesh. <i>Public Health Nutrition</i> , 2017, 20, 1718-1728.	2.2	8
190	Treatment outcome of children with persistent Diarrhoea admitted to an Urban Hospital, Dhaka during 2012-2013. <i>BMC Pediatrics</i> , 2017, 17, 142.	1.7	6
191	Determinants of age-specific undernutrition in children aged less than 2 years in the Bangladesh context. <i>Maternal and Child Nutrition</i> , 2017, 13, .	3.0	23
192	Contextual factors for stunting among children of age 6 to 24 months in an under-privileged community of Dhaka, Bangladesh. <i>Indian Pediatrics</i> , 2017, 54, 373-376.	0.4	4
193	Determinants and Impact of Giardia Infection in the First 2 Years of Life in the MAL-ED Birth Cohort. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2017, 6, 153-160.	1.3	137
194	Epidemiology of enteroaggregative Escherichia coli infections and associated outcomes in the MAL-ED birth cohort. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005798.	3.0	58
195	Determinants of severe dehydration from diarrheal disease at hospital presentation: Evidence from 22 years of admissions in Bangladesh. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005512.	3.0	19
196	Risk factors and outcome of Shigella encephalopathy in Bangladeshi children. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005561.	3.0	13
197	Ileus in children presenting with diarrhea and severe acute malnutrition: A chart review. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0005603.	3.0	4
198	Coping strategies related to food insecurity at the household level in Bangladesh. <i>PLoS ONE</i> , 2017, 12, e0171411.	2.5	61

#	ARTICLE	IF	CITATIONS
199	Examining the relationship between socio-economic status, WASH practices and wasting. PLoS ONE, 2017, 12, e0172134.	2.5	28
200	Infant Nutritional Status, Feeding Practices, Enteropathogen Exposure, Socioeconomic Status, and Illness Are Associated with Gut Barrier Function As Assessed by the Lactulose Mannitol Test in the MAL-ED Birth Cohort. American Journal of Tropical Medicine and Hygiene, 2017, 97, 281-290.	1.4	31
201	Factors Associated with Klebsiella Bacteremia and Its Outcome in Under-Five Children Admitted with Diarrhea. International Journal of Pediatrics (United Kingdom), 2016, 2016, 1-5.	0.8	6
202	An Assessment of the Potential Impact of Fortification of Staples and Condiments on Micronutrient Intake of Young Children and Women of Reproductive Age in Bangladesh. Nutrients, 2016, 8, 541.	4.1	11
203	Functional, structural and epitopic prediction of hypothetical proteins of Mycobacterium tuberculosis H37Rv: An in silico approach for prioritizing the targets. Gene, 2016, 591, 442-455.	2.2	18
204	Association of vitamin D status with incidence of enterotoxigenic, enteropathogenic and enteroaggregative <i>Escherichia coli</i> diarrhoea in children of urban Bangladesh. Tropical Medicine and International Health, 2016, 21, 973-984.	2.3	7
205	Urinary Lactoferrin as a mortality predictor in 5-year-old children with sepsis in Bangladesh. Pediatrics International, 2016, 58, 185-191.	0.5	4
206	Environmental Enteric Dysfunction and Growth Failure/Stunting in Global Child Health. Pediatrics, 2016, 138, .	2.1	184
207	Factors Influencing Child Feeding Practices Related to Home Fortification With Micronutrient Powder Among Caregivers of Under-5 Children in Bangladesh. Food and Nutrition Bulletin, 2016, 37, 340-352.	1.4	25
208	Epidemiology and Impact of <i>Campylobacter</i> Infection in Children in 8 Low-Resource Settings: Results From the MAL-ED Study. Clinical Infectious Diseases, 2016, 63, ciw542.	5.8	163
209	Effect of complementary food supplementation on breastfeeding and home diet in rural Bangladeshi children. American Journal of Clinical Nutrition, 2016, 104, 1450-1458.	4.7	31
210	Imperatives for reducing child stunting in Bangladesh. Maternal and Child Nutrition, 2016, 12, 242-245.	3.0	19
211	Association between serum vitamin D, retinol and zinc status, and acute respiratory infections in underweight and normal-weight children aged 6–24 months living in an urban slum in Bangladesh. Epidemiology and Infection, 2016, 144, 3494-3506.	2.1	11
212	Fecal Markers of Environmental Enteropathy and Subsequent Growth in Bangladeshi Children. American Journal of Tropical Medicine and Hygiene, 2016, 95, 694-701.	1.4	74
213	Intervention study shows suboptimal growth among children receiving a food supplement for five months in a slum in Bangladesh. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, e464-73.	1.5	5
214	Maternal vitamin D supplementation during pregnancy and lactation to prevent acute respiratory infections in infancy in Dhaka, Bangladesh (MDARI trial): protocol for a prospective cohort study nested within a randomized controlled trial. BMC Pregnancy and Childbirth, 2016, 16, 309.	2.4	20
215	Childhood undernutrition, the gut microbiota, and microbiota-directed therapeutics. Science, 2016, 352, 1533-1533.	12.6	183
216	Calcium Deficiency in Bangladesh. Food and Nutrition Bulletin, 2016, 37, 475-493.	1.4	20

#	ARTICLE	IF	CITATIONS
217	Vitamin-D status is not a confounder of the relationship between zinc and diarrhoea: a study in 6â€“24-month-old underweight and normal-weight children of urban Bangladesh. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 620-628.	2.9	5
218	Self-care practices and barriers to compliance among patients with diabetes in a community in rural Bangladesh. <i>International Journal of Diabetes in Developing Countries</i> , 2016, 36, 320-326.	0.8	13
219	Clinical Manifestations of Hyponatremia and Hypernatremia in Under-Five Diarrheal Children in a Diarrhea Hospital. <i>Journal of Tropical Pediatrics</i> , 2016, 62, 206-212.	1.5	22
220	Undernutrition, Vitamin A and Iron Deficiency Are Associated with Impaired Intestinal Mucosal Permeability in Young Bangladeshi Children Assessed by Lactulose/Mannitol Test. <i>PLoS ONE</i> , 2016, 11, e0164447.	2.5	19
221	Factors Associated with Streptococcal Bacteremia in Diarrheal Children under Five Years of Age and Their Outcome in an Urban Hospital in Bangladesh. <i>PLoS ONE</i> , 2016, 11, e0154777.	2.5	1
222	Maternal vitamin D supplementation during pregnancy and lactation to promote infant growth in Dhaka, Bangladesh (MDIG trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 300.	1.6	39
223	Extreme hypernatremic dehydration due to potential sodium intoxication: consequences and management for an infant with diarrhea at an urban intensive care unit in Bangladesh: a case report. <i>Journal of Medical Case Reports</i> , 2015, 9, 124.	0.8	7
224	An Assessment of the Potential Impact of Fortification of Staples and Condiments on Micronutrient Intake of Young Children and Women of Reproductive Age in Bangladesh. <i>Nutrients</i> , 2015, 7, 9960-9971.	4.1	7
225	Assessment of Under Nutrition of Bangladeshi Adults Using Anthropometry: Can Body Mass Index Be Replaced by Mid-Upper-Arm-Circumference?. <i>PLoS ONE</i> , 2015, 10, e0121456.	2.5	69
226	Factors Associated with Non-typhoidal Salmonella Bacteremia versus Typhoidal Salmonella Bacteremia in Patients Presenting for Care in an Urban Diarrheal Disease Hospital in Bangladesh. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004066.	3.0	25
227	3.1 Primary and Secondary Malnutrition. <i>World Review of Nutrition and Dietetics</i> , 2015, 113, 139-146.	0.3	11
228	Effect of fortified complementary food supplementation on child growth in rural Bangladesh: a cluster-randomized trial. <i>International Journal of Epidemiology</i> , 2015, 44, 1862-1876.	1.9	112
229	Lack of BCG vaccination and other risk factors for bacteraemia in severely malnourished children with pneumonia. <i>Epidemiology and Infection</i> , 2015, 143, 799-803.	2.1	9
230	Changing childhood malnutrition in Bangladesh: trends over the last two decades in urbanâ€“rural differentials (1993â€“2012). <i>Public Health Nutrition</i> , 2015, 18, 1718-1727.	2.2	20
231	Efficacy of partially hydrolyzed guar gum (PHGG) supplemented modified oral rehydration solution in the treatment of severely malnourished children with watery diarrhoea: a randomised double-blind controlled trial. <i>Journal of Health, Population and Nutrition</i> , 2015, 34, 3.	2.0	17
232	Regulators of Gut Motility Revealed by a Gnotobiotic Model of Diet-Microbiome Interactions Related to Travel. <i>Cell</i> , 2015, 163, 95-107.	28.9	190
233	Adherence to multiple micronutrient powder among young children in rural Bangladesh: a cross-sectional study. <i>BMC Public Health</i> , 2015, 15, 440.	2.9	21
234	Pathogen-specific burdens of community diarrhoea in developing countries: a multisite birth cohort study (MAL-ED). <i>The Lancet Global Health</i> , 2015, 3, e564-e575.	6.3	725

#	ARTICLE	IF	CITATIONS
235	Bubble continuous positive airway pressure for children with severe pneumonia and hypoxaemia in Bangladesh: an open, randomised controlled trial. <i>Lancet, The</i> , 2015, 386, 1057-1065.	13.7	208
236	A Prospective Study of the Prevalence of Tuberculosis and Bacteraemia in Bangladeshi Children with Severe Malnutrition and Pneumonia Including an Evaluation of Xpert MTB/RIF Assay. <i>PLoS ONE</i> , 2014, 9, e93776.	2.5	59
237	Infant Feeding Practices, Dietary Adequacy, and Micronutrient Status Measures in the MAL-ED Study. <i>Clinical Infectious Diseases</i> , 2014, 59, S248-S254.	5.8	65
238	The MAL-ED Cohort Study in Mirpur, Bangladesh. <i>Clinical Infectious Diseases</i> , 2014, 59, S280-S286.	5.8	78
239	Bioavailability of enteric-coated microencapsulated calcium during pregnancy: a randomized crossover trial in Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 1587-1595.	4.7	9
240	The MAL-ED Study: A Multinational and Multidisciplinary Approach to Understand the Relationship Between Enteric Pathogens, Malnutrition, Gut Physiology, Physical Growth, Cognitive Development, and Immune Responses in Infants and Children Up to 2 Years of Age in Resource-Poor Environments. <i>Clinical Infectious Diseases</i> , 2014, 59, S193-S206.	5.8	306
241	Assessment of Environmental Enteropathy in the MAL-ED Cohort Study: Theoretical and Analytic Framework. <i>Clinical Infectious Diseases</i> , 2014, 59, S239-S247.	5.8	127
242	An evolving perspective about the origins of childhood undernutrition and nutritional interventions that includes the gut microbiome. <i>Annals of the New York Academy of Sciences</i> , 2014, 1332, 22-38.	3.8	57
243	Development and acceptability testing of ready-to-use supplementary food made from locally available food ingredients in Bangladesh. <i>BMC Pediatrics</i> , 2014, 14, 164.	1.7	35
244	Specialist hospital study shows that septic shock and drowsiness predict mortality in children under five with diarrhoea. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, e306-11.	1.5	26
245	Measuring socioeconomic status in multicountry studies: results from the eight-country MAL-ED study. <i>Population Health Metrics</i> , 2014, 12, 8.	2.7	176
246	Prevalence of exclusive breastfeeding and associated factors among mothers in rural Bangladesh: a cross-sectional study. <i>International Breastfeeding Journal</i> , 2014, 9, 7.	2.6	69
247	Members of the human gut microbiota involved in recovery from <i>Vibrio cholerae</i> infection. <i>Nature</i> , 2014, 515, 423-426.	27.8	335
248	Persistent gut microbiota immaturity in malnourished Bangladeshi children. <i>Nature</i> , 2014, 510, 417-421.	27.8	1,019
249	Household Environmental Conditions Are Associated with Enteropathy and Impaired Growth in Rural Bangladesh. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 89, 130-137.	1.4	261
250	Observational follow-up study following two cohorts of children with severe pneumonia after discharge from day care clinic/hospital in Dhaka, Bangladesh. <i>BMJ Open</i> , 2012, 2, e000961.	1.9	13
251	Global Efforts to Address Severe Acute Malnutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 476-481.	1.8	19
252	Malnutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012, 55, 626-321.	1.8	6

#	ARTICLE	IF	CITATIONS
253	Household food access and child malnutrition: results from the eight-country MAL-ED study. <i>Population Health Metrics</i> , 2012, 10, 24.	2.7	93
254	Determinants of undernutrition in children under 2 years of age from rural Bangladesh. <i>Indian Pediatrics</i> , 2012, 49, 821-824.	0.4	46
255	Nutrition of Children and Women in Bangladesh: Trends and Directions for the Future. <i>Journal of Health, Population and Nutrition</i> , 2012, 30, 1-11.	2.0	148
256	Co-morbidity: exploring the clinical overlap between pneumonia and diarrhoea in a hospital in Dhaka, Bangladesh. <i>Annals of Tropical Paediatrics</i> , 2011, 31, 311-319.	1.0	40
257	Household Animal Production and Meat Consumption in Rural Bangladesh. <i>FASEB Journal</i> , 2011, 25, 974.11.	0.5	0
258	Intestinal Mucosal Permeability of Severely Underweight and Nonmalnourished Bangladeshi Children and Effects of Nutritional Rehabilitation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010, 51, 638-644.	1.8	38
259	Nutritional Status, Dietary Intake, and Relevant Knowledge of Adolescent Girls in Rural Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2010, 28, 86-94.	2.0	75
260	Use of metagenomics to understand the genetic basis of malnutrition. <i>Nutrition Reviews</i> , 2009, 67, S201-S206.	5.8	32
261	Reducing the burden of malnutrition in Bangladesh. <i>BMJ: British Medical Journal</i> , 2009, 339, b4490-b4490.	2.3	20
262	Oedematous malnutrition. <i>Indian Journal of Medical Research</i> , 2009, 130, 651-4.	1.0	11
263	Management of severe malnutrition and diarrhea. <i>Indian Journal of Pediatrics</i> , 2001, 68, 45-51.	0.8	26
264	Mortality in severely malnourished children with diarrhoea and use of a standardised management protocol. <i>Lancet, The</i> , 1999, 353, 1919-1922.	13.7	261
265	The role of peritoneal drains in treatment of perforated necrotizing enterocolitis: Recommendations from recent experience. <i>Journal of Pediatric Surgery</i> , 1998, 33, 1468-1470.	1.6	74
266	Gastrointestinal allergy to food: a review. <i>Journal of Diarrhoeal Diseases Research</i> , 1997, 15, 211-23.	0.0	9