Siegal Sadetzki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4602992/publications.pdf

Version: 2024-02-01

73 papers	3,976 citations	172457 29 h-index	61 g-index
P.S.P. 3.2	5-100-5-25		9
75 all docs	75 docs citations	75 times ranked	6271 citing authors

#	Article	IF	CITATIONS
1	Association of allergic diseases and epilepsy with risk of glioma, meningioma and acoustic neuroma: results from the INTERPHONE international case–control study. European Journal of Epidemiology, 2022, 37, 503-512.	5.7	2
2	Breast cancer survivors: physical and mental quality of life 10 years following diagnosis, a case-control study. Breast Cancer Research and Treatment, 2021, 188, 273-282.	2.5	4
3	Nationwide seroprevalence of antibodies against SARS-CoV-2 in Israel. European Journal of Epidemiology, 2021, 36, 727-734.	5 . 7	33
4	A prolonged, nationwide measles outbreak despite very high vaccination coverage in Israel, 2018-19. Journal of Infection, 2021, , .	3.3	1
5	Glioma risk associated with extent of estimated European genetic ancestry in African Americans and Hispanics. International Journal of Cancer, 2020, 146, 739-748.	5.1	23
6	Upholding democracy in a global pandemic: the Israeli elections experience. Journal of Travel Medicine, 2020, 27, .	3.0	3
7	Aspirin, NSAIDs, and Glioma Risk: Original Data from the Glioma International Case–Control Study and a Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 555-562.	2.5	15
8	Sex-specific gene and pathway modeling of inherited glioma risk. Neuro-Oncology, 2019, 21, 71-82.	1.2	52
9	Nonparticipation Selection Bias in the MOBI-Kids Study. Epidemiology, 2019, 30, 145-153.	2.7	6
10	Fifteen-year survival of invasive epithelial ovarian cancer in women with BRCA1/2 mutations – the National Israeli Study of Ovarian Cancer. Gynecologic Oncology, 2019, 153, 320-325.	1.4	16
11	Mobile Phone-Use Habits Among Adolescents: Predictors of Intensive Use. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 212-219.	3.9	7
12	Glioma-related seizures in relation to histopathological subtypes: a report from the glioma international case–control study. Journal of Neurology, 2018, 265, 1432-1442.	3.6	32
13	Implementation of a competency-based medical education approach in public health and epidemiology training of medical students. Israel Journal of Health Policy Research, 2018, 7, 13.	2.6	19
14	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. Environmental Research, 2018, 165, 150-157.	7.5	21
15	The INTEROCC case-control study: risk of meningioma and occupational exposure to selected combustion products, dusts and other chemical agents. Occupational and Environmental Medicine, 2018, 75, 12-22.	2.8	6
16	Ageâ€specific genomeâ€wide association study in glioblastoma identifies increased proportion of â€~lower grade glioma'â€like features associated with younger age. International Journal of Cancer, 2018, 143, 2359-2366.	5.1	21
17	Authors' response to the Comments from S.M.J. Mortazavi regarding: "Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approachâ€, Environment International, 2018, 121, 1025-1026.	10.0	1
18	Leukaemia and myeloid malignancy among people exposed to low doses (<100 mSv) of ionising radiation during childhood: a pooled analysis of nine historical cohort studies. Lancet Haematology,the, 2018, 5, e346-e358.	4.6	103

#	Article	IF	Citations
19	Occupational exposure to high-frequency electromagnetic fields and brain tumor risk in the INTEROCC study: An individualized assessment approach. Environment International, 2018, 119, 353-365.	10.0	16
20	Sex-specific glioma genome-wide association study identifies new risk locus at 3p21.31 in females, and finds sex-differences in risk at 8q24.21. Scientific Reports, 2018, 8, 7352.	3.3	56
21	Primary prevention and screening practices among long-term breast cancer survivors. Cancer Causes and Control, 2017, 28, 657-666.	1.8	6
22	Thyroid Cancer Following Childhood Low-Dose Radiation Exposure: A Pooled Analysis of Nine Cohorts. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2575-2583.	3.6	112
23	Interactions between occupational exposure to extremely low frequency magnetic fields and chemicals for brain tumour risk in the INTEROCC study. Occupational and Environmental Medicine, 2017, 74, 802-809.	2.8	7
24	Genome-wide association study of glioma subtypes identifies specific differences in genetic susceptibility to glioblastoma and non-glioblastoma tumors. Nature Genetics, 2017, 49, 789-794.	21.4	259
25	Occupational solvent exposure and risk of glioma in the INTEROCC study. British Journal of Cancer, 2017, 117, 1246-1254.	6.4	10
26	Cancer risk among Holocaust survivors in Israelâ€"A nationwide study. Cancer, 2017, 123, 3335-3345.	4.1	15
27	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. Environment International, 2017, 107, 65-74.	10.0	27
28	Reply to cancer risk among Holocaust survivors in Israel. Cancer, 2017, 123, 4295-4296.	4.1	1
29	0363â€Occupational exposure to high frequency electromagnetic fields and risk of brain tumours in the interocc study. , 2017, , .		0
30	0329â€Occupational exposure to metals and welding fumes, and risk of glioma in the interocc study. , 2017, , .		0
31	Lifetime occupational exposure to metals and welding fumes, and risk of glioma: a 7-country population-based case–control study. Environmental Health, 2017, 16, 90.	4.0	26
32	The Glioma International Case-Control Study: A Report From the Genetic Epidemiology of Glioma International Consortium. American Journal of Epidemiology, 2016, 183, kwv235.	3.4	45
33	Caries Experience among Adults Exposed to Low to Moderate Doses of Ionizing Radiation in Childhood $\hat{a} \in \mathbb{C}$ The Tinea Capitis Cohort. Frontiers in Public Health, 2016, 4, 18.	2.7	1
34	Thyroid Cancer after Childhood Exposure to External Radiation: An Updated Pooled Analysis of 12 Studies. Radiation Research, 2016, 185, 473.	1.5	124
35	The BRCA1-Î"11q Alternative Splice Isoform Bypasses Germline Mutations and Promotes Therapeutic Resistance to PARP Inhibition and Cisplatin. Cancer Research, 2016, 76, 2778-2790.	0.9	208
36	Occupational exposure to metals and risk of meningioma: a multinational case-control study. Journal of Neuro-Oncology, 2016, 130, 505-515.	2.9	16

#	Article	IF	Citations
37	Investigation of bias related to differences between case and control interview dates in five INTERPHONE countries. Annals of Epidemiology, 2016, 26, 827-832.e2.	1.9	5
38	History of chickenpox in glioma risk: a report from the glioma international case–control study (<scp>GICC</scp>). Cancer Medicine, 2016, 5, 1352-1358.	2.8	36
39	Approaching a Scientific Consensus on the Association between Allergies and Glioma Risk: A Report from the Glioma International Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 282-290.	2.5	89
40	Identification of health care needs of long-term breast cancer survivors among Israeli women. Supportive Care in Cancer, 2016, 24, 737-746.	2.2	3
41	Long-Term Effects of Exposure to Ionizing Irradiation on Periodontal Health Status – The Tinea capitis Cohort Study. Frontiers in Public Health, 2015, 3, 226.	2.7	4
42	Germline Mutation in <i>BRCA1</i> or <i>BRCA2</i> and Ten-Year Survival for Women Diagnosed with Epithelial Ovarian Cancer. Clinical Cancer Research, 2015, 21, 652-657.	7.0	138
43	Targeted Sequencing in Chromosome 17q Linkage Region Identifies Familial Glioma Candidates in the Gliogene Consortium. Scientific Reports, 2015, 5, 8278.	3.3	22
44	Fertility treatments and invasive epithelial ovarian cancer risk in Jewish Israeli BRCA1 or BRCA2 mutation carriers. Fertility and Sterility, 2015, 103, 1305-1312.	1.0	51
45	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. Frontiers in Public Health, 2014, 2, 124.	2.7	53
46	Involvement of the Family Physician in the Care of Chemotherapy-Treated Patients With Cancer: Patients' Perspectives. Journal of Oncology Practice, 2014, 10, 298-305.	2.5	20
47	Occupational Exposure to Extremely Low-Frequency Magnetic Fields and Brain Tumor Risks in the INTEROCC Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1863-1872.	2.5	65
48	Description of selected characteristics of familial glioma patients – Results from the Gliogene Consortium. European Journal of Cancer, 2013, 49, 1335-1345.	2.8	30
49	Association Between <emph type="ital">BRCA1</emph> and <emph type="ital">BRCA2 Mutations and Survival in Women With Invasive Epithelial Ovarian Cancer. JAMA - Journal of the American Medical Association, 2012, 307, 382.</emph 	7.4	546
50	Childhood Exposure to Ionizing Radiation to the Head and Risk of Schizophrenia. Radiation Research, 2011, 176, 670-677.	1.5	16
51	Possible interaction between ionizing radiation, smoking, and gender in the causation of meningioma. Neuro-Oncology, 2011, 13, 345-352.	1.2	22
52	Smoking and risk of glioma: a meta-analysis. Cancer Causes and Control, 2009, 20, 1927-1938.	1.8	25
53	Timing of sentinel lymph node biopsy in patients receiving neoadjuvant chemotherapy for breast cancer. Journal of Surgical Oncology, 2008, 98, 403-406.	1.7	52
54	Smoking and risk of parotid gland tumors. Cancer, 2008, 112, 1974-1982.	4.1	80

#	Article	IF	Citations
55	Cellular Phone Use and Risk of Benign and Malignant Parotid Gland TumorsA Nationwide Case-Control Study. American Journal of Epidemiology, 2008, 167, 457-467.	3.4	144
56	Effect of <i>BRCA1/2</i> Mutations on Long-Term Survival of Patients With Invasive Ovarian Cancer: The National Israeli Study of Ovarian Cancer. Journal of Clinical Oncology, 2008, 26, 20-25.	1.6	311
57	Epidemiology of Gliomas in Israel: A Nationwide Study. Neuroepidemiology, 2008, 31, 264-269.	2.3	18
58	Risk of Thyroid Cancer after Childhood Exposure to Ionizing Radiation for Tinea Capitis 1. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 4798-4804.	3.6	100
59	Breast Conservation After Neoadjuvant Chemotherapy. Annals of Surgical Oncology, 2005, 12, 480-487.	1.5	21
60	Genotyping of Patients with Sporadic and Radiation-Associated Meningiomas. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 969-976.	2.5	76
61	Long-Term Follow-up for Brain Tumor Development after Childhood Exposure to Ionizing Radiation for Tinea Capitis. Radiation Research, 2005, 163, 424-432.	1.5	214
62	Ret/PTC Activation in Benign and Malignant Thyroid Tumors Arising in a Population Exposed to Low-Dose External-Beam Irradiation in Childhood. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2281-2289.	3.6	44
63	Second primary breast and thyroid cancers (Israel). Cancer Causes and Control, 2003, 14, 367-375.	1.8	43
64	Small Samples and Ordered Logistic Regression. American Statistician, 2003, 57, 155-160.	1.6	51
65	Radiation-induced meningioma: a descriptive study of 253 cases. Journal of Neurosurgery, 2002, 97, 1078-1082.	1.6	203
66	A possible association between ionizing radiation and pituitary adenoma. Cancer, 2002, 95, 397-403.	4.1	9
67	The limitations of using hospital controls in cancer etiology – one more example for Berkson's bias. European Journal of Epidemiology, 2002, 18, 1127-1131.	5.7	20
68	Incidence of leukemia and other cancers in Down syndrome subjects in Israel. International Journal of Cancer, 2001, 93, 741-744.	5.1	29
69	A graded work site intervention program to improve sun protection and skin cancer awareness in outdoor workers in Israel. Cancer Causes and Control, 2000, 11, 513-521.	1.8	44
70	Cancer following cardiac catheterization in childhood. International Journal of Epidemiology, 2000, 29, 424-428.	1.9	83
71	Relinquishment of Infants With Down Syndrome in Israel: Trends by Time. American Journal on Intellectual and Developmental Disabilites, 2000, 105, 480.	2.4	9
72	Childhood and adolescent ovarian malignant tumors in Israel, A nationwide study. Acta Obstetricia Et Gynecologica Scandinavica, 1999, 78, 813-817.	2.8	3

#	Article	IF	CITATIONS
73	Hepatitis A outbreak originating in a day care center: a community case report. European Journal of Epidemiology, 1999, 15, 549-551.	5.7	3