Miljana Prica

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4604750/publications.pdf Version: 2024-02-01



Μιιίλιλ Ρριςλ

#	Article	IF	CITATIONS
1	Titania-based heterogeneous photocatalysis. Materials, mechanistic issues, and implications for environmental remediation. Pure and Applied Chemistry, 2001, 73, 1849-1860.	1.9	93
2	Three different clay-supported nanoscale zero-valent iron materials for industrial azo dye degradation: A comparative study. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 2451-2461.	5.3	88
3	A comparison of sediment quality results with acid volatile sulfide (AVS) and simultaneously extracted metals (SEM) ratio in Vojvodina (Serbia) sediments. Science of the Total Environment, 2008, 389, 235-244.	8.0	74
4	Use of fly ash for remediation of metals polluted sediment – Green remediation. Chemosphere, 2013, 92, 1490-1497.	8.2	52
5	Optimization of azo printing dye removal with oak leaves-nZVI/H2O2 system using statistically designed experiment. Journal of Cleaner Production, 2018, 202, 65-80.	9.3	36
6	Sorption behavior of polycyclic aromatic hydrocarbons on biodegradable polylactic acid and various nondegradable microplastics: Model fitting and mechanism analysis. Science of the Total Environment, 2021, 785, 147289.	8.0	32
7	The electrocoagulation/flotation study: The removal of heavy metals from the waste fountain solution. Chemical Engineering Research and Design, 2015, 94, 262-273.	5.6	31
8	Pollution of the Begej Canal sediment-metals, radioactivity and toxicity assessment. Environment International, 2006, 32, 606-615.	10.0	28
9	Feasibility of electrocoagulation/flotation treatment of waste offset printing developer based on the response surface analysis. Arabian Journal of Chemistry, 2016, 9, 152-162.	4.9	26
10	Degradation of Anthraquinone Dye Reactive Blue 4 in Pyrite Ash Catalyzed Fenton Reaction. Scientific World Journal, The, 2014, 2014, 1-8.	2.1	22
11	Changes in metal availability during sediment oxidation and the correlation with the immobilization potential. Ecotoxicology and Environmental Safety, 2010, 73, 1370-1377.	6.0	21
12	Quantifying the environmental impact of As and Cr in stabilized/solidified materials. Science of the Total Environment, 2011, 412-413, 366-374.	8.0	21
13	The influence of aging on surface free energy of corona treated packaging films. Polymer Testing, 2020, 89, 106629.	4.8	19
14	Influence of pH and ozone dose on the content and structure of haloacetic acid precursors in groundwater. Environmental Science and Pollution Research, 2012, 19, 3079-3086.	5.3	18
15	Application of hexagonal two dimensional electrokinetic system on the nickel contaminated sediment and modelling the transport behavior of nickel during electrokinetic treatment. Separation and Purification Technology, 2018, 192, 253-261.	7.9	16
16	Characterisation, Availability, and Risk Assessment of the Metals in Sediment after Aging. Water, Air, and Soil Pollution, 2011, 214, 219-229.	2.4	14
17	Measurement of copper deposition by electrocoagulation/flotation from waste printing developer. Measurement: Journal of the International Measurement Confederation, 2019, 131, 288-299.	5.0	12
18	Application of UV-activated persulfate and peroxymonosulfate processes for the degradation of 1,2,3-trichlorobenzene in different water matrices. Environmental Science and Pollution Research, 2021, 28, 59165-59179.	5.3	11

Miljana Prica

#	Article	IF	CITATIONS
19	Preliminary evaluation of galvanic sludge immobilization in clay-based matrix as an environmentally safe process. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2008, 43, 528-537.	1.7	10
20	Correlation of different pollution criteria in the assessment of metal sediment pollution. Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2013, 48, 380-393.	1.7	10
21	A comparative study of the decolorization capacity of the solar-assisted Fenton process using ferrioxalate and Al, Fe-bentonite catalysts in a parabolic trough reactor. Journal of the Taiwan Institute of Chemical Engineers, 2018, 93, 436-449.	5.3	9
22	Correlation between the Results of Sequential Extraction and Effectiveness of Immobilization Treatment of Lead- and Cadmium-Contaminated Sediment. Scientific World Journal, The, 2010, 10, 1-19.	2.1	8
23	Effects of Anions on Adsorption of Trace Levels of Cu(II), Pb(II) and Cr(VI) by Amino-Functionalized Multi-Walled Carbon Nanotubes. Revista De Chimie (discontinued), 2017, 68, 362-368.	0.4	7
24	Immobilization of Cadmium from Contaminated Sediment Using Cardboard Mill Sludge. Archives of Environmental Protection, 2012, 38, 109-118.	1.1	5
25	The Application of Solar Cells in the Electrokinetic Remediation of Metal Contaminated Sediments. Water Environment Research, 2017, 89, 663-671.	2.7	4
26	Optimization of Cyan flexo dye removal by nano zero-valent ironusing response surface methodology. Journal of Graphic Engineering and Design, 2017, 8, 35-45.	0.3	3
27	Evaluating the necessity for thermal treatment in clay-based metal immobilization techniques as an environmentally acceptable sediment remediation process. Journal of Soils and Sediments, 2013, 13, 1318-1326.	3.0	2
28	Influence of Electric Field Operation Modes on Nickel Migration during Electrokinetic Treatment. Soil and Sediment Contamination, 2016, 25, 64-74.	1.9	2
29	Lindane sorption and desorption behaviour on sediment organic matter. Journal of the Serbian Chemical Society, 2013, 78, 883-895.	0.8	2
30	DEFINITIVE SCREENING DESIGN FOR THE OPTIMIZATION OF FLEXOGRAPHIC WATER-BASED CYAN DYE REMOVAL FROM AQUEOUS SOLUTION BY nZVI-INDUCED FENTON PROCESS. , 2018, , .		2
31	Experimental design of photo-Fenton process decolorization of Reactive Red 120 by using mathematical statistics models. Journal of Graphic Engineering and Design, 2018, 9, 33-40.	0.3	2
32	ASSESSMENT OF SEDIMENT POLLUTION USING CHEMICAL AND BIOLOGICAL TRAIT APPROACH. Carpathian Journal of Earth and Environmental Sciences, 2018, 13, 359-368.	0.4	2
33	Solidification/stabilization of metal polluted sediment of Krivaja river. Hemijska Industrija, 2012, 66, 469-478.	0.7	1
34	TREATMENT OF WASTEWATER CONTAINING DYE MIXTURE USING PYRITE CINDER IN HETEROGENEOUS FENTON PROCESS. , 2018, , .		1
35	Oxidative degradation of cyan flexo dye with Heterogeneous Fenton reagent - Fe2(MoO4)3 particle. Acta Periodica Technologica, 2019, , 77-85.	0.2	1
36	Modelling and Prediction of Surface Roughness in CNC Turning Process using Neural Networks. Tehnicki Vjesnik, 2020, 27, .	0.2	1

#	Article	IF	CITATIONS
37	Application of advanced oxidation process for the removal of synthetic water-based printing dye and microplastics from aqueous solution. , 2020, , .		1
38	Fenton-like oxidation of flexographic water-based key (black) dye: a definitive screening design optimization. , 2020, , .		1
39	The use of cardboard factory sludge in the remediation of zinc contaminated sediment. Journal of the Serbian Chemical Society, 2012, 77, 1097-1107.	0.8	0
40	Green Remediation—Use of Fly Ash for Remediation of Metals Polluted Sediment. , 2012, , 1-14.		0
41	EXAMINATION OF THE APPLICATION POSSIBILITIES OF WASTE RED MUD IN TREATMENT OF COLORED EFFLUENT. , 2018, , .		0
42	A mini review: Optimal dye removal by fenton process catalysed with waste materials. , 2020, , .		0