

# Reto Asmis

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4606999/publications.pdf>

Version: 2024-02-01

93  
papers

3,107  
citations

147801

31  
h-index

168389

53  
g-index

102  
all docs

102  
docs citations

102  
times ranked

4980  
citing authors

#	ARTICLE	IF	CITATIONS
1	Glutaredoxin 1 controls monocyte reprogramming during nutrient stress and protects mice against obesity and atherosclerosis in a sex-specific manner. <i>Nature Communications</i> , 2022, 13, 790.	12.8	12
2	Oxidatively modified low-density lipoproteins are potential mediators of proteasome inhibitor resistance in multiple myeloma. <i>International Journal of Cancer</i> , 2021, 148, 3032-3040.	5.1	3
3	Inhibition of myeloid HDAC2 upregulates glutaredoxin 1 expression, improves protein thiol redox state and protects against high-calorie diet-induced monocyte dysfunction and atherosclerosis. <i>Atherosclerosis</i> , 2021, 328, 23-32.	0.8	3
4	Ursolic Acid and Related Analogues: Triterpenoids with Broad Health Benefits. <i>Antioxidants</i> , 2021, 10, 1161.	5.1	25
5	Designing a Science-based Strategy to Prepare For the Next Pandemic. <i>Journal of Student Research</i> , 2021, 10, .	0.1	0
6	Sexual dimorphism in glutathione metabolism and glutathione-dependent responses. <i>Redox Biology</i> , 2020, 31, 101410.	9.0	73
7	Dietary 23-hydroxy ursolic acid protects against diet-induced weight gain and hyperglycemia by protecting monocytes and macrophages against nutrient stress-triggered reprogramming and dysfunction and preventing adipose tissue inflammation. <i>Journal of Nutritional Biochemistry</i> , 2020, 86, 108483.	4.2	9
8	Sexual dimorphisms in redox biology. <i>Redox Biology</i> , 2020, 31, 101533.	9.0	4
9	The role of monocytic glutaredoxin 1 in atherogenesis.. <i>Atherosclerosis</i> , 2020, 315, e6.	0.8	0
10	Dietary Supplementation with 23-Hydroxy Ursolic Acid Accelerates the Recovery from Acute Experimental Autoimmune Encephalomyelitis (EAE) in a Murine Model of Multiple Sclerosis. <i>Free Radical Biology and Medicine</i> , 2020, 159, S113.	2.9	1
11	Quantification of Monocyte Chemotactic Activity In Vivo and Characterization of Blood Monocyte Derived Macrophages. <i>Journal of Visualized Experiments</i> , 2019, , .	0.3	4
12	The Need for Multi-Omics Biomarker Signatures in Precision Medicine. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4781.	4.1	287
13	The role of glial-neuronal metabolic cooperation in modulating progression of multiple sclerosis and neuropathic pain. <i>Immunotherapy</i> , 2019, 11, 129-147.	2.0	17
14	Chemoresistance in multiple myeloma: oxidized LDL suppresses the anti-myeloma effects of boronic-based proteasome inhibitors. <i>FASEB Journal</i> , 2019, 33, 250.3.	0.5	0
15	Interactions of $\beta^2$ tubulin isoforms with glutathione in differentiated neuroblastoma cells subject to oxidative stress. <i>Cytoskeleton</i> , 2018, 75, 283-289.	2.0	6
16	mTOR drives cerebral blood flow and memory deficits in LDLR <sup>-/-</sup> mice modeling atherosclerosis and vascular cognitive impairment. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2018, 38, 58-74.	4.3	35
17	PKM2 S-glutathionylation promotes the reprogramming of macrophage metabolism and activation states. <i>Free Radical Biology and Medicine</i> , 2018, 128, S27-S28.	2.9	0
18	Dietary 23-hydroxy ursolic acid protects against atherosclerosis and obesity by preventing dyslipidemia-induced monocyte priming and dysfunction. <i>Atherosclerosis</i> , 2018, 275, 333-341.	0.8	17

#	ARTICLE	IF	CITATIONS
19	Abstract 4902: Oxidized low-density lipoprotein is a potentially potent mediator of proteasome inhibitor resistance in multiple myeloma. <i>Cancer Research</i> , 2018, 78, 4902-4902.	0.9	1
20	Mitogen-activated protein kinase phosphatase 1 (MKP-1) in macrophage biology and cardiovascular disease. A redox-regulated master controller of monocyte function and macrophage phenotype. <i>Free Radical Biology and Medicine</i> , 2017, 109, 75-83.	2.9	38
21	Monocytic glutaredoxin 1 protects mice against obesity, hyperglycemia and atherosclerosis. <i>Atherosclerosis</i> , 2017, 263, e13.	0.8	0
22	Characterization of Macrophage Polarization States Using Combined Measurement of 2-Deoxyglucose and Glutamine Accumulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1840-1848.	2.4	41
23	Differential Regulation of Macrophage Glucose Metabolism by Macrophage Colony-stimulating Factor and Granulocyte-Macrophage Colony-stimulating Factor: Implications for $^{18}\text{F}$ FDG PET Imaging of Vessel Wall Inflammation. <i>Radiology</i> , 2017, 283, 87-97.	7.3	27
24	Dyslipidemic Diet-Induced Monocyte "Priming" and Dysfunction in Non-Human Primates Is Triggered by Elevated Plasma Cholesterol and Accompanied by Altered Histone Acetylation. <i>Frontiers in Immunology</i> , 2017, 8, 958.	4.8	24
25	Acute maternal oxidant exposure causes susceptibility of the fetal brain to inflammation and oxidative stress. <i>Journal of Neuroinflammation</i> , 2017, 14, 195.	7.2	31
26	Abstract 450: Monocytic Glutaredoxin 1 Protects Mice Against Obesity, Hyperglycemia and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, .	2.4	0
27	Monocytes and Macrophages: A Fresh Look at Functional and Phenotypic Diversity. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 756-757.	5.4	2
28	TGF $\beta$ 2 induces BIGH3 expression and human retinal pericyte apoptosis: a novel pathway of diabetic retinopathy. <i>Eye</i> , 2016, 30, 1639-1647.	2.1	18
29	Monocytic MKP-1 is a Sensor of the Metabolic Environment and Regulates Function and Phenotypic Fate of Monocyte-Derived Macrophages in Atherosclerosis. <i>Scientific Reports</i> , 2016, 6, 34223.	3.3	13
30	Protein Thiol Redox Signaling in Monocytes and Macrophages. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 816-835.	5.4	47
31	Protein S-Glutathionylation Mediates Macrophage Responses to Metabolic Cues from the Extracellular Environment. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 836-851.	5.4	45
32	Macrophage TGF $\beta$ 1 and the Proapoptotic Extracellular Matrix Protein BIGH3 Induce Renal Cell Apoptosis in Prediabetic and Diabetic Conditions. <i>International Journal of Clinical Medicine</i> , 2016, 07, 496-510.	0.2	8
33	Macrophages and Intravascular OCT-Bright Spots. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 63-72.	5.3	81
34	Glutaredoxin 2a overexpression in macrophages promotes mitochondrial dysfunction but has little or no effect on atherogenesis in LDL-receptor null mice. <i>Atherosclerosis</i> , 2015, 241, 69-78.	0.8	9
35	Differences in forward angular light scattering distributions between M1 and M2 macrophages. <i>Journal of Biomedical Optics</i> , 2015, 20, 115002.	2.6	7
36	BIGH3 protein and macrophages in retinal endothelial cell apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2015, 20, 29-37.	4.9	12

#	ARTICLE	IF	CITATIONS
37	Structure-Function Analysis of Ursolic Acid and its Analogs to Identify Their Anti-inflammatory Mechanism of Action. <i>FASEB Journal</i> , 2015, 29, 390.6.	0.5	0
38	Abstract 203: Redox Regulation of MKP-1 and the Functional Reprogramming of Monocyte-Derived Macrophages by Metabolic Stress. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, .	2.4	0
39	Redox Regulation of 14-3-3 $\zeta$ Controls Monocyte Migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1514-1521.	2.4	29
40	NADPH Oxidase 4 Is Expressed in Pulmonary Artery Adventitia and Contributes to Hypertensive Vascular Remodeling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1704-1715.	2.4	103
41	Ursolic acid protects monocytes against metabolic stress-induced priming and dysfunction by preventing the induction of Nox4. <i>Redox Biology</i> , 2014, 2, 259-266.	9.0	18
42	Identification of structural features of ursolic acid required to protect monocytes against metabolic stress-induced dysfunction (249.5). <i>FASEB Journal</i> , 2014, 28, 249.5.	0.5	0
43	Oxygen and wound care: A review of current therapeutic modalities and future direction. <i>Wound Repair and Regeneration</i> , 2013, 21, 503-511.	3.0	60
44	Redox Regulation of 14-3-3 $\zeta$ Controls Monocyte Migration. <i>Free Radical Biology and Medicine</i> , 2013, 65, S74.	2.9	0
45	S-Glutathionylation in Monocyte and Macrophage (Dys)Function. <i>International Journal of Molecular Sciences</i> , 2013, 14, 15212-15232.	4.1	28
46	Excretion and toxicity of gold-iron nanoparticles. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2013, 9, 356-365.	3.3	50
47	Bioenergetic Profiles Diverge During Macrophage Polarization: Implications for the Interpretation of <sup>18</sup> F-FDG PET Imaging of Atherosclerosis. <i>Journal of Nuclear Medicine</i> , 2013, 54, 1661-1667.	5.0	91
48	Regulation of Monocyte Adhesion and Migration by Nox4. <i>PLoS ONE</i> , 2013, 8, e66964.	2.5	30
49	Ursolic Acid Protects Monocytes Against Priming and Dysfunction Induced by Metabolic Stress by Preventing Induction of Nox4. <i>FASEB Journal</i> , 2013, 27, 637.17.	0.5	0
50	Novel LC/MS/MS-based Proteomics Approach for the Identification of S-Glutathionylated Proteins: Analysis of Redox Regulation of Metabolic Priming in Monocytes. <i>FASEB Journal</i> , 2013, 27, 614.1.	0.5	0
51	Abstract 466: Redox Regulation of 14-3-3 $\zeta$ Controls Monocyte Migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, .	2.4	0
52	Use of near-infrared luminescent gold nanoclusters for detection of macrophages. <i>Journal of Biomedical Optics</i> , 2012, 17, 026006.	2.6	6
53	Redox regulation of MAPK phosphatase 1 controls monocyte migration and macrophage recruitment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2803-12.	7.1	98
54	Fat-Specific DsbA-L Overexpression Promotes Adiponectin Multimerization and Protects Mice From Diet-Induced Obesity and Insulin Resistance. <i>Diabetes</i> , 2012, 61, 2776-2786.	0.6	67

#	ARTICLE	IF	CITATIONS
55	Resveratrol and Quercetin Interact to Inhibit Neointimal Hyperplasia in Mice with a Carotid Injury. <i>Journal of Nutrition</i> , 2012, 142, 1487-1494.	2.9	31
56	Dual-wavelength multifrequency photothermal wave imaging combined with optical coherence tomography for macrophage and lipid detection in atherosclerotic plaques using gold nanoparticles. <i>Journal of Biomedical Optics</i> , 2012, 17, 1.	2.6	7
57	Reactive Oxygen Species and Thiol Redox Signaling in the Macrophage Biology of Atherosclerosis. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 1785-1795.	5.4	71
58	NADPH Oxidase 4 Mediates Monocyte Priming and Accelerated Chemotaxis Induced by Metabolic Stress. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 415-426.	2.4	64
59	Abstract 182: Mitogen-Activated Protein Kinase Phosphatase-1 and the Redox Regulation of Monocyte Adhesion and Migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, .	2.4	0
60	Ursolic acid protects diabetic mice against monocyte dysfunction and accelerated atherosclerosis. <i>Atherosclerosis</i> , 2011, 219, 409-416.	0.8	74
61	Topical HDL for vein grafts: A new solution to an old problem?. <i>Atherosclerosis</i> , 2011, 214, 259-260.	0.8	1
62	Pyrrolidine dithiocarbamate (PDTC) blocks apoptosis and promotes ionizing radiation-induced necrosis of freshly-isolated normal mouse spleen cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2010, 15, 705-714.	4.9	6
63	Low flow oxygenation of full-thickness skin wounds on diabetic mice improves wound healing by accelerating wound closure and reepithelialization. <i>International Wound Journal</i> , 2010, 7, 349-357.	2.9	28
64	Nox4 is a Novel Inducible Source of Reactive Oxygen Species in Monocytes and Macrophages and Mediates Oxidized Low Density Lipoprotein-Induced Macrophage Death. <i>Circulation Research</i> , 2010, 106, 1489-1497.	4.5	145
65	Thiol Oxidative Stress Induced by Metabolic Disorders Amplifies Macrophage Chemotactic Responses and Accelerates Atherogenesis and Kidney Injury in LDL Receptor-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1779-1786.	2.4	53
66	C-terminal fragment of transforming growth factor beta-induced protein (TGFB1p) is required for apoptosis in human osteosarcoma cells. <i>Matrix Biology</i> , 2009, 28, 347-353.	3.6	19
67	Small Multifunctional Nanoclusters (Nanoroses) for Targeted Cellular Imaging and Therapy. <i>ACS Nano</i> , 2009, 3, 2686-2696.	14.6	187
68	Contact system activation in human sepsis - 47kD HK, a marker of sepsis severity?. <i>Swiss Medical Weekly</i> , 2008, 138, 142-9.	1.6	11
69	Increased Expression of Glutathione Reductase in Macrophages Decreases Atherosclerotic Lesion Formation in Low-Density Lipoprotein Receptor-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1375-1382.	2.4	45
70	P53 status influences regulation of HSPs and ribosomal proteins by PDTC and radiation. <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 435-442.	2.1	6
71	Adriamycin promotes macrophage dysfunction in mice. <i>Free Radical Biology and Medicine</i> , 2006, 41, 165-174.	2.9	23
72	Molecular mechanism of glutathione-mediated protection from oxidized low-density lipoprotein-induced cell injury in human macrophages: Role of glutathione reductase and glutaredoxin. <i>Free Radical Biology and Medicine</i> , 2006, 41, 775-785.	2.9	61

#	ARTICLE	IF	CITATIONS
73	Positive effect of dietary soy in ESRD patients with systemic inflammationâ€”correlation between blood levels of the soy isoflavones and the acute-phase reactants. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2239-2246.	0.7	110
74	Scavenger Receptor BI Prevents Nitric Oxideâ€”Induced Cytotoxicity and Endotoxin-Induced Death. <i>Circulation Research</i> , 2006, 98, e60-5.	4.5	28
75	Scavenger receptor BI prevents nitric oxideâ€”induced oxidative stress. <i>FASEB Journal</i> , 2006, 20, A1071.	0.5	0
76	Low-Density Lipoprotein From Apolipoprotein E-Deficient Mice Induces Macrophage Lipid Accumulation in a CD36 and Scavenger Receptor Class A-Dependent Manner. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 168-173.	2.4	47
77	A Novel Ligand-independent Apoptotic Pathway Induced by Scavenger Receptor Class B, Type I and Suppressed by Endothelial Nitric-oxide Synthase and High Density Lipoprotein. <i>Journal of Biological Chemistry</i> , 2005, 280, 19087-19096.	3.4	60
78	A novel thiol oxidationâ€”based mechanism for adriamycinâ€”induced cell injury in human macrophages. <i>FASEB Journal</i> , 2005, 19, 1866-1868.	0.5	32
79	Lipoprotein aggregation protects human monocyte-derived macrophages from OxLDL-induced cytotoxicity. <i>Journal of Lipid Research</i> , 2005, 46, 1124-1132.	4.2	16
80	Acute hyperhomocysteinemia decreases NO bioavailability in healthy adults. <i>Atherosclerosis</i> , 2004, 176, 337-344.	0.8	37
81	Oxidized LDL Promotes Peroxide-Mediated Mitochondrial Dysfunction and Cell Death in Human Macrophages. <i>Circulation Research</i> , 2003, 92, e20-9.	4.5	101
82	Fluid Shear Stress Attenuates Hydrogen Peroxideâ€”Induced c-Jun NH2-Terminal Kinase Activation via a Glutathione Reductaseâ€”Mediated Mechanism. <i>Circulation Research</i> , 2002, 91, 712-718.	4.5	71
83	Vitamin E and the Prevention of Atherosclerosis. <i>International Journal for Vitamin and Nutrition Research</i> , 2001, 71, 18-24.	1.5	15
84	Apoptosis induced by oxidized low density lipoprotein in human monocyteâ€”derived macrophages involves CD36 and activation of caspaseâ€”3. <i>FEBS Journal</i> , 2000, 267, 6050-6059.	0.2	92
85	Comparison of Lipid-Mediated and Adenoviral Gene Transfer in Human Monocyte-Derived Macrophages and COS-7 Cells. <i>BioTechniques</i> , 2000, 28, 260-270.	1.8	21
86	Vitamin E Supplementation of Human Macrophages Prevents Neither Foam Cell Formation Nor Increased Susceptibility of Foam Cells to Lysis by Oxidized LDL. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 20, 2078-2086.	2.4	25
87	Large variations in human foam cell formation in individuals: a fully autologous in vitro assay based on the quantitative analysis of cellular neutral lipids. <i>Atherosclerosis</i> , 2000, 148, 243-253.	0.8	22
88	Dehydroascorbic acid prevents apoptosis induced by oxidized low-density lipoprotein in human monocyte-derived macrophages. <i>FEBS Journal</i> , 1998, 255, 147-155.	0.2	29
89	Physical Partitioning is the Main Mechanism of alpha-Tocopherol and Cholesterol Transfer between Lipoproteins and P388D1 Macrophage-Like Cells. <i>FEBS Journal</i> , 1997, 250, 600-607.	0.2	10
90	Concurrent quantification of cellular cholesterol, cholesteryl esters and triglycerides in small biological samples Reevaluation of thin layer chromatography using laser densitometry. <i>Biomedical Applications</i> , 1997, 691, 59-66.	1.7	17

#	ARTICLE	IF	CITATIONS
91	Prevention of Cholesteryl Ester Accumulation in P388D1 Macrophage-Like Cells by Increased Cellular Vitamin E Depends on Species of Extracellular Cholesterol. Conventional Heterologous Non-Human Cell Cultures are Poor Models of Human Atherosclerotic foam Cell Formation. FEBS Journal, 1995, 233, 171-178.	0.2	31
92	Regulation of Prostaglandin E2 Production in P388D1 Macrophage-Like Cells. Annals of the New York Academy of Sciences, 1994, 744, 1-10.	3.8	9
93	Calcium-ionophore-induced formation of platelet-activating factor and leukotrienes by horse eosinophils: a comparative study. FEBS Journal, 1990, 187, 475-480.	0.2	20