

Jian-Min Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4607533/publications.pdf>

Version: 2024-02-01

402
papers

23,300
citations

7087

78
h-index

14197

128
g-index

406
all docs

406
docs citations

406
times ranked

30088
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology of nasopharyngeal carcinoma. <i>Seminars in Cancer Biology</i> , 2002, 12, 421-429.	4.3	751
2	Association between Body-Mass Index and Risk of Death in More Than 1 Million Asians. <i>New England Journal of Medicine</i> , 2011, 364, 719-729.	13.9	730
3	Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658.	9.4	519
4	A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984.	9.4	493
5	Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017, 49, 1126-1132.	9.4	472
6	A shared susceptibility locus in PLCE1 at 10q23 for gastric adenocarcinoma and esophageal squamous cell carcinoma. <i>Nature Genetics</i> , 2010, 42, 764-767.	9.4	453
7	Isothiocyanates, glutathione S-transferase M1 and T1 polymorphisms, and lung-cancer risk: a prospective study of men in Shanghai, China. <i>Lancet, The</i> , 2000, 356, 724-729.	6.3	392
8	Environmental factors and risk for hepatocellular carcinoma. <i>Gastroenterology</i> , 2004, 127, S72-S78.	0.6	375
9	The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679.	13.7	353
10	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383.	3.9	341
11	̳-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155.	2.6	326
12	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	13.7	282
13	Synergism of alcohol, diabetes, and viral hepatitis on the risk of hepatocellular carcinoma in blacks and whites in the U.S.. <i>Cancer</i> , 2004, 101, 1009-1017.	2.0	262
14	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	9.4	250
15	Association between body mass index and cardiovascular disease mortality in east Asians and south Asians: pooled analysis of prospective data from the Asia Cohort Consortium. <i>BMJ, The</i> , 2013, 347, f5446-f5446.	3.0	239
16	Gender- and Smoking-Related Bladder Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2001, 93, 538-545.	3.0	228
17	Green tea, black tea and breast cancer risk: a meta-analysis of epidemiological studies. <i>Carcinogenesis</i> , 2006, 27, 1310-1315.	1.3	202
18	Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436.	1.6	199

#	ARTICLE	IF	CITATIONS
19	Dietary isothiocyanates, glutathione S-transferase polymorphisms and colorectal cancer risk in the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2002, 23, 2055-2061.	1.3	195
20	Use of permanent hair dyes and bladder-cancer risk. <i>International Journal of Cancer</i> , 2001, 91, 575-579.	2.3	190
21	Follow up study of moderate alcohol intake and mortality among middle aged men in Shanghai, China. <i>BMJ: British Medical Journal</i> , 1997, 314, 18-18.	2.4	173
22	Tea and cancer prevention: Epidemiological studies. <i>Pharmacological Research</i> , 2011, 64, 123-135.	3.1	168
23	Epidemiology of Hepatocellular Carcinoma. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2000, 14, 703-709.	1.8	163
24	Serum hormone levels in pre-menopausal Chinese women in Shanghai and white women in Los Angeles: results from two breast cancer case-control studies. <i>Cancer Causes and Control</i> , 1990, 1, 51-58.	0.8	154
25	Body Mass Index and Diabetes in Asia: A Cross-Sectional Pooled Analysis of 900,000 Individuals in the Asia Cohort Consortium. <i>PLoS ONE</i> , 2011, 6, e19930.	1.1	154
26	Green tea, black tea and colorectal cancer risk: a meta-analysis of epidemiologic studies. <i>Carcinogenesis</i> , 2006, 27, 1301-1309.	1.3	153
27	Differential Effects of Black versus Green Tea on Risk of Parkinson's Disease in the Singapore Chinese Health Study. <i>American Journal of Epidemiology</i> , 2007, 167, 553-560.	1.6	153
28	Lipid peroxidation: a novel and unifying concept of the etiology of renal cell carcinoma (United) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38	0.8	148
29	Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. <i>Nature Genetics</i> , 2014, 46, 1001-1006.	9.4	148
30	New loci and coding variants confer risk for age-related macular degeneration in East Asians. <i>Nature Communications</i> , 2015, 6, 6063.	5.8	147
31	Urinary Levels of Tobacco-Specific Nitrosamine Metabolites in Relation to Lung Cancer Development in Two Prospective Cohorts of Cigarette Smokers. <i>Cancer Research</i> , 2009, 69, 2990-2995.	0.4	144
32	Fish and Shellfish Consumption in Relation to Death from Myocardial Infarction among Men in Shanghai, China. <i>American Journal of Epidemiology</i> , 2001, 154, 809-816.	1.6	142
33	Sleep Duration and Coronary Heart Disease Mortality Among Chinese Adults in Singapore: A Population-based Cohort Study. <i>American Journal of Epidemiology</i> , 2008, 168, 1367-1373.	1.6	140
34	Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398.	1.4	137
35	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017, 26, 1770-1784.	1.4	135
36	Dietary factors and epithelial ovarian cancer. <i>British Journal of Cancer</i> , 1989, 59, 92-96.	2.9	134

#	ARTICLE	IF	CITATIONS
37	Genetic, dietary, and other lifestyle determinants of plasma homocysteine concentrations in middle-aged and older Chinese men and women in Singapore. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 232-239.	2.2	132
38	Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032.	2.9	132
39	Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. <i>International Journal of Cancer</i> , 2000, 85, 358-363.	2.3	130
40	Metabolic signatures and risk of type 2 diabetes in a Chinese population: an untargeted metabolomics study using both LC-MS and GC-MS. <i>Diabetologia</i> , 2016, 59, 2349-2359.	2.9	127
41	Western-Style Fast Food Intake and Cardiometabolic Risk in an Eastern Country. <i>Circulation</i> , 2012, 126, 182-188.	1.6	126
42	Reduced Aflatoxin Exposure Presages Decline in Liver Cancer Mortality in an Endemic Region of China. <i>Cancer Prevention Research</i> , 2013, 6, 1038-1045.	0.7	125
43	A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018, 102, 375-400.	2.6	123
44	Urinary tea polyphenols in relation to gastric and esophageal cancers: a prospective study of men in Shanghai, China. <i>Carcinogenesis</i> , 2002, 23, 1497-1503.	1.3	122
45	Alcohol, Tobacco, and Diet in Relation to Esophageal Cancer: The Shanghai Cohort Study. <i>Nutrition and Cancer</i> , 2008, 60, 354-363.	0.9	121
46	Isothiocyanates: Translating the Power of Plants to People. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1700965.	1.5	116
47	Non-dietary risk factors for nasopharyngeal carcinoma in Shanghai, China. <i>International Journal of Cancer</i> , 2000, 85, 364-369.	2.3	115
48	Morbidity and Mortality in Relation to Cigarette Smoking in Shanghai, China. <i>JAMA - Journal of the American Medical Association</i> , 1996, 275, 1646.	3.8	113
49	Diabetes Mellitus and Risk of Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of the National Cancer Institute</i> , 2006, 98, 135-138.	3.0	112
50	Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019, 51, 636-648.	9.4	112
51	Permanent hair dyes and bladder cancer: risk modification by cytochrome P4501A2 and N-acetyltransferases 1 and 2. <i>Carcinogenesis</i> , 2003, 24, 483-489.	1.3	111
52	Alcohol and Tobacco Use in Relation to Gastric Cancer: A Prospective Study of Men in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2287-2297.	1.1	109
53	Modulation of the metabolism of airborne pollutants by glucoraphanin-rich and sulforaphane-rich broccoli sprout beverages in Qidong, China. <i>Carcinogenesis</i> , 2012, 33, 101-107.	1.3	108
54	Polymorphisms in DNA Repair Genes, Smoking, and Bladder Cancer Risk: Findings from the International Consortium of Bladder Cancer. <i>Cancer Research</i> , 2009, 69, 6857-6864.	0.4	107

#	ARTICLE	IF	CITATIONS
55	Angiotensin I-converting enzyme (ACE) gene polymorphism and breast cancer risk among Chinese women in Singapore. <i>Cancer Research</i> , 2003, 63, 573-8.	0.4	107
56	Urinary Levels of Cigarette Smoke Constituent Metabolites Are Prospectively Associated with Lung Cancer Development in Smokers. <i>Cancer Research</i> , 2011, 71, 6749-6757.	0.4	103
57	Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696.	2.8	103
58	Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474.	2.8	102
59	Dietary Patterns and Incident Type 2 Diabetes in Chinese Men and Women. <i>Diabetes Care</i> , 2011, 34, 880-885.	4.3	99
60	Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. <i>Gut</i> , 2016, 65, 1611-1618.	6.1	99
61	Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631.	3.9	98
62	Effect of cytokine genotypes on the hepatitis B virus-hepatocellular carcinoma association. <i>Cancer</i> , 2005, 103, 740-748.	2.0	96
63	A vegetable-fruit-soy dietary pattern protects against breast cancer among postmenopausal Singapore Chinese women. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1013-1019.	2.2	96
64	Cancer prevention by green tea: evidence from epidemiologic studies. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1676S-1681S.	2.2	96
65	Dietary cryptoxanthin and reduced risk of lung cancer: the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 890-8.	1.1	96
66	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166.	1.1	94
67	Combined Lifestyle Factors and Cardiovascular Disease Mortality in Chinese Men and Women. <i>Circulation</i> , 2011, 124, 2847-2854.	1.6	93
68	Diabetes and Risk of Hip Fracture in the Singapore Chinese Health Study. <i>Diabetes Care</i> , 2010, 33, 1766-1770.	4.3	92
69	Cruciferous vegetables in relation to renal cell carcinoma. <i>International Journal of Cancer</i> , 1998, 77, 211-216.	2.3	91
70	Omega-3 fatty acids and incident type 2 diabetes: the Singapore Chinese Health Study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 520-526.	2.2	91
71	Gender-specific Associations Between Soy and Risk of Hip Fracture in the Singapore Chinese Health Study. <i>American Journal of Epidemiology</i> , 2009, 170, 901-909.	1.6	90
72	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	1.4	90

#	ARTICLE	IF	CITATIONS
73	Urinary biomarkers of tea polyphenols and risk of colorectal cancer in the Shanghai Cohort Study. <i>International Journal of Cancer</i> , 2007, 120, 1344-1350.	2.3	89
74	Applying Tobacco Carcinogen and Toxicant Biomarkers in Product Regulation and Cancer Prevention. <i>Chemical Research in Toxicology</i> , 2010, 23, 1001-1008.	1.7	89
75	Soy intake and risk of type 2 diabetes mellitus in Chinese Singaporeans. <i>European Journal of Nutrition</i> , 2012, 51, 1033-1040.	1.8	87
76	A cohort study of serum testosterone and hepatocellular carcinoma in Shanghai, China. <i>International Journal of Cancer</i> , 1995, 63, 491-493.	2.3	86
77	Antiviral Therapy for Adults With Chronic Hepatitis B: A Systematic Review for a National Institutes of Health Consensus Development Conference. <i>Annals of Internal Medicine</i> , 2009, 150, 111.	2.0	86
78	Effects of green tea catechin extract on serum lipids in postmenopausal women: a randomized, placebo-controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1671-1682.	2.2	85
79	Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054.	1.6	85
80	Green tea intake, ACE gene polymorphism and breast cancer risk among Chinese women in Singapore. <i>Carcinogenesis</i> , 2005, 26, 1389-1394.	1.3	84
81	Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957.	5.8	84
82	Prediagnostic Level of Serum Retinol in Relation to Reduced Risk of Hepatocellular Carcinoma. <i>Journal of the National Cancer Institute</i> , 2006, 98, 482-490.	3.0	83
83	Coffee consumption and reduced risk of hepatocellular carcinoma: findings from the Singapore Chinese Health Study. <i>Cancer Causes and Control</i> , 2011, 22, 503-510.	0.8	79
84	Obesity, metabolic factors and risk of different histological types of lung cancer: A Mendelian randomization study. <i>PLoS ONE</i> , 2017, 12, e0177875.	1.1	79
85	Mitochondrial Copy Number is Associated with Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1574-1581.	1.1	78
86	Mitochondrial DNA Copy Number Is Associated with Breast Cancer Risk. <i>PLoS ONE</i> , 2013, 8, e65968.	1.1	78
87	DNA Repair Single-Nucleotide Polymorphisms in Colorectal Cancer and their Role as Modifiers of the Effect of Cigarette Smoking and Alcohol in the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2363-2372.	1.1	77
88	Urinary levels of the tobacco-specific carcinogen N'-nitrosonornicotine and its glucuronide are strongly associated with esophageal cancer risk in smokers. <i>Carcinogenesis</i> , 2011, 32, 1366-1371.	1.3	77
89	Genetic polymorphisms in the methylenetetrahydrofolate reductase and thymidylate synthase genes and risk of hepatocellular carcinoma. <i>Hepatology</i> , 2007, 46, 749-758.	3.6	75
90	LINE-1 hypomethylation is associated with bladder cancer risk among nonsmoking Chinese. <i>International Journal of Cancer</i> , 2012, 130, 1151-1159.	2.3	75

#	ARTICLE	IF	CITATIONS
91	Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018, 9, 5052.	5.8	75
92	Carotenoids/vitamin C and smoking-related bladder cancer. <i>International Journal of Cancer</i> , 2004, 110, 417-423.	2.3	74
93	Diet-Quality Indexes Are Associated with a Lower Risk of Cardiovascular, Respiratory, and All-Cause Mortality among Chinese Adults. <i>Journal of Nutrition</i> , 2018, 148, 1323-1332.	1.3	74
94	Genetic and environmental predictors of serum 25-hydroxyvitamin D concentrations among middle-aged and elderly Chinese in Singapore. <i>British Journal of Nutrition</i> , 2013, 109, 493-502.	1.2	73
95	Pesticide exposure and liver cancer: a review. <i>Cancer Causes and Control</i> , 2017, 28, 177-190.	0.8	72
96	A Randomized Controlled Trial of Green Tea Extract Supplementation and Mammographic Density in Postmenopausal Women at Increased Risk of Breast Cancer. <i>Cancer Prevention Research</i> , 2017, 10, 710-718.	0.7	72
97	Urinary Tobacco Smokeâ€“Constituent Biomarkers for Assessing Risk of Lung Cancer. <i>Cancer Research</i> , 2014, 74, 401-411.	0.4	71
98	Green tea and black tea consumption in relation to colorectal cancer risk: the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2007, 28, 2143-2148.	1.3	70
99	Soft Drink and Juice Consumption and Risk of Pancreatic Cancer: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 447-455.	1.1	70
100	An apparent lack of association between <i>Helicobacter pylori</i> infection and risk of gastric cancer in China. , 1996, 67, 603-607.		69
101	The safety of green tea extract supplementation in postmenopausal women at risk for breast cancer: results of the Minnesota Green Teaâ€“Trial. <i>Food and Chemical Toxicology</i> , 2015, 83, 26-35.	1.8	69
102	A prospective study of tobacco and alcohol use as risk factors for pharyngeal carcinomas in Singapore Chinese. <i>Cancer</i> , 2007, 109, 1183-1191.	2.0	68
103	Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , 2017, 66, 581-587.	6.1	68
104	Marine nâ€“3 and saturated fatty acids in relation to risk of colorectal cancer in Singapore Chinese: A prospective study. <i>International Journal of Cancer</i> , 2009, 124, 678-686.	2.3	67
105	Clinical Trial of 2-Phenethyl Isothiocyanate as an Inhibitor of Metabolic Activation of a Tobacco-Specific Lung Carcinogen in Cigarette Smokers. <i>Cancer Prevention Research</i> , 2016, 9, 396-405.	0.7	67
106	DNA Adduct Formation of 4-Aminobiphenyl and Heterocyclic Aromatic Amines in Human Hepatocytes. <i>Chemical Research in Toxicology</i> , 2011, 24, 913-925.	1.7	66
107	Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376.	5.8	64
108	Loci for human leukocyte telomere length in the Singaporean Chinese population and trans-ethnic genetic studies. <i>Nature Communications</i> , 2019, 10, 2491.	5.8	64

#	ARTICLE	IF	CITATIONS
109	Mortality due to coronary heart disease and kidney disease among middle-aged and elderly men and women with gout in the Singapore Chinese Health Study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 924-928.	0.5	63
110	Dietary sources of N-nitroso compounds and bladder cancer risk: Findings from the Los Angeles bladder cancer study. <i>International Journal of Cancer</i> , 2014, 134, 125-135.	2.3	63
111	Sleep Duration and Risk of Stroke Mortality Among Chinese Adults. <i>Stroke</i> , 2014, 45, 1620-1625.	1.0	63
112	Isothiocyanates, glutathione S-transferase M1 and T1 polymorphisms and gastric cancer risk: A prospective study of men in Shanghai, China. <i>International Journal of Cancer</i> , 2009, 125, 2652-2659.	2.3	62
113	Beverage Habits and Mortality in Chinese Adults. <i>Journal of Nutrition</i> , 2015, 145, 595-604.	1.3	62
114	Diet Quality Indices and Risk of Type 2 Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2018, 187, 2651-2661.	1.6	62
115	Impact of Postdiagnosis Smoking on Long-term Survival of Cancer Patients: The Shanghai Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2404-2411.	1.1	61
116	Prospective Evaluation of Hepatitis B 1762T/1764A Mutations on Hepatocellular Carcinoma Development in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 590-594.	1.1	60
117	Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1263-1278.	3.0	60
118	Middle-Aged and Older Chinese Men and Women in Singapore Who Smoke Have Less Healthy Diets and Lifestyles than Nonsmokers. <i>Journal of Nutrition</i> , 2005, 135, 2473-2477.	1.3	59
119	Environmental Tobacco Smoke and Bladder Cancer Risk in Never Smokers of Los Angeles County. <i>Cancer Research</i> , 2007, 67, 7540-7545.	0.4	59
120	Calcium Intake Increases Risk of Prostate Cancer among Singapore Chinese. <i>Cancer Research</i> , 2010, 70, 4941-4948.	0.4	59
121	Protective Effects of Dietary Carotenoids on Risk of Hip Fracture in Men: The Singapore Chinese Health Study. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 408-417.	3.1	59
122	Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. <i>Human Molecular Genetics</i> , 2012, 21, 2132-2141.	1.4	58
123	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	2.3	58
124	Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837.	2.8	58
125	Clinical outcomes in adults with chronic hepatitis B in association with patient and viral characteristics: A systematic review of evidence. <i>Hepatology</i> , 2009, 49, S85-S95.	3.6	57
126	Bone turnover biomarkers and risk of osteoporotic hip fracture in an Asian population. <i>Bone</i> , 2016, 83, 171-177.	1.4	57

#	ARTICLE	IF	CITATIONS
127	Meat, Dietary Heme Iron, and Risk of Type 2 Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2017, 186, 824-833.	1.6	57
128	Genetic polymorphisms in the cytokine genes and risk of hepatocellular carcinoma in low-risk non-Asians of USA. <i>Carcinogenesis</i> , 2009, 30, 758-762.	1.3	56
129	Polymorphisms in angiotensin II type 1 receptor and angiotensin I-converting enzyme genes and breast cancer risk among Chinese women in Singapore. <i>Carcinogenesis</i> , 2004, 26, 459-464.	1.3	55
130	Urinary metabolites of a polycyclic aromatic hydrocarbon and volatile organic compounds in relation to lung cancer development in lifelong never smokers in the Shanghai Cohort Study. <i>Carcinogenesis</i> , 2014, 35, 339-345.	1.3	55
131	Amount, type, and sources of carbohydrates in relation to ischemic heart disease mortality in a Chinese population: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 53-64.	2.2	55
132	Incense use and respiratory tract carcinomas. <i>Cancer</i> , 2008, 113, 1676-1684.	2.0	54
133	Cigarette smoking and subtypes of bladder cancer. <i>International Journal of Cancer</i> , 2012, 130, 896-901.	2.3	53
134	A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. <i>Genes and Nutrition</i> , 2015, 10, 53.	1.2	53
135	Genetic determinants in the metabolism of bladder carcinogens in relation to risk of bladder cancer. <i>Carcinogenesis</i> , 2008, 29, 1386-1393.	1.3	52
136	Green tea and prevention of esophageal and lung cancers. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 886-904.	1.5	52
137	Genetic variations on chromosomes 5p15 and 15q25 and bladder cancer risk: findings from the Los Angeles-Shanghai bladder case-control study. <i>Carcinogenesis</i> , 2011, 32, 197-202.	1.3	52
138	Age at menarche and cardiovascular disease mortality in Singaporean Chinese women: the Singapore Chinese Health Study. <i>Annals of Epidemiology</i> , 2012, 22, 717-722.	0.9	52
139	Alcohol, cofactors and the genetics of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S92-7.	1.4	51
140	Coffee, alcohol and other beverages in relation to cirrhosis mortality: The Singapore Chinese Health Study. <i>Hepatology</i> , 2014, 60, 661-669.	3.6	51
141	CYP2A6 genetic polymorphisms and biomarkers of tobacco smoke constituents in relation to risk of lung cancer in the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2017, 38, 411-418.	1.3	51
142	Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014, 35, 1737-1744.	1.3	50
143	Pesticide exposure and hepatocellular carcinoma risk: A case-control study using a geographic information system (GIS) to link SEER-Medicare and California pesticide data. <i>Environmental Research</i> , 2015, 143, 68-82.	3.7	50
144	Urinary levels of volatile organic carcinogen and toxicant biomarkers in relation to lung cancer development in smokers. <i>Carcinogenesis</i> , 2012, 33, 804-809.	1.3	48

#	ARTICLE	IF	CITATIONS
145	Aflatoxin Regulations and Global Pistachio Trade: Insights from Social Network Analysis. PLoS ONE, 2014, 9, e92149.	1.1	47
146	Dietary Soy Intake Is Not Associated with Risk of Cardiovascular Disease Mortality in Singapore Chinese Adults. Journal of Nutrition, 2014, 144, 921-928.	1.3	47
147	Decreased Luteinizing Hormone Receptor mRNA Expression in Human Ovarian Epithelial Cancer. Gynecologic Oncology, 2000, 79, 158-168.	0.6	46
148	Dietary patterns and mortality in a Chinese population , ,. American Journal of Clinical Nutrition, 2014, 100, 877-883.	2.2	46
149	Adherence to a Vegetable-Fruit-Soy Dietary Pattern or the Alternative Healthy Eating Index Is Associated with Lower Hip Fracture Risk among Singapore Chinese. Journal of Nutrition, 2014, 144, 511-518.	1.3	46
150	Sleep duration, spot urinary 6-sulfatoxymelatonin levels and risk of breast cancer among Chinese women in Singapore. International Journal of Cancer, 2013, 132, 891-896.	2.3	45
151	Tobacco-specific N-nitrosamine exposures and cancer risk in the Shanghai cohort study: Remarkable coherence with rat tumor sites. International Journal of Cancer, 2014, 134, 2278-2283.	2.3	45
152	Effect of Green Tea Supplements on Liver Enzyme Elevation: Results from a Randomized Intervention Study in the United States. Cancer Prevention Research, 2017, 10, 571-579.	0.7	45
153	The association between dietary omega-3 fatty acids and cardiovascular death: the Singapore Chinese Health Study. European Journal of Preventive Cardiology, 2015, 22, 364-372.	0.8	44
154	Incense Use and Cardiovascular Mortality among Chinese in Singapore: The Singapore Chinese Health Study. Environmental Health Perspectives, 2014, 122, 1279-1284.	2.8	43
155	Disparity in liver cancer incidence and chronic liver disease mortality by nativity in Hispanics: The Multiethnic Cohort. Cancer, 2016, 122, 1444-1452.	2.0	43
156	Associations of Body Mass Index, Smoking, and Alcohol Consumption With Prostate Cancer Mortality in the Asia Cohort Consortium. American Journal of Epidemiology, 2015, 182, 381-389.	1.6	42
157	Adherence to the Mediterranean diet and risk of stroke and stroke subtypes. European Journal of Epidemiology, 2019, 34, 337-349.	2.5	42
158	Prospective Evaluation of Dietary and Other Predictors of Fatal Stroke in Shanghai, China. Circulation, 1997, 96, 50-55.	1.6	42
159	DNA adducts of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine and 4-aminobiphenyl are infrequently detected in human mammary tissue by liquid chromatography/tandem mass spectrometry. Carcinogenesis, 2012, 33, 124-130.	1.3	41
160	Association between liver enzymes and incident type 2 diabetes in Singapore Chinese men and women. BMJ Open Diabetes Research and Care, 2016, 4, e000296.	1.2	40
161	ABO blood type and the risk of cancer – Findings from the Shanghai Cohort Study. PLoS ONE, 2017, 12, e0184295.	1.1	40
162	Dairy intake and risk of type 2 diabetes. Clinical Nutrition, 2018, 37, 712-718.	2.3	40

#	ARTICLE	IF	CITATIONS
163	Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer Cohort Consortium (LC3). <i>Journal of the National Cancer Institute</i> , 2018, 110, 57-67.	3.0	40
164	Serum Amino Acids in Association with Prevalent and Incident Type 2 Diabetes in A Chinese Population. <i>Metabolites</i> , 2019, 9, 14.	1.3	40
165	Polyunsaturated Fatty Acids, DNA Repair Single Nucleotide Polymorphisms and Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2009, 2, 273-279.	1.8	39
166	Glutathione S-transferase (GST) gene polymorphisms, cigarette smoking and colorectal cancer risk among Chinese in Singapore. <i>Carcinogenesis</i> , 2011, 32, 1507-1511.	1.3	39
167	The Minnesota Green Tea Trial (MGTT), a randomized controlled trial of the efficacy of green tea extract on biomarkers of breast cancer risk: study rationale, design, methods, and participant characteristics. <i>Cancer Causes and Control</i> , 2015, 26, 1405-1419.	0.8	38
168	Dietary Cholesterol Increases the Risk whereas PUFAs Reduce the Risk of Active Tuberculosis in Singapore Chinese. <i>Journal of Nutrition</i> , 2016, 146, 1093-1100.	1.3	38
169	Genetic determinants of cytochrome P450 2A6 activity and biomarkers of tobacco smoke exposure in relation to risk of lung cancer development in the Shanghai cohort study. <i>International Journal of Cancer</i> , 2016, 138, 2161-2171.	2.3	38
170	Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214.	1.4	38
171	Maternal Obesity, Birth Size, and Risk of Childhood Cancer Development. <i>American Journal of Epidemiology</i> , 2019, 188, 1503-1511.	1.6	38
172	Genetic risk, adherence to a healthy lifestyle, and type 2 diabetes risk among 550,000 Chinese adults: results from 2 independent Asian cohorts. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 698-707.	2.2	38
173	Food Sources of Protein and Risk of Incident Gout in the Singapore Chinese Health Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1933-1942.	2.9	37
174	Alcohol drinking and cigarette smoking in relation to risk of active tuberculosis: prospective cohort study. <i>BMJ Open Respiratory Research</i> , 2017, 4, e000247.	1.2	37
175	Reproductive and hormonal factors and risk of cognitive impairment among Singapore Chinese women. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 410.e1-410.e23.	0.7	37
176	Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640.	0.9	37
177	Peroxisome proliferator-activated receptor (PPAR) α gene polymorphisms and colorectal cancer risk among Chinese in Singapore. <i>Carcinogenesis</i> , 2006, 27, 1797-1802.	1.3	36
178	Elevated Levels of Volatile Organic Carcinogen and Toxicant Biomarkers in Chinese Women Who Regularly Cook at Home. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1185-1192.	1.1	35
179	Green and black tea intake in relation to prostate cancer risk among Singapore Chinese. <i>Cancer Causes and Control</i> , 2012, 23, 1635-1641.	0.8	35
180	Combined Lifestyle Factors and Risk of Incident Colorectal Cancer in a Chinese Population. <i>Cancer Prevention Research</i> , 2013, 6, 360-367.	0.7	35

#	ARTICLE	IF	CITATIONS
181	Bidirectional Association between Diabetes and Gout: the Singapore Chinese Health Study. <i>Scientific Reports</i> , 2016, 6, 25766.	1.6	35
182	Plasma fatty acids, oxylipins, and risk of myocardial infarction: the Singapore Chinese Health Study. <i>Journal of Lipid Research</i> , 2016, 57, 1300-1307.	2.0	35
183	Physical activity, sedentary time, and risk of colorectal cancer: the Singapore Chinese Health Study. <i>European Journal of Cancer Prevention</i> , 2017, 26, 469-475.	0.6	35
184	Plasma fatty acids and risk of colon and rectal cancers in the Singapore Chinese Health Study. <i>Npj Precision Oncology</i> , 2017, 1, 38.	2.3	35
185	Green leafy and cruciferous vegetable consumption and risk of type 2 diabetes: results from the Singapore Chinese Health Study and meta-analysis. <i>British Journal of Nutrition</i> , 2018, 119, 1057-1067.	1.2	35
186	Composite dietary antioxidant index and the risk of colorectal cancer: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2022, 150, 1599-1608.	2.3	35
187	Tobacco smoke biomarkers and cancer risk among male smokers in the Shanghai Cohort Study. <i>Cancer Letters</i> , 2013, 334, 34-38.	3.2	34
188	Chronic disease and lifestyle factors associated with change in sleep duration among older adults in the Singapore Chinese Health Study. <i>Journal of Sleep Research</i> , 2016, 25, 57-61.	1.7	34
189	Dietary soy and increased risk of bladder cancer: A prospective cohort study of men in Shanghai, China. <i>International Journal of Cancer</i> , 2004, 112, 319-323.	2.3	33
190	Urinary Total Isothiocyanates and Colorectal Cancer: A Prospective Study of Men in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1354-1359.	1.1	33
191	Environmental Tobacco Smoke in Relation to Bladder Cancer Risk—The Shanghai Bladder Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3087-3095.	1.1	33
192	Lung Cancer Risk Prediction Using Common SNPs Located in GWAS-Identified Susceptibility Regions. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1538-1545.	0.5	33
193	Dietary fatty acids and risk of hepatocellular carcinoma in the Singapore Chinese health study. <i>Liver International</i> , 2016, 36, 893-901.	1.9	33
194	Serum Urate Levels and Consumption of Common Beverages and Alcohol Among Chinese in Singapore. <i>Arthritis Care and Research</i> , 2013, 65, 1432-1440.	1.5	32
195	Cigarette Smoking and the Risk of Incident Gout in a Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1135-1142.	1.5	32
196	Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779.	0.9	32
197	Hypertension, diuretics and antihypertensives in relation to bladder cancer. <i>Carcinogenesis</i> , 2010, 31, 1964-1971.	1.3	31
198	A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019, 28, 2615-2633.	1.4	31

#	ARTICLE	IF	CITATIONS
199	Genetic Association Between the COMT Genotype and Urinary Levels of Tea Polyphenols and Their Metabolites among Daily Green Tea Drinkers. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 114-123.	0.4	31
200	Breast cancer risk assessment using genetic variants and risk factors in a Singapore Chinese population. <i>Breast Cancer Research</i> , 2014, 16, R64.	2.2	30
201	Physical activity and risk of end-stage kidney disease in the Singapore Chinese Health Study. <i>Nephrology</i> , 2015, 20, 61-67.	0.7	30
202	Green Tea, Soy, and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3358-3365.	1.1	29
203	The Alternative Healthy Eating Index Is Associated with a Lower Risk of Fatal and Nonfatal Acute Myocardial Infarction in a Chinese Adult Population. <i>Journal of Nutrition</i> , 2016, 146, 1379-1386.	1.3	29
204	Association between Pre-Diagnostic Serum Bile Acids and Hepatocellular Carcinoma: The Singapore Chinese Health Study. <i>Cancers</i> , 2021, 13, 2648.	1.7	29
205	Morbidity and mortality in relation to smoking among women and men of Chinese ethnicity: The Singapore Chinese Health Study. <i>European Journal of Cancer</i> , 2008, 44, 100-109.	1.3	28
206	Genome-wide association study identifies a missense variant at APOA5 for coronary artery disease in Multi-Ethnic Cohorts from Southeast Asia. <i>Scientific Reports</i> , 2017, 7, 17921.	1.6	28
207	Tobacco Smoking and Urinary Levels of 2-Amino-9 <i>H</i> -Pyrido[2,3- <i>b</i>]Indole in Men of Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1554-1560.	1.1	27
208	Body mass index and risk of colorectal cancer in Chinese Singaporeans. <i>Cancer</i> , 2011, 117, 3841-3849.	2.0	27
209	Asthma and the risk of type 2 diabetes in the Singapore Chinese Health Study. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 192-199.	1.1	27
210	Prediagnostic Levels of Serum One-Carbon Metabolites and Risk of Hepatocellular Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1884-1893.	1.1	27
211	Dietary cholesterol, fats and risk of Parkinson's disease in the Singapore Chinese Health Study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, jnnp-2014-310065.	0.9	27
212	Reproductive factors, hormone use and gastric cancer risk: The Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2016, 138, 2837-2845.	2.3	27
213	Consumption of Red Meat, but Not Cooking Oils High in Polyunsaturated Fat, Is Associated with Higher Arachidonic Acid Status in Singapore Chinese Adults. <i>Nutrients</i> , 2017, 9, 101.	1.7	27
214	Serum Lipids in Association With Type 2 Diabetes Risk and Prevalence in a Chinese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 671-680.	1.8	27
215	Association between prediagnostic leukocyte telomere length and breast cancer risk: the Singapore Chinese Health Study. <i>Breast Cancer Research</i> , 2019, 21, 50.	2.2	27
216	Impact of Combined Lifestyle Factors on All-Cause and Cause-Specific Mortality and Life Expectancy in Chinese: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2193-2199.	1.7	27

#	ARTICLE	IF	CITATIONS
217	Prediagnostic levels of serum micronutrients in relation to risk of gastric cancer in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1772-80.	1.1	27
218	Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600.	1.1	27
219	Abundant Rodent Furan-Derived Urinary Metabolites Are Associated with Tobacco Smoke Exposure in Humans. <i>Chemical Research in Toxicology</i> , 2015, 28, 1508-1516.	1.7	26
220	Leukocyte telomere length in relation to risk of lung adenocarcinoma incidence: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2018, 142, 2234-2243.	2.3	26
221	Rice intake and risk of type 2 diabetes: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2019, 58, 3349-3360.	1.8	26
222	Association of Caucasian-Identified Variants with Colorectal Cancer Risk in Singapore Chinese. <i>PLoS ONE</i> , 2012, 7, e42407.	1.1	25
223	Urinary Levels of N-Nitroso Compounds in Relation to Risk of Gastric Cancer: Findings from the Shanghai Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0117326.	1.1	25
224	Bidirectional Association between Self-Reported Hypertension and Gout: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2015, 10, e0141749.	1.1	25
225	Tobacco-specific N-nitrosamines and polycyclic aromatic hydrocarbons in cigarettes smoked by the participants of the Shanghai Cohort Study. <i>International Journal of Cancer</i> , 2016, 139, 1261-1269.	2.3	25
226	Smoking and Risk of Kidney Failure in the Singapore Chinese Health Study. <i>PLoS ONE</i> , 2013, 8, e62962.	1.1	25
227	Plasma S-adenosylmethionine, DNMT polymorphisms, and peripheral blood LINE-1 methylation among healthy Chinese adults in Singapore. <i>BMC Cancer</i> , 2013, 13, 389.	1.1	24
228	The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. <i>Cancer Research</i> , 2014, 74, 5808-5818.	0.4	24
229	Linking pesticides and human health: A geographic information system (GIS) and Landsat remote sensing method to estimate agricultural pesticide exposure. <i>Applied Geography</i> , 2015, 62, 171-181.	1.7	24
230	2-Phenethyl Isothiocyanate, Glutathione S-transferase M1 and T1 Polymorphisms, and Detoxification of Volatile Organic Carcinogens and Toxicants in Tobacco Smoke. <i>Cancer Prevention Research</i> , 2016, 9, 598-606.	0.7	24
231	Dietary Intake of Antioxidant Vitamins and Carotenoids and Risk of Developing Active Tuberculosis in a Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2017, 186, 491-500.	1.6	24
232	Weight change in relation to mortality in middle-aged and elderly Chinese: the Singapore Chinese Health Study. <i>International Journal of Obesity</i> , 2019, 43, 1590-1600.	1.6	24
233	Demographic Characteristics of Hospitalized Patients With Alcoholic Liver Disease and Pancreatitis in Los Angeles County. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1798-1804.	1.4	23
234	BMI, All-Cause and Cause-Specific Mortality in Chinese Singaporean Men and Women: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2010, 5, e14000.	1.1	23

#	ARTICLE	IF	CITATIONS
235	Smoking cessation and mortality among middle-aged and elderly Chinese in Singapore: the Singapore Chinese Health Study. <i>Tobacco Control</i> , 2013, 22, 235-240.	1.8	23
236	Urinary Biomarkers of Catechins and Risk of Hepatocellular Carcinoma in the Shanghai Cohort Study. <i>American Journal of Epidemiology</i> , 2015, 181, 397-405.	1.6	23
237	Dietary Intake of One-Carbon Metabolism-Related Nutrients and Pancreatic Cancer Risk: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 417-424.	1.1	23
238	Dairy Food Intake Is Inversely Associated with Risk of Hypertension: The Singapore Chinese Health Study. <i>Journal of Nutrition</i> , 2017, 147, 235-241.	1.3	23
239	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	2.3	23
240	Association between leukocyte telomere length and the risk of pancreatic cancer: Findings from a prospective study. <i>PLoS ONE</i> , 2019, 14, e0221697.	1.1	23
241	Urinary Cotinine Is as Good a Biomarker as Serum Cotinine for Cigarette Smoking Exposure and Lung Cancer Risk Prediction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 127-132.	1.1	23
242	Dietary soy and increased risk of bladder cancer: the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 1674-7.	1.1	23
243	Comprehensive analyses of DNA repair pathways, smoking and bladder cancer risk in Los Angeles and Shanghai. <i>International Journal of Cancer</i> , 2014, 135, 335-347.	2.3	22
244	Circulating concentrations of biomarkers and metabolites related to vitamin status, one-carbon and the kynurenine pathways in US, Nordic, Asian, and Australian populations. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1314-1326.	2.2	22
245	Vasculature surrounding a nodule: A novel lung cancer biomarker. <i>Lung Cancer</i> , 2017, 114, 38-43.	0.9	22
246	Tea Drinking and Its Association with Active Tuberculosis Incidence among Middle-Aged and Elderly Adults: The Singapore Chinese Health Study. <i>Nutrients</i> , 2017, 9, 544.	1.7	22
247	A prospective evaluation of serum kynurenine metabolites and risk of pancreatic cancer. <i>PLoS ONE</i> , 2018, 13, e0196465.	1.1	22
248	Relationship of the oxidative damage biomarker 8-epi-prostaglandin F ₂ to risk of lung cancer development in the Shanghai Cohort Study. <i>Carcinogenesis</i> , 2018, 39, 948-954.	1.3	22
249	Dairy, soy, and calcium consumption and risk of cognitive impairment: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2020, 59, 1541-1552.	1.8	22
250	A prospective evaluation of serum methionine-related metabolites in relation to pancreatic cancer risk in two prospective cohort studies. <i>International Journal of Cancer</i> , 2020, 147, 1917-1927.	2.3	22
251	Contribution of a Blood-Based Protein Biomarker Panel to the Classification of Indeterminate Pulmonary Nodules. <i>Journal of Thoracic Oncology</i> , 2021, 16, 228-236.	0.5	22
252	One-carbon metabolism nutrient status and plasma S-adenosylmethionine concentrations in middle-aged and older Chinese in Singapore. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012, 3, 160-73.	0.4	22

#	ARTICLE	IF	CITATIONS
253	Dietary fiber intake modifies the association between secondhand smoke exposure and coronary heart disease mortality among Chinese non-smokers in Singapore. <i>Nutrition</i> , 2013, 29, 1304-1309.	1.1	21
254	Composite protective lifestyle factors and risk of developing gastric adenocarcinoma: the Singapore Chinese Health Study. <i>British Journal of Cancer</i> , 2017, 116, 679-687.	2.9	21
255	Consumption of Coffee but Not of Other Caffeine-Containing Beverages Reduces the Risk of End-Stage Renal Disease in the Singapore Chinese Health Study. <i>Journal of Nutrition</i> , 2018, 148, 1315-1322.	1.3	21
256	Coffee, tea, caffeine, and risk of nonmelanoma skin cancer in a Chinese population: The Singapore Chinese Health Study. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 395-402.	0.6	21
257	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405.	2.3	21
258	Dietary Antioxidants and Risk of Parkinson's Disease in the Singapore Chinese Health Study. <i>Movement Disorders</i> , 2020, 35, 1765-1773.	2.2	21
259	Chronic rhinosinusitis and risk of lung cancer in the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2008, 123, 1398-1402.	2.3	20
260	Coffee Intake and Risk of Colorectal Cancer Among Chinese in Singapore: The Singapore Chinese Health Study. <i>Nutrition and Cancer</i> , 2009, 62, 21-29.	0.9	20
261	Elevated 4-Aminobiphenyl and 2,6-Dimethylaniline Hemoglobin Adducts and Increased Risk of Bladder Cancer among Lifelong Nonsmokers—The Shanghai Bladder Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 937-945.	1.1	20
262	A Dietary Pattern Derived from Reduced Rank Regression and Fatty Acid Biomarkers Is Associated with Lower Risk of Type 2 Diabetes and Coronary Artery Disease in Chinese Adults. <i>Journal of Nutrition</i> , 2019, 149, 2001-2010.	1.3	20
263	Green Tea Catechin Extract Supplementation Does Not Influence Circulating Sex Hormones and Insulin-Like Growth Factor Axis Proteins in a Randomized Controlled Trial of Postmenopausal Women at High Risk of Breast Cancer. <i>Journal of Nutrition</i> , 2019, 149, 619-627.	1.3	20
264	Meat consumption in midlife and risk of cognitive impairment in old age: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2020, 59, 1729-1738.	1.8	20
265	Leukocyte telomere length, cancer incidence and all-cause mortality among Chinese adults: Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2021, 148, 352-362.	2.3	19
266	Retinol binding protein 4 and risk of type 2 diabetes in Singapore Chinese men and women: a nested case-control study. <i>Nutrition and Metabolism</i> , 2019, 16, 3.	1.3	18
267	Elevated Levels of Mercapturic Acids of Acrolein and Crotonaldehyde in the Urine of Chinese Women in Singapore Who Regularly Cook at Home. <i>PLoS ONE</i> , 2015, 10, e0120023.	1.1	17
268	Association Between Leukocyte Telomere Length and Plasma Homocysteine in a Singapore Chinese Population. <i>Rejuvenation Research</i> , 2015, 18, 203-210.	0.9	17
269	Interaction effects between Paraoxonase 1 variants and cigarette smoking on risk of coronary heart disease in a Singaporean Chinese population. <i>Atherosclerosis</i> , 2015, 240, 40-45.	0.4	17
270	Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125.	4.1	17

#	ARTICLE	IF	CITATIONS
271	Association between Dietary Tomato Intake and the Risk of Hepatocellular Carcinoma: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1430-1435.	1.1	17
272	Association Between Dietary Patterns in Midlife and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1279-1286.	1.2	17
273	Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314.	2.4	17
274	Chronic infection with hepatitis G virus in relation to hepatocellular carcinoma among non-Asians in Los Angeles County, California. , 1999, 86, 936-943.		16
275	Risk of Urinary Bladder Cancer Is Associated with 8q24 Variant rs9642880[T] in Multiple Racial/Ethnic Groups: Results from the Los Angelesâ€“Shanghai Caseâ€“Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3150-3156.	1.1	16
276	Genetic Variation in Peroxisome Proliferatorâ€“Activated Receptor Gamma, Soy, and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 635-644.	1.1	16
277	Cytochrome P4501A2 phenotype and bladder cancer risk: The Shanghai bladder cancer study. <i>International Journal of Cancer</i> , 2012, 130, 1174-1183.	2.3	16
278	Serum estrogen receptor bioactivity and breast cancer risk among postmenopausal women. <i>Endocrine-Related Cancer</i> , 2014, 21, 263-273.	1.6	16
279	Identification of epidermal growth factor receptor (EGFR) genetic variants that modify risk for head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2015, 357, 549-556.	3.2	16
280	Serum B6 vitamers (pyridoxal 5â€“phosphate, pyridoxal, and 4-pyridoxic acid) and pancreatic cancer risk: two nested caseâ€“control studies in Asian populations. <i>Cancer Causes and Control</i> , 2016, 27, 1447-1456.	0.8	16
281	Increased body mass index is a risk factor for end-stage renal disease in the Chinese Singapore population. <i>Kidney International</i> , 2017, 92, 979-987.	2.6	16
282	Coffee and tea drinking in relation to risk of hip fracture in the Singapore Chinese Health Study. <i>Bone</i> , 2018, 112, 51-57.	1.4	16
283	Association between inflammatory potential of diet and risk of lung cancer among smokers in a prospective study in Singapore. <i>European Journal of Nutrition</i> , 2019, 58, 2755-2766.	1.8	16
284	Association Between Dietary Intakes of B Vitamins in Midlife and Cognitive Impairment in Late-Life: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1222-1227.	1.7	16
285	Associations between tea and coffee beverage consumption and the risk of lung cancer in the Singaporean Chinese population. <i>European Journal of Nutrition</i> , 2020, 59, 3083-3091.	1.8	16
286	Effect of plasma polyunsaturated fatty acid levels on leukocyte telomere lengths in the Singaporean Chinese population. <i>Nutrition Journal</i> , 2020, 19, 119.	1.5	16
287	Plasma Vitamin E and Coenzyme Q10 Are Not Associated with a Lower Risk of Acute Myocardial Infarction in Singapore Chinese Adults., <i>Journal of Nutrition</i> , 2012, 142, 1046-1052.	1.3	15
288	Calcium intake is not related to breast cancer risk among Singapore Chinese women. <i>International Journal of Cancer</i> , 2013, 133, 680-686.	2.3	15

#	ARTICLE	IF	CITATIONS
289	Glycated Hemoglobin and All-Cause and Cause-Specific Mortality in Singaporean Chinese Without Diagnosed Diabetes: The Singapore Chinese Health Study. <i>Diabetes Care</i> , 2014, 37, 3180-3187.	4.3	15
290	Coffee Intake and Gastric Cancer Risk: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 638-647.	1.1	15
291	Soluble levels of <sc>CD</sc>27 and <sc>CD</sc>30 are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. <i>International Journal of Cancer</i> , 2015, 137, 2688-2695.	2.3	15
292	Diabetes mellitus and the risk of total knee replacement among Chinese in Singapore, the Singapore Chinese Health Study. <i>Scientific Reports</i> , 2017, 7, 40671.	1.6	15
293	Inhibition of Glycolysis in Prostate Cancer Chemoprevention by Phenethyl Isothiocyanate. <i>Cancer Prevention Research</i> , 2018, 11, 337-346.	0.7	15
294	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	0.9	15
295	Association Between Leukocyte Telomere Length and Colorectal Cancer Risk in the Singapore Chinese Health Study. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00043.	1.3	15
296	Low frequency variants associated with leukocyte telomere length in the Singapore Chinese population. <i>Communications Biology</i> , 2021, 4, 519.	2.0	15
297	Joint Effects of Known Type 2 Diabetes Susceptibility Loci in Genome-Wide Association Study of Singapore Chinese: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2014, 9, e87762.	1.1	15
298	Systematic Review of the Literature on Comparative Effectiveness of Antiviral Treatments for Chronic Hepatitis B Infection. <i>Journal of General Internal Medicine</i> , 2011, 26, 326-339.	1.3	14
299	Genetic variation in folypolyglutamate synthase and gamma-glutamyl hydrolase and plasma homocysteine levels in the Singapore Chinese Health Study. <i>Molecular Genetics and Metabolism</i> , 2012, 105, 73-78.	0.5	14
300	Genetic polymorphisms of epidermal growth factor in relation to risk of hepatocellular carcinoma: two case-control studies. <i>BMC Gastroenterology</i> , 2013, 13, 32.	0.8	14
301	Genetic Variation in Transforming Growth Factor Beta 1 and Mammographic Density in Singapore Chinese Women. <i>Cancer Research</i> , 2013, 73, 1876-1882.	0.4	14
302	Plasma ferritin, C-reactive protein, and risk of incident type 2 diabetes in Singapore Chinese men and women. <i>Diabetes Research and Clinical Practice</i> , 2017, 128, 109-118.	1.1	14
303	The association between dairy product intake and cardiovascular disease mortality in Chinese adults. <i>European Journal of Nutrition</i> , 2017, 56, 2343-2352.	1.8	14
304	Combined effects of MDM2 SNP309 and TP53 R72P polymorphisms, and soy isoflavones on breast cancer risk among Chinese women in Singapore. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 1011-1019.	1.1	13
305	Diabetes and risk of bladder cancer among postmenopausal women in the Iowa women's health study. <i>Cancer Causes and Control</i> , 2013, 24, 603-608.	0.8	13
306	Body Mass Index and Risk of Pancreatic Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e85149.	1.1	13

#	ARTICLE	IF	CITATIONS
307	Serum biomarkers of polyomavirus infection and risk of lung cancer in never smokers. <i>British Journal of Cancer</i> , 2016, 115, 1131-1139.	2.9	13
308	Sleep lengthening in late adulthood signals increased risk of mortality. <i>Sleep</i> , 2018, 41, .	0.6	13
309	Long-term incense use and the risk of end-stage renal disease among Chinese in Singapore: the Singapore Chinese health study. <i>BMC Nephrology</i> , 2019, 20, 9.	0.8	13
310	Composite Score of Healthy Lifestyle Factors and Risk of Hepatocellular Carcinoma: Findings from a Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 380-387.	1.1	13
311	Quality diet indexes and risk of hepatocellular carcinoma: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2021, 148, 2102-2114.	2.3	13
312	Sequence Variant on 3q28 and Urinary Bladder Cancer Risk: Findings from the Los Angeles-Shanghai Bladder Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3057-3061.	1.1	12
313	Aromatase (<i>CYP19</i>) promoter gene polymorphism and risk of nonviral hepatitis-related hepatocellular carcinoma. <i>Cancer</i> , 2011, 117, 3383-3392.	2.0	12
314	Delineation of body mass index trajectory predicting lowest risk of mortality in U.S. men using generalized additive mixed model. <i>Annals of Epidemiology</i> , 2016, 26, 698-703.e2.	0.9	12
315	C-reactive protein and serum creatinine, but not haemoglobin A1c, are independent predictors of coronary heart disease risk in non-diabetic Chinese. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1339-1349.	0.8	12
316	Plasma ω -3 Linolenic and Long-Chain ω -3 Fatty Acids Are Associated with a Lower Risk of Acute Myocardial Infarction in Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2016, 146, 275-282.	1.3	12
317	Impaired functional vitamin B6 status is associated with increased risk of lung cancer. <i>International Journal of Cancer</i> , 2018, 142, 2425-2434.	2.3	12
318	Genome-wide association study identified copy number variants associated with sporadic colorectal cancer risk. <i>Journal of Medical Genetics</i> , 2018, 55, 181-188.	1.5	12
319	Prediagnostic levels of urinary 8-epi-prostaglandin F _{2t} and prostaglandin E ₂ metabolite, biomarkers of oxidative damage and inflammation, and risk of hepatocellular carcinoma. <i>Carcinogenesis</i> , 2019, 40, 989-997.	1.3	12
320	Association of <i>G6PD</i> variants with hemoglobin A1c and impact on diabetes diagnosis in East Asian individuals. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001091.	1.2	12
321	Prospective associations between change in sleep duration and cognitive impairment: Findings from the Singapore Chinese Health Study. <i>Journal of Affective Disorders</i> , 2021, 281, 125-130.	2.0	12
322	Association Between Combined Lifestyle Factors and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1796-1805.	1.7	12
323	Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334,935 men. <i>International Journal of Epidemiology</i> , 2021, 50, 975-986.	0.9	12
324	Management of chronic hepatitis B. Evidence Report/technology Assessment, 2008, , 1-671.	1.3	12

#	ARTICLE	IF	CITATIONS
325	Systolic blood pressure and cardiovascular mortality in middle-aged and elderly adults â€” The Singapore Chinese Health Study. <i>International Journal of Cardiology</i> , 2016, 219, 404-409.	0.8	11
326	Role of survivor bias in pancreatic cancer case-control studies. <i>Annals of Epidemiology</i> , 2016, 26, 50-56.	0.9	11
327	Utility of genetic and non-genetic risk factors in predicting coronary heart disease in Singaporean Chinese. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 153-160.	0.8	11
328	Gene-diet interaction effects on BMI levels in the Singapore Chinese population. <i>Nutrition Journal</i> , 2018, 17, 31.	1.5	11
329	Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867.	1.1	11
330	Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019, 9, e026225.	0.8	11
331	Sleep duration and risk of end-stage renal disease: the Singapore Chinese Health Study. <i>Sleep Medicine</i> , 2019, 54, 22-27.	0.8	11
332	Midlife Dietary Intakes of Monounsaturated Acids, nâ€“6 Polyunsaturated Acids, and Plant-Based Fat Are Inversely Associated with Risk of Cognitive Impairment in Older Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2020, 150, 901-909.	1.3	11
333	Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. <i>International Journal of Epidemiology</i> , 2022, 50, 2070-2081.	0.9	11
334	NAFLD polygenic risk score and risk of hepatocellular carcinoma in an East Asian population. <i>Hepatology Communications</i> , 2022, 6, 2310-2321.	2.0	11
335	Serum free estradiol and estrogen receptor- β mediated activity are related to decreased incident hip fractures in older women. <i>Bone</i> , 2012, 50, 1311-1316.	1.4	10
336	Knowledge and Behaviors Toward Hepatitis B and the Hepatitis B Vaccine in the Laotian Community in Minnesota. <i>Journal of Immigrant and Minority Health</i> , 2013, 15, 771-778.	0.8	10
337	Ambient ultraviolet radiation exposure and hepatocellular carcinoma incidence in the United States. <i>Environmental Health</i> , 2017, 16, 89.	1.7	10
338	Duration of physical activity, sitting, sleep and the risk of total knee replacement among Chinese in Singapore, the Singapore Chinese Health Study. <i>PLoS ONE</i> , 2018, 13, e0202554.	1.1	10
339	Smoking, life expectancy, and chronic disease in South Korea, Singapore, and the United States: A microsimulation model. <i>Health Economics (United Kingdom)</i> , 2021, 30, 92-104.	0.8	10
340	Effects of 2-Phenethyl Isothiocyanate on Metabolism of 1,3-Butadiene in Smokers. <i>Cancer Prevention Research</i> , 2020, 13, 91-100.	0.7	10
341	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	2.3	10
342	Serum Biomarkers of Iron Status and Risk of Hepatocellular Carcinoma Development in Patients with Nonalcoholic Fatty Liver Disease. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 230-235.	1.1	10

#	ARTICLE	IF	CITATIONS
343	Hormonal factors in association with lung cancer among Asian women: A pooled analysis from the International Lung Cancer Consortium. <i>International Journal of Cancer</i> , 2021, 148, 2241-2254.	2.3	9
344	Epidemiology of 40 blood biomarkers of one-carbon metabolism, vitamin status, inflammation, and renal and endothelial function among cancer-free older adults. <i>Scientific Reports</i> , 2021, 11, 13805.	1.6	9
345	Quality Diet Index and Risk of Pancreatic Cancer: Findings from the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2068-2078.	1.1	9
346	Healthful dietary patterns and risk of end-stage kidney disease: the Singapore Chinese Health Study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 675-683.	2.2	9
347	Overlap of high-risk individuals predicted by family history, and genetic and non-genetic breast cancer risk prediction models: implications for risk stratification. <i>BMC Medicine</i> , 2022, 20, 150.	2.3	9
348	Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022, 5, e2214181.	2.8	9
349	Fried meat intake is a risk factor for lung adenocarcinoma in a prospective cohort of Chinese men and women in Singapore. <i>Carcinogenesis</i> , 2013, 34, 1794-1799.	1.3	8
350	Telomere length and risk of developing gastric adenocarcinoma: The Singapore Chinese Health Study. <i>Gastric Cancer</i> , 2018, 21, 598-605.	2.7	8
351	Soy and tea intake on cervical cancer risk: the Singapore Chinese Health Study. <i>Cancer Causes and Control</i> , 2019, 30, 847-857.	0.8	8
352	Pulse Pressure and the Risk of End-stage Renal Disease Among Chinese Adults in Singapore: The Singapore Chinese Health Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013282.	1.6	8
353	Asthma, Sinonasal Disease, and the Risk of Active Tuberculosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 641-648.e1.	2.0	8
354	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849.	2.3	8
355	ABO genotypes and the risk of esophageal and gastric cancers. <i>BMC Cancer</i> , 2021, 21, 589.	1.1	8
356	Nasopharyngeal Cancer. , 2006, , 620-626.		8
357	Serum IL27 in Relation to Risk of Hepatocellular Carcinoma in Two Nested Case-Control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 388-395.	1.1	8
358	Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203.	0.9	8
359	Beta-Cryptoxanthin and Lung Cancer in Shanghai, China: An Examination of Potential Confounding with Cigarette Smoking Using Urinary Cotinine as a Biomarker for True Tobacco Exposure. <i>Nutrition and Cancer</i> , 2007, 57, 123-129.	0.9	7
360	Comparisons of risk prediction methods using nested case-control data. <i>Statistics in Medicine</i> , 2017, 36, 455-465.	0.8	7

#	ARTICLE	IF	CITATIONS
361	Occupational exposure to endocrine disrupting substances and the risk of breast Cancer: the Singapore Chinese health study. <i>BMC Public Health</i> , 2018, 18, 929.	1.2	7
362	Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335.	1.8	7
363	Integration of multiomic annotation data to prioritize and characterize inflammation and immune-related risk variants in squamous cell lung cancer. <i>Genetic Epidemiology</i> , 2021, 45, 99-114.	0.6	7
364	The association between dietary vitamin B12 and lung cancer risk: findings from a prospective cohort study. <i>European Journal of Cancer Prevention</i> , 2021, 30, 275-281.	0.6	7
365	Differential association for <i>N</i> -acetyltransferase 2 genotype and phenotype with bladder cancer risk in Chinese population. <i>Oncotarget</i> , 2016, 7, 40012-40024.	0.8	7
366	A pilot study of an alcoholic liver disease recurrence prevention education program in hospitalized patients with advanced liver disease. <i>Addictive Behaviors</i> , 2005, 30, 465-473.	1.7	6
367	Location matters in early stage nodal diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2019, 60, 250-253.	0.6	6
368	Glycated Hemoglobin and Incident Type 2 Diabetes in Singaporean Chinese Adults: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2015, 10, e0119884.	1.1	6
369	Liquid Chromatography-Electrospray Ionization-Tandem Mass Spectrometry Quantitation of Urinary [Pyridine-D4]4-hydroxy-4-(3-pyridyl)butanoic Acid, a Biomarker of 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone Metabolic Activation in Smokers. <i>Chemical Research in Toxicology</i> , 2014, 27, 1547-1555.	1.7	5
370	Fish and marine fatty acids intakes, the <i>FADS</i> genotypes and long-term weight gain: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e022877.	0.8	5
371	Systematic analyses of regulatory variants in DNase I hypersensitive sites identified two novel lung cancer susceptibility loci. <i>Carcinogenesis</i> , 2019, 40, 432-440.	1.3	5
372	Aflatoxin biomarkers. <i>Lancet</i> , The, 1992, 340, 119.	6.3	4
373	Reply to Kawada letter to editor about "Dairy intake and risk of type 2 diabetes". <i>Clinical Nutrition</i> , 2017, 36, 1738.	2.3	4
374	HMGB1 Promotes Myeloid Egress and Limits Lymphatic Clearance of Malignant Pleural Effusions. <i>Frontiers in Immunology</i> , 2020, 11, 2027.	2.2	4
375	Midlife Leukocyte Telomere Length as an Indicator for Handgrip Strength in Late Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 172-175.	1.7	4
376	The association of genetically determined serum glycine with cardiovascular risk in East Asians. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1840-1844.	1.1	4
377	Reply to A Astrup. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 558-559.	2.2	3
378	Hormone Metabolism Genes and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 984-986.	1.1	3

#	ARTICLE	IF	CITATIONS
379	Interaction between a haptoglobin genetic variant and coronary artery disease (CAD) risk factors on CAD severity in Singaporean Chinese population. <i>Molecular Genetics & Genomic Medicine</i> , 2020, 8, e1450.	0.6	3
380	The impact of diabetes on the association between alcohol intake and the risk of end-stage kidney disease in the Singapore Chinese Health Study. <i>Journal of Diabetes</i> , 2020, 12, 583-593.	0.8	3
381	Polygenic Risk Scores in a Prospective Parkinson's Disease Cohort. <i>Movement Disorders</i> , 2021, 36, 2936.	2.2	3
382	Endometrial cancer risk factors in singapore chinese: A prospective cohort study. <i>Annals of Epidemiology</i> , 2022, , .	0.9	3
383	Interaction between cigarette smoking and genetic polymorphisms on the associations with age of natural menopause and reproductive lifespan: the Singapore Chinese Health Study. <i>Human Reproduction</i> , 2022, 37, 1351-1359.	0.4	3
384	The Association between Serum Serine and Glycine and Related-Metabolites with Pancreatic Cancer in a Prospective Cohort Study. <i>Cancers</i> , 2022, 14, 2199.	1.7	3
385	Dietary Nonstarch Polysaccharide Intake and Risk of Colorectal Cancer: Findings from the Singapore Chinese Health Study. <i>Cancer Research Communications</i> , 2022, 2, 1304-1311.	0.7	3
386	RESPONSE: Re: Diabetes Mellitus and Risk of Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of the National Cancer Institute</i> , 2006, 98, 1019-1020.	3.0	2
387	The Impact of Gender Differences in Attitudes and Beliefs Concerning HBV Vaccination and Screening in the Lao Community. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 277-281.	0.8	2
388	Determinants of prolactin in postmenopausal Chinese women in Singapore. <i>Cancer Causes and Control</i> , 2018, 29, 51-62.	0.8	2
389	Composite Score of Healthy Lifestyle Factors and the Risk of Pancreatic Cancer in a Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2022, 15, 29-36.	0.7	2
390	Interaction Between Peroxisome Proliferator Activated Receptor γ and Epithelial Membrane Protein 2 Polymorphisms Influences HDL-C Levels in the Chinese Population. <i>Annals of Human Genetics</i> , 2016, 80, 282-293.	0.3	1
391	Diet, Secondhand Smoke, and Glycated Hemoglobin (HbA1c) Levels among Singapore Chinese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5148.	1.2	1
392	Cruciferous vegetables in relation to renal cell carcinoma. , 1998, 77, 211.		1
393	Cruciferous vegetables in relation to renal cell carcinoma. , 1998, 77, 211.		1
394	Genetic associations with healthy ageing among Chinese adults. , 2022, 8, .		1
395	Reponse to the association between diabetes mellitus and cirrhosis mortality. <i>Liver International</i> , 2017, 37, 467-467.	1.9	0
396	Reply to High hepatocellular carcinoma risk among US-born Hispanics. <i>Cancer</i> , 2017, 123, 358-359.	2.0	0

#	ARTICLE	IF	CITATIONS
397	THE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 1572-1573.	1.6	0
398	Abstract 756: The association between serum serine and glycine and related-metabolites with pancreatic cancer in two prospective cohort studies. , 2021, , .		0
399	Seafood and Myocardial Infarction in China. , 2003, , .		0
400	Caffeine, coffee and tea in relation to risk of hip fracture in The Singapore Chinese Health Study. FASEB Journal, 2015, 29, 392.8.	0.2	0
401	Green Tea Extract Supplementation Modifies Circulating Lipids in Postmenopausal Women: A Randomized, Placeboâ€Controlled Clinical Trial. FASEB Journal, 2016, 30, 289.3.	0.2	0
402	Educational Gradients in Disability among Asiaâ€™s Future Elderly: Projections for the Republic of Korea and Singapore. Asian Development Review, 2022, 39, 51-89.	0.8	0