

Jian-Min Yuan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4607533/publications.pdf>

Version: 2024-02-01

402
papers

23,300
citations

7087

78
h-index

14197

128
g-index

406
all docs

406
docs citations

406
times ranked

30088
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Reduction in total and major cause-specific mortality from tobacco smoking cessation: a pooled analysis of 16 population-based cohort studies in Asia. <i>International Journal of Epidemiology</i> , 2022, 50, 2070-2081. | 0.9 | 11 |
| 2 | Coffee and tea consumption and mortality from all causes, cardiovascular disease and cancer: a pooled analysis of prospective studies from the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 626-640. | 0.9 | 37 |
| 3 | Composite Score of Healthy Lifestyle Factors and the Risk of Pancreatic Cancer in a Prospective Cohort Study. <i>Cancer Prevention Research</i> , 2022, 15, 29-36. | 0.7 | 2 |
| 4 | Serum Biomarkers of Iron Status and Risk of Hepatocellular Carcinoma Development in Patients with Nonalcoholic Fatty Liver Disease. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 230-235. | 1.1 | 10 |
| 5 | Composite dietary antioxidant index and the risk of colorectal cancer: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2022, 150, 1599-1608. | 2.3 | 35 |
| 6 | Body Mass Index and Thyroid Cancer Risk: A Pooled Analysis of Half a Million Men and Women in the Asia Cohort Consortium. <i>Thyroid</i> , 2022, 32, 306-314. | 2.4 | 17 |
| 7 | Association between body mass index and oesophageal cancer mortality: a pooled analysis of prospective cohort studies with >800,000 individuals in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2022, 51, 1190-1203. | 0.9 | 8 |
| 8 | Educational Gradients in Disability among Asia's Future Elderly: Projections for the Republic of Korea and Singapore. <i>Asian Development Review</i> , 2022, 39, 51-89. | 0.8 | 0 |
| 9 | Polygenic risk scores for prediction of breast cancer risk in Asian populations. <i>Genetics in Medicine</i> , 2022, 24, 586-600. | 1.1 | 27 |
| 10 | Endometrial cancer risk factors in singapore chinese: A prospective cohort study. <i>Annals of Epidemiology</i> , 2022, , . | 0.9 | 3 |
| 11 | Interaction between cigarette smoking and genetic polymorphisms on the associations with age of natural menopause and reproductive lifespan: the Singapore Chinese Health Study. <i>Human Reproduction</i> , 2022, 37, 1351-1359. | 0.4 | 3 |
| 12 | Overlap of high-risk individuals predicted by family history, and genetic and non-genetic breast cancer risk prediction models: implications for risk stratification. <i>BMC Medicine</i> , 2022, 20, 150. | 2.3 | 9 |
| 13 | The Association between Serum Serine and Glycine and Related-Metabolites with Pancreatic Cancer in a Prospective Cohort Study. <i>Cancers</i> , 2022, 14, 2199. | 1.7 | 3 |
| 14 | Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572. | 9.4 | 250 |
| 15 | NAFLD polygenic risk score and risk of hepatocellular carcinoma in an East Asian population. <i>Hepatology Communications</i> , 2022, 6, 2310-2321. | 2.0 | 11 |
| 16 | Genetic associations with healthy ageing among Chinese adults. , 2022, 8, . | | 1 |
| 17 | Association of Marital Status With Total and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2022, 5, e2214181. | 2.8 | 9 |
| 18 | Dietary Nonstarch Polysaccharide Intake and Risk of Colorectal Cancer: Findings from the Singapore Chinese Health Study. <i>Cancer Research Communications</i> , 2022, 2, 1304-1311. | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Smoking, life expectancy, and chronic disease in South Korea, Singapore, and the United States: A microsimulation model. <i>Health Economics (United Kingdom)</i> , 2021, 30, 92-104. | 0.8 | 10 |
| 20 | Quantifying the association of low-intensity and late initiation of tobacco smoking with total and cause-specific mortality in Asia. <i>Tobacco Control</i> , 2021, 30, 328-335. | 1.8 | 7 |
| 21 | Leukocyte telomere length, cancer incidence and all-cause mortality among Chinese adults: Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2021, 148, 352-362. | 2.3 | 19 |
| 22 | Midlife Leukocyte Telomere Length as an Indicator for Handgrip Strength in Late Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 172-175. | 1.7 | 4 |
| 23 | Integration of multiomic annotation data to prioritize and characterize inflammation and immune-related risk variants in squamous cell lung cancer. <i>Genetic Epidemiology</i> , 2021, 45, 99-114. | 0.6 | 7 |
| 24 | Association Between Dietary Patterns in Midlife and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1279-1286. | 1.2 | 17 |
| 25 | Hormonal factors in association with lung cancer among Asian women: A pooled analysis from the International Lung Cancer Consortium. <i>International Journal of Cancer</i> , 2021, 148, 2241-2254. | 2.3 | 9 |
| 26 | Prospective associations between change in sleep duration and cognitive impairment: Findings from the Singapore Chinese Health Study. <i>Journal of Affective Disorders</i> , 2021, 281, 125-130. | 2.0 | 12 |
| 27 | Contribution of a Blood-Based Protein Biomarker Panel to the Classification of Indeterminate Pulmonary Nodules. <i>Journal of Thoracic Oncology</i> , 2021, 16, 228-236. | 0.5 | 22 |
| 28 | Composite Score of Healthy Lifestyle Factors and Risk of Hepatocellular Carcinoma: Findings from a Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 380-387. | 1.1 | 13 |
| 29 | Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470. | 2.3 | 10 |
| 30 | Quality diet indexes and risk of hepatocellular carcinoma: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2021, 148, 2102-2114. | 2.3 | 13 |
| 31 | Association Between Combined Lifestyle Factors and Healthy Ageing in Chinese Adults: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1796-1805. | 1.7 | 12 |
| 32 | The association between dietary vitamin B12 and lung cancer risk: findings from a prospective cohort study. <i>European Journal of Cancer Prevention</i> , 2021, 30, 275-281. | 0.6 | 7 |
| 33 | Smoking and nasopharyngeal cancer: individual data meta-analysis of six prospective studies on 334,935 men. <i>International Journal of Epidemiology</i> , 2021, 50, 975-986. | 0.9 | 12 |
| 34 | Low frequency variants associated with leukocyte telomere length in the Singapore Chinese population. <i>Communications Biology</i> , 2021, 4, 519. | 2.0 | 15 |
| 35 | ABO genotypes and the risk of esophageal and gastric cancers. <i>BMC Cancer</i> , 2021, 21, 589. | 1.1 | 8 |
| 36 | Association between Pre-Diagnostic Serum Bile Acids and Hepatocellular Carcinoma: The Singapore Chinese Health Study. <i>Cancers</i> , 2021, 13, 2648. | 1.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | The association of genetically determined serum glycine with cardiovascular risk in East Asians. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1840-1844. | 1.1 | 4 |
| 38 | Epidemiology of 40 blood biomarkers of one-carbon metabolism, vitamin status, inflammation, and renal and endothelial function among cancer-free older adults. <i>Scientific Reports</i> , 2021, 11, 13805. | 1.6 | 9 |
| 39 | Abstract 756: The association between serum serine and glycine and related-metabolites with pancreatic cancer in two prospective cohort studies. , 2021, , . | | 0 |
| 40 | Polygenic Risk Scores in a Prospective Parkinson's Disease Cohort. <i>Movement Disorders</i> , 2021, 36, 2936. | 2.2 | 3 |
| 41 | Quality Diet Index and Risk of Pancreatic Cancer: Findings from the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2068-2078. | 1.1 | 9 |
| 42 | Association of Sleep Duration With All- and Major-Cause Mortality Among Adults in Japan, China, Singapore, and Korea. <i>JAMA Network Open</i> , 2021, 4, e2122837. | 2.8 | 58 |
| 43 | Healthful dietary patterns and risk of end-stage kidney disease: the Singapore Chinese Health Study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 675-683. | 2.2 | 9 |
| 44 | Serum IL27 in Relation to Risk of Hepatocellular Carcinoma in Two Nested Caseâ€“Control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 388-395. | 1.1 | 8 |
| 45 | The power of genetic diversity in genome-wide association studies of lipids. <i>Nature</i> , 2021, 600, 675-679. | 13.7 | 353 |
| 46 | Association Between Dietary Intakes of B Vitamins in Midlife and Cognitive Impairment in Late-Life: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1222-1227. | 1.7 | 16 |
| 47 | Meat consumption in midlife and risk of cognitive impairment in old age: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2020, 59, 1729-1738. | 1.8 | 20 |
| 48 | Dairy, soy, and calcium consumption and risk of cognitive impairment: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2020, 59, 1541-1552. | 1.8 | 22 |
| 49 | Prediagnostic blood levels of organochlorines and risk of nonâ€“Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849. | 2.3 | 8 |
| 50 | Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405. | 2.3 | 21 |
| 51 | Midlife Dietary Intakes of Monounsaturated Acids, nâ€“6 Polyunsaturated Acids, and Plant-Based Fat Are Inversely Associated with Risk of Cognitive Impairment in Older Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2020, 150, 901-909. | 1.3 | 11 |
| 52 | Associations between tea and coffee beverage consumption and the risk of lung cancer in the Singaporean Chinese population. <i>European Journal of Nutrition</i> , 2020, 59, 3083-3091. | 1.8 | 16 |
| 53 | Impact of Combined Lifestyle Factors on All-Cause and Cause-Specific Mortality and Life Expectancy in Chinese: The Singapore Chinese Health Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 2193-2199. | 1.7 | 27 |
| 54 | HMGB1 Promotes Myeloid Egress and Limits Lymphatic Clearance of Malignant Pleural Effusions. <i>Frontiers in Immunology</i> , 2020, 11, 2027. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Interaction between a haptoglobin genetic variant and coronary artery disease (CAD) risk factors on CAD severity in Singaporean Chinese population. <i>Molecular Genetics & Genomic Medicine</i> , 2020, 8, e1450. | 0.6 | 3 |
| 56 | Effect of plasma polyunsaturated fatty acid levels on leukocyte telomere lengths in the Singaporean Chinese population. <i>Nutrition Journal</i> , 2020, 19, 119. | 1.5 | 16 |
| 57 | Gene-educational attainment interactions in a multi-ancestry genome-wide meta-analysis identify novel blood pressure loci. <i>Molecular Psychiatry</i> , 2020, 26, 2111-2125. | 4.1 | 17 |
| 58 | Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245. | 13.7 | 282 |
| 59 | Effects of 2-Phenethyl Isothiocyanate on Metabolism of 1,3-Butadiene in Smokers. <i>Cancer Prevention Research</i> , 2020, 13, 91-100. | 0.7 | 10 |
| 60 | The impact of diabetes on the association between alcohol intake and the risk of end-stage kidney disease in the Singapore Chinese Health Study. <i>Journal of Diabetes</i> , 2020, 12, 583-593. | 0.8 | 3 |
| 61 | Dietary Antioxidants and Risk of Parkinson's Disease in the Singapore Chinese Health Study. <i>Movement Disorders</i> , 2020, 35, 1765-1773. | 2.2 | 21 |
| 62 | Reproductive and hormonal factors and risk of cognitive impairment among Singapore Chinese women. <i>American Journal of Obstetrics and Gynecology</i> , 2020, 223, 410.e1-410.e23. | 0.7 | 37 |
| 63 | Genetic risk, adherence to a healthy lifestyle, and type 2 diabetes risk among 550,000 Chinese adults: results from 2 independent Asian cohorts. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 698-707. | 2.2 | 38 |
| 64 | A prospective evaluation of serum methionine-related metabolites in relation to pancreatic cancer risk in two prospective cohort studies. <i>International Journal of Cancer</i> , 2020, 147, 1917-1927. | 2.3 | 22 |
| 65 | Association of <i>G6PD</i> variants with hemoglobin A1c and impact on diabetes diagnosis in East Asian individuals. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001091. | 1.2 | 12 |
| 66 | Association between Dietary Tomato Intake and the Risk of Hepatocellular Carcinoma: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1430-1435. | 1.1 | 17 |
| 67 | Urinary Cotinine Is as Good a Biomarker as Serum Cotinine for Cigarette Smoking Exposure and Lung Cancer Risk Prediction. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 127-132. | 1.1 | 23 |
| 68 | Location matters in early stage nodal diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2019, 60, 250-253. | 0.6 | 6 |
| 69 | A Dietary Pattern Derived from Reduced Rank Regression and Fatty Acid Biomarkers Is Associated with Lower Risk of Type 2 Diabetes and Coronary Artery Disease in Chinese Adults. <i>Journal of Nutrition</i> , 2019, 149, 2001-2010. | 1.3 | 20 |
| 70 | Green Tea Catechin Extract Supplementation Does Not Influence Circulating Sex Hormones and Insulin-Like Growth Factor Axis Proteins in a Randomized Controlled Trial of Postmenopausal Women at High Risk of Breast Cancer. <i>Journal of Nutrition</i> , 2019, 149, 619-627. | 1.3 | 20 |
| 71 | Associations of autozygosity with a broad range of human phenotypes. <i>Nature Communications</i> , 2019, 10, 4957. | 5.8 | 84 |
| 72 | Association between leukocyte telomere length and the risk of pancreatic cancer: Findings from a prospective study. <i>PLoS ONE</i> , 2019, 14, e0221697. | 1.1 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Association of BMI, Smoking, and Alcohol with Multiple Myeloma Mortality in Asians: A Pooled Analysis of More than 800,000 Participants in the Asia Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1861-1867. | 1.1 | 11 |
| 74 | Multiancestry Genome-Wide Association Study of Lipid Levels Incorporating Gene-Alcohol Interactions. <i>American Journal of Epidemiology</i> , 2019, 188, 1033-1054. | 1.6 | 85 |
| 75 | Multi-ancestry study of blood lipid levels identifies four loci interacting with physical activity. <i>Nature Communications</i> , 2019, 10, 376. | 5.8 | 64 |
| 76 | Retinol binding protein 4 and risk of type 2 diabetes in Singapore Chinese men and women: a nested case-control study. <i>Nutrition and Metabolism</i> , 2019, 16, 3. | 1.3 | 18 |
| 77 | Maternal Obesity, Birth Size, and Risk of Childhood Cancer Development. <i>American Journal of Epidemiology</i> , 2019, 188, 1503-1511. | 1.6 | 38 |
| 78 | Coffee, tea, caffeine, and risk of nonmelanoma skin cancer in a Chinese population: The Singapore Chinese Health Study. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 395-402. | 0.6 | 21 |
| 79 | Loci for human leukocyte telomere length in the Singaporean Chinese population and trans-ethnic genetic studies. <i>Nature Communications</i> , 2019, 10, 2491. | 5.8 | 64 |
| 80 | Smoking, Alcohol, and Biliary Tract Cancer Risk: A Pooling Project of 26 Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1263-1278. | 3.0 | 60 |
| 81 | Soy and tea intake on cervical cancer risk: the Singapore Chinese Health Study. <i>Cancer Causes and Control</i> , 2019, 30, 847-857. | 0.8 | 8 |
| 82 | Association of Diabetes With All-Cause and Cause-Specific Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e192696. | 2.8 | 103 |
| 83 | Association between prediagnostic leukocyte telomere length and breast cancer risk: the Singapore Chinese Health Study. <i>Breast Cancer Research</i> , 2019, 21, 50. | 2.2 | 27 |
| 84 | Adherence to the Mediterranean diet and risk of stroke and stroke subtypes. <i>European Journal of Epidemiology</i> , 2019, 34, 337-349. | 2.5 | 42 |
| 85 | Tobacco Smoking and Mortality in Asia. <i>JAMA Network Open</i> , 2019, 2, e191474. | 2.8 | 102 |
| 86 | Biomarkers of Dietary Omega-6 Fatty Acids and Incident Cardiovascular Disease and Mortality. <i>Circulation</i> , 2019, 139, 2422-2436. | 1.6 | 199 |
| 87 | A multi-ancestry genome-wide study incorporating gene-smoking interactions identifies multiple new loci for pulse pressure and mean arterial pressure. <i>Human Molecular Genetics</i> , 2019, 28, 2615-2633. | 1.4 | 31 |
| 88 | Multi-ancestry genome-wide gene-smoking interaction study of 387,272 individuals identifies new loci associated with serum lipids. <i>Nature Genetics</i> , 2019, 51, 636-648. | 9.4 | 112 |
| 89 | Association between educational level and total and cause-specific mortality: a pooled analysis of over 694 000 individuals in the Asia Cohort Consortium. <i>BMJ Open</i> , 2019, 9, e026225. | 0.8 | 11 |
| 90 | Fish and marine fatty acids intakes, the <i>FADS</i> genotypes and long-term weight gain: a prospective cohort study. <i>BMJ Open</i> , 2019, 9, e022877. | 0.8 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Pulse Pressure and the Risk of End-Stage Renal Disease Among Chinese Adults in Singapore: The Singapore Chinese Health Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013282. | 1.6 | 8 |
| 92 | Diet, Secondhand Smoke, and Glycated Hemoglobin (HbA1c) Levels among Singapore Chinese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 5148. | 1.2 | 1 |
| 93 | Association Between Leukocyte Telomere Length and Colorectal Cancer Risk in the Singapore Chinese Health Study. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00043. | 1.3 | 15 |
| 94 | Sleep duration and risk of end-stage renal disease: the Singapore Chinese Health Study. <i>Sleep Medicine</i> , 2019, 54, 22-27. | 0.8 | 11 |
| 95 | Weight change in relation to mortality in middle-aged and elderly Chinese: the Singapore Chinese Health Study. <i>International Journal of Obesity</i> , 2019, 43, 1590-1600. | 1.6 | 24 |
| 96 | Systematic analyses of regulatory variants in DNase I hypersensitive sites identified two novel lung cancer susceptibility loci. <i>Carcinogenesis</i> , 2019, 40, 432-440. | 1.3 | 5 |
| 97 | Prediagnostic levels of urinary 8-epi-prostaglandin F _{2t} and prostaglandin E ₂ metabolite, biomarkers of oxidative damage and inflammation, and risk of hepatocellular carcinoma. <i>Carcinogenesis</i> , 2019, 40, 989-997. | 1.3 | 12 |
| 98 | Serum Amino Acids in Association with Prevalent and Incident Type 2 Diabetes in A Chinese Population. <i>Metabolites</i> , 2019, 9, 14. | 1.3 | 40 |
| 99 | Long-term incense use and the risk of end-stage renal disease among Chinese in Singapore: the Singapore Chinese health study. <i>BMC Nephrology</i> , 2019, 20, 9. | 0.8 | 13 |
| 100 | Rice intake and risk of type 2 diabetes: the Singapore Chinese Health Study. <i>European Journal of Nutrition</i> , 2019, 58, 3349-3360. | 1.8 | 26 |
| 101 | Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503. | 2.3 | 58 |
| 102 | Asthma, Sinusitis, and the Risk of Active Tuberculosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 641-648.e1. | 2.0 | 8 |
| 103 | Association between inflammatory potential of diet and risk of lung cancer among smokers in a prospective study in Singapore. <i>European Journal of Nutrition</i> , 2019, 58, 2755-2766. | 1.8 | 16 |
| 104 | Green leafy and cruciferous vegetable consumption and risk of type 2 diabetes: results from the Singapore Chinese Health Study and meta-analysis. <i>British Journal of Nutrition</i> , 2018, 119, 1057-1067. | 1.2 | 35 |
| 105 | Isothiocyanates: Translating the Power of Plants to People. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1700965. | 1.5 | 116 |
| 106 | Serum Lipids in Association With Type 2 Diabetes Risk and Prevalence in a Chinese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 671-680. | 1.8 | 27 |
| 107 | Association of leisure-time physical activity with total and cause-specific mortality: a pooled analysis of nearly a half million adults in the Asia Cohort Consortium. <i>International Journal of Epidemiology</i> , 2018, 47, 771-779. | 0.9 | 32 |
| 108 | Coffee and tea drinking in relation to risk of hip fracture in the Singapore Chinese Health Study. <i>Bone</i> , 2018, 112, 51-57. | 1.4 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2018, 187, 1572-1573. | 1.6 | 0 |
| 110 | Sleep lengthening in late adulthood signals increased risk of mortality. <i>Sleep</i> , 2018, 41, . | 0.6 | 13 |
| 111 | A Large-Scale Multi-ancestry Genome-wide Study Accounting for Smoking Behavior Identifies Multiple Significant Loci for Blood Pressure. <i>American Journal of Human Genetics</i> , 2018, 102, 375-400. | 2.6 | 123 |
| 112 | Impaired functional vitamin B6 status is associated with increased risk of lung cancer. <i>International Journal of Cancer</i> , 2018, 142, 2425-2434. | 2.3 | 12 |
| 113 | Leukocyte telomere length in relation to risk of lung adenocarcinoma incidence: Findings from the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2018, 142, 2234-2243. | 2.3 | 26 |
| 114 | Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579. | 2.3 | 23 |
| 115 | Inhibition of Glycolysis in Prostate Cancer Chemoprevention by Phenethyl Isothiocyanate. <i>Cancer Prevention Research</i> , 2018, 11, 337-346. | 0.7 | 15 |
| 116 | Dairy intake and risk of type 2 diabetes. <i>Clinical Nutrition</i> , 2018, 37, 712-718. | 2.3 | 40 |
| 117 | Circulating Folate, Vitamin B6, and Methionine in Relation to Lung Cancer Risk in the Lung Cancer Cohort Consortium (LC3). <i>Journal of the National Cancer Institute</i> , 2018, 110, 57-67. | 3.0 | 40 |
| 118 | Genome-wide association study identified copy number variants associated with sporadic colorectal cancer risk. <i>Journal of Medical Genetics</i> , 2018, 55, 181-188. | 1.5 | 12 |
| 119 | Determinants of prolactin in postmenopausal Chinese women in Singapore. <i>Cancer Causes and Control</i> , 2018, 29, 51-62. | 0.8 | 2 |
| 120 | Telomere length and risk of developing gastric adenocarcinoma: The Singapore Chinese Health Study. <i>Gastric Cancer</i> , 2018, 21, 598-605. | 2.7 | 8 |
| 121 | Interethnic analyses of blood pressure loci in populations of East Asian and European descent. <i>Nature Communications</i> , 2018, 9, 5052. | 5.8 | 75 |
| 122 | Duration of physical activity, sitting, sleep and the risk of total knee replacement among Chinese in Singapore, the Singapore Chinese Health Study. <i>PLoS ONE</i> , 2018, 13, e0202554. | 1.1 | 10 |
| 123 | Diet Quality Indices and Risk of Type 2 Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2018, 187, 2651-2661. | 1.6 | 62 |
| 124 | A prospective evaluation of serum kynurenine metabolites and risk of pancreatic cancer. <i>PLoS ONE</i> , 2018, 13, e0196465. | 1.1 | 22 |
| 125 | Consumption of Coffee but Not of Other Caffeine-Containing Beverages Reduces the Risk of End-Stage Renal Disease in the Singapore Chinese Health Study. <i>Journal of Nutrition</i> , 2018, 148, 1315-1322. | 1.3 | 21 |
| 126 | Diet-Quality Indexes Are Associated with a Lower Risk of Cardiovascular, Respiratory, and All-Cause Mortality among Chinese Adults. <i>Journal of Nutrition</i> , 2018, 148, 1323-1332. | 1.3 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Gene-diet interaction effects on BMI levels in the Singapore Chinese population. <i>Nutrition Journal</i> , 2018, 17, 31. | 1.5 | 11 |
| 128 | Relationship of the oxidative damage biomarker 8-epi-prostaglandin F2 α to risk of lung cancer development in the Shanghai Cohort Study. <i>Carcinogenesis</i> , 2018, 39, 948-954. | 1.3 | 22 |
| 129 | Occupational exposure to endocrine disrupting substances and the risk of breast Cancer: the Singapore Chinese health study. <i>BMC Public Health</i> , 2018, 18, 929. | 1.2 | 7 |
| 130 | Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771. | 0.9 | 15 |
| 131 | Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018, 13, e0198166. | 1.1 | 94 |
| 132 | Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , 2017, 66, 581-587. | 6.1 | 68 |
| 133 | Diabetes mellitus and the risk of total knee replacement among Chinese in Singapore, the Singapore Chinese Health Study. <i>Scientific Reports</i> , 2017, 7, 40671. | 1.6 | 15 |
| 134 | Composite protective lifestyle factors and risk of developing gastric adenocarcinoma: the Singapore Chinese Health Study. <i>British Journal of Cancer</i> , 2017, 116, 679-687. | 2.9 | 21 |
| 135 | Reponse to the association between diabetes mellitus and cirrhosis mortality. <i>Liver International</i> , 2017, 37, 467-467. | 1.9 | 0 |
| 136 | Association between type 2 diabetes and risk of cancer mortality: a pooled analysis of over 771,000 individuals in the Asia Cohort Consortium. <i>Diabetologia</i> , 2017, 60, 1022-1032. | 2.9 | 132 |
| 137 | Pesticide exposure and liver cancer: a review. <i>Cancer Causes and Control</i> , 2017, 28, 177-190. | 0.8 | 72 |
| 138 | Circulating concentrations of biomarkers and metabolites related to vitamin status, one-carbon and the kynurenine pathways in US, Nordic, Asian, and Australian populations. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1314-1326. | 2.2 | 22 |
| 139 | Plasma ferritin, C-reactive protein, and risk of incident type 2 diabetes in Singapore Chinese men and women. <i>Diabetes Research and Clinical Practice</i> , 2017, 128, 109-118. | 1.1 | 14 |
| 140 | CYP2A6 genetic polymorphisms and biomarkers of tobacco smoke constituents in relation to risk of lung cancer in the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2017, 38, 411-418. | 1.3 | 51 |
| 141 | Increased body mass index is a risk factor for end-stage renal disease in the Chinese Singapore population. <i>Kidney International</i> , 2017, 92, 979-987. | 2.6 | 16 |
| 142 | Meat, Dietary Heme Iron, and Risk of Type 2 Diabetes Mellitus. <i>American Journal of Epidemiology</i> , 2017, 186, 824-833. | 1.6 | 57 |
| 143 | Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017, 49, 1126-1132. | 9.4 | 472 |
| 144 | Dietary Intake of Antioxidant Vitamins and Carotenoids and Risk of Developing Active Tuberculosis in a Prospective Population-Based Cohort Study. <i>American Journal of Epidemiology</i> , 2017, 186, 491-500. | 1.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017, 26, 1770-1784. | 1.4 | 135 |
| 146 | Dairy Food Intake Is Inversely Associated with Risk of Hypertension: The Singapore Chinese Health Study. <i>Journal of Nutrition</i> , 2017, 147, 235-241. | 1.3 | 23 |
| 147 | A Randomized Controlled Trial of Green Tea Extract Supplementation and Mammographic Density in Postmenopausal Women at Increased Risk of Breast Cancer. <i>Cancer Prevention Research</i> , 2017, 10, 710-718. | 0.7 | 72 |
| 148 | Reply to Kawada letter to editor about "Dairy intake and risk of type 2 diabetes". <i>Clinical Nutrition</i> , 2017, 36, 1738. | 2.3 | 4 |
| 149 | Physical activity, sedentary time, and risk of colorectal cancer: the Singapore Chinese Health Study. <i>European Journal of Cancer Prevention</i> , 2017, 26, 469-475. | 0.6 | 35 |
| 150 | Reply to High hepatocellular carcinoma risk among US-born Hispanics. <i>Cancer</i> , 2017, 123, 358-359. | 2.0 | 0 |
| 151 | Effect of Green Tea Supplements on Liver Enzyme Elevation: Results from a Randomized Intervention Study in the United States. <i>Cancer Prevention Research</i> , 2017, 10, 571-579. | 0.7 | 45 |
| 152 | Alcohol drinking and cigarette smoking in relation to risk of active tuberculosis: prospective cohort study. <i>BMJ Open Respiratory Research</i> , 2017, 4, e000247. | 1.2 | 37 |
| 153 | Vasculature surrounding a nodule: A novel lung cancer biomarker. <i>Lung Cancer</i> , 2017, 114, 38-43. | 0.9 | 22 |
| 154 | Comparisons of risk prediction methods using nested case-control data. <i>Statistics in Medicine</i> , 2017, 36, 455-465. | 0.8 | 7 |
| 155 | Utility of genetic and non-genetic risk factors in predicting coronary heart disease in Singaporean Chinese. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 153-160. | 0.8 | 11 |
| 156 | The association between dairy product intake and cardiovascular disease mortality in Chinese adults. <i>European Journal of Nutrition</i> , 2017, 56, 2343-2352. | 1.8 | 14 |
| 157 | Plasma fatty acids and risk of colon and rectal cancers in the Singapore Chinese Health Study. <i>Npj Precision Oncology</i> , 2017, 1, 38. | 2.3 | 35 |
| 158 | Genome-wide association study identifies a missense variant at APOA5 for coronary artery disease in Multi-Ethnic Cohorts from Southeast Asia. <i>Scientific Reports</i> , 2017, 7, 17921. | 1.6 | 28 |
| 159 | Consumption of Red Meat, but Not Cooking Oils High in Polyunsaturated Fat, Is Associated with Higher Arachidonic Acid Status in Singapore Chinese Adults. <i>Nutrients</i> , 2017, 9, 101. | 1.7 | 27 |
| 160 | Tea Drinking and Its Association with Active Tuberculosis Incidence among Middle-Aged and Elderly Adults: The Singapore Chinese Health Study. <i>Nutrients</i> , 2017, 9, 544. | 1.7 | 22 |
| 161 | Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , 2017, 14, e1002383. | 3.9 | 341 |
| 162 | ABO blood type and the risk of cancer " Findings from the Shanghai Cohort Study. <i>PLoS ONE</i> , 2017, 12, e0184295. | 1.1 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Ambient ultraviolet radiation exposure and hepatocellular carcinoma incidence in the United States. <i>Environmental Health</i> , 2017, 16, 89. | 1.7 | 10 |
| 164 | Obesity, metabolic factors and risk of different histological types of lung cancer: A Mendelian randomization study. <i>PLoS ONE</i> , 2017, 12, e0177875. | 1.1 | 79 |
| 165 | Dietary cholesterol, fats and risk of Parkinson's disease in the Singapore Chinese Health Study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, jnnp-2014-310065. | 0.9 | 27 |
| 166 | Dietary fatty acids and risk of hepatocellular carcinoma in the Singapore Chinese health study. <i>Liver International</i> , 2016, 36, 893-901. | 1.9 | 33 |
| 167 | Reproductive factors, hormone use and gastric cancer risk: The Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2016, 138, 2837-2845. | 2.3 | 27 |
| 168 | Bidirectional Association between Diabetes and Gout: the Singapore Chinese Health Study. <i>Scientific Reports</i> , 2016, 6, 25766. | 1.6 | 35 |
| 169 | 2-Phenethyl Isothiocyanate, <i>Glutathione S-transferase M1</i> and <i>T1</i> Polymorphisms, and Detoxification of Volatile Organic Carcinogens and Toxicants in Tobacco Smoke. <i>Cancer Prevention Research</i> , 2016, 9, 598-606. | 0.7 | 24 |
| 170 | Dietary Cholesterol Increases the Risk whereas PUFAs Reduce the Risk of Active Tuberculosis in Singapore Chinese. <i>Journal of Nutrition</i> , 2016, 146, 1093-1100. | 1.3 | 38 |
| 171 | Delineation of body mass index trajectory predicting lowest risk of mortality in U.S. men using generalized additive mixed model. <i>Annals of Epidemiology</i> , 2016, 26, 698-703.e2. | 0.9 | 12 |
| 172 | Plasma fatty acids, oxylipins, and risk of myocardial infarction: the Singapore Chinese Health Study. <i>Journal of Lipid Research</i> , 2016, 57, 1300-1307. | 2.0 | 35 |
| 173 | Metabolic signatures and risk of type 2 diabetes in a Chinese population: an untargeted metabolomics study using both LC-MS and GC-MS. <i>Diabetologia</i> , 2016, 59, 2349-2359. | 2.9 | 127 |
| 174 | Interaction Between Peroxisome Proliferator Activated Receptor γ and Epithelial Membrane Protein 2 Polymorphisms Influences HDL Levels in the Chinese Population. <i>Annals of Human Genetics</i> , 2016, 80, 282-293. | 0.3 | 1 |
| 175 | Serum B6 vitamers (pyridoxal 5-phosphate, pyridoxal, and 4-pyridoxic acid) and pancreatic cancer risk: two nested case-control studies in Asian populations. <i>Cancer Causes and Control</i> , 2016, 27, 1447-1456. | 0.8 | 16 |
| 176 | Serum biomarkers of polyomavirus infection and risk of lung cancer in never smokers. <i>British Journal of Cancer</i> , 2016, 115, 1131-1139. | 2.9 | 13 |
| 177 | Systolic blood pressure and cardiovascular mortality in middle-aged and elderly adults – The Singapore Chinese Health Study. <i>International Journal of Cardiology</i> , 2016, 219, 404-409. | 0.8 | 11 |
| 178 | Effects of green tea catechin extract on serum lipids in postmenopausal women: a randomized, placebo-controlled clinical trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 1671-1682. | 2.2 | 85 |
| 179 | Association between liver enzymes and incident type 2 diabetes in Singapore Chinese men and women. <i>BMJ Open Diabetes Research and Care</i> , 2016, 4, e000296. | 1.2 | 40 |
| 180 | Genetic determinants of cytochrome P450 2A6 activity and biomarkers of tobacco smoke exposure in relation to risk of lung cancer development in the Shanghai cohort study. <i>International Journal of Cancer</i> , 2016, 138, 2161-2171. | 2.3 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Disparity in liver cancer incidence and chronic liver disease mortality by nativity in Hispanics: The Multiethnic Cohort. <i>Cancer</i> , 2016, 122, 1444-1452. | 2.0 | 43 |
| 182 | Tobacco-specific nitrosamines and polycyclic aromatic hydrocarbons in cigarettes smoked by the participants of the Shanghai Cohort Study. <i>International Journal of Cancer</i> , 2016, 139, 1261-1269. | 2.3 | 25 |
| 183 | The Alternative Healthy Eating Index Is Associated with a Lower Risk of Fatal and Nonfatal Acute Myocardial Infarction in a Chinese Adult Population. <i>Journal of Nutrition</i> , 2016, 146, 1379-1386. | 1.3 | 29 |
| 184 | Î³-3 Polyunsaturated Fatty Acid Biomarkers and Coronary Heart Disease. <i>JAMA Internal Medicine</i> , 2016, 176, 1155. | 2.6 | 326 |
| 185 | Cigarette Smoking and the Risk of Incident Gout in a Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016, 68, 1135-1142. | 1.5 | 32 |
| 186 | The Impact of Gender Differences in Attitudes and Beliefs Concerning HBV Vaccination and Screening in the Lao Community. <i>Journal of Immigrant and Minority Health</i> , 2016, 18, 277-281. | 0.8 | 2 |
| 187 | C-reactive protein and serum creatinine, but not haemoglobin A1c, are independent predictors of coronary heart disease risk in non-diabetic Chinese. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1339-1349. | 0.8 | 12 |
| 188 | Role of survivor bias in pancreatic cancer case-control studies. <i>Annals of Epidemiology</i> , 2016, 26, 50-56. | 0.9 | 11 |
| 189 | Chronic disease and lifestyle factors associated with change in sleep duration among older adults in the Singapore Chinese Health Study. <i>Journal of Sleep Research</i> , 2016, 25, 57-61. | 1.7 | 34 |
| 190 | Identification of a novel susceptibility locus at 13q34 and refinement of the 20p12.2 region as a multi-signal locus associated with bladder cancer risk in individuals of European ancestry. <i>Human Molecular Genetics</i> , 2016, 25, 1203-1214. | 1.4 | 38 |
| 191 | Clinical Trial of 2-Phenethyl Isothiocyanate as an Inhibitor of Metabolic Activation of a Tobacco-Specific Lung Carcinogen in Cigarette Smokers. <i>Cancer Prevention Research</i> , 2016, 9, 396-405. | 0.7 | 67 |
| 192 | Dietary Intake of One-Carbon Metabolism-Related Nutrients and Pancreatic Cancer Risk: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 417-424. | 1.1 | 23 |
| 193 | Bone turnover biomarkers and risk of osteoporotic hip fracture in an Asian population. <i>Bone</i> , 2016, 83, 171-177. | 1.4 | 57 |
| 194 | Plasma Î±-Linolenic and Long-Chain Î³-3 Fatty Acids Are Associated with a Lower Risk of Acute Myocardial Infarction in Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2016, 146, 275-282. | 1.3 | 12 |
| 195 | Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. <i>Gut</i> , 2016, 65, 1611-1618. | 6.1 | 99 |
| 196 | Differential association for N-acetyltransferase 2 genotype and phenotype with bladder cancer risk in Chinese population. <i>Oncotarget</i> , 2016, 7, 40012-40024. | 0.8 | 7 |
| 197 | Green Tea Extract Supplementation Modifies Circulating Lipids in Postmenopausal Women: A Randomized, Placebo-Controlled Clinical Trial. <i>FASEB Journal</i> , 2016, 30, 289.3. | 0.2 | 0 |
| 198 | A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. <i>Genes and Nutrition</i> , 2015, 10, 53. | 1.2 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Soluble levels of <sc>CD</sc>27 and <sc>CD</sc>30 are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695. | 2.3 | 15 |
| 200 | Urinary Levels of N-Nitroso Compounds in Relation to Risk of Gastric Cancer: Findings from the Shanghai Cohort Study. PLoS ONE, 2015, 10, e0117326. | 1.1 | 25 |
| 201 | Bidirectional Association between Self-Reported Hypertension and Gout: The Singapore Chinese Health Study. PLoS ONE, 2015, 10, e0141749. | 1.1 | 25 |
| 202 | Elevated Levels of Mercapturic Acids of Acrolein and Crotonaldehyde in the Urine of Chinese Women in Singapore Who Regularly Cook at Home. PLoS ONE, 2015, 10, e0120023. | 1.1 | 17 |
| 203 | The safety of green tea extract supplementation in postmenopausal women at risk for breast cancer: results of the Minnesota Green Tea Trial. Food and Chemical Toxicology, 2015, 83, 26-35. | 1.8 | 69 |
| 204 | Linking pesticides and human health: A geographic information system (GIS) and Landsat remote sensing method to estimate agricultural pesticide exposure. Applied Geography, 2015, 62, 171-181. | 1.7 | 24 |
| 205 | Lung Cancer Risk Prediction Using Common SNPs Located in GWAS-Identified Susceptibility Regions. Journal of Thoracic Oncology, 2015, 10, 1538-1545. | 0.5 | 33 |
| 206 | Association Between Leukocyte Telomere Length and Plasma Homocysteine in a Singapore Chinese Population. Rejuvenation Research, 2015, 18, 203-210. | 0.9 | 17 |
| 207 | New loci and coding variants confer risk for age-related macular degeneration in East Asians. Nature Communications, 2015, 6, 6063. | 5.8 | 147 |
| 208 | Identification of epidermal growth factor receptor (EGFR) genetic variants that modify risk for head and neck squamous cell carcinoma. Cancer Letters, 2015, 357, 549-556. | 3.2 | 16 |
| 209 | The Minnesota Green Tea Trial (MGTT), a randomized controlled trial of the efficacy of green tea extract on biomarkers of breast cancer risk: study rationale, design, methods, and participant characteristics. Cancer Causes and Control, 2015, 26, 1405-1419. | 0.8 | 38 |
| 210 | Abundant Rodent Furan-Derived Urinary Metabolites Are Associated with Tobacco Smoke Exposure in Humans. Chemical Research in Toxicology, 2015, 28, 1508-1516. | 1.7 | 26 |
| 211 | Beverage Habits and Mortality in Chinese Adults. Journal of Nutrition, 2015, 145, 595-604. | 1.3 | 62 |
| 212 | Interaction effects between Paraoxonase 1 variants and cigarette smoking on risk of coronary heart disease in a Singaporean Chinese population. Atherosclerosis, 2015, 240, 40-45. | 0.4 | 17 |
| 213 | Urinary Biomarkers of Catechins and Risk of Hepatocellular Carcinoma in the Shanghai Cohort Study. American Journal of Epidemiology, 2015, 181, 397-405. | 1.6 | 23 |
| 214 | Physical activity and risk of end-stage kidney disease in the Singapore Chinese Health Study. Nephrology, 2015, 20, 61-67. | 0.7 | 30 |
| 215 | Food Sources of Protein and Risk of Incident Gout in the Singapore Chinese Health Study. Arthritis and Rheumatology, 2015, 67, 1933-1942. | 2.9 | 37 |
| 216 | Pesticide exposure and hepatocellular carcinoma risk: A case-control study using a geographic information system (GIS) to link SEER-Medicare and California pesticide data. Environmental Research, 2015, 143, 68-82. | 3.7 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Associations of Body Mass Index, Smoking, and Alcohol Consumption With Prostate Cancer Mortality in the Asia Cohort Consortium. <i>American Journal of Epidemiology</i> , 2015, 182, 381-389. | 1.6 | 42 |
| 218 | The association between dietary omega-3 fatty acids and cardiovascular death: the Singapore Chinese Health Study. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 364-372. | 0.8 | 44 |
| 219 | Glycated Hemoglobin and Incident Type 2 Diabetes in Singaporean Chinese Adults: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2015, 10, e0119884. | 1.1 | 6 |
| 220 | Caffeine, coffee and tea in relation to risk of hip fracture in The Singapore Chinese Health Study. <i>FASEB Journal</i> , 2015, 29, 392.8. | 0.2 | 0 |
| 221 | Body Mass Index and Risk of Pancreatic Cancer in a Chinese Population. <i>PLoS ONE</i> , 2014, 9, e85149. | 1.1 | 13 |
| 222 | Aflatoxin Regulations and Global Pistachio Trade: Insights from Social Network Analysis. <i>PLoS ONE</i> , 2014, 9, e92149. | 1.1 | 47 |
| 223 | Glycated Hemoglobin and All-Cause and Cause-Specific Mortality in Singaporean Chinese Without Diagnosed Diabetes: The Singapore Chinese Health Study. <i>Diabetes Care</i> , 2014, 37, 3180-3187. | 4.3 | 15 |
| 224 | Dietary Soy Intake Is Not Associated with Risk of Cardiovascular Disease Mortality in Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2014, 144, 921-928. | 1.3 | 47 |
| 225 | Dietary patterns and mortality in a Chinese population , ,. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 877-883. | 2.2 | 46 |
| 226 | Burden of Total and Cause-Specific Mortality Related to Tobacco Smoking among Adults Aged ≥45 Years in Asia: A Pooled Analysis of 21 Cohorts. <i>PLoS Medicine</i> , 2014, 11, e1001631. | 3.9 | 98 |
| 227 | Incense Use and Cardiovascular Mortality among Chinese in Singapore: The Singapore Chinese Health Study. <i>Environmental Health Perspectives</i> , 2014, 122, 1279-1284. | 2.8 | 43 |
| 228 | Urinary Tobacco Smokeâ€“Constituent Biomarkers for Assessing Risk of Lung Cancer. <i>Cancer Research</i> , 2014, 74, 401-411. | 0.4 | 71 |
| 229 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633. | 1.4 | 90 |
| 230 | Protective Effects of Dietary Carotenoids on Risk of Hip Fracture in Men: The Singapore Chinese Health Study. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 408-417. | 3.1 | 59 |
| 231 | Adherence to a Vegetable-Fruit-Soy Dietary Pattern or the Alternative Healthy Eating Index Is Associated with Lower Hip Fracture Risk among Singapore Chinese. <i>Journal of Nutrition</i> , 2014, 144, 511-518. | 1.3 | 46 |
| 232 | Dietary sources of N-nitroso compounds and bladder cancer risk: Findings from the Los Angeles bladder cancer study. <i>International Journal of Cancer</i> , 2014, 134, 125-135. | 2.3 | 63 |
| 233 | Tobacco-specific N-nitrosamine exposures and cancer risk in the Shanghai cohort study: Remarkable coherence with rat tumor sites. <i>International Journal of Cancer</i> , 2014, 134, 2278-2283. | 2.3 | 45 |
| 234 | Serum estrogen receptor bioactivity and breast cancer risk among postmenopausal women. <i>Endocrine-Related Cancer</i> , 2014, 21, 263-273. | 1.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Coffee Intake and Gastric Cancer Risk: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 638-647. | 1.1 | 15 |
| 236 | Breast cancer risk assessment using genetic variants and risk factors in a Singapore Chinese population. <i>Breast Cancer Research</i> , 2014, 16, R64. | 2.2 | 30 |
| 237 | Genome-wide interaction study of smoking and bladder cancer risk. <i>Carcinogenesis</i> , 2014, 35, 1737-1744. | 1.3 | 50 |
| 238 | Genome-wide association study identifies multiple loci associated with bladder cancer risk. <i>Human Molecular Genetics</i> , 2014, 23, 1387-1398. | 1.4 | 137 |
| 239 | Urinary metabolites of a polycyclic aromatic hydrocarbon and volatile organic compounds in relation to lung cancer development in lifelong never smokers in the Shanghai Cohort Study. <i>Carcinogenesis</i> , 2014, 35, 339-345. | 1.3 | 55 |
| 240 | Comprehensive analyses of DNA repair pathways, smoking and bladder cancer risk in Los Angeles and Shanghai. <i>International Journal of Cancer</i> , 2014, 135, 335-347. | 2.3 | 22 |
| 241 | The 19q12 Bladder Cancer GWAS Signal: Association with Cyclin E Function and Aggressive Disease. <i>Cancer Research</i> , 2014, 74, 5808-5818. | 0.4 | 24 |
| 242 | Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. <i>Nature Genetics</i> , 2014, 46, 1001-1006. | 9.4 | 148 |
| 243 | Liquid Chromatography-“Electrospray Ionization”-Tandem Mass Spectrometry Quantitation of Urinary [Pyridine-D4]4-hydroxy-4-(3-pyridyl)butanoic Acid, a Biomarker of 4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone Metabolic Activation in Smokers. <i>Chemical Research in Toxicology</i> , 2014, 27, 1547-1555. | 1.7 | 5 |
| 244 | Sleep Duration and Risk of Stroke Mortality Among Chinese Adults. <i>Stroke</i> , 2014, 45, 1620-1625. | 1.0 | 63 |
| 245 | Amount, type, and sources of carbohydrates in relation to ischemic heart disease mortality in a Chinese population: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 53-64. | 2.2 | 55 |
| 246 | Coffee, alcohol and other beverages in relation to cirrhosis mortality: The Singapore Chinese Health Study. <i>Hepatology</i> , 2014, 60, 661-669. | 3.6 | 51 |
| 247 | Joint Effects of Known Type 2 Diabetes Susceptibility Loci in Genome-Wide Association Study of Singapore Chinese: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2014, 9, e87762. | 1.1 | 15 |
| 248 | Sleep duration, spot urinary 6â€šulfatoxymelatonin levels and risk of breast cancer among Chinese women in Singapore. <i>International Journal of Cancer</i> , 2013, 132, 891-896. | 2.3 | 45 |
| 249 | Knowledge and Behaviors Toward Hepatitis B and the Hepatitis B Vaccine in the Laotian Community in Minnesota. <i>Journal of Immigrant and Minority Health</i> , 2013, 15, 771-778. | 0.8 | 10 |
| 250 | Tobacco smoke biomarkers and cancer risk among male smokers in the Shanghai Cohort Study. <i>Cancer Letters</i> , 2013, 334, 34-38. | 3.2 | 34 |
| 251 | Cancer prevention by green tea: evidence from epidemiologic studies. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1676S-1681S. | 2.2 | 96 |
| 252 | Plasma S-adenosylmethionine, DNMT polymorphisms, and peripheral blood LINE-1 methylation among healthy Chinese adults in Singapore. <i>BMC Cancer</i> , 2013, 13, 389. | 1.1 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Impact of Postdiagnosis Smoking on Long-term Survival of Cancer Patients: The Shanghai Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 2404-2411. | 1.1 | 61 |
| 254 | Dietary fiber intake modifies the association between secondhand smoke exposure and coronary heart disease mortality among Chinese non-smokers in Singapore. <i>Nutrition</i> , 2013, 29, 1304-1309. | 1.1 | 21 |
| 255 | Asthma and the risk of type 2 diabetes in the Singapore Chinese Health Study. <i>Diabetes Research and Clinical Practice</i> , 2013, 99, 192-199. | 1.1 | 27 |
| 256 | Genetic polymorphisms of epidermal growth factor in relation to risk of hepatocellular carcinoma: two case-control studies. <i>BMC Gastroenterology</i> , 2013, 13, 32. | 0.8 | 14 |
| 257 | Diabetes and risk of bladder cancer among postmenopausal women in the Iowa women's health study. <i>Cancer Causes and Control</i> , 2013, 24, 603-608. | 0.8 | 13 |
| 258 | Elevated 4-Aminobiphenyl and 2,6-Dimethylaniline Hemoglobin Adducts and Increased Risk of Bladder Cancer among Lifelong Nonsmokers—The Shanghai Bladder Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 937-945. | 1.1 | 20 |
| 259 | Prediagnostic Levels of Serum One-Carbon Metabolites and Risk of Hepatocellular Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1884-1893. | 1.1 | 27 |
| 260 | Reduced Aflatoxin Exposure Presages Decline in Liver Cancer Mortality in an Endemic Region of China. <i>Cancer Prevention Research</i> , 2013, 6, 1038-1045. | 0.7 | 125 |
| 261 | Combined Lifestyle Factors and Risk of Incident Colorectal Cancer in a Chinese Population. <i>Cancer Prevention Research</i> , 2013, 6, 360-367. | 0.7 | 35 |
| 262 | Fried meat intake is a risk factor for lung adenocarcinoma in a prospective cohort of Chinese men and women in Singapore. <i>Carcinogenesis</i> , 2013, 34, 1794-1799. | 1.3 | 8 |
| 263 | Smoking cessation and mortality among middle-aged and elderly Chinese in Singapore: the Singapore Chinese Health Study. <i>Tobacco Control</i> , 2013, 22, 235-240. | 1.8 | 23 |
| 264 | Hormone Metabolism Genes and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 984-986. | 1.1 | 3 |
| 265 | Association between body mass index and cardiovascular disease mortality in east Asians and south Asians: pooled analysis of prospective data from the Asia Cohort Consortium. <i>BMJ</i> , 2013, 347, f5446-f5446. | 3.0 | 239 |
| 266 | Calcium intake is not related to breast cancer risk among Singapore Chinese women. <i>International Journal of Cancer</i> , 2013, 133, 680-686. | 2.3 | 15 |
| 267 | Serum Urate Levels and Consumption of Common Beverages and Alcohol Among Chinese in Singapore. <i>Arthritis Care and Research</i> , 2013, 65, 1432-1440. | 1.5 | 32 |
| 268 | Genetic Variation in Transforming Growth Factor Beta 1 and Mammographic Density in Singapore Chinese Women. <i>Cancer Research</i> , 2013, 73, 1876-1882. | 0.4 | 14 |
| 269 | Genetic and environmental predictors of serum 25-hydroxyvitamin D concentrations among middle-aged and elderly Chinese in Singapore. <i>British Journal of Nutrition</i> , 2013, 109, 493-502. | 1.2 | 73 |
| 270 | Mitochondrial DNA Copy Number Is Associated with Breast Cancer Risk. <i>PLoS ONE</i> , 2013, 8, e65968. | 1.1 | 78 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Smoking and Risk of Kidney Failure in the Singapore Chinese Health Study. <i>PLoS ONE</i> , 2013, 8, e62962. | 1.1 | 25 |
| 272 | Western-Style Fast Food Intake and Cardiometabolic Risk in an Eastern Country. <i>Circulation</i> , 2012, 126, 182-188. | 1.6 | 126 |
| 273 | Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. <i>Human Molecular Genetics</i> , 2012, 21, 2132-2141. | 1.4 | 58 |
| 274 | Mortality due to coronary heart disease and kidney disease among middle-aged and elderly men and women with gout in the Singapore Chinese Health Study. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 924-928. | 0.5 | 63 |
| 275 | Modulation of the metabolism of airborne pollutants by glucoraphanin-rich and sulforaphane-rich broccoli sprout beverages in Qidong, China. <i>Carcinogenesis</i> , 2012, 33, 101-107. | 1.3 | 108 |
| 276 | Genetic Variation in Peroxisome Proliferator-Activated Receptor Gamma, Soy, and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 635-644. | 1.1 | 16 |
| 277 | Urinary levels of volatile organic carcinogen and toxicant biomarkers in relation to lung cancer development in smokers. <i>Carcinogenesis</i> , 2012, 33, 804-809. | 1.3 | 48 |
| 278 | DNA adducts of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine and 4-aminobiphenyl are infrequently detected in human mammary tissue by liquid chromatography/tandem mass spectrometry. <i>Carcinogenesis</i> , 2012, 33, 124-130. | 1.3 | 41 |
| 279 | Mitochondrial Copy Number is Associated with Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1574-1581. | 1.1 | 78 |
| 280 | Green and black tea intake in relation to prostate cancer risk among Singapore Chinese. <i>Cancer Causes and Control</i> , 2012, 23, 1635-1641. | 0.8 | 35 |
| 281 | Genetic variation in folylpolyglutamate synthase and gamma-glutamyl hydrolase and plasma homocysteine levels in the Singapore Chinese Health Study. <i>Molecular Genetics and Metabolism</i> , 2012, 105, 73-78. | 0.5 | 14 |
| 282 | Plasma Vitamin E and Coenzyme Q10 Are Not Associated with a Lower Risk of Acute Myocardial Infarction in Singapore Chinese Adults. <i>Journal of Nutrition</i> , 2012, 142, 1046-1052. | 1.3 | 15 |
| 283 | Serum free estradiol and estrogen receptor- α mediated activity are related to decreased incident hip fractures in older women. <i>Bone</i> , 2012, 50, 1311-1316. | 1.4 | 10 |
| 284 | Age at menarche and cardiovascular disease mortality in Singaporean Chinese women: the Singapore Chinese Health Study. <i>Annals of Epidemiology</i> , 2012, 22, 717-722. | 0.9 | 52 |
| 285 | Soy intake and risk of type 2 diabetes mellitus in Chinese Singaporeans. <i>European Journal of Nutrition</i> , 2012, 51, 1033-1040. | 1.8 | 87 |
| 286 | Association of Caucasian-Identified Variants with Colorectal Cancer Risk in Singapore Chinese. <i>PLoS ONE</i> , 2012, 7, e42407. | 1.1 | 25 |
| 287 | Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658. | 9.4 | 519 |
| 288 | Cigarette smoking and subtypes of bladder cancer. <i>International Journal of Cancer</i> , 2012, 130, 896-901. | 2.3 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 289 | <i>LINE1</i> hypomethylation is associated with bladder cancer risk among nonsmoking Chinese. <i>International Journal of Cancer</i> , 2012, 130, 1151-1159. | 2.3 | 75 |
| 290 | Cytochrome P4501A2 phenotype and bladder cancer risk: The Shanghai bladder cancer study. <i>International Journal of Cancer</i> , 2012, 130, 1174-1183. | 2.3 | 16 |
| 291 | One-carbon metabolism nutrient status and plasma S-adenosylmethionine concentrations in middle-aged and older Chinese in Singapore. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2012, 3, 160-73. | 0.4 | 22 |
| 292 | DNA Adduct Formation of 4-Aminobiphenyl and Heterocyclic Aromatic Amines in Human Hepatocytes. <i>Chemical Research in Toxicology</i> , 2011, 24, 913-925. | 1.7 | 66 |
| 293 | Tea and cancer prevention: Epidemiological studies. <i>Pharmacological Research</i> , 2011, 64, 123-135. | 3.1 | 168 |
| 294 | Green tea and prevention of esophageal and lung cancers. <i>Molecular Nutrition and Food Research</i> , 2011, 55, 886-904. | 1.5 | 52 |
| 295 | Combined effects of MDM2 SNP309 and TP53 R72P polymorphisms, and soy isoflavones on breast cancer risk among Chinese women in Singapore. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 1011-1019. | 1.1 | 13 |
| 296 | Coffee consumption and reduced risk of hepatocellular carcinoma: findings from the Singapore Chinese Health Study. <i>Cancer Causes and Control</i> , 2011, 22, 503-510. | 0.8 | 79 |
| 297 | Systematic Review of the Literature on Comparative Effectiveness of Antiviral Treatments for Chronic Hepatitis B Infection. <i>Journal of General Internal Medicine</i> , 2011, 26, 326-339. | 1.3 | 14 |
| 298 | Body mass index and risk of colorectal cancer in Chinese Singaporeans. <i>Cancer</i> , 2011, 117, 3841-3849. | 2.0 | 27 |
| 299 | Aromatase (<i>CYP19</i>) promoter gene polymorphism and risk of nonviral hepatitis-related hepatocellular carcinoma. <i>Cancer</i> , 2011, 117, 3383-3392. | 2.0 | 12 |
| 300 | Combined Lifestyle Factors and Cardiovascular Disease Mortality in Chinese Men and Women. <i>Circulation</i> , 2011, 124, 2847-2854. | 1.6 | 93 |
| 301 | Urinary Levels of Cigarette Smoke Constituent Metabolites Are Prospectively Associated with Lung Cancer Development in Smokers. <i>Cancer Research</i> , 2011, 71, 6749-6757. | 0.4 | 103 |
| 302 | Genetic variations on chromosomes 5p15 and 15q25 and bladder cancer risk: findings from the Los Angeles-Shanghai bladder case-control study. <i>Carcinogenesis</i> , 2011, 32, 197-202. | 1.3 | 52 |
| 303 | Glutathione S-transferase (GST) gene polymorphisms, cigarette smoking and colorectal cancer risk among Chinese in Singapore. <i>Carcinogenesis</i> , 2011, 32, 1507-1511. | 1.3 | 39 |
| 304 | Urinary levels of the tobacco-specific carcinogen N'-nitrosonornicotine and its glucuronide are strongly associated with esophageal cancer risk in smokers. <i>Carcinogenesis</i> , 2011, 32, 1366-1371. | 1.3 | 77 |
| 305 | Omega-3 fatty acids and incident type 2 diabetes: the Singapore Chinese Health Study. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 520-526. | 2.2 | 91 |
| 306 | Association between Body-Mass Index and Risk of Death in More Than 1 Million Asians. <i>New England Journal of Medicine</i> , 2011, 364, 719-729. | 13.9 | 730 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Dietary Patterns and Incident Type 2 Diabetes in Chinese Men and Women. <i>Diabetes Care</i> , 2011, 34, 880-885. | 4.3 | 99 |
| 308 | Body Mass Index and Diabetes in Asia: A Cross-Sectional Pooled Analysis of 900,000 Individuals in the Asia Cohort Consortium. <i>PLoS ONE</i> , 2011, 6, e19930. | 1.1 | 154 |
| 309 | Soft Drink and Juice Consumption and Risk of Pancreatic Cancer: The Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 447-455. | 1.1 | 70 |
| 310 | A shared susceptibility locus in <i>PLCE1</i> at 10q23 for gastric adenocarcinoma and esophageal squamous cell carcinoma. <i>Nature Genetics</i> , 2010, 42, 764-767. | 9.4 | 453 |
| 311 | A multi-stage genome-wide association study of bladder cancer identifies multiple susceptibility loci. <i>Nature Genetics</i> , 2010, 42, 978-984. | 9.4 | 493 |
| 312 | BMI, All-Cause and Cause-Specific Mortality in Chinese Singaporean Men and Women: The Singapore Chinese Health Study. <i>PLoS ONE</i> , 2010, 5, e14000. | 1.1 | 23 |
| 313 | Diabetes and Risk of Hip Fracture in the Singapore Chinese Health Study. <i>Diabetes Care</i> , 2010, 33, 1766-1770. | 4.3 | 92 |
| 314 | A vegetable-fruit-soy dietary pattern protects against breast cancer among postmenopausal Singapore Chinese women. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 1013-1019. | 2.2 | 96 |
| 315 | Calcium Intake Increases Risk of Prostate Cancer among Singapore Chinese. <i>Cancer Research</i> , 2010, 70, 4941-4948. | 0.4 | 59 |
| 316 | Elevated Levels of Volatile Organic Carcinogen and Toxicant Biomarkers in Chinese Women Who Regularly Cook at Home. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1185-1192. | 1.1 | 35 |
| 317 | Risk of Urinary Bladder Cancer Is Associated with 8q24 Variant rs9642880[T] in Multiple Racial/Ethnic Groups: Results from the Los Angeles "Shanghai Case" Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3150-3156. | 1.1 | 16 |
| 318 | Environmental Tobacco Smoke in Relation to Bladder Cancer Risk "The Shanghai Bladder Cancer Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3087-3095. | 1.1 | 33 |
| 319 | Hypertension, diuretics and antihypertensives in relation to bladder cancer. <i>Carcinogenesis</i> , 2010, 31, 1964-1971. | 1.3 | 31 |
| 320 | Alcohol and Tobacco Use in Relation to Gastric Cancer: A Prospective Study of Men in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2287-2297. | 1.1 | 109 |
| 321 | Applying Tobacco Carcinogen and Toxicant Biomarkers in Product Regulation and Cancer Prevention. <i>Chemical Research in Toxicology</i> , 2010, 23, 1001-1008. | 1.7 | 89 |
| 322 | Genetic Association Between the COMT Genotype and Urinary Levels of Tea Polyphenols and Their Metabolites among Daily Green Tea Drinkers. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2010, 1, 114-123. | 0.4 | 31 |
| 323 | Coffee Intake and Risk of Colorectal Cancer Among Chinese in Singapore: The Singapore Chinese Health Study. <i>Nutrition and Cancer</i> , 2009, 62, 21-29. | 0.9 | 20 |
| 324 | Gender-specific Associations Between Soy and Risk of Hip Fracture in the Singapore Chinese Health Study. <i>American Journal of Epidemiology</i> , 2009, 170, 901-909. | 1.6 | 90 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Polymorphisms in DNA Repair Genes, Smoking, and Bladder Cancer Risk: Findings from the International Consortium of Bladder Cancer. <i>Cancer Research</i> , 2009, 69, 6857-6864. | 0.4 | 107 |
| 326 | Polyunsaturated Fatty Acids, DNA Repair Single Nucleotide Polymorphisms and Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2009, 2, 273-279. | 1.8 | 39 |
| 327 | Sequence Variant on 3q28 and Urinary Bladder Cancer Risk: Findings from the Los Angeles-Shanghai Bladder Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3057-3061. | 1.1 | 12 |
| 328 | Genetic polymorphisms in the cytokine genes and risk of hepatocellular carcinoma in low-risk non-Asians of USA. <i>Carcinogenesis</i> , 2009, 30, 758-762. | 1.3 | 56 |
| 329 | Urinary Levels of Tobacco-Specific Nitrosamine Metabolites in Relation to Lung Cancer Development in Two Prospective Cohorts of Cigarette Smokers. <i>Cancer Research</i> , 2009, 69, 2990-2995. | 0.4 | 144 |
| 330 | Prospective Evaluation of Hepatitis B 1762T/1764A Mutations on Hepatocellular Carcinoma Development in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 590-594. | 1.1 | 60 |
| 331 | Clinical outcomes in adults with chronic hepatitis B in association with patient and viral characteristics: A systematic review of evidence. <i>Hepatology</i> , 2009, 49, S85-S95. | 3.6 | 57 |
| 332 | Marine n-3 and saturated fatty acids in relation to risk of colorectal cancer in Singapore Chinese: A prospective study. <i>International Journal of Cancer</i> , 2009, 124, 678-686. | 2.3 | 67 |
| 333 | Isothiocyanates, glutathione S-transferase M1 and T1 polymorphisms and gastric cancer risk: A prospective study of men in Shanghai, China. <i>International Journal of Cancer</i> , 2009, 125, 2652-2659. | 2.3 | 62 |
| 334 | Antiviral Therapy for Adults With Chronic Hepatitis B: A Systematic Review for a National Institutes of Health Consensus Development Conference. <i>Annals of Internal Medicine</i> , 2009, 150, 111. | 2.0 | 86 |
| 335 | Incense use and respiratory tract carcinomas. <i>Cancer</i> , 2008, 113, 1676-1684. | 2.0 | 54 |
| 336 | Chronic rhinosinusitis and risk of lung cancer in the Singapore Chinese Health Study. <i>International Journal of Cancer</i> , 2008, 123, 1398-1402. | 2.3 | 20 |
| 337 | Alcohol, cofactors and the genetics of hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008, 23, S92-7. | 1.4 | 51 |
| 338 | Morbidity and mortality in relation to smoking among women and men of Chinese ethnicity: The Singapore Chinese Health Study. <i>European Journal of Cancer</i> , 2008, 44, 100-109. | 1.3 | 28 |
| 339 | Sleep Duration and Coronary Heart Disease Mortality Among Chinese Adults in Singapore: A Population-based Cohort Study. <i>American Journal of Epidemiology</i> , 2008, 168, 1367-1373. | 1.6 | 140 |
| 340 | Genetic determinants in the metabolism of bladder carcinogens in relation to risk of bladder cancer. <i>Carcinogenesis</i> , 2008, 29, 1386-1393. | 1.3 | 52 |
| 341 | Urinary Total Isothiocyanates and Colorectal Cancer: A Prospective Study of Men in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1354-1359. | 1.1 | 33 |
| 342 | Alcohol, Tobacco, and Diet in Relation to Esophageal Cancer: The Shanghai Cohort Study. <i>Nutrition and Cancer</i> , 2008, 60, 354-363. | 0.9 | 121 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Green Tea, Soy, and Mammographic Density in Singapore Chinese Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3358-3365. | 1.1 | 29 |
| 344 | Management of chronic hepatitis B. <i>Evidence Report/technology Assessment</i> , 2008, , 1-671. | 1.3 | 12 |
| 345 | Environmental Tobacco Smoke and Bladder Cancer Risk in Never Smokers of Los Angeles County. <i>Cancer Research</i> , 2007, 67, 7540-7545. | 0.4 | 59 |
| 346 | Tobacco Smoking and Urinary Levels of 2-Amino-9 <i>H</i> -Pyrido[2,3- <i>b</i>]Indole in Men of Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1554-1560. | 1.1 | 27 |
| 347 | Beta-Cryptoxanthin and Lung Cancer in Shanghai, China—An Examination of Potential Confounding with Cigarette Smoking Using Urinary Cotinine as a Biomarker for True Tobacco Exposure. <i>Nutrition and Cancer</i> , 2007, 57, 123-129. | 0.9 | 7 |
| 348 | Green tea and black tea consumption in relation to colorectal cancer risk: the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2007, 28, 2143-2148. | 1.3 | 70 |
| 349 | DNA Repair Single-Nucleotide Polymorphisms in Colorectal Cancer and their Role as Modifiers of the Effect of Cigarette Smoking and Alcohol in the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 2363-2372. | 1.1 | 77 |
| 350 | Differential Effects of Black versus Green Tea on Risk of Parkinson's Disease in the Singapore Chinese Health Study. <i>American Journal of Epidemiology</i> , 2007, 167, 553-560. | 1.6 | 153 |
| 351 | Urinary biomarkers of tea polyphenols and risk of colorectal cancer in the Shanghai Cohort Study. <i>International Journal of Cancer</i> , 2007, 120, 1344-1350. | 2.3 | 89 |
| 352 | Genetic polymorphisms in the methylenetetrahydrofolate reductase and thymidylate synthase genes and risk of hepatocellular carcinoma. <i>Hepatology</i> , 2007, 46, 749-758. | 3.6 | 75 |
| 353 | A prospective study of tobacco and alcohol use as risk factors for pharyngeal carcinomas in Singapore Chinese. <i>Cancer</i> , 2007, 109, 1183-1191. | 2.0 | 68 |
| 354 | Peroxisome proliferator-activated receptor (PPAR) γ gene polymorphisms and colorectal cancer risk among Chinese in Singapore. <i>Carcinogenesis</i> , 2006, 27, 1797-1802. | 1.3 | 36 |
| 355 | Diabetes Mellitus and Risk of Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of the National Cancer Institute</i> , 2006, 98, 135-138. | 3.0 | 112 |
| 356 | Green tea, black tea and colorectal cancer risk: a meta-analysis of epidemiologic studies. <i>Carcinogenesis</i> , 2006, 27, 1301-1309. | 1.3 | 153 |
| 357 | Prediagnostic Level of Serum Retinol in Relation to Reduced Risk of Hepatocellular Carcinoma. <i>Journal of the National Cancer Institute</i> , 2006, 98, 482-490. | 3.0 | 83 |
| 358 | RESPONSE: Re: Diabetes Mellitus and Risk of Colorectal Cancer in the Singapore Chinese Health Study. <i>Journal of the National Cancer Institute</i> , 2006, 98, 1019-1020. | 3.0 | 2 |
| 359 | Green tea, black tea and breast cancer risk: a meta-analysis of epidemiological studies. <i>Carcinogenesis</i> , 2006, 27, 1310-1315. | 1.3 | 202 |
| 360 | Nasopharyngeal Cancer. , 2006, , 620-626. | | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Effect of cytokine genotypes on the hepatitis B virus-hepatocellular carcinoma association. <i>Cancer</i> , 2005, 103, 740-748. | 2.0 | 96 |
| 362 | Middle-Aged and Older Chinese Men and Women in Singapore Who Smoke Have Less Healthy Diets and Lifestyles than Nonsmokers. <i>Journal of Nutrition</i> , 2005, 135, 2473-2477. | 1.3 | 59 |
| 363 | Green tea intake, ACE gene polymorphism and breast cancer risk among Chinese women in Singapore. <i>Carcinogenesis</i> , 2005, 26, 1389-1394. | 1.3 | 84 |
| 364 | A pilot study of an alcoholic liver disease recurrence prevention education program in hospitalized patients with advanced liver disease. <i>Addictive Behaviors</i> , 2005, 30, 465-473. | 1.7 | 6 |
| 365 | Polymorphisms in angiotensin II type 1 receptor and angiotensin I-converting enzyme genes and breast cancer risk among Chinese women in Singapore. <i>Carcinogenesis</i> , 2004, 26, 459-464. | 1.3 | 55 |
| 366 | Synergism of alcohol, diabetes, and viral hepatitis on the risk of hepatocellular carcinoma in blacks and whites in the U.S.. <i>Cancer</i> , 2004, 101, 1009-1017. | 2.0 | 262 |
| 367 | Carotenoids/vitamin C and smoking-related bladder cancer. <i>International Journal of Cancer</i> , 2004, 110, 417-423. | 2.3 | 74 |
| 368 | Dietary soy and increased risk of bladder cancer: A prospective cohort study of men in Shanghai, China. <i>International Journal of Cancer</i> , 2004, 112, 319-323. | 2.3 | 33 |
| 369 | Environmental factors and risk for hepatocellular carcinoma. <i>Gastroenterology</i> , 2004, 127, S72-S78. | 0.6 | 375 |
| 370 | Prediagnostic levels of serum micronutrients in relation to risk of gastric cancer in Shanghai, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1772-80. | 1.1 | 27 |
| 371 | Demographic Characteristics of Hospitalized Patients With Alcoholic Liver Disease and Pancreatitis in Los Angeles County. <i>Alcoholism: Clinical and Experimental Research</i> , 2003, 27, 1798-1804. | 1.4 | 23 |
| 372 | Permanent hair dyes and bladder cancer: risk modification by cytochrome P4501A2 and N-acetyltransferases 1 and 2. <i>Carcinogenesis</i> , 2003, 24, 483-489. | 1.3 | 111 |
| 373 | Seafood and Myocardial Infarction in China. , 2003, , . | | 0 |
| 374 | Angiotensin I-converting enzyme (ACE) gene polymorphism and breast cancer risk among Chinese women in Singapore. <i>Cancer Research</i> , 2003, 63, 573-8. | 0.4 | 107 |
| 375 | Dietary cryptoxanthin and reduced risk of lung cancer: the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 890-8. | 1.1 | 96 |
| 376 | Urinary tea polyphenols in relation to gastric and esophageal cancers: a prospective study of men in Shanghai, China. <i>Carcinogenesis</i> , 2002, 23, 1497-1503. | 1.3 | 122 |
| 377 | Dietary isothiocyanates, glutathione S-transferase polymorphisms and colorectal cancer risk in the Singapore Chinese Health Study. <i>Carcinogenesis</i> , 2002, 23, 2055-2061. | 1.3 | 195 |
| 378 | Epidemiology of nasopharyngeal carcinoma. <i>Seminars in Cancer Biology</i> , 2002, 12, 421-429. | 4.3 | 751 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Lipid peroxidation: a novel and unifying concept of the etiology of renal cell carcinoma (United) Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.8 | 148 |
| 380 | Dietary soy and increased risk of bladder cancer: the Singapore Chinese Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 1674-7. | 1.1 | 23 |
| 381 | Reply to A Astrup. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 558-559. | 2.2 | 3 |
| 382 | Genetic, dietary, and other lifestyle determinants of plasma homocysteine concentrations in middle-aged and older Chinese men and women in Singapore. <i>American Journal of Clinical Nutrition</i> , 2001, 73, 232-239. | 2.2 | 132 |
| 383 | Use of permanent hair dyes and bladder-cancer risk. <i>International Journal of Cancer</i> , 2001, 91, 575-579. | 2.3 | 190 |
| 384 | Fish and Shellfish Consumption in Relation to Death from Myocardial Infarction among Men in Shanghai, China. <i>American Journal of Epidemiology</i> , 2001, 154, 809-816. | 1.6 | 142 |
| 385 | Gender- and Smoking-Related Bladder Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2001, 93, 538-545. | 3.0 | 228 |
| 386 | Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. <i>International Journal of Cancer</i> , 2000, 85, 358-363. | 2.3 | 130 |
| 387 | Non-dietary risk factors for nasopharyngeal carcinoma in Shanghai, China. <i>International Journal of Cancer</i> , 2000, 85, 364-369. | 2.3 | 115 |
| 388 | Decreased Luteinizing Hormone Receptor mRNA Expression in Human Ovarian Epithelial Cancer. <i>Gynecologic Oncology</i> , 2000, 79, 158-168. | 0.6 | 46 |
| 389 | Epidemiology of Hepatocellular Carcinoma. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2000, 14, 703-709. | 1.8 | 163 |
| 390 | Isothiocyanates, glutathione S-transferase M1 and T1 polymorphisms, and lung-cancer risk: a prospective study of men in Shanghai, China. <i>Lancet</i> , The, 2000, 356, 724-729. | 6.3 | 392 |
| 391 | Chronic infection with hepatitis G virus in relation to hepatocellular carcinoma among non-Asians in Los Angeles County, California. , 1999, 86, 936-943. | | 16 |
| 392 | Cruciferous vegetables in relation to renal cell carcinoma. <i>International Journal of Cancer</i> , 1998, 77, 211-216. | 2.3 | 91 |
| 393 | Cruciferous vegetables in relation to renal cell carcinoma. , 1998, 77, 211. | | 1 |
| 394 | Cruciferous vegetables in relation to renal cell carcinoma. , 1998, 77, 211. | | 1 |
| 395 | Follow up study of moderate alcohol intake and mortality among middle aged men in Shanghai, China. <i>BMJ: British Medical Journal</i> , 1997, 314, 18-18. | 2.4 | 173 |
| 396 | Prospective Evaluation of Dietary and Other Predictors of Fatal Stroke in Shanghai, China. <i>Circulation</i> , 1997, 96, 50-55. | 1.6 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 397 | An apparent lack of association between <i>Helicobacter pylori</i> infection and risk of gastric cancer in China. , 1996, 67, 603-607. | | 69 |
| 398 | Morbidity and Mortality in Relation to Cigarette Smoking in Shanghai, China. JAMA - Journal of the American Medical Association, 1996, 275, 1646. | 3.8 | 113 |
| 399 | A cohort study of serum testosterone and hepatocellular carcinoma in Shanghai, China. International Journal of Cancer, 1995, 63, 491-493. | 2.3 | 86 |
| 400 | Aflatoxin biomarkers. Lancet, The, 1992, 340, 119. | 6.3 | 4 |
| 401 | Serum hormone levels in pre-menopausal Chinese women in Shanghai and white women in Los Angeles: results from two breast cancer case-control studies. Cancer Causes and Control, 1990, 1, 51-58. | 0.8 | 154 |
| 402 | Dietary factors and epithelial ovarian cancer. British Journal of Cancer, 1989, 59, 92-96. | 2.9 | 134 |