

Subin Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4609316/publications.pdf>

Version: 2024-02-01

83
papers

1,729
citations

304743

22
h-index

330143

37
g-index

84
all docs

84
docs citations

84
times ranked

2836
citing authors

#	ARTICLE	IF	CITATIONS
1	The Trend of Psychiatric Visits and Psychiatric Medication Prescription Among People Tested for SARS-CoV-2 During the Initial Phase of COVID-19 Pandemic in South Korea. <i>Psychiatry Investigation</i> , 2022, 19, 61-71.	1.6	2
2	Self-Injurious Behavior Rate in the Short-Term Period of the COVID-19 Pandemic in Korea. <i>Journal of Korean Medical Science</i> , 2022, 37, e45.	2.5	3
3	Factors Affecting Changes in the Mental Health of North Korean Refugee Youths: A Three-Year Follow-Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1696.	2.6	2
4	Reciprocal Prediction between Impulsivity and Problematic Internet Use among North Korean Refugee Youths in South Korea by Gender and Adverse Childhood Experience. <i>Psychiatry Investigation</i> , 2021, 18, 225-232.	1.6	1
5	The Association between Unstable Employment and Suicidal Behavior in Young-Adult Precarious Workers. <i>Psychiatry Investigation</i> , 2021, 18, 661-669.	1.6	1
6	The Relationship between Adverse Childhood Experiences and Sleep Problems among Adolescent Students: Mediation by Depression or Anxiety. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 236.	2.6	23
7	Analyzing Untreated Alcohol Use Disorder and Factors Related to Help-Seeking Status. <i>Psychiatry Investigation</i> , 2021, 18, 936-942.	1.6	0
8	Health Behaviors, Physical Health, and Health Care Utilization in Children With ADHD. <i>Journal of Attention Disorders</i> , 2020, 24, 1011-1019.	2.6	8
9	The effect of early trauma on North Korean refugee youths' mental health: Moderating effect of emotional regulation strategies. <i>Psychiatry Research</i> , 2020, 287, 112707.	3.3	15
10	Joint effect of depression and health behaviors or conditions on incident cardiovascular diseases: A Korean population-based cohort study. <i>Journal of Affective Disorders</i> , 2020, 276, 616-622.	4.1	5
11	Illuminating the treatment gap of mental disorders: A comparison of community survey-based and national registry-based prevalence rates in Korea. <i>Journal of Psychiatric Research</i> , 2020, 130, 381-386.	3.1	5
12	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. <i>PLoS ONE</i> , 2020, 15, e0235736.	2.5	6
13	Associations among Employment Status, Health Behaviors, and Mental Health in a Representative Sample of South Koreans. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2456.	2.6	14
14	Prevalence of DSM-IV Major Psychiatric Disorders among North Korean Defectors in South Korea. <i>Psychiatry Investigation</i> , 2020, 17, 541-546.	1.6	6
15	Development of the Korean Practice Parameter for Adult Attention-Deficit/Hyperactivity Disorder. <i>Soa'seongso'nyeon Jeongsin Yihag</i> , 2020, 31, 5-25.	0.5	9
16	Suicide Attempts and Contributing Factors among South and North Korean-Family Youth Using the Korean Youth Risk Behavior Web-based Survey. <i>Soa'seongso'nyeon Jeongsin Yihag</i> , 2020, 31, 33-40.	0.5	3
17	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0
18	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0

#	ARTICLE	IF	CITATIONS
19	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0
20	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0
21	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0
22	The cost-of-illness trend of schizophrenia in South Korea from 2006 to 2016. , 2020, 15, e0235736.		0
23	Comorbidity of Alcohol Use and Other Psychiatric Disorders and Suicide Mortality: Data from the South Korean National Health Insurance Cohort, 2002 to 2013. <i>Alcoholism: Clinical and Experimental Research</i> , 2019, 43, 842-849.	2.4	16
24	Factors Related to Change in Depression among North Korean Refugee Youths in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4624.	2.6	6
25	Patterns of Change in Employment Status and Their Association with Self-Rated Health, Perceived Daily Stress, and Sleep among Young Adults in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4491.	2.6	12
26	Effect of comorbid depression on health-related quality of life of patients with chronic diseases: A South Korean nationwide study (2007â€“2015). <i>Journal of Psychosomatic Research</i> , 2019, 116, 17-21.	2.6	10
27	The Mental Health of Ethnic Minority Youths in South Korea and Its Related Environmental Factors: A Literature Review. <i>SoaÅ¡\$ceongso'nyeon Jeongsin Yihag</i> , 2019, 30, 88-99.	0.5	9
28	Influencing factors of attitudes toward seeking professional help for mental illness among Korean adults. <i>International Journal of Social Psychiatry</i> , 2018, 64, 286-292.	3.1	8
29	Correlations between suicide rates and the prevalence of suicide risk factors among Korean adolescents. <i>Psychiatry Research</i> , 2018, 261, 143-147.	3.3	34
30	The mental health of married immigrant women in South Korea and its risk and protective factors: A literature review. <i>International Journal of Social Psychiatry</i> , 2018, 64, 80-91.	3.1	19
31	Beliefs about the causes of and treatments for depression and bipolar disorder among South Koreans. <i>Psychiatry Research</i> , 2018, 260, 219-226.	3.3	6
32	Multidisciplinary Approaches in Developing Guideline for Mediating Behavioral Problems in Children and Adolescents with Neurodevelopmental Disorders. <i>Journal of Korean Neuropsychiatric Association</i> , 2018, 57, 190.	0.5	1
33	Public recognition of attention-deficit hyperactivity disorder in Korea: Correct identification, causes, treatments, and social distance. <i>Asian Journal of Psychiatry</i> , 2018, 38, 3-8.	2.0	12
34	Major Stressors among Korean Adolescents According to Gender, Educational Level, Residential Area, and Socioeconomic Status. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 2080.	2.6	15
35	Korean adultsâ€™ beliefs about and social distance toward attention-deficit hyperactivity disorder, Tourette syndrome, and autism spectrum disorder. <i>Psychiatry Research</i> , 2018, 269, 633-639.	3.3	7
36	Related Factors of Suicidal Ideation among North Korean Refugee Youth in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1694.	2.6	11

#	ARTICLE	IF	CITATIONS
37	Trauma and Depression among North Korean Refugees: The Mediating Effect of Negative Cognition. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 591.	2.6	16
38	Health risk behaviors and psychological problems among South Korean, North Korean, and other multicultural family adolescents (2011–2016). <i>Psychiatry Research</i> , 2018, 268, 373-380.	3.3	25
39	Associations between dietary behaviours and perceived physical and mental health status among Korean adolescents. <i>Nutrition and Dietetics</i> , 2018, 75, 488-493.	1.8	35
40	The Prevalence of Chronic Physical Diseases Comorbid with Depression among Different Sex and Age Groups in South Korea: A Population-Based Study, 2007–2014. <i>Psychiatry Investigation</i> , 2018, 15, 370-375.	1.6	9
41	Reliability and Validity of the Early Trauma Inventory Self Report-Short Form among Korean Adolescents. <i>SoaŃŃceongso'nyeon Jeongsin Yihag</i> , 2018, 29, 2-6.	0.5	9
42	Associations of Internet Use with Oral Hygiene Based on National Youth Risk Behavior Survey. <i>SoaŃŃceongso'nyeon Jeongsin Yihag</i> , 2018, 29, 26-30.	0.5	6
43	Effects of Coping Strategies on Post-Traumatic Stress Symptoms among General Population. <i>Seuteureseu Yeon-gu</i> , 2018, 26, 186-192.	0.4	0
44	Associations of body weight perception and weight control behaviors with problematic internet use among Korean adolescents. <i>Psychiatry Research</i> , 2017, 251, 275-280.	3.3	31
45	Mental health status of North Korean refugees in South Korea and risk and protective factors: a 10-year review of the literature. <i>HŃŃgre Utbildning</i> , 2017, 8, 1369833.	3.0	50
46	Differences in the relationship between traumatic experiences, self-esteem, negative cognition, and Internet addiction symptoms among North Korean adolescent defectors and South Korean adolescents: A preliminary study. <i>Psychiatry Research</i> , 2017, 257, 381-385.	3.3	16
47	Lay beliefs about the causes and cures of schizophrenia. <i>International Journal of Social Psychiatry</i> , 2017, 63, 518-524.	3.1	9
48	Violence Victimization in Korean Adolescents: Risk Factors and Psychological Problems. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 541.	2.6	29
49	Factors Affecting Depressive Symptoms among North Korean Adolescent Refugees Residing in South Korea. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 912.	2.6	25
50	Association between Healthcare Utilization and Depression in Korean Women with Cardiovascular Conditions. <i>Psychiatry Investigation</i> , 2017, 14, 801.	1.6	1
51	Association of Overweight with the Prevalence of Lifetime Psychiatric Disorders and Suicidality: General Population-based Study in Korea. <i>Journal of Korean Medical Science</i> , 2016, 31, 1814.	2.5	3
52	Factors that Affect Suicide Attempts of Adolescents in Multicultural Families in Korea. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 1184.	2.6	16
53	Association between depression and metabolic syndrome in Korean women: Results from the Korean national health and nutrition examination survey (2007–2013). <i>Journal of Affective Disorders</i> , 2016, 205, 393-399.	4.1	31
54	Association between energy drink intake, sleep, stress, and suicidality in Korean adolescents: energy drink use in isolation or in combination with junk food consumption. <i>Nutrition Journal</i> , 2016, 15, 87.	3.4	84

#	ARTICLE	IF	CITATIONS
55	Factors That Affect Adolescent Drug Users' Suicide Attempts. <i>Psychiatry Investigation</i> , 2016, 13, 360.	1.6	7
56	Prevalence, correlates, and associated psychological problems of substance use in Korean adolescents. <i>BMC Public Health</i> , 2015, 16, 79.	2.9	72
57	Brief report: Sex differences in suicide rates and suicide methods among adolescents in South Korea, Japan, Finland, and the US. <i>Journal of Adolescence</i> , 2015, 40, 74-77.	2.4	21
58	Genetic association analyses of neuregulin 1 gene polymorphism with endophenotype for sociality of Korean autism spectrum disorders family. <i>Psychiatry Research</i> , 2015, 227, 366-368.	3.3	10
59	The association of suicide risk with negative life events and social support according to gender in Asian patients with major depressive disorder. <i>Psychiatry Research</i> , 2015, 228, 277-282.	3.3	33
60	Cause-Specific Mortality of Psychiatric Inpatients and Outpatients in a General Hospital in Korea. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, 164-175.	1.0	12
61	Childhood Exposure to Psychological Trauma and the Risk of Suicide Attempts: The Modulating Effect of Psychiatric Disorders. <i>Psychiatry Investigation</i> , 2015, 12, 171.	1.6	20
62	Substance Use and Sexual Behaviors of Adolescents in Multicultural Families in Korea. <i>Psychiatry Investigation</i> , 2015, 12, 466.	1.6	14
63	Associations of physical activity with sleep satisfaction, perceived stress, and problematic Internet use in Korean adolescents. <i>BMC Public Health</i> , 2014, 14, 1143.	2.9	83
64	Increased use of lethal methods and annual increase of suicide rates in Korean adolescents: comparison with adolescents in the United States. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 258-263.	5.2	19
65	Neurotrophin 3 genotype and emotional adverse effects of osmotic-release oral system methylphenidate (OROS-MPH) in children with attention-deficit/hyperactivity disorder. <i>Journal of Psychopharmacology</i> , 2014, 28, 220-226.	4.0	12
66	Impact of childhood exposure to psychological trauma on the risk of psychiatric disorders and somatic discomfort: Single vs. multiple types of psychological trauma. <i>Psychiatry Research</i> , 2014, 219, 443-449.	3.3	40
67	Association between Urine Phthalate Levels and Poor Attentional Performance in Children with Attention-Deficit Hyperactivity Disorder with Evidence of Dopamine Gene-Phthalate Interaction. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 6743-6756.	2.6	35
68	Association between the GRM7 rs3792452 polymorphism and attention deficit hyperactivity disorder in a Korean sample. <i>Behavioral and Brain Functions</i> , 2013, 9, 1.	3.3	62
69	Anxiety and Depression Symptoms in Children with Asperger Syndrome Compared with Attention-Deficit/Hyperactivity Disorder and Depressive Disorder. <i>Journal of Child and Family Studies</i> , 2013, 22, 559-568.	1.3	15
70	No association between serum cholesterol and death by suicide in patients with schizophrenia, bipolar affective disorder, or major depressive disorder. <i>Behavioral and Brain Functions</i> , 2013, 9, 45.	3.3	33
71	Clinical and Laboratory Predictors of All Causes Deaths and Alcohol-Attributable Deaths Among Discharged Alcohol-Dependent Patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 270-275.	2.4	5
72	The association between problematic internet use and depression, suicidal ideation and bipolar disorder symptoms in Korean adolescents. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 153-159.	2.3	145

#	ARTICLE	IF	CITATIONS
73	Psychiatric morbidities, sleep disturbances, suicidality, and quality-of-life in a community population with medically unexplained pain in Korea. <i>Psychiatry Research</i> , 2012, 198, 509-515.	3.3	23
74	Gender ratio comparisons of the suicide rates and methods in Korea, Japan, Australia, and the United States. <i>Journal of Affective Disorders</i> , 2012, 142, 161-165.	4.1	66
75	Comparison of treated and untreated alcohol dependence in a nationwide sample of Korean adults. <i>Addiction Research and Theory</i> , 2012, 20, 125-132.	1.9	2
76	Comparison of Treated and Untreated Major Depressive Disorder in a Nationwide Sample of Korean Adults. <i>Community Mental Health Journal</i> , 2012, 48, 363-371.	2.0	9
77	The effect of ziprasidone on body weight and energy expenditure in female rats. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 787-793.	3.4	7
78	Proximal risk factors and suicide methods among suicide completers from national suicide mortality data 2004-2006 in Korea. <i>Comprehensive Psychiatry</i> , 2011, 52, 231-237.	3.1	34
79	Prevalence, correlates, and comorbidities of adult ADHD symptoms in Korea: Results of the Korean epidemiologic catchment area study. <i>Psychiatry Research</i> , 2011, 186, 378-383.	3.3	94
80	Relationship Between Physical Activity and Mental Health in a Nationwide Sample of Korean Adults. <i>Psychosomatics</i> , 2011, 52, 65-73.	2.5	16
81	Prevalence, clinical correlations, comorbidities, and suicidal tendencies in pathological Korean gamblers: results from the Korean Epidemiologic Catchment Area Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 621-629.	3.1	67
82	Relationships of sleep duration with sociodemographic and health-related factors, psychiatric disorders and sleep disturbances in a community sample of Korean adults. <i>Journal of Sleep Research</i> , 2010, 19, 567-577.	3.2	101
83	Temperament and Character Factors in Korean Children With Seizure Disorders. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 470-476.	1.0	8