

Yoshihiro Kuroiwa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/461105/publications.pdf>

Version: 2024-02-01

288
papers

6,597
citations

87888

38
h-index

98798

67
g-index

290
all docs

290
docs citations

290
times ranked

5849
citing authors

#	ARTICLE	IF	CITATIONS
1	Mn ²⁺ /Nb co-doping in barium titanate ceramics by different solid-state reaction routes for temperature stable and DC-bias free dielectrics. <i>Ceramics International</i> , 2022, 48, 2154-2160.	4.8	8
2	Lattice Anharmonicity in Bi ₂ -Based Layered Superconductor RE(O,F)BiS ₂ (RE = Tl, ETQq, 0, 0, rgBT, /Overlock	1.6	2
3	The ferroelectric phase transition in a 500 nm sized single particle of BaTiO ₃ tracked by coherent X-ray diffraction. <i>Japanese Journal of Applied Physics</i> , 2022, 61, SN1008.	1.5	3
4	The crystal structure and electrical/thermal transport properties of Li _{1-x} Sn _{2+x} P ₂ and its performance as a Li-ion battery anode material. <i>Journal of Materials Chemistry A</i> , 2021, 9, 7034-7041.	10.3	7
5	Size effect of the guest cation on the AlO ₄ framework in aluminate sodalite-type oxides M ₈ [Al ₁₂ O ₂₄](SO ₄) ₂ (M = Tl, ETQq, 1, 0.7843, 1.4	1.1	1
6	Non-Rare-Earth UVC Persistent Phosphors Enabled by Bismuth Doping. <i>Advanced Optical Materials</i> , 2021, 9, 2002065.	7.3	27
7	Thermoelectric Properties of the As/P-Based Zintl Compounds EuIn ₂ As ₂ (x = 0) and SrSn ₂ As ₂ . <i>ACS Applied Energy Materials</i> , 2021, 4, 5155-5164.	5.1	16
8	Formation Mechanism of ¹² Li ₃ PS ₄ through Decomposition of Complexes. <i>Inorganic Chemistry</i> , 2021, 60, 6964-6970.	4.0	19
9	n-Type thermoelectric metal chalcogenide (Ag,Pb,Bi)(S,Se,Te) designed by multi-site-type high-entropy alloying. <i>Materials Research Letters</i> , 2021, 9, 366-372.	8.7	13
10	Observing and Modeling the Sequential Pairwise Reactions that Drive Solid-State Ceramic Synthesis. <i>Advanced Materials</i> , 2021, 33, e2100312.	21.0	51
11	Phase transition, magnetic, and electronic properties of CeOInS ₂ . <i>Journal of the Ceramic Society of Japan</i> , 2021, 129, 249-253.	1.1	1
12	Bragg coherent diffraction imaging allowing simultaneous retrieval of three-dimensional shape and strain distribution for 40–500 nm particles. <i>Japanese Journal of Applied Physics</i> , 2021, 60, SFFA07.	1.5	7
13	Synthesis of Pb(Zr, Ti)O ₃ fine ceramic powder at room temperature by dry mechanochemical solid-state reaction evaluated using synchrotron radiation X-ray diffraction. <i>Japanese Journal of Applied Physics</i> , 2021, 60, SFFA02.	1.5	4
14	Material softening by cation off-centering in Bi-based lead-free piezoelectric ceramics. <i>Japanese Journal of Applied Physics</i> , 2021, 60, SFFD01.	1.5	7
15	A-site cation off-centering contribution on ferroelectricity and piezoelectricity in pseudo-cubic perovskite structure of Bi-based lead-free piezoelectrics. <i>Scripta Materialia</i> , 2021, 205, 114176.	5.2	12
16	Structural Transition with a Sharp Change in the Electrical Resistivity and Spin-Orbit Mott Insulating State in a Rhenium Oxide, Sr ₃ Re ₂ O ₉ . <i>Inorganic Chemistry</i> , 2021, 60, 507-514.	4.0	4
17	Theory-Guided Defect Tuning through Topochemical Reactions for Accelerated Discovery of UVC Persistent Phosphors. <i>Advanced Optical Materials</i> , 2020, 8, 1901727.	7.3	20
18	Charge ordering and successive phase transitions of mixed-valence iron oxide GdBaFe ₂ O ₅ . <i>Journal of Solid State Chemistry</i> , 2020, 282, 121069.	2.9	5

#	ARTICLE	IF	CITATIONS
19	Improvement of superconducting properties by chemical pressure effect in Eu-doped La ₂ -EuO ₂ Bi ₃ Ag _{0.6} Sn _{0.4} S ₆ . <i>Physica C: Superconductivity and Its Applications</i> , 2020, 576, 1353731.	1.2	4
20	Piezoelectricity in perovskite-type pseudo-cubic ferroelectrics by partial ordering of off-centered cations. <i>Communications Materials</i> , 2020, 1, .	6.9	33
21	Electric-field-induced structural changes for cubic system of lead-free and lead-based perovskite-type oxides. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SPPA05.	1.5	9
22	Synchrotron radiation X-ray diffraction evidence for nature of chemical bonds in Bi ₄ Ti ₃ O ₁₂ ceramic powders and grain-orientation mechanism of their films formed by aerosol deposition method. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SPPA04.	1.5	4
23	Evolution of two bulk-superconducting phases in Sr _{0.5} RE _{0.5} BiS ₂ (RE: La, Ce, Pr, Nd, Sm) by external hydrostatic pressure effect. <i>Scientific Reports</i> , 2020, 10, 12880.	3.3	4
24	Structural Phase Diagram of LaO _{1-x} F _x BiSSe: Suppression of the Structural Phase Transition by Partial F Substitutions. <i>Condensed Matter</i> , 2020, 5, 81.	1.8	8
25	Crystal Structure and Thermoelectric Transport Properties of As-Doped Layered Pnictogen Oxyselenides NdO _{0.8} F _{0.2} Sb _{1-x} As _x Se ₂ . <i>Materials</i> , 2020, 13, 2164.	2.9	1
26	Bulk Superconductivity Induced by Se Substitution in Self-Doped BiCh ₂ -Based Compound CeOBiS ₂ ^x Se _x . <i>Journal of the Physical Society of Japan</i> , 2020, 89, 064702.	1.6	3
27	Doping Induces Structural Phase Transitions in All-Inorganic Lead Halide Perovskite Nanocrystals. , 2020, 2, 367-375.		42
28	Antithermal Quenching of Luminescence in Zero-Dimensional Hybrid Metal Halide Solids. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 2902-2909.	4.6	49
29	Rotational intersite displacement of disordered lead atoms in a relaxor ferroelectric during piezoelectric lattice straining and ferroelectric domain switching. <i>Physical Review B</i> , 2020, 101, .	3.2	5
30	Flux Growth and Superconducting Properties of (Ce,Pr)OBiS ₂ Single Crystals. <i>Frontiers in Chemistry</i> , 2020, 8, 44.	3.6	14
31	Visualization of spontaneous electronic polarization in Pb ion of ferroelectric PbTiO ₃ by synchrotron-radiation x-ray diffraction. <i>Applied Physics Letters</i> , 2020, 117, .	3.3	10
32	Two-fold symmetry of in-plane magnetoresistance anisotropy in the superconducting states of BiCh ₂ -based LaO _{0.9} F _{0.1} BiSSe single crystal. <i>Journal of Physics Communications</i> , 2020, 4, 095028.	1.2	11
33	Charge order of bismuth ions and nature of chemical bonds in double perovskite-type oxide BaBiO ₃ visualized by synchrotron radiation X-ray diffraction. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 095505.	1.5	2
34	Defective [Bi ₂ O ₂] ²⁺ Layers Exhibiting Ultrabroad Near-Infrared Luminescence. <i>Chemistry - A European Journal</i> , 2019, 25, 12842-12848.	3.3	4
35	Enhanced superconductivity by Na doping in SnAs-based layered compound Na _{1-x} Sn ₂ ^x As ₂ . <i>Japanese Journal of Applied Physics</i> , 2019, 58, 083001.	1.5	11
36	Synthesis of Sm ₂ Fe ₁₇ N ₃ powder having a new level of high coercivity by preventing decrease of coercivity in washing step of reduction-diffusion process. <i>Journal of Alloys and Compounds</i> , 2019, 804, 237-242.	5.5	28

#	ARTICLE	IF	CITATIONS
37	An electronic structure governed by the displacement of the indium site in $\text{In}^{\text{II}}\text{S}_6$ octahedra: LnOInS_2 (Ln = La, Ce, and Pr). Dalton Transactions, 2019, 48, 12272-12278.	3.3	8
38	Development of an apparatus for Bragg coherent X-ray diffraction imaging, and its application to the three dimensional imaging of BaTiO_3 nano-crystals. Japanese Journal of Applied Physics, 2019, 58, SLLA05.	1.5	9
39	Antiferroelectric to Antiferroelectric-Relaxor Phase Transition in Calcium Strontium Sulfoaluminate. Inorganic Chemistry, 2019, 58, 15410-15416.	4.0	8
40	Structural fluctuation of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ in the cubic phase. Japanese Journal of Applied Physics, 2019, 58, SLLA06.	1.5	3
41	Hydrothermal Synthesis and Crystal Structure of a $(\text{Ba}_{0.54}\text{K}_{0.46})_4\text{Bi}_4\text{O}_{12}$ Double-Perovskite Superconductor with Onset of the Transition $T_c \approx 30$ K. Inorganic Chemistry, 2019, 58, 11997-12001.	4.0	24
42	Pressure-induced superconductivity in the layered pnictogen diselenide $\text{NdO}_{0.8}\text{FO}_{2.2}\text{Sb}_{1-x}\text{Bi}_x\text{Se}_2$ ($x=0.3$ and 0.7). Physical Review B, 2019, 100, .	3.2	3
43	Defect-Triggered Phase Transition in Cesium Lead Halide Perovskite Nanocrystals. , 2019, 1, 185-191.		51
44	High-Efficiency Violet-Emitting All-Inorganic Perovskite Nanocrystals Enabled by Alkaline-Earth Metal Passivation. Chemistry of Materials, 2019, 31, 3974-3983.	6.7	90
45	Doping-Induced Polymorph and Carrier Polarity Changes in Thermoelectric $\text{Ag}(\text{Bi,Sb})\text{Se}_2$ Solid Solution. Inorganic Chemistry, 2019, 58, 7628-7633.	4.0	11
46	Structural Phase Transitions and Possibility of the Relaxor-like State in Improper Ferroelectric Strontium-Substituted Calcium Sulfoaluminates. Journal of the Physical Society of Japan, 2019, 88, 034718.	1.6	6
47	Improvement of superconducting properties by high mixing entropy at blocking layers in BiS_2 -based superconductor $\text{REO}_{0.5}\text{FO}_{0.5}\text{BiS}_2$. Solid State Communications, 2019, 295, 43-49.	1.9	34
48	Effect of Bi Substitution on Thermoelectric Properties of SbSe_2 -based Layered Compounds $\text{NdO}_{0.8}\text{FO}_{2.2}\text{Sb}_{1-x}\text{Bi}_x\text{Se}_2$. Journal of the Physical Society of Japan, 2019, 88, 024705.	1.6	5
49	Synthesis and crystal structure of a new bismuth tin titanate with the pyrochlore-type structure. Journal of the Ceramic Society of Japan, 2019, 127, 952-957.	1.1	1
50	Hydrothermal Synthesis of Pyrochlore-Type Pentavalent Bismuthates $\text{Ca}_2\text{Bi}_2\text{O}_7$ and $\text{Sr}_2\text{Bi}_2\text{O}_7$. Inorganic Chemistry, 2019, 58, 1759-1763.	4.0	18
51	Evolution of Anisotropic Displacement Parameters and Superconductivity with Chemical Pressure in BiS_2 -Based $\text{REO}_{0.5}\text{FO}_{0.5}\text{BiS}_2$ (RE = La, Ce, Pr, and Nd). Journal of the Physical Society of Japan, 2018, 87, 023704.	1.6	34
52	Crystal Structure and Superconductivity of Tetragonal and Monoclinic $\text{Ce}_x\text{Pr}_{1-x}\text{OBiS}_2$. Inorganic Chemistry, 2018, 57, 5364-5370.	4.0	14
53	Ion-Exchangeable Microporous Polyoxometalate Compounds with Off-Center Dopants Exhibiting Unconventional Luminescence. Chemistry - A European Journal, 2018, 24, 9976-9982.	3.3	3
54	$\text{Cs}_4\text{PbBr}_6/\text{CsPbBr}_3$ Perovskite Composites with Near-Unity Luminescence Quantum Yield: Large-Scale Synthesis, Luminescence and Formation Mechanism, and White Light-Emitting Diode Application. ACS Applied Materials & Interfaces, 2018, 10, 15905-15912.	8.0	135

#	ARTICLE	IF	CITATIONS
55	Transformation of Perovskite BaBiO ₃ into Layered BaBiO _{2.5} Crystals Featuring Unusual Chemical Bonding and Luminescence. Chemistry - A European Journal, 2018, 24, 8875-8882.	3.3	1
56	Effect of Te substitution on crystal structure and transport properties of AgBiSe ₂ thermoelectric material. Dalton Transactions, 2018, 47, 2575-2580.	3.3	38
57	Anomalous atomic displacement parameters and local dynamics in the Curie range of a Pb-free relaxor ferroelectric system (Bi _{1-x} Ba _x)(Fe _{1-x} Ti _x)O ₃ (0.36 ≤ x ≤ 0.50). Journal of Applied Physics, 2018, 123, 164103.	2.5	2
58	Synthesis, crystal structure and optical absorption of NaInS ₂ -Se. Journal of Alloys and Compounds, 2018, 750, 409-413.	5.5	8
59	Fabrication and piezoelectric properties of BaTiO ₃ /BaTiO ₃ -Bi(Mg _{1/2} Ti _{1/2})O ₃ -BiFeO ₃ composites. Ceramics International, 2018, 44, 10657-10662.	4.8	5
60	Fabrication of lead-free piezoelectric (Bi _{0.5} Na _{0.5})TiO ₃ ∕BaTiO ₃ ceramics using electrophoretic deposition. Journal of Materials Science, 2018, 53, 2396-2404.	3.7	14
61	Time-resolved structure analysis of piezoelectric crystals by X-ray diffraction under alternating electric field. Japanese Journal of Applied Physics, 2018, 57, 11UB06.	1.5	4
62	Study of materials structure physics of isomorphous LiNbO ₃ and LiTaO ₃ ferroelectrics by synchrotron radiation X-ray diffraction. Japanese Journal of Applied Physics, 2018, 57, 11UB04.	1.5	7
63	X-ray-activated long persistent phosphors featuring strong UVC afterglow emissions. Light: Science and Applications, 2018, 7, 88.	16.6	159
64	Crystal structure, photocatalytic and dielectric property of ATiM ₂ O ₈ (A: Mg, Tj ETQq0 0,0 rgBT /Oylock 10 2,3		
65	Reaction Mechanism of FePS ₃ Electrodes in All-Solid-State Lithium Secondary Batteries Using Sulfide-Based Solid Electrolytes. Journal of the Electrochemical Society, 2018, 165, A2948-A2954.	2.9	10
66	Na _{1-x} Sn ₂ P ₂ as a new member of van der Waals-type layered tin pnictide superconductors. Scientific Reports, 2018, 8, 12852.	3.3	22
67	Crystal Structure, Thermal Behavior, and Photocatalytic Activity of NaBiO ₃ ∕H ₂ O. Inorganic Chemistry, 2018, 57, 8903-8908.	4.0	26
68	Effect of thermal annealing on crystal structures and electrical properties in BaTiO ₃ ceramics. Journal of Applied Physics, 2018, 124, .	2.5	24
69	In-situ electric field induced lattice strain response observation in BiFeO ₃ ∕BaTiO ₃ ∕lead-free piezoelectric ceramics. Journal of the Ceramic Society of Japan, 2018, 126, 316-320.	1.1	19
70	Synchrotron-radiation X-ray diffraction evidence of the emergence of ferroelectricity in LiTaO ₃ by ordering of a disordered Li ion in the polar direction. Applied Physics Express, 2018, 11, 071501.	2.4	5
71	Synthesis, Crystal Structure, and Thermoelectric Properties of Layered Antimony Selenides REOSbSe ₂ (RE = La, Ce). Journal of the Physical Society of Japan, 2018, 87, 074703.	1.6	15
72	Hydrothermal Synthesis, Structure, and Superconductivity of Simple Cubic Perovskite (Ba _{0.62} K _{0.38})(Bi _{0.92} Mg _{0.08})O ₃ with <i>T_c</i> ≈ 30 K. Inorganic Chemistry, 2017, 56, 3174-3181.	4.0	26

#	ARTICLE	IF	CITATIONS
73	Hydrothermal Synthesis, Crystal Structure, and Visible-Region Photocatalytic Activity of BaBi ₂ O ₆ . ChemistrySelect, 2017, 2, 4843-4846.	1.5	14
74	Bi Substitution Effects on Superconductivity of Valence-Skip Superconductor AgSnSe ₂ . Journal of the Physical Society of Japan, 2017, 86, 054711.	1.6	3
75	Electrochemical and structural study on LiMn _{0.8} Fe _{0.2} PO ₄ and Mn _{0.8} Fe _{0.2} PO ₄ battery cathodes: diffusion limited lithium transport. Journal of Solid State Electrochemistry, 2017, 21, 3221-3228.	2.5	0
76	Synthesis, structure and photocatalytic activity of layered LaOInS ₂ . Journal of Materials Chemistry A, 2017, 5, 14270-14277.	10.3	30
77	Structural and electrical characteristics of potential candidate lead-free BiFeO ₃ -BaTiO ₃ piezoelectric ceramics. Journal of Applied Physics, 2017, 122, .	2.5	95
78	Intrinsic Phase Diagram of Superconductivity in the BiCh ₂ -Based System Without In-Plane Disorder. Journal of the Physical Society of Japan, 2017, 86, 074701.	1.6	35
79	Crystal structure, site selectivity, and electronic structure of layered chalcogenide LaOBiPbS ₃ . Europhysics Letters, 2017, 119, 26002.	2.0	20
80	Formation of ferromagnetic Co ²⁺ -Co complex and spin-polarized conduction band in Co-doped ZnO. Scientific Reports, 2017, 7, 11101.	3.3	7
81	High-throughput powder diffraction measurement system consisting of multiple MYTHEN detectors at beamline BL02B2 of SPring-8. Review of Scientific Instruments, 2017, 88, 085111.	1.3	253
82	Improper Ferroelectricity in Stuffed Aluminate Sodalites for Pyroelectric Energy Harvesting. Physical Review Applied, 2017, 7, .	3.8	22
83	Synthesis of rutile-type solid solution Ni _{1-x} Co _x Ti(Nb _y Ta _y) ₂ O ₈ (O ²⁻ , O ²⁻) and its optical property. Journal of Asian Ceramic Societies, 2017, 5, 284-289.	2.3	14
84	Synthesis, Crystal Structure, and Physical Properties of New Layered Oxychalcogenide La ₂ O ₂ Bi ₃ AgS ₆ . Journal of the Physical Society of Japan, 2017, 86, 124802.	1.6	18
85	Structure fluctuation in Gd- and Mg-substituted BaTiO ₃ with cubic structure. Japanese Journal of Applied Physics, 2017, 56, 10PB10.	1.5	7
86	Charge-density study on layered oxyarsenides (LaO)MAs (M = Mn, Fe, Ni, Zn). Applied Physics Express, 2017, 10, 123001.	2.4	4
87	Revealing the role of heat treatment in enhancement of electrical properties of lead-free piezoelectric ceramics. Journal of Applied Physics, 2017, 122, .	2.5	45
88	Hydrothermal synthesis and crystal structure of a new lithium copper bismuth oxide, LiCuBiO ₄ . Journal of Solid State Chemistry, 2017, 245, 30-33.	2.9	7
89	Synthesis and crystal structure of pyrochlore-type silver niobate and tantalate. Journal of the Ceramic Society of Japan, 2017, 125, 776-778.	1.1	6
90	Ferroelectric Materials and Their Applications. Japanese Journal of Applied Physics, 2017, 56, 10P001.	1.5	1

#	ARTICLE	IF	CITATIONS
91	Unconventional Luminescent Centers in Metastable Phases Created by Topochemical Reduction Reactions. <i>Angewandte Chemie</i> , 2016, 128, 5051-5055.	2.0	6
92	Polarization twist in perovskite ferrielectrics. <i>Scientific Reports</i> , 2016, 6, 32216.	3.3	26
93	Electric field induced lattice strain in pseudocubic Bi(Mg _{1/2} Ti _{1/2})O ₃ -modified BaTiO ₃ -BiFeO ₃ piezoelectric ceramics. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	40
94	Compositional and temperature evolution of crystal structure of new thermoelectric compound LaOBiS ₂ xSe _x . <i>Journal of Applied Physics</i> , 2016, 119, 155103.	2.5	29
95	Control of magneto-transport characteristics of Co-doped ZnO by electron beam irradiation. <i>RSC Advances</i> , 2016, 6, 41067-41073.	3.6	7
96	Adsorption Behavior of Rare Earth Metal Cations in the Interlayer Space of $\text{I}^3\text{-ZrP}$. <i>Langmuir</i> , 2016, 32, 9993-9999.	3.5	5
97	Two competing soft modes and an unusual phase transition in the stuffed tridymite-type oxide $\text{BaAl}_{1-x}\text{Mn}_x\text{O}_4$ <i>Physical Review B</i> , 2016, 93, 080401.	3.2	13
98	Structural Study of Ferroelectrics under Applied Electric Field. <i>Nihon Kessho Gakkaishi</i> , 2016, 58, 167-173.	0.0	0
99	Off-centering of rare-earth ion in (Ba,R)(Ti,Mg)O ₃ (R= Gd, Dy). <i>Japanese Journal of Applied Physics</i> , 2016, 55, 10TC08.	1.5	2
100	Unconventional Luminescent Centers in Metastable Phases Created by Topochemical Reduction Reactions. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4967-4971.	13.8	29
101	Heterovalent Pb-substitution in ferroelectric bismuth silicate Bi ₂ SiO ₅ . <i>Journal of Materials Chemistry C</i> , 2016, 4, 3168-3174.	5.5	15
102	Hydrothermal Synthesis, Crystal Structure, and Superconductivity of a Double-Perovskite Bi Oxide. <i>Chemistry of Materials</i> , 2016, 28, 459-465.	6.7	54
103	Structures and optical absorption of Bi ₂ OS ₂ and LaOBiS ₂ . <i>Solid State Communications</i> , 2016, 227, 19-22.	1.9	35
104	Time-resolved crystal structure analysis of resonantly vibrating langasite oscillator. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 10TC05.	1.5	7
105	Atomic motion of resonantly vibrating quartz crystal visualized by time-resolved X-ray diffraction. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	10
106	In-plane chemical pressure essential for superconductivity in BiCh ₂ -based (Ch: S, Se) layered structure. <i>Scientific Reports</i> , 2015, 5, 14968.	3.3	104
107	Structural and electrochemical properties of 20-micron Li(Co _{1-x} Li _x)O ₂ (x>0) agglomerates with layered structures: Identification of tetravalent cobalt. <i>Journal of Physics and Chemistry of Solids</i> , 2015, 87, 48-52.	4.0	2
108	Large Electric-field-induced Strain in Pseudo-cubic BaTiO ₃ -Bi(Mg _{0.5} Ti _{0.5})O ₃ -BiFeO ₃ Ceramics. <i>Transactions of the Materials Research Society of Japan</i> , 2015, 40, 295-299.	3.8	10

#	ARTICLE	IF	CITATIONS
109	Hydrothermal synthesis and crystal structure analysis of two new cadmium bismuthates, CdBi_2O_6 and $\text{Cd}_{0.37}\text{Bi}_{0.63}\text{O}_{1.79}$. Journal of Asian Ceramic Societies, 2015, 3, 251-254.	2.3	18
110	Analysis of oxygen vacancy in Co-doped ZnO using the electron density distribution obtained using MEM. Nanoscale Research Letters, 2015, 10, 186.	5.7	40
111	Crystal structure analysis of LiTaO_3 under electric field. Japanese Journal of Applied Physics, 2015, 54, 10NB03.	1.5	12
112	Role of structure gradient region on dielectric properties in $\text{Ba}(\text{Zr,Ti})\text{O}_3\text{-KNbO}_3$ nanocomposite ceramics. Japanese Journal of Applied Physics, 2015, 54, 10NB04.	1.5	3
113	Pr- and La-doping effects on the magnetic anisotropy in the antiferromagnetic phase of Kondo semiconductor $\text{CeRu}_{2-x}\text{Mn}_x$. Physical Review B, 2015, 91, .	3.2	6
114	Octahedral and trigonal-prismatic coordination preferences in Nb-, Mo-, Ta-, and W-based ABX_2 layered oxides, oxynitrides, and nitrides. Journal of Solid State Chemistry, 2015, 229, 272-277.	2.9	17
115	Hydrothermal synthesis of a new Bi-based $(\text{Ba}_{0.82}\text{K}_{0.18})(\text{Bi}_{0.53}\text{Pb}_{0.47})\text{O}_3$ superconductor. Journal of Alloys and Compounds, 2015, 634, 208-214.	5.5	38
116	Expansion of the Hexagonal Phase-Forming Region of $\text{LuSc}_3\text{FeO}_7$ by Containerless Processing. Inorganic Chemistry, 2015, 54, 9432-9437.	4.0	30
117	Structural Difference in Superconductive and Nonsuperconductive BiS Planes within $\text{Bi}_4\text{O}_4\text{Bi}_2\text{S}_4$ Blocks. Inorganic Chemistry, 2015, 54, 10462-10467.	4.0	10
118	Polarization Rotation and Monoclinic Distortion in Ferroelectric $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3\text{-BaTiO}_3$ Single Crystals under Electric Fields. Crystals, 2014, 4, 273-295.	2.2	23
119	Off-centering of a Bi ion in cubic phase of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$. Japanese Journal of Applied Physics, 2014, 53, 09PD02.	1.5	33
120	Crystal structures and ferromagnetism of Fe_xWN_2 ($x \approx 0.74, 0.90$) with defective iron triangular lattice. Journal of Alloys and Compounds, 2014, 593, 154-157.	5.5	7
121	^7Li NMR study of milling effects on instability of lithium-sites in lithium substituted silver niobate. Solid State Ionics, 2014, 262, 202-205.	2.7	0
122	Non- 180° polarization rotation of ferroelectric $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ single crystals under electric field. Physical Review B, 2014, 89, .	3.2	29
123	Superconducting Double Perovskite Bismuth Oxide Prepared by a Low-Temperature Hydrothermal Reaction. Angewandte Chemie - International Edition, 2014, 53, 3599-3603.	13.8	61
124	SXRD Charge Density of KNbO_3 Ferroelectric Perovskite. Ferroelectrics, 2014, 462, 1-7.	0.6	0
125	Solvothermal preparation of potassium niobate/barium titanate nanocomplex ceramics with three dimensional network-configuration of structure-gradient region and their dielectric properties. Journal of Applied Physics, 2013, 114, 074103.	2.5	8
126	Bonding Preference of Carbon, Nitrogen, and Oxygen in Niobium-Based Rock-Salt Structures. Inorganic Chemistry, 2013, 52, 9699-9701.	4.0	13

#	ARTICLE	IF	CITATIONS
127	Polarization-switching dynamics and microstructures of ferroelectric (Bi _{0.5} Na _{0.5})TiO ₃ single crystals. <i>Journal of the Korean Physical Society</i> , 2013, 62, 1035-1040.	0.7	2
128	Synchrotron radiation analyses of domain switching behaviors for ferroelectric BaTiO ₃ single crystals under electric fields. <i>Journal of the Korean Physical Society</i> , 2013, 62, 1046-1050.	0.7	0
129	Piezoelectric enhancement of new ceramics with artificial MPB engineering. <i>Sensors and Actuators A: Physical</i> , 2013, 200, 26-30.	4.1	2
130	Enhanced polarization switching in ferroelectric Bi _{0.5} Na _{0.5} TiO ₃ single crystals by defect control. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 791-795.	1.8	7
131	Stabilization of metastable ferroelectric Ba _{1-x} Ca _x Ti ₂ O ₅ by breaking Ca-site selectivity via crystallization from glass. <i>Scientific Reports</i> , 2013, 3, 3010.	3.3	7
132	Evidence for local monoclinic structure, polarization rotation, and morphotropic phase transitions in Ba _{1-x} Ca _x Ti ₂ O ₅ . <i>Physical Review B</i> , 2013, 88, .	3.2	50
133	Weak Ferromagnetic Transition with a Dielectric Anomaly in Hexagonal Lu _{0.5} Sc _{0.5} FeO ₃ . <i>Inorganic Chemistry</i> , 2013, 52, 11889-11894.	4.0	38
134			

#	ARTICLE	IF	CITATIONS
145	Preparation of Potassium Niobate-Coated Barium Titanate Accumulation Ceramics by Solvothermal Synthesis and Enhancement of Piezoelectric Property. Key Engineering Materials, 2013, 566, 76-80.	0.4	2
146	Electronic Polarization in KNbO_3 Visualized by Synchrotron Radiation Powder Diffraction. Japanese Journal of Applied Physics, 2013, 52, 09KF04.	1.5	9
147	Enhancing the Superconducting Properties of Magnesium Diboride Without Doping. Journal of the American Ceramic Society, 2013, 96, 2893-2897.	3.8	5
148	Visualization of Bi^{3+} off-centering in the average cubic structure of $(\text{Ba}_{0.70}\text{Bi}_{0.30})(\text{Ti}_{0.70}\text{Fe}_{0.30})\text{O}_3$ at the electron density level. Applied Physics Letters, 2013, 103, .	3.3	13
149	Structural study of heat-treated $\text{BaTiO}_3/\text{KNbO}_3$ nanocomposites with heteroepitaxial interface by synchrotron radiation powder diffraction. Journal of the Ceramic Society of Japan, 2013, 121, 602-605.	1.1	3
150	Chemical composition dependence of ferroelectric properties for $\text{BaTiO}_3/\text{Bi}(\text{Mg}_{1/2}\text{Ti}_{1/2})\text{O}_3/\text{BiFeO}_3$ lead-free piezoelectric ceramics. Journal of the Ceramic Society of Japan, 2013, 121, 855-858.		
151	Abnormally Large Thermal Vibration of Chloride Anions Incorporated in Layered Double Hydroxide Consisting of Mg and Al (Mg/Al = 2). Chemistry Letters, 2013, 42, 1285-1287.	1.3	8
152	Crystal Structure and Anisotropic d -Hybridization in $\text{CeT}_2\text{Al}_{10}$ (T=Ru, Fe). Journal of the Physical Society of Japan, 2013, 82, 024603.	1.6	34
153	Synchrotron radiation analyses of lattice strain behaviors for rhombohedral $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3/\text{PbTiO}_3$ single crystals under electric fields. Journal of the Ceramic Society of Japan, 2013, 121, 632-637.		
154	Fabrication of Textured BaTiO_3 Ceramics by Electrophoretic Deposition in A High Magnetic Field using Single-domain Particles. Transactions of the Materials Research Society of Japan, 2013, 38, 41-44.	0.2	4
155	Site-Selective Calcium Substitution in BaTi_2O_5 : Effect on the Crystal Structure and the Ferroelectric Phase Transition. Journal of the Physical Society of Japan, 2012, 81, 014706.	1.6	9
156	Nanostructure Control of Barium Titanate/Potassium Niobate Nanocomplex Ceramics and Their Enhanced Ferroelectric Properties. Japanese Journal of Applied Physics, 2012, 51, 09LC05.	1.5	15
157	Crystal Structure of $\text{BaTiO}_3/\text{KNbO}_3$ Nanocomposite Ceramics: Relationship between Dielectric Property and Structure of Heteroepitaxial Interface. Japanese Journal of Applied Physics, 2012, 51, 09LC05.	1.5	17
158	Evidence for diffuse ferroelectric phase transition and cooperative tricritical freezing of random-site dipoles due to off-centered Bi^{3+} ions		

#	ARTICLE	IF	CITATIONS
163	Nanostructure Control of Barium Titanate/Potassium Niobate Nanocomplex Ceramics and Their Enhanced Ferroelectric Properties. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 09LC05.	1.5	12
164	Crystal Structure of BaTiO ₃ /KNbO ₃ Nanocomposite Ceramics: Relationship between Dielectric Property and Structure of Heteroepitaxial Interface. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 09LE05.	1.5	5
165	Synchrotron Radiation Study on Time-Resolved Tetragonal Lattice Strain of BaTiO ₃ under Electric Field. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 09NE05.	1.5	22
166	Preparation of Barium Titanate/Potassium Niobate Nanostructured Ceramics with Artificial Morphotropic Phase Boundary Structure By Solvothermal Method. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 09NC08.	1.5	20
167	Microstructure Control of Barium Titanate - Potassium Niobate Solid Solution System Ceramics by MPB Engineering and Their Piezoelectric Properties. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 092058.	0.6	0
168	Enhanced piezoelectric response of BaTiO ₃ /KNbO ₃ composites. <i>Applied Physics Letters</i> , 2011, 99, .	3.3	44
169	Temperature-induced isostructural phase transition, associated large negative volume expansion, and the existence of a critical point in the phase diagram of the multiferroic $\frac{1}{x^2} \frac{d}{dx} \left(\frac{1}{x} \right)$	3.2	40
170	In-field J _c improvement by oxygen-free pyrene gas diffusion into highly dense MgB ₂ superconductor. <i>Journal of Applied Physics</i> , 2011, 109, .	2.5	20
171	Linear Thermal Expansion of FeSe Ferrimagnets. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 2905-2907.	2.1	0
172	Nanosized hexagonal Mn- and Ga-doped BaTiO ₃ with reduced structural phase transition temperature. <i>Applied Physics Letters</i> , 2011, 98, 132909.	3.3	9
173	An electrostatic potential study of asymmetric ionic conductivity in Li ₂ B ₄ O ₇ crystals. <i>Current Applied Physics</i> , 2011, 11, 649-652.	2.4	4
174			

#	ARTICLE	IF	CITATIONS
181	Synchrotron Radiation Study on Time-Resolved Tetragonal Lattice Strain of BaTiO ₃ under Electric Field. Japanese Journal of Applied Physics, 2011, 50, 09NE05.	1.5	9
182	Extremely High Resolution Single Crystal Diffractometry for Orbital Resolution using High Energy Synchrotron Radiation at SPring-8. AIP Conference Proceedings, 2010, , .	0.4	70
183	Anisotropic Transport Properties of CeRu ₂ Al ₁₀ . Journal of the Physical Society of Japan, 2010, 79, 063709.	1.6	41
184	Existence of Fine Structure inside Spin Gap in CeRu ₂ Al ₁₀ . Journal of the Physical Society of Japan, 2010, 79, 083701.	1.6	58
185	Preparation of barium titanate-bismuth magnesium titanate ceramics with high Curie temperature and their piezoelectric properties. Journal of the Ceramic Society of Japan, 2010, 118, 683-687.	1.1	23
186	Preparation of barium titanate-potassium niobate ceramics using interface engineering and their piezoelectric properties. Journal of the Ceramic Society of Japan, 2010, 118, 691-695.	1.1	10
187	Enhanced Piezoelectric Properties of Barium Titanate-Potassium Niobate Solid Solution System Ceramics by MPB Engineering. Key Engineering Materials, 2010, 445, 11-14.	0.4	9
188	Charge Density Study of Metastable State in BaTi ₂ O ₅ with Fivefold Coordinated Ti. Japanese Journal of Applied Physics, 2010, 49, 09ME10.	1.5	11
189	Possible Long-Range Order with Singlet Ground State in CeRu ₂ Al ₁₀ . Journal of the Physical Society of Japan, 2010, 79, 043708.	1.6	80
190	Noncentrosymmetric Structure of LuFeO ₃ in Metastable State. Japanese Journal of Applied Physics, 2010, 49, 09ME06.	1.5	79
191	Direct observation of deuterium in ferromagnetic $Zn_{0.9}Mn_{0.1}O$. Physical Review B, 2010, 81, .	3.2	22
192	Enhanced Piezoelectric Properties of Lead-Free Piezoelectric Materials by Microstructure Control. Ferroelectrics, 2010, 402, 121-129.	0.6	1
193	Piezoelectric properties of high Curie temperature barium titanate-bismuth perovskite-type oxide system ceramics. Journal of Applied Physics, 2010, 108, .	2.5	78
194	Preparation of Barium Titanate Nanoparticles by Particle Growth Control and Their Characterization. Integrated Ferroelectrics, 2010, 114, 35-41.	0.7	2
195	Interpretation of T _m and T* in Relaxor Ferroelectric 0.93Pb(Zn _{1/3} Nb _{2/3})O ₃ -0.07PbTiO ₃ . IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2010, 57, 2159-2164.	3.0	14
196	Thermal Reliability of Alkaline Niobate-Based Lead-Free Piezoelectric Ceramics. Japanese Journal of Applied Physics, 2009, 48, 09KD08.	1.5	30
197	Structure and Physical Properties of Metastable Hexagonal LuFeO ₃ . Ferroelectrics, 2009, 378, 169-174.	0.6	13
198	Charge Density Study on Phase Transition in BaTi ₂ O ₅ Ferroelectric. Japanese Journal of Applied Physics, 2009, 48, 09KF06.	1.5	14

#	ARTICLE	IF	CITATIONS
199	Structural Characteristics of $(\text{Ba}_{0.94}\text{Gd}_{0.06})(\text{Ti}_{0.97}\text{Mg}_{0.03})\text{O}_3$ in Cubic Structure Determined by High-Energy Synchrotron-Radiation Powder Diffraction. Japanese Journal of Applied Physics, 2009, 48, 09KF03.	1.5	7
200	Phase Diagram and Microstructure Analysis of Barium Titanate – Potassium Niobate System Piezoelectric Ceramics. Key Engineering Materials, 2009, 421-422, 34-37.	0.4	5
201	Heat capacity at constant pressure and thermodynamic properties of phase transitions in PbMO_3 (M=Ti, Zr and Hf). Journal of Thermal Analysis and Calorimetry, 2009, 95, 675-683.	3.6	31
202	X-ray diffractometry for the structure determination of a submicrometre single powder grain. Journal of Synchrotron Radiation, 2009, 16, 352-357.	2.4	82
203	Comprehensive Structural Study of Glassy and Metastable Crystalline BaTi_2O_5 . Chemistry of Materials, 2009, 21, 259-263.	6.7	66
204	Particle size effect on the new phase transition in a tridymite compound, CsCoPO_4 . Journal of Thermal Analysis and Calorimetry, 2008, 92, 451-455.	3.6	8
205	Preparation of barium titanate nanoparticle sphere arrays and their dielectric properties. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 1895-1899.	3.0	21
206	Preparation of Barium Titanate – Potassium Niobate Solid Solution System Ceramics and Their Piezoelectric Properties. Japanese Journal of Applied Physics, 2008, 47, 7678-7684.	1.5	35
207	Preparation of Highly Dispersed Barium Titanate Nanoparticles from Barium Titanate Oxalate Nanoparticles and Their Dielectric Properties. Japanese Journal of Applied Physics, 2008, 47, 7612.	1.5	28
208	Electron Charge Density Study of $(\text{Na}_{1-x}\text{K}_x)\text{NbO}_3$ in Cubic Structure. Japanese Journal of Applied Physics, 2008, 47, 7745-7748.	1.5	15
209	Composite structure and size effect of barium titanate nanoparticles. Applied Physics Letters, 2008, 93, .	3.3	189
210	Luminescence mechanism of (Pr, Al)-doped SrTiO_3 nanoparticles investigated by x-ray absorption spectroscopy. Physical Review B, 2008, 78, .	3.2	10
211	Charge density distribution of KMnF_3 under high pressure. Physical Review B, 2008, 78, .	3.2	7
212	Giant strain in lead-free $(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3$ -based single crystals. Applied Physics Letters, 2008, 92, .	3.3	129
213	Relationship between MPB and Emergence of Structural Boundary in Cubic Phase of Pb-Based Perovskite-Type Solid Solutions PZT and PZN-PT. Transactions of the Materials Research Society of Japan, 2008, 33, 47-51.	0.2	2
214	Crystal Growth of Lithium-Doped Silver Niobate Single Crystals and Their Piezoelectric Properties. Ferroelectrics, 2007, 346, 64-71.	0.6	11
215	High-oxygen-pressure crystal growth of ferroelectric $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ single crystals. Applied Physics Letters, 2007, 91, 162909.	3.3	58
216	Charge density distribution of transparent p-type semiconductor $(\text{LaO})\text{CuS}$. Applied Physics Letters, 2007, 90, 161916.	3.3	19

#	ARTICLE	IF	CITATIONS
217	Control of Mesoscopic Particle Structure in Barium Titanate Nanoparticles and their Dielectric Properties. Key Engineering Materials, 2007, 350, 59-62.	0.4	3
218	Electron Charge Density Study on Antiferroelectric Phase Transition in PbZrO_3 . Ferroelectrics, 2007, 354, 158-166.	0.6	8
219	Direct observation of oxygen stabilization in layered ferroelectric $\text{Bi}_3.25\text{La}_0.75\text{Ti}_3\text{O}_{12}$. Applied Physics Letters, 2007, 91, 062913.	3.3	34
220	Charge Density Distribution of PbHfO_3 in Antiferroelectric Phase. Journal of the Korean Physical Society, 2007, 51, 764.	0.7	3
221	Origin of Ultrahigh Dielectric Constants for Barium Titanate Nanoparticles. Journal of the Korean Physical Society, 2007, 51, 878.	0.7	20
222	Fabrication of BaTi_2O_5 Glass-Ceramics with Unusual Dielectric Properties during Crystallization. Chemistry of Materials, 2006, 18, 2169-2173.	6.7	98
223	Structural studies of Ca and transition metal co-doped system $(\text{La}_{1-x}\text{Ca}_x\text{O})\text{Cu}_x\text{M}_x\text{S}$ (, Co, Ni, Zn). Journal of Alloys and Compounds, 2006, 408-412, 95-97.	5.5	7
224	Disorder of Pb Atom in Cubic Structure of $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 System. Japanese Journal of Applied Physics, 2006, 45, 7552-7555.	1.5	22
225	Growth of Large-Scale Silver Lithium Niobate Single Crystals and Their Piezoelectric Properties. Japanese Journal of Applied Physics, 2006, 45, 7389-7396.	1.5	23
226	Phase Transition Behavior of Barium Titanate Nanoparticles. Key Engineering Materials, 2006, 320, 131-134.	0.4	5
227	Electrostatic potential of ferroelectric PbTiO_3 : Visualized electron polarization of Pb ion. Physical Review B, 2006, 74, .	3.2	34
228	Size effect on crystal structure and chemical bonding nature in BaTiO_3 nanopowder. Journal of Thermal Analysis and Calorimetry, 2005, 81, 627-630.	3.6	46
229	High-Energy SR Powder Diffraction Evidence of Multisite Disorder of Pb Atom in Cubic Phase of $\text{PbZr}_{1-x}\text{Ti}_x\text{O}_3$. Japanese Journal of Applied Physics, 2005, 44, 7151-7155.	1.5	45
230	Publisher's Note: Anisotropic thermal expansion of layered MoO_3 crystals [Phys. Rev. B69, 064111 (2004)]. Physical Review B, 2004, 69, .	3.2	6
231	Drastic lowering of the order-disorder phase transition temperatures in $\text{Zr}_{1-x}\text{M}_x\text{W}_2\text{O}_8$ ($\text{M}=\text{Sc}, \text{Y}, \text{In}$) solid solutions. Physical Review B, 2004, 70, .	3.2	18
232	Distinctive Charge Density Distributions of Perovskite-Type Antiferroelectric Oxides PbZrO_3 and PbHfO_3 in Cubic Phase. Japanese Journal of Applied Physics, 2004, 43, 6799-6802.	1.5	41
233	Charge Density Study on the Ferroelectric Phase in LiTaO_3 by Synchrotron Radiation Powder Diffraction. Ferroelectrics, 2004, 304, 163-166.	0.6	2
234	Anisotropic thermal expansion of layered MoO_3 crystals. Physical Review B, 2004, 69, .	3.2	57

#	ARTICLE	IF	CITATIONS
235	Study of crystal structure at high temperature phase in KIO ₃ crystal by synchrotron powder X-ray diffraction. Nuclear Instruments & Methods in Physics Research B, 2003, 199, 49-53.	1.4	13
236	CDW-induced negative thermal expansion in two-dimensional conductor $\hat{\Gamma}$ -Mo ₄ O ₁₁ . Solid State Communications, 2003, 125, 45-49.	1.9	15
237	Electrical resistivity and photoemission spectra of layered oxysulfide (La _{1-x} CaxO)Cu _{1-x} NixS. Physica B: Condensed Matter, 2003, 329-333, 898-899.	2.7	1
238	Structural defects effect on ferromagnetism of layered oxysulfide (La _{1-x} CaxO)Cu _{1-x} NixS. Physica B: Condensed Matter, 2003, 329-333, 961-962.	2.7	6
239	Particle-size effect on the III-IV phase transition in CsZnPO ₄ . Physical Review B, 2003, 68, .	3.2	8
240	Order-disorder mechanism of the I-II phase transition in CsZnPO ₄ . Physical Review B, 2003, 67, .	3.2	9
241	Slow Phase Transition and Macroscopic Size-Effect in CsZnPO ₄ Crystal. Ferroelectrics, 2003, 291, 3-10.	0.6	9
242	Charge-Density Study of the High Temperature Orthorhombic Phase in Ferrielastic CsLiCrO ₄ . Ferroelectrics, 2003, 284, 185-191.	0.6	2
243	Electron Charge Density Study on the Bonding Nature in MoO ₃ . Journal of the Physical Society of Japan, 2003, 72, 2811-2815.	1.6	8
244	Composite Structure of BaTiO ₃ Nanoparticle Investigated by SR X-Ray Diffraction. Journal of the Physical Society of Japan, 2002, 71, 1218-1221.	1.6	84
245	Accurate Charge-Densities of Crystalline Materials Obtained by Third Generation SR and MEM/Rietveld Analysis. Ferroelectrics, 2002, 268, 23-28.	0.6	1
246	Direct Observation of Covalency between O and Disordered Pb in Cubic PbZrO ₃ . Journal of the Physical Society of Japan, 2002, 71, 2353-2356.	1.6	63
247	Precise Charge Density Analysis of PbTiO ₃ . Ferroelectrics, 2002, 269, 303-308.	0.6	0
248	Structural study of perovskite-type fine particles by synchrotron radiation powder diffraction. Magyar Apr ³ vad KA ⁷ zlem ^Å nyek, 2002, 69, 933-938.	1.4	21
249	Evidence for Pb-O Covalency in Tetragonal PbTiO ₃ . Physical Review Letters, 2001, 87, 217601.	7.8	414
250	X-ray study of sublattice structures in ferrielastic. Ferroelectrics, 2001, 251, 1-10.	0.6	1
251	The large Debye-Scherrer camera installed at SPring-8 BL02B2 for charge density studies. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 467-468, 1045-1048.	1.6	415
252	The large Debye-Scherrer camera installed at SPring-8 BL02B2 for charge density studies. Journal of Physics and Chemistry of Solids, 2001, 62, 2095-2098.	4.0	80

#	ARTICLE	IF	CITATIONS
253	X-ray diffraction studies on the lock-in phase transition of intramolecular hydrogen-bonded compound d-BrHPLN. <i>Journal of Physics Condensed Matter</i> , 2000, 12, 8345-8356.	1.8	13
254	Neutron Magnetic Scattering of Intercalation Compounds FexTiS_2 . <i>Molecular Crystals and Liquid Crystals</i> , 2000, 341, 15-20.	0.3	11
255	X-ray study of extremely slow transition in CsZnPO_4 crystal. <i>Ferroelectrics</i> , 2000, 237, 245-252.	0.6	17
256	Structural Phase Transition of an Intercalation Compound $\text{Mn}_{1/4}\text{NbS}_2$. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 341, 87-92.	0.3	3
257	Title is missing!. <i>Journal of Materials Science Letters</i> , 1999, 18, 2045-2047.	0.5	0
258	X-Ray Study of Ferroelastic Phase Transition in CsLiCrO_4 Crystal. <i>Journal of the Physical Society of Japan</i> , 1999, 68, 2673-2678.	1.6	6
259	Diffuse Scattering due to Anisotropic Phonon Softening in Ferroelastic Compounds NdNbO_4 and LaNbO_4 . <i>Japanese Journal of Applied Physics</i> , 1999, 38, 600.	1.5	4
260	High-Resolution Powder Diffractometry to Study the Phase Transition of h-BaTiO_3 . <i>Japanese Journal of Applied Physics</i> , 1999, 38, 73.	1.5	7
261	Thermal expansion near the martensitic transformation in slow-cooled and quenched $\text{Au}_{49.5}\text{at.\%Cd}$ alloy. <i>Solid State Communications</i> , 1998, 106, 501-504.	1.9	1
262	In-plane local arrangements of Ag atoms in the stage-2 intercalation compound $\text{Ag}_{0.15}\text{TiS}_2$. <i>Journal of Applied Crystallography</i> , 1998, 31, 91-93.	4.5	2
263	Neutron and synchrotron radiation studies of the phase transition of h-BaTiO_3 . <i>Ferroelectrics</i> , 1998, 217, 1-7.	0.6	8
264	Phase Transitions at High Temperature in Intercalation Compounds $\text{Mn}_{1/4}\text{NbS}_2$ and $\text{Mn}_{1/4}\text{TaS}_2$. <i>Journal of the Physical Society of Japan</i> , 1997, 66, 1698-1701.	1.6	3
265	Thermal Expansion and the Phase Transition in a Langbeinite-Type $\text{K}_2\text{Mn}_2(\text{SO}_4)_3$ Single Crystal. <i>Journal of the Physical Society of Japan</i> , 1997, 66, 1840-1841.	1.6	9
266	Elastic and Inelastic Neutron Scattering Studies on the Martensitic Phase Transformation in $\text{Cu}_{39}\text{at.\%Zn}$ Alloy. <i>Journal of the Physical Society of Japan</i> , 1997, 66, 1033-1043.	1.6	1
267	Development of a Low-Temperature X-ray Diffractometer with a Weissenberg Camera utilizing an Image Plate. <i>Journal of Applied Crystallography</i> , 1995, 28, 341-346.	4.5	9
268	Neutron powder diffraction study of intercalation compound FexTiS_2 . <i>Physica B: Condensed Matter</i> , 1995, 213-214, 396-398.	2.7	12
269	Pretransitional Phenomena at the First-Order Phase Transition in LaNbO_4 . <i>Journal of the Physical Society of Japan</i> , 1995, 64, 3798-3803.	1.6	14
270	Short-Range Order and Long-Range Order of Fe Atoms in a Spin-Glass Phase and a Cluster-Glass Phase of Intercalation Compounds FexTiS_2 . <i>Journal of the Physical Society of Japan</i> , 1994, 63, 4278-4281.	1.6	15

#	ARTICLE	IF	CITATIONS
271	Incommensurate-Commensurate Phase Transition of Intramolecular Hydrogen-Bonded System: 5-Bromo-9-Deuteroxyphenalenone (d-BrHPLN). Journal of the Physical Society of Japan, 1994, 63, 4286-4289.	1.6	27
272	Double Condensation at V-Point on the Phase Transition of $K_3D(SO_4)_2$. Journal of the Physical Society of Japan, 1994, 63, 1803-1807.	1.6	20
273	Ferroelectric Behaviors in Semiconductive $Cd_{1-x}Zn_xTe$ Crystals. Japanese Journal of Applied Physics, 1993, 32, 728.	1.5	10
274	Local Distortion of AsO_4 and PO_4 Molecules in KDP-Family Crystals. Japanese Journal of Applied Physics, 1993, 32, 740.	1.5	1
275	Polarized X-ray Absorption Fine Structure of High-Tc Superconductor; $La_{2-x}Sr_xCuO_4$ Single Crystals. Japanese Journal of Applied Physics, 1993, 32, 596.	1.5	2
276	A versatile new cryostat for obtaining X-ray diffuse intensity data from thin flat single crystals. Journal of Applied Crystallography, 1990, 23, 77-77.	4.5	1
277	X-ray-diffraction study of in-plane and interlayer correlations in layered compounds Ag_xTiS_2 . Physical Review B, 1990, 42, 11591-11597.	3.2	19
278	X-ray diffraction study of phase transitions in $[N(CH_3)_4]_2MnCl_4$ under pressure. Solid State Communications, 1988, 67, 329-332.	1.9	11
279	The enhanced magnetic moment and structural study of Fe/MgO multilayered films. Journal of Applied Physics, 1988, 64, 5763-5765.	2.5	34
280	X-ray diffuse scattering from $\hat{\Gamma}_2'$ -AgZn alloy. Journal of Physics F: Metal Physics, 1988, 18, 2505-2512.	1.6	9
281	A unique high pressure apparatus for X-ray diffraction studies of phase transitions up to 5 kbar. Nuclear Instruments & Methods in Physics Research B, 1987, 29, 537-543.	1.4	11
282	Crystal Structure Analysis of Barium Titanate $\hat{A}B$ Bismuth Perovskite-Type Oxide System Ceramics and their Piezoelectric Property. Key Engineering Materials, 0, 421-422, 38-41.	0.4	2
283	Particle Structure Analysis of Highly-Dispersed Barium Titanate Nanoparticles Obtained from Barium Titanate Nanoparticles and their Dielectric Properties. Key Engineering Materials, 0, 421-422, 506-509.	0.4	6
284	Preparation of Barium Titanate Nanoparticles by Particle Growth Control. Key Engineering Materials, 0, 445, 171-174.	0.4	2
285	Preparation of Barium Titanate/Strontium Titanate Multilayered Nanoparticles. Key Engineering Materials, 0, 485, 305-308.	0.4	13
286	Single Phase Formation and Electric Properties of Bismuth Niobium Based Perovskite-Type Oxides. Key Engineering Materials, 0, 485, 81-84.	0.4	2
287	Grain Size Dependence of the Microstructure and Dielectric Properties of Potassium Niobate-Barium Titanate Ceramics. Key Engineering Materials, 0, 566, 34-37.	0.4	0
288	Chemical Composition of Dielectric and Piezoelectric Properties for $BaTiO_3$ - $Bi(Mg_{1/2}Ti_{1/2})O_3$ - $BiFeO_3$ System Ceramics. Key Engineering Materials, 0, 582, 84-87.		2