

# Teng Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4614735/publications.pdf>

Version: 2024-02-01

54  
papers

1,022  
citations

394421

19  
h-index

477307

29  
g-index

54  
all docs

54  
docs citations

54  
times ranked

1008  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure, crystallization, and performances of alkaline-earth borosilicate sealing glasses for SOFCs. <i>Journal of the American Ceramic Society</i> , 2021, 104, 2560-2570.	3.8	4
2	Nanosized HCA-coated borate bioactive glass with improved wound healing effects on rodent model. <i>Chemical Engineering Journal</i> , 2021, 426, 130299.	12.7	24
3	Effect of nickel doping on structure and suppressing boron volatility of borosilicate glass sealants in solid oxide fuel cells. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2179-2185.	5.7	7
4	Improving sealing performance of borosilicate glass-ceramics for solid oxide fuel cell applications: Effect of AlN. <i>Journal of the European Ceramic Society</i> , 2019, 39, 4194-4201.	5.7	9
5	Structural transformation-induced surface strengthening of borosilicate sealing glass for solid oxide fuel cells. <i>Ceramics International</i> , 2019, 45, 15629-15635.	4.8	4
6	A robust glass-ceramic sealing material for solid oxide fuel cells: Effect of Ba <sub>3</sub> Nb <sub>10</sub> O <sub>28</sub> phase. <i>Journal of the European Ceramic Society</i> , 2019, 39, 1540-1545.	5.7	3
7	Effect of Gd <sub>2</sub> O <sub>3</sub> doping on structure and boron volatility of borosilicate glass sealants in solid oxide fuel cells—A study on the La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3-<math>\lambda</math></sub> (LSCF) cathode. <i>Journal of Power Sources</i> , 2018, 383, 34-41.	7.8	15
8	A facile self-assembly approach to prepare palladium/carbon nanotubes catalyst for the electro-oxidation of ethanol. <i>Materials Research Express</i> , 2018, 5, 025013.	1.6	3
9	Rigid-resilient transition in calcium borosilicate sealing glass—ceramics: Effect of preferred orientation. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2410-2416.	5.7	3
10	Nb and Pd co-doped La <sub>0.57</sub> Sr <sub>0.38</sub> Co <sub>0.19</sub> Fe <sub>0.665</sub> Nb <sub>0.095</sub> Pd <sub>0.05</sub> O <sub>3-<math>\lambda</math></sub> as a stable, high performance electrode for barrier-layer-free Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> electrolyte of solid oxide fuel cells. <i>Journal of Power Sources</i> , 2018, 378, 433-442.	7.8	48
11	Suppressed Sr segregation and performance of directly assembled La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3-<math>\lambda</math></sub> oxygen electrode on Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> electrolyte of solid oxide electrolysis cells. <i>Journal of Power Sources</i> , 2018, 384, 125-135.	7.8	69
12	High performance nanostructured bismuth oxide—cobaltite as a durable oxygen electrode for reversible solid oxide cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6510-6520.	10.3	26
13	Improving the thermal stability of phosphor in a white light-emitting diode (LED) by glass-ceramics: Effect of Al <sub>2</sub> O <sub>3</sub> dopant. <i>Journal of the European Ceramic Society</i> , 2018, 38, 2005-2009.	5.7	18
14	Stable phosphate-based glass for low-temperature sealing applications: Effect of Si <sub>3</sub> N <sub>4</sub> dopant. <i>Ceramics International</i> , 2018, 44, 20227-20231.	4.8	10
15	Active, durable bismuth oxide-manganite composite oxygen electrodes: Interface formation induced by cathodic polarization. <i>Journal of Power Sources</i> , 2018, 397, 16-24.	7.8	15
16	Improving the sealing performance of glass-ceramics for SOFCs applications by a unique “composite” approach: A study on Na <sub>2</sub> O-SiO <sub>2</sub> glass-ceramic system. <i>Journal of the European Ceramic Society</i> , 2018, 38, 4488-4494.	5.7	13
17	Cellulose/SnS <sub>2</sub> composite with enhanced visible-light photocatalytic activity prepared by microwave-assisted ionic liquid method. <i>RSC Advances</i> , 2017, 7, 12255-12264.	3.6	25
18	Highly active and stable Er <sub>0.4</sub> Bi <sub>1.6</sub> O <sub>3</sub> decorated La <sub>0.76</sub> Sr <sub>0.19</sub> MnO <sub>3+<math>\lambda</math></sub> nanostructured oxygen electrodes for reversible solid oxide cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12149-12157.	10.3	63

#	ARTICLE	IF	CITATIONS
19	Nitrogen-Doped Carbon Nanotube-Supported Pd Catalyst for Improved Electrocatalytic Performance toward Ethanol Electrooxidation. <i>Nano-Micro Letters</i> , 2017, 9, 28.	27.0	39
20	Efficient CO <sub>2</sub> electrolysis with scandium doped titanate cathode. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 8197-8206.	7.1	27
21	Effects of Nb <sub>2</sub> O <sub>5</sub> and Gd <sub>2</sub> O <sub>3</sub> doping on boron volatility and activity between glass seals and lanthanum-containing cathode. <i>Journal of the European Ceramic Society</i> , 2017, 37, 1547-1555.	5.7	9
22	The reactive wetting kinetics of interfacial tension: a reaction-limited model. <i>RSC Advances</i> , 2017, 7, 13003-13009.	3.6	15
23	Effect of Nb <sub>2</sub> O <sub>5</sub> doping on improving the thermo-mechanical stability of sealing interfaces for solid oxide fuel cells. <i>Scientific Reports</i> , 2017, 7, 5355.	3.3	9
24	Significant Promotion Effect of Bi <sub>2</sub> O <sub>3</sub> on the Activity and Stability of Directly Assembled Lanthanum Manganite Based Cathodes of Solid Oxide Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1471-F1477.	2.9	7
25	Improving the electrocatalytic properties of Pd-based catalyst for direct alcohol fuel cells: effect of solid solution. <i>Scientific Reports</i> , 2017, 7, 4907.	3.3	38
26	The phase evolution, electrical stability and chemical compatibility of sealing glass-ceramics for solid oxide fuel cell applications: effect of La <sub>2</sub> O <sub>3</sub> or CeO <sub>2</sub> . <i>RSC Advances</i> , 2016, 6, 17151-17157.	3.6	6
27	Controlling the reaction between boron-containing sealing glass and a lanthanum-containing cathode by adding Nb <sub>2</sub> O <sub>5</sub> . <i>Journal of Power Sources</i> , 2016, 325, 549-554.	7.8	6
28	Improving the electrical property of CeO <sub>2</sub> -containing sealing glass-ceramics for Solid Oxide Fuel Cell applications: Effect of HfO <sub>2</sub> . <i>Journal of the European Ceramic Society</i> , 2016, 36, 917-923.	5.7	12
29	Reducing the reaction between boron-containing sealing glass-ceramics and lanthanum-containing cathode: Effect of La <sub>2</sub> O <sub>3</sub> . <i>Journal of the European Ceramic Society</i> , 2016, 36, 1103-1107.	5.7	9
30	Tuning the Interfacial Reaction Between Bismuth-Containing Sealing Glasses and Chromium-Containing Interconnect: Effect of ZnO. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3797-3806.	3.8	12
31	Ethanol oxidation on Pd/C promoted with CaSiO <sub>3</sub> in alkaline medium. <i>Electrochimica Acta</i> , 2015, 158, 18-23.	5.2	13
32	Interaction between gadolinia-doped ceria electrolyte and sealing glass-ceramics. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2201-2207.	5.7	8
33	Reducing the interfacial reaction between borosilicate sealant and yttria-stabilized zirconia electrolyte by addition of HfO <sub>2</sub> . <i>Journal of the European Ceramic Society</i> , 2015, 35, 2427-2431.	5.7	10
34	A New Composite Support for Pd Catalysts for Ethylene Glycol Electrooxidation in Alkaline Solution: Effect of (Ru,Sn) <sub>2</sub> O <sub>3</sub> solid solution. <i>Electrochimica Acta</i> , 2015, 174, 178-184.	5.2	23
35	Reactive wetting of Ni-Si alloys on graphite substrates: effects of Si and Ni. <i>RSC Advances</i> , 2015, 5, 90866-90870.	3.6	3
36	Development of the CaO-SrO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> sealing glasses for solid oxide fuel cell applications: structure-property correlation. <i>RSC Advances</i> , 2015, 5, 41772-41779.	3.6	12

#	ARTICLE	IF	CITATIONS
37	Effect of HfO <sub>2</sub> on the compatibility of borosilicate sealing glasses for solid oxide fuel cells application. RSC Advances, 2015, 5, 62891-62898.	3.6	10
38	Controlling the redox reaction at the interface between sealing glasses and Cr-containing interconnect: Effect of competitive reaction. Journal of Power Sources, 2014, 267, 753-759.	7.8	13
39	Tuning the interfacial reaction between CaO-SrO-Al <sub>2</sub> O <sub>3</sub> -B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> sealing glass-ceramics and Cr-containing interconnect: Crystalline structure vs. glass structure. Journal of the European Ceramic Society, 2014, 34, 1989-1996.	5.7	37
40	Development of nickel-iron bimetallic catalytic layer for solid oxide fuel cells: Effect of citric acid. International Journal of Hydrogen Energy, 2014, 39, 9467-9472.	7.1	5
41	New zinc and bismuth doped glass sealants with substantially suppressed boron deposition and poisoning for solid oxide fuel cells. Journal of Materials Chemistry A, 2014, 2, 18655-18665.	10.3	30
42	Reducing the reaction between boron-containing sealing glass-ceramics and lanthanum-containing cathode: Effect of Bi <sub>2</sub> O <sub>3</sub> . Journal of the European Ceramic Society, 2014, 34, 4463-4468.	5.7	16
43	Effect of annealing temperature on the structure and coke-resistance of nickel-iron bimetallic catalytic layer for in situ methane steam reforming in SOFC operation. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2014, 189, 45-50.	3.5	1
44	Tailoring the sealing properties of TiO <sub>2</sub> -CaO-SrO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass-ceramic seals: Thermal properties, chemical compatibility and electrical property. Journal of Power Sources, 2013, 241, 578-582.	7.8	21
45	Improving the chemical compatibility of sealing glass for solid oxide fuel cells: Blocking the reactive species by controlled crystallization. Journal of Power Sources, 2012, 216, 1-4.	7.8	24
46	Tuning the thermal properties of borosilicate glass ceramic seals for solid oxide fuel cells. Journal of the European Ceramic Society, 2012, 32, 4009-4013.	5.7	28
47	Development of ceramic sealant for solid oxide fuel cell application: Self-healing property, mechanical stability and thermal stability. Journal of Power Sources, 2012, 204, 122-126.	7.8	15
48	Chromate formation at the interface between a solid oxide fuel cell sealing glass and interconnect alloy. Journal of Power Sources, 2012, 205, 301-306.	7.8	47
49	Can crystalline phases be self-healing sealants for solid oxide fuel cells?. Journal of Power Sources, 2011, 196, 1321-1323.	7.8	19
50	Reduction of chromate formation at the interface of solid oxide fuel cells by different additives. Journal of Power Sources, 2010, 195, 6795-6797.	7.8	16
51	Borate Volatility from SOFC Sealing Glasses. Journal of the American Ceramic Society, 2008, 91, 2564-2569.	3.8	64
52	Isothermal Crystallization of a Solid Oxide Fuel Cell Sealing Glass by Differential Thermal Analysis. Journal of the American Ceramic Society, 2008, 91, 3235-3239.	3.8	27
53	Phase Structure and Microstructure of a Nanoscale TiO <sub>2</sub> -RuO <sub>2</sub> -IrO <sub>2</sub> -Ta <sub>2</sub> O <sub>5</sub> Anode Coating on Titanium. Journal of the American Ceramic Society, 2008, 91, 4154-4157.	3.8	23
54	Synthesis and Characterization of Nanoscale Ce <sub>(x)</sub> Ru <sub>(1-x)</sub> O <sub>2</sub> Coatings With Electrochemical Activity. Journal of the American Ceramic Society, 2007, 90, 989-992.	3.8	9