## Evandro da Silva Freire Coutinho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4621566/publications.pdf

Version: 2024-02-01

136 papers 5,598 citations

36 h-index 66 g-index

163 all docs

163
docs citations

times ranked

163

7532 citing authors

#	Article	IF	Citations
1	Rescuers at risk: a systematic review and meta-regression analysis of the worldwide current prevalence and correlates of PTSD in rescue workers. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1001-1011.	3.1	490
2	Exercise and Mental Health: Many Reasons to Move. Neuropsychobiology, 2009, 59, 191-198.	1.9	401
3	Brazilian multicentric study of psychiatric morbidity. British Journal of Psychiatry, 1997, 171, 524-529.	2.8	236
4	Physical Exercise and Clinically Depressed Patients: A Systematic Review and Meta-Analysis. Neuropsychobiology, 2013, 67, 61-68.	1.9	196
5	Efficacy of Virtual Reality Exposure Therapy in the Treatment of PTSD: A Systematic Review. PLoS ONE, 2012, 7, e48469.	2.5	165
6	Post-traumatic stress symptoms in an elite unit of Brazilian police officers: Prevalence and impact on psychosocial functioning and on physical and mental health. Journal of Affective Disorders, 2007, 97, 241-245.	4.1	136
7	Income inequality and mental illness-related morbidity and resilience: a systematic review and meta-analysis. Lancet Psychiatry,the, 2017, 4, 554-562.	7.4	124
8	The Impact of Epidemic Violence on the Prevalence of Psychiatric Disorders in Sao Paulo and Rio de Janeiro, Brazil. PLoS ONE, 2013, 8, e63545.	2.5	109
9	Building resilience for future adversity: a systematic review of interventions in non-clinical samples of adults. BMC Psychiatry, 2014, 14, 227.	2.6	106
10	Impact and Effectiveness of 10 and 13-Valent Pneumococcal Conjugate Vaccines on Hospitalization and Mortality in Children Aged Less than 5 Years in Latin American Countries: A Systematic Review. PLoS ONE, 2016, 11, e0166736.	2.5	102
11	Does D-Cycloserine Enhance Exposure Therapy for Anxiety Disorders in Humans? A Meta-Analysis. PLoS ONE, 2014, 9, e93519.	2.5	96
12	Posttraumatic stress disorder in parents of children with chronic illnesses: A meta-analysis Health Psychology, 2009, 28, 379-388.	1.6	91
13	The costs of overweight and obesity-related diseases in the Brazilian public health system: cross-sectional study. BMC Public Health, 2012, 12, 440.	2.9	90
14	Prevalence of hysteroscopic findings and histologic diagnoses in patients with abnormal uterine bleeding. Fertility and Sterility, 2008, 89, 1803-1807.	1.0	80
15	Poverty, violence and depression during pregnancy: a survey of mothers attending a public hospital in Brazil. Psychological Medicine, 2005, 35, 1485-1492.	4.5	75
16	Abnormal serum lipid profile in Brazilian police officers with post-traumatic stress disorder. Journal of Affective Disorders, 2008, 107, 259-263.	4.1	75
17	Is there tonic immobility in humans? Biological evidence from victims of traumatic stress. Biological Psychology, 2011, 88, 13-19.	2.2	75
18	Peritraumatic tonic immobility predicts a poor response to pharmacological treatment in victims of urban violence with PTSD. Journal of Affective Disorders, 2008, 107, 193-197.	4.1	70

#	Article	IF	CITATIONS
19	Is tonic immobility the core sign among conventional peritraumatic signs and symptoms listed for PTSD?. Journal of Affective Disorders, 2009, 115, 269-273.	4.1	68
20	Comparison of strength training, aerobic training, and additional physical therapy as supplementary treatments for Parkinson's disease: pilot study. Clinical Interventions in Aging, 2015, 10, 183.	2.9	64
21	The impact of tonic immobility reaction on the prognosis of posttraumatic stress disorder. Journal of Psychiatric Research, 2010, 44, 224-228.	3.1	62
22	The Mental Health Care Gap among Children and Adolescents: Data from an Epidemiological Survey from Four Brazilian Regions. PLoS ONE, 2014, 9, e88241.	2.5	62
23	The impact of posttraumatic symptoms and comorbid mental disorders on the health-related quality of life in treatment-seeking PTSD patients. Comprehensive Psychiatry, 2015, 58, 68-73.	3.1	60
24	The epidemiology of psychotropic use in the City of São Paulo. Psychological Medicine, 1993, 23, 467-474.	<b>4.</b> 5	52
25	Factors associated with the use of physical restraints for agitated patients in psychiatric emergency rooms. General Hospital Psychiatry, 2008, 30, 263-268.	2.4	51
26	They know their trauma by heart: An assessment of psychophysiological failure to recover in PTSD. Journal of Affective Disorders, 2013, 150, 136-141.	4.1	50
27	Depression subtypes and obesity in adults: A systematic review and metaâ€analysis. Obesity Reviews, 2020, 21, e12966.	6.5	50
28	Association between home posture habits and low back pain in high school adolescents. European Spine Journal, 2015, 24, 425-433.	2.2	49
29	Is weight regain after bariatric surgery associated with psychiatric comorbidity? A systematic review and metaâ€analysis. Obesity Reviews, 2019, 20, 1413-1425.	6.5	46
30	Current practices in managing acutely disturbed patients at three hospitals in Rio de Janeiro-Brazil: a prevalence study. BMC Psychiatry, 2002, 2, 4.	2.6	45
31	Conditional risk for posttraumatic stress disorder in an epidemiological study of a Brazilian urban population. Journal of Psychiatric Research, 2016, 72, 51-57.	3.1	43
32	Validation of hysteroscopic view in cases of endometrial hyperplasia and cancer in patients with abnormal uterine bleeding. Journal of Minimally Invasive Gynecology, 2006, 13, 409-412.	0.6	41
33	Validation of Montgomery-Ãsberg Rating Scale and Cornell Scale for Depression in Dementia in Brazilian elderly patients. International Psychogeriatrics, 2012, 24, 1291-1298.	1.0	40
34	Is ADHD a Risk Factor Independent of Conduct Disorder for Illicit Substance Use? A Meta-Analysis and Metaregression Investigation. Journal of Attention Disorders, 2013, 17, 459-469.	2.6	38
35	Reliability of self-reported weight and height among State bank employees. Revista De Saude Publica, 1999, 33, 16-23.	1.7	37
36	Tobacco use among the elderly: a systematic review and meta-analysis. Cadernos De Saude Publica, 2010, 26, 2213-2233.	1.0	37

#	Article	IF	CITATIONS
37	The worldwide incidence of neonaticide: a systematic review. Archives of Women's Mental Health, 2017, 20, 249-256.	2.6	37
38	Physical restraints <i>versus </i> seclusion room for management of people with acute aggression or agitation due to psychotic illness (TREC-SAVE): a randomized trial. Psychological Medicine, 2012, 42, 2265-2273.	<b>4.</b> 5	36
39	Sexual trauma is more strongly associated with tonic immobility than other types of trauma – A population based study. Journal of Affective Disorders, 2017, 215, 71-76.	4.1	36
40	Risk factors for abdominal scar endometriosis after obstetric hysterotomies: a case–control study. Acta Obstetricia Et Gynecologica Scandinavica, 2007, 86, 73-80.	2.8	33
41	Systematic Review of the Efficacy of Cognitive-Behavior Therapy Related Treatments for Victims of Natural Disasters: A Worldwide Problem. PLoS ONE, 2014, 9, e109013.	2.5	32
42	Meta-analysis of the prevalence of physical inactivity among Brazilian adolescents. Cadernos De Saude Publica, 2012, 28, 1019-1032.	1.0	31
43	Epidemiology of Psychotropic Drug Use in Rio de Janeiro, Brazil: Gaps in Mental Illness Treatments. PLoS ONE, 2013, 8, e62270.	2.5	30
44	Locus of control and coping strategies in older persons with and without depression. Aging and Mental Health, 2016, 20, 831-839.	2.8	30
45	Is Strength Training as Effective as Aerobic Training for Depression in Older Adults? A Randomized Controlled Trial. Neuropsychobiology, 2020, 79, 141-149.	1.9	30
46	Prevalence of arterial hypertension among Brazilian adolescents: systematic review and meta-analysis. BMC Public Health, 2013, 13, 833.	2.9	28
47	Peritraumatic tonic immobility is associated with PTSD symptom severity in Brazilian police officers: a prospective study. Revista Brasileira De Psiquiatria, 2015, 37, 49-54.	1.7	28
48	Diagnosing dementia in lower educated older persons: validation of a Brazilian Portuguese version of the Rowland Universal Dementia Assessment Scale (RUDAS). Revista Brasileira De Psiquiatria, 2018, 40, 264-269.	1.7	28
49	One-year mortality among elderly people after hospitalization due to fall-related fractures: comparison with a control group of matched elderly. Cadernos De Saude Publica, 2012, 28, 801-805.	1.0	27
50	ERICA: patterns of alcohol consumption in Brazilian adolescents. Revista De Saude Publica, 2016, 50, 8s.	1.7	27
51	Molecular and phenotypic analysis of a working seed lot of yellow fever virus 17DD vaccine strain produced from the secondary seed lot 102/84 with an additional passage in chicken embryos. Biologicals, 2006, 34, 191-197.	1.4	26
52	Institutional h-index: The performance of a new metric in the evaluation of Brazilian Psychiatric Post-graduation Programs. Scientometrics, 2008, 77, 361-368.	3.0	26
53	Second-generation antidepressants in social anxiety disorder: meta-analysis of controlled clinical trials. Psychopharmacology, 2011, 215, 1-11.	3.1	26
54	Senses of body image in adolescents in elementary school. Revista De Saude Publica, 2014, 48, 438-444.	1.7	26

#	Article	IF	Citations
55	The increasing internationalization of mainstream posttraumatic stress disorder research: A bibliometric study. Journal of Traumatic Stress, 2007, 20, 89-95.	1.8	24
56	Predictors of PTSD symptoms in brazilian police officers: the synergy of negative affect and peritraumatic dissociation. Revista Brasileira De Psiquiatria, 2011, 33, 362-366.	1.7	24
57	The schizophrenia drug-treatment paradox: pharmacological treatment based on best possible evidence may be hardest to practise in high-income countries. British Journal of Psychiatry, 2006, 189, 391-392.	2.8	23
58	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. Revista Brasileira De Psiquiatria, 2012, 34, 60-65.	1.7	23
59	Peritraumatic tonic immobility in a large representative sample of the general population: association with posttraumatic stress disorder and female gender. Comprehensive Psychiatry, 2015, 60, 68-72.	3.1	23
60	Early scars are forever: Childhood abuse in patients with adult-onset PTSD is associated with increased prevalence and severity of psychiatric comorbidity. Psychiatry Research, 2018, 267, 1-6.	3.3	23
61	Comorbidity in post-traumatic stress disorder: A population-based study from the two largest cities in Brazil. Journal of Affective Disorders, 2020, 263, 715-721.	4.1	23
62	Prevalence of psychiatric disorders among children and adolescents from four Brazilian regions. Revista Brasileira De Psiquiatria, 2015, 37, 178-179.	1.7	23
63	Cerebrospinal Fluid Biomarkers in Alzheimer's Disease and Geriatric Depression: Preliminary Findings from Brazil. CNS Neuroscience and Therapeutics, 2012, 18, 524-529.	3.9	22
64	The REAL study: a nationwide prospective study of rheumatoid arthritis in Brazil. Advances in Rheumatology, 2018, 58, 9.	1.7	22
65	The quality of life of people with schizophrenia living in community in Rio de Janeiro, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 347-356.	3.1	21
66	Listening to the heart: A meta-analysis of cognitive behavior therapy impact on the heart rate of patients with anxiety disorders. Journal of Affective Disorders, 2015, 172, 231-240.	4.1	21
67	Psychotropic Drug Use in São Paulo, Brazil – An Epidemiological Survey. PLoS ONE, 2015, 10, e0135059.	2.5	21
68	Mental illness in an adult sample admitted to public hostels in the Rio de Janeiro metropolitan area, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 493-498.	3.1	20
69	Attenuation of Recombinant Yellow Fever 17D Viruses Expressing Foreign Protein Epitopes at the Surface. Journal of Virology, 2005, 79, 8602-8613.	3.4	20
70	Comorbid depressive symptoms in treatment-seeking PTSD outpatients affect multiple domains of quality of life. Comprehensive Psychiatry, 2014, 55, 56-63.	3.1	20
71	The influence of smokers' degree of dependence on the effectiveness of message framing for capturing smokers for a Quitline. Addictive Behaviors, 2010, 35, 620-624.	3.0	19
72	Reappraising the dimensional structure of the PTSD Checklist: lessons from the DSM-IV-based PCL-C. Revista Brasileira De Psiquiatria, 2018, 40, 154-162.	1.7	19

#	Article	IF	CITATIONS
73	Zuclopenthixol acetate in psychiatric emergencies: looking for evidence from clinical trials. Schizophrenia Research, 2000, 46, 111-118.	2.0	18
74	Negative Affect Predicts Posttraumatic Stress Symptoms in Brazilian Volunteer United Nations Peacekeepers in Haiti. Journal of Nervous and Mental Disease, 2008, 196, 852-855.	1.0	18
75	Characteristics and circumstances of falls leading to severe fractures in elderly people in Rio de Janeiro, Brazil. Cadernos De Saude Publica, 2009, 25, 455-459.	1.0	18
76	Prevalence and Correlates of Elder Abuse in São Paulo and Rio de Janeiro. Journal of the American Geriatrics Society, 2017, 65, 2634-2638.	2.6	18
77	Education does not equally influence all the Mini Mental State Examination subscales and items: inferences from a Brazilian community sample. Revista Brasileira De Psiquiatria, 2010, 32, 223-230.	1.7	17
78	Verbal fluency in Alzheimer's disease, Parkinson's disease, and major depression. Clinics, 2011, 66, 623-627.	1.5	17
79	Impaired cognition in depression and Alzheimer (AD): a gradient from depression to depression in AD. Arquivos De Neuro-Psiquiatria, 2014, 72, 671-679.	0.8	17
80	Detection of antibodies against hepatitis A virus in eluates of blood spotted on filter-paper: a pilot study in Rio de Janeiro, Brazil. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1999, 93, 401-404.	1.8	16
81	Risk factors for breast cancer: a systematic review of studies with female samples among the general population in Brazil. Cadernos De Saude Publica, 2005, 21, 351-360.	1.0	16
82	PTSD Criterion A1 events: A literatureâ€based categorization. Journal of Traumatic Stress, 2011, 24, 243-251.	1.8	16
83	Structural Validity of the Tonic Immobility Scale in a Population Exposed to Trauma: Evidence from Two Large Brazilian Samples. PLoS ONE, 2014, 9, e94367.	2.5	16
84	Adaptação transcultural para o português do instrumento Peritraumatic Dissociative Experiences Questionnaire, Versão Auto-Aplicativa. Revista De Psiquiatria Do Rio Grande Do Sul, 2005, 27, 151-158.	0.3	15
85	Patterns of neuropsychiatric sub-syndromes in Brazilian and Norwegian patients with dementia. International Psychogeriatrics, 2013, 25, 228-235.	1.0	15
86	Blunted cardiac reactivity to psychological stress associated with higher trait anxiety: a study in peacekeepers. BMC Neuroscience, 2015, 16, 81.	1.9	15
87	Violence and child mental health in Brazil: The ItaboraÃ-Youth Study methods and findings. International Journal of Methods in Psychiatric Research, 2018, 27, e1605.	2.1	15
88	Transtorno do estresse pós-traumático no puerpério em uma maternidade de alto risco fetal no MunicÃpio do Rio de Janeiro, Brasil. Cadernos De Saude Publica, 2015, 31, 2523-2534.	1.0	13
89	Prevalence of sexual dysfunction in depressive and persistent depressive disorders: a systematic review and meta-analysis. International Journal of Impotence Research, 2023, 35, 340-349.	1.8	13
90	Association between home posture habits and neck pain in High School adolescents. Journal of Back and Musculoskeletal Rehabilitation, 2017, 30, 467-475.	1.1	12

#	Article	IF	Citations
91	CaracterÃsticas biológicas e evitabilidade de óbitos perinatais em uma localidade na cidade do Rio de Janeiro, 1999 a 2003. Revista Brasileira De Saude Materno Infantil, 2008, 8, 171-178.	0.5	12
92	School attainment in childhood is an independent risk factor of dementia in late life: results from a Brazilian sample. International Psychogeriatrics, 2012, 24, 55-61.	1.0	11
93	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist - Civilian Version (PCL-C). Revista Brasileira De Psiquiatria, 2012, 34, 155-161.	1.7	11
94	Resilience to trauma in the two largest cities of Brazil: a cross-sectional study. BMC Psychiatry, 2014, 14, 257.	2.6	11
95	Confirmatory factor analysis of the Cornell scale for depression in dementia among patient with dementia of various degrees. Journal of Affective Disorders, 2015, 188, 173-178.	4.1	11
96	Brazilian version of the European Cross-Cultural Neuropsychological Test Battery (CNTB-BR): diagnostic accuracy across schooling levels. Revista Brasileira De Psiquiatria, 2020, 42, 286-294.	1.7	11
97	Adaptação transcultural para o português do Social Phobia Inventory (SPIN) para utilização entre estudantes adolescentes. Revista De Psiquiatria Do Rio Grande Do Sul, 2006, 28, 40-48.	0.3	10
98	Posttraumatic Stress Disorder in Peacekeepers. Journal of Nervous and Mental Disease, 2011, 199, 309-312.	1.0	10
99	Exploratory factor analysis of the Brazilian version of the Post-Traumatic Stress Disorder Checklist - Civilian Version (PCL-C). Revista Brasileira De Psiquiatria, 2012, 34, 155-161.	1.7	10
100	Gender and Minor Psychiatric Morbidity: Results of a Case-Control Study in a Developing Country. International Journal of Psychiatry in Medicine, 1999, 29, 197-208.	1.8	9
101	Cochrane Schizophrenia Group. Schizophrenia Bulletin, 2007, 34, 259-265.	4.3	9
102	Potenciais biomarcadores da terapia cognitivo-comportamental para o transtorno de estresse pós-traumático: uma revisão sistemática. Revista De Psiquiatria Clinica, 2011, 38, 155-160.	0.6	9
103	Novos rumos nas polÃŧicas públicas de saúde mental no Brasil. Cadernos De Saude Publica, 2001, 17, 452-453.	1.0	9
104	Factors associated with microalbuminuria in resistant hypertension. International Journal of Cardiology, 2007, 121, 86-87.	1.7	8
105	Adherence to the 2012 American College of Rheumatology (ACR) Guidelines for Management of Gout: A Survey of Brazilian Rheumatologists. PLoS ONE, 2015, 10, e0135805.	2.5	8
106	Os pacientes invisÃveis: transtorno de estresse pós-traumático em pais de pacientes com fibrose cÃstica. Revista De Psiquiatria Clinica, 2010, 37, 6-11.	0.6	8
107	To BDZ or not to BDZ? That is the question! Is there reliable scientific evidence for or against using benzodiazepines in the aftermath of potentially traumatic events for the prevention of PTSD? A systematic review and meta-analysis. Journal of Psychopharmacology, 2022, 36, 449-459.	4.0	8
108	A cross-cultural comparison of the phenotype of depression as measured by the Cornell Scale and the MADRS in two elderly outpatient populations. Journal of Affective Disorders, 2013, 144, 34-41.	4.1	7

#	Article	IF	Citations
109	Does CBT have lasting effects in the treatment of PTSD after one year of follow-up? A systematic review of randomized controlled trials. Trends in Psychiatry and Psychotherapy, 2018, 40, 352-359.	0.8	7
110	Effects of Blood Pressure Lowering Agents on Cardiovascular Outcomes in Weight Excess Patients: A Systematic Review and Meta-analysis. American Journal of Cardiovascular Drugs, 2020, 20, 447-470.	2.2	7
111	Social Disablement among residents of Hostels for the Homeless in Rio de Janeiro, Brazil. International Journal of Social Psychiatry, 2002, 48, 279-289.	3.1	6
112	Is there a â€~gender gap' in authorship of the main Brazilian psychiatric journals at the beginning of the 21st century?. Scientometrics, 2011, 86, 27-37.	3.0	6
113	Lower mortality rate in people with dementia is associated with better cognitive and functional performance in an outpatient cohort. Arquivos De Neuro-Psiquiatria, 2014, 72, 278-282.	0.8	6
114	Clinical stability, diagnosis and catchment area: the patients of a university-based psychiatric outpatient clinic. Jornal Brasileiro De Psiquiatria, 2018, 67, 213-222.	0.7	6
115	Gains of stopping smoking: portraits of the dialogue between public health promotion, art and design. International Journal of Epidemiology, 2009, 38, 1459-1463.	1.9	5
116	Inquérito sobre o uso de contenção fÃsica em um hospital psiquiátrico de grande porte no Rio de Janeiro. Jornal Brasileiro De Psiquiatria, 2010, 59, 94-98.	0.7	5
117	Sa $\tilde{A}^e$ de mental do idoso no Brasil: a relev $\tilde{A}^{\varphi}$ ncia da pesquisa epidemiol $\tilde{A}^3$ gica. Cadernos De Saude Publica, 2012, 28, 412-412.	1.0	5
118	Vulnerability and self-perceived health status among light and heavy smokers: the relationship to short-term fear appeal tobacco control messages. Cadernos De Saude Publica, 2009, 25, 1534-1542.	1.0	4
119	A Pragmatic Trial in the Rio de Janeiro Subway to Capture Smokers for a Quitline: Methodological Challenges and Opportunities. Journal of Health Communication, 2012, 17, 899-914.	2.4	4
120	Effectiveness of immunonutrient-enriched diets in the decrease of infections and mortality in the critically ill. Nutrition, 2013, 29, 485-490.	2.4	4
121	Cost of diseases related to alcohol consumption in the Brazilian Unified Health System. Revista De Saude Publica, 2016, 50, .	1.7	4
122	Pattern evolution of antidepressants and benzodiazepines use in a cohort. Revista De Saude Publica, 2020, 54, 40.	1.7	4
123	Early vulnerabilities for psychiatric disorders in elementary schoolchildren from four Brazilian regions. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 477-486.	3.1	3
124	Confiabilidade de instrumentos diagnósticos: estudo do inventário de sintomas psiquiátricos do DSM-III aplicado em amostra populacional. Cadernos De Saude Publica, 2001, 17, 1393-1402.	1.0	2
125	Gout treatment: survey of Brazilian rheumatology residents. Clinical Rheumatology, 2017, 36, 1179-1188.	2.2	2
126	Peritraumatic tonic immobility is associated with posttraumatic stress symptoms in undergraduate Brazilian students. Revista Brasileira De Psiquiatria, 2012, 34, 60-65.	1.7	1

#	Article	IF	CITATIONS
127	â€~Consent rituals' in evaluation of coercive care. Evidence-Based Mental Health, 2013, 16, 32-33.	4.5	1
128	Exposure to stressful events during a peacekeeping mission may have a price: The impact on trait of negative and positive affect and mental health. Journal of Health Psychology, 2020, 25, 1285-1291.	2.3	1
129	Chikungunya Fever. Journal of Ultrasound in Medicine, 2021, , .	1.7	1
130	Validade de medidas autorrelatadas de peso corporal e estatura em participantes do estudo São Paulo Megacity. Cadernos Saude Coletiva, 2019, 27, 225-233.	0.6	1
131	Performance of the Rheumatoid Arthritis Disease Activity Index in the Assessment of Disease Activity in Rheumatoid Arthritis—Findings From the REAL Study. Journal of Clinical Rheumatology, 2022, Publish Ahead of Print, .	0.9	1
132	Atendimento psicol $\tilde{A}^3$ gico $\tilde{A}$ s v $\tilde{A}$ timas de cat $\tilde{A}_i$ strofes: estamos fazendo bem?. Cadernos De Saude Publica, 2013, 29, 1488-1490.	1.0	1
133	Adaptação transcultural da escala Locus of Control of Behaviour para o português: versão para idosos. Jornal Brasileiro De Psiquiatria, 2014, 63, 227-231.	0.7	O
134	Re. More research needed in quality, quantity and timing of enteral formulas for the acutely ill. Nutrition, 2014, 30, 240-241.	2.4	0
135	Aggregation of behavioral risk factors to noncommunicable chronic diseases: A national school-based study with Brazilian adolescents. Preventive Medicine, 2020, 137, 106128.	3.4	O
136	Prevalence and psychiatric comorbidities of intermittent explosive disorders in Metropolitan São Paulo, Brazil. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 687-694.	3.1	0